

The Craftsman logo is centered in the upper half of the page. It consists of the word "CRAFTSMAN" in a bold, white, sans-serif font, with a registered trademark symbol (®) at the end. The text is enclosed within a white rectangular border that has a slight shadow effect.

CRAFTSMAN®

BRAND STANDARDS

v2.0 - SUBJECT TO CHANGE

06.22.18

THIS MATERIAL IS THE PROPRIETARY AND CONFIDENTIAL INFORMATION OF STANLEY BLACK & DECKER, INC. YOU ARE EXPRESSLY PROHIBITED FROM COPYING, SHARING, OR DISTRIBUTING THE MATERIAL OR ANY STRATEGY, PLAN, DATA, DRAWING OR INFORMATION EMBODIED HEREIN WITHOUT THE WRITTEN AUTHORIZATION OF STANLEY BLACK & DECKER.



1. THE BRAND – THE POWER OF PRIDE	
TONE & VOICE	6
BRAND CHARACTER	7
USERS	8
2. BRAND ASSETS – ICONS OF THE BRAND	
LOGOS	10
COLORS	13
FONTS	14
3. INDUSTRIAL DESIGN – EXCITE & EXCEL	
ON-PRODUCT LOGOS	16
COLORS / COLOR BALANCE	24
DESIGN ELEMENTS	26
ON-PRODUCT GRAPHICS	34
4. BRAND EXECUTION	
PACKAGING GUIDES	41
ICONOGRAPHY STYLES	49
DIGITAL GUIDE	50
EMAIL TEMPLATE	51
5. BRAND VISUALS – STORYTELLING THROUGH IMAGERY	
PRODUCT PHOTOGRAPHY	53
APPLICATION PHOTOGRAPHY	58
PROJECT / ENVIRONMENT PHOTOGRAPHY	TBD
6. ADS & MERCHANDISING – SHARING THE PRIDE	
ADVERTISING GUIDELINES	64
MERCHANDISING	67

BRAND PROMISE

**AS ICONS OF AMERICAN INGENUITY,
WE EXIST TO EMPOWER PRIDE
THROUGH HANDS-ON DOING.**

BIG IDEA

**REESTABLISH CRAFTSMAN'S
LONG-STANDING REPUTATION
WITH HIGH-QUALITY PRODUCTS
THAT EMPOWER AND BUILD PRIDE.**

**PRIDE IN OWNERSHIP.
PRIDE IN DOING.
PRIDE IN AMERICA.**

1. THE BRAND — THE POWER OF PRIDE

BRAND TONE & VOICE

THERE'S A BRIEF PAUSE AFTER YOU FINISH A TOUGH JOB, WHEN YOU TAKE A STEP BACK AND ADMIRE YOUR WORK. THAT MOMENT IS FLEETING, BUT THE FEELING OF ACCOMPLISHMENT IS LASTING. THE PRIDE IS AS ENDURING AS THE BRAND YOU TRUST — CRAFTSMAN.®

AT CRAFTSMAN, WE'RE DELIVERING PRODUCTS LIKE NEVER BEFORE. WE'RE REVIVING OUR LONG-ESTABLISHED PRIDE IN TOP-LEVEL QUALITY WITH RETOOLED AND INNOVATIVE PRODUCTS, BRINGING BACK OUR HISTORICALLY RELIABLE, HIGH-PERFORMANCE TOOLS. AND, THEY WILL BE AVAILABLE IN MORE WAYS THAN AT ANY TIME IN OUR 90-YEAR HISTORY, MAKING IT EASIER TO GET THE TOOLS TRUSTED FOR GENERATIONS. NOW, THE BRAND THAT HELPED BUILD AMERICA WILL EMPOWER TODAY'S DOERS TO ACHIEVE THEIR OWN AMERICAN DREAMS.

WITH MORE REASONS TO TAKE PRIDE IN CRAFTSMAN,® THERE'S NEVER BEEN A MORE EXCITING TIME TO BE A PART OF THIS ICONIC BRAND. LET'S CELEBRATE OUR LONG-STANDING REPUTATION OF BEING PART AND PARCEL OF THE FABRIC OF AMERICA BY PROVING TIME AND TIME AGAIN THAT WE MAKE THE MOST RELIABLE TOOLS AND EQUIPMENT TO GET THE JOB DONE RIGHT.



WE BUILD PRIDE.™

BRAND CHARACTER

HEARTFELT PRIDE

PRIDE IS

HEARTFELT

CONFIDENT

DIRECT

HONEST

AMBITIOUS

ACCESSIBLE

MOTIVATING

DOING

WITTY

PRIDE IS NOT

SENTIMENTAL

SWAGGERING

CONDESCENDING

OSTENTATIOUS

RECKLESS

PAINT-BY-NUMBERS

INTIMIDATING

JUST SHOWING

SARCASTIC

USERS

PROUD DOERS

RESIDENTIAL PROS, AMBITIOUS HOMEOWNERS, AND SERIOUS DIYERS THAT KNOW THEIR STUFF AND TAKE PRIDE IN THEIR WORK. FROM THEIR HOME, TO THEIR CAR, TO THEIR NEIGHBOR'S FENCE; FROM FIXING STUFF TO MAKING STUFF, THEY DON'T WAIT FOR PROJECTS TO COME TO THEM. PROBABLY ON THE POLISHED SIDE OF THE WORKING CLASS, BUT DAMN SURE CHANGE THEIR OWN OIL.

DIVERSE BACKGROUNDS, BUT THESE FOLKS SHARE THE ICONIC AMERICAN VALUES OF HARD WORK, INTEGRITY, AND PRIDE IN THE DOING (AND SHARING) OF A JOB WELL DONE.

THE USER - CONSTRUCTION



Jeff, 28
Homeowner

Engaged Brand Buyer
Takes pride in doing things himself, and he is never prouder than when a friend or neighbor comes to him for advice or to borrow a tool, because they know that he knows his stuff.



Juan, 38
Residential Contractor
1-2 Employees

Emerging Micro Business
Takes pride in a job well done, especially when it leads to referrals for new business.



Mark, 45
Residential Contractor
5-9 Employees

Established Small Pro
Takes pride in being able to provide a comfortable life for his family, by being the best.

THE USER - AUTOMOTIVE



Dave, 48
Skilled DIYer

At-Home Grease Monkey
Takes pride in keeping his family safe, and showing off his classic car while cruising down main street.



Greg, 23
Automotive Technician

Fresh-Faced Mechanic
Takes pride in knowing that he is making smart choices and building a future for himself with a stable career.

THE USER - OUTDOOR



Jessie, 30
Homeowner Small Yard

Ambitious Hopeful
Takes pride in making her yard beautiful and showing off her hard work to her friends and family



Tom, 34
Homeowner Large yard

Gas Enthusiast
Takes pride in maintaining his yard so that his family can enjoy it, and they can spend the money they save on other things that bring them happiness.



Daniel, 35
Small Business Operator

Small Crew
Takes pride in having a steady flow of work, especially when it leads to referrals for new business.

THE USER - MULTI-TALENTED



Michael, 55
Skilled DIYer

The Craftsman
Takes pride in knowing that he not only can do any project at home himself, but also that his garage is stocked with all the tools

2. BRAND ASSETS – ICONS OF THE BRAND

LOGO USAGE FOR PRINT

The word "CRAFTSMAN" in a bold, white, sans-serif font, enclosed within a white rectangular border. A registered trademark symbol (®) is located at the end of the word.

PRIMARY LOGO

For use on CRAFTSMAN® Red,
Black OR Dark Backgrounds.

The word "CRAFTSMAN" in a bold, white, sans-serif font, enclosed within a white rectangular border. A registered trademark symbol (®) is located at the end of the word.

PRIMARY LOGO

For use on CRAFTSMAN® Red,
Black OR Dark Backgrounds.

The word "CRAFTSMAN" in a bold, black, sans-serif font, enclosed within a black rectangular border. A registered trademark symbol (®) is located at the end of the word.

PRIMARY LOGO ON WHITE

Use this logo on white backgrounds.
Not to be used with drop shadows or glows.

The word "CRAFTSMAN" in a bold, black, sans-serif font, enclosed within a black rectangular border. A registered trademark symbol (®) is located at the end of the word.

PRIMARY BLACK LOGO

Use this logo on White or Craft Backgrounds only.

The word "CRAFTSMAN" in a bold, white, sans-serif font, enclosed within a white rectangular border. A registered trademark symbol (®) is located at the end of the word.

WE BUILD PRIDE.™

PRIMARY LOGO WITH TAGLINE

Needs to be in a holding shape,
cannot sit on transparent.

LOGO USAGE FOR PRINT

THE FOLLOWING ARE GUIDELINES
FOR CLEAR SPACE, SIZING AND
WE BUILD PRIDE.™

MINIMUM CLEAR SPACE

Minimum clear space (C) is defined by the height of the 'C' in the CRAFTSMAN® logo.



MINIMUM SIZE

In print applications the minimum size should be a width of 18 mm. In on-screen applications, the minimum width should not be less than 70 pixels.

Print

18mm



On Screen

70 px



WE BUILD PRIDE.™

Minimum clear space (C) is defined by the height of the 'C' in the CRAFTSMAN® logo. WE BUILD PRIDE Tag line is 1/2 the "C" height in the CRAFTSMAN® Logo.



LOGO MISUSE FOR PRINT

THE FOLLOWING ARE
GUIDELINES FOR HOW NOT TO
USE THE CRAFTSMAN LOGO.



THICK BLACK BOX RULE



THIN BLACK HOLDING RULE



RED SHADE & LETTER SHADOW



**UNBOXED LOGO
(ONLY ACCEPTABLE FOR
USE ON PRODUCT)**



BLACK ON RED



BLACK WITH RED



RED ON WHITE



BLACK SOLID



LOGO OVER IMAGE

COLOR PALLET

LIBERTY
RED



Print: PMS 2035 C
RGB: 222 30 38
CMYK: 0 100 100 0
Hex: D6001C

CHICAGO
GREY




Print: PMS 426 C
RGB: 36 40 42
CMYK: 75 66 61 67
Hex: 24272a

CRAFTSMAN
GREY




Print: PMS 425 C
RGB: 83 88 90
CMYK: 66 55 53 28
Hex: 53585a

BLACK



RGB: 0 0 0
CMYK: 0 0 0 100
Hex: 000000

WHITE



RGB: 255 255 255
CMYK: 0 0 0 0
Hex: fffffff

STANDARD TYPEFACE

TRADE GOTHIC NEXT LT HEAVY - UPPER CASE USED FOR HEADINGS

TRADE GOTHIC NEXT LT REGULAR - Title Case used for body copy

TRADE GOTHIC LT BOLD - UPPER CASE USED FOR HEADINGS

TRADE GOTHIC LT BOLD CONDENSED - UPPER CASE USED FOR SUB-HEADINGS

TRADE GOTHIC CONDENSED - Title Case used for body copy

USE FOR:

- Catalogs / Brochures / Price Lists
- Communication Materials
- User Manuals (Internal Copy)
- Stationary

BRAND ADVERTISING & MERCH TYPEFACE

KNOCKOUT FULL WELTERWEIGHT - TEXT UPPER CASE FOR HEADINGS

TEKO BOLD - NUMBERS FOR HEADINGS ONLY

TEXTA BLACK - UPPER CASE USED FOR BODY COPY

TEXTA BOLD - Title Case used for body copy

USE FOR:

- Campaign Advertising
- Tradeshow Key Visuals
- Point Of Sale
- Only to be used in Master Creative template

PACKAGING TYPEFACE

TEKO SEMI BOLD - UPPER CASE USED FOR HEADINGS & PRODUCT DESCRIPTORS

TEKO BOLD - NUMBERS & SUB-BRANDING

TEKO MEDIUM - UPPER CASE USED FOR SUB-HEADINGS, SUB-DESCRIPTIONS & TRANSLATIONS

TEKO REGULAR - UPPER CASE USED FOR BODY COPY & FINE PRINT

USE FOR:

- Packaging
- User Manuals (front & rear covers only)
- Product / Fact Tags

TYPEFACE LICENSES

Stanley Black & Decker® does not provide fonts to external users. Users will be required to purchase a valid license from a third party vendor, such as Linotype. www.linotype.com

Aa

3. INDUSTRIAL DESIGN — EXCITE & EXCEL

PRODUCT STANDARDS INTRODUCTION & ADHERENCE

INTRODUCTION

This section provides a brief overview of the CRAFTSMAN product and quality standards and a detailed guideline outlining the proper placement of the CRAFTSMAN logo and design elements on product application. This section also includes the preferred logo usage, colors, configurations and fonts for product labeling.

ADHERENCE

These guidelines are essential to ensure a consistent brand identity and customer experience for the CRAFTSMAN brand. Adherence to this guideline is mandatory, and failure to comply may result in the loss of the right to use the CRAFTSMAN trademarks. This information contained in this document applies to two and three dimensional logos that appear on product only. Use only supplied master logo artwork from Industrial Design to develop logos used on products. Master artwork may only be scaled proportionately. Please be aware that the logos used on products differ from those used in marketing, packaging, POP, advertising, etc.



PERFORMANCE SPECIFICATIONS & COMPLIANCE

PERFORMANCE SPECIFICATIONS

Consumers of CRAFTSMAN products expect a high level of quality and durability. Manufacturers and licensees responsible for the expansion of the CRAFTSMAN brand are expected to adhere to the high expectations of consumers by working closely with the CRAFTSMAN brand team to ensure new and expanded categories of products to maintain the high quality that consumers expect from the CRAFTSMAN brand.

At a minimum, all CRAFTSMAN products must meet or exceed all industry and government standards established with respect to the products and must be fit for the use expected of such products.

COMPLIANCE

CRAFTSMAN products must be produced in facilities that are reputable and whose business and labor practices conform to the local law and the CRAFTSMAN Global Compliance Program. The Program Requirements set expectations related to child labor, wages/benefits, working hours, harassment/discrimination, health and safety, factory security, environmental compliance, freedom of association, and forced labor/human trafficking. All manufacturers and licensees must be approved as part of the CRAFTSMAN brand approval process. Compliance with the program subjects manufacturers and licensees to periodic factory audits to verify ongoing compliance, and to identify areas that warrant corrective action. For more information about the Global Compliance program, please contact the CRAFTSMAN brand approval team.



DESIGN PHILOSOPHY

DESIGN PHILOSOPHY

CRAFTSMAN products should instill pride. Rugged durability combined with innovative features help deliver on all performance touch points. Products are generally Liberty Red, CRAFTSMAN Gray, and Chicago Gray conveying a consistent design style and premium quality. Careful consideration is taken in the design of each CRAFTSMAN product for an experience that goes beyond functionality.



LOGO USAGE ON PRODUCT

THE CRAFTSMAN® LOGO
WILL APPEAR WITHOUT THE
HOLDING SHAPE WHEN USED ON
PRODUCT. THIS IS STRICTLY FOR
ON PRODUCT EXECUTION ONLY.

CRAFTSMAN®

UNFRAMED LOGO ON RED

The CRAFTSMAN® Logo will no longer
include the holding shape on product.

CRAFTSMAN®

UNFRAMED LOGO ON METALLICS

The CRAFTSMAN® Logo will no longer include the
holding shape on product.

CRAFTSMAN®

UNFRAMED LOGO ON BLACK

The CRAFTSMAN® Logo will no longer
include the holding shape on product.

*Use of white on black needs to be reviewed by SBD ID for approval.

PRODUCT LOGO ISOLATION ZONE

CLEAR SPACE REQUIRED AROUND LOGO

Clear space is defined as the area around the logo, which is kept free from any 2D graphics or 3D design elements, including material breaks and parting lines.

DETERMINING CLEAR SPACE

Calculate the dimension of “C”. “C” = the width of the first letter in the CRAFTSMAN logo of correct proportion. This dimension applies to all 4 sides of clear space required. Whenever possible, allow more space so the logo has the prominence it deserves. Clear space does not account for the (R) registration mark.



Clear space around the logo.

INCORRECT LOGO USAGES - ON PRODUCT

Below are examples of how the CRAFTSMAN logo or brand mark should NOT be used on product.

Gradient or multiple colors behind logo.



Missing (R) mark.



Black logo (lettering) on red field.



(R) mark is placed at the top of the logo.



Using a non approved logo color.



Using incorrect logo proportions or aspect.



Using a holding shape frame on product.



Using stroke or outline for the logo.



(*Requests to use the framed logo on product needs to be reviewed by SBD ID.)

PRODUCT LOGO PRESENTATION, PLACEMENT & SIZE

PRESENTATION

The purpose of placing the brand logo on product is not only for identification but also for brand visibility. The first “read” of a Craftsman product should be the apparent logo. Prominence is more important than actual scale. Therefore, the designer, must use good judgment to size the logo properly. Final say will be controlled by the CRAFTSMAN Industrial Design team.



PLACEMENT

The brand logo should be placed centrally, in a prominent manner on each product. Adequate space around the logo in a single material must be maintained.



SIZE

The purpose of placing the brand logo on product is not only for identification but also for brand visibility. The first “read” of a Craftsman product should be the apparent logo. Prominence is more important than actual scale. Therefore, the designer, must use good judgment to size the logo properly. Final say will be controlled by the CRAFTSMAN Industrial Design team.



PRODUCT LOGO EMBOSSSED, STAMPED, AND LASER ETCHED

EMBOSSSED LOGO

While a full-color logo may be appropriate for printed or silk-screened application, other reproduction methods do not offer color. When the CRAFTSMAN letters are embossed, all parts of the logo should be embossed together at the same height level.



STAMPED LOGO

When stamping the logo onto metal, the thickness of the font in the logo changes to optimize readability and longevity on both the tool and in the tooling used for the stamping process.

Stamped logos are only to be used on hand tools.



LASER ETCHED

When other production methods are not available, laser etching can be done on hand tools provided the correct laser etch logo is used.



COLOR USAGE ON PRODUCT

LIBERTY RED



SBD Engineering Standards:
ES306

CHICAGO GREY



SBD Engineering Standards:
ES314

CRAFTSMAN GREY



SBD Engineering Standards:
ES318

BLACK



SBD Engineering Standards:
ES006

CRAFTSMAN METALLIC



SBD Engineering Standards:
ES323

COLOR BALANCE
ON PRODUCT



35% - LIBERTY RED



35% - CHICAGO GREY



25% - CRAFTSMAN GREY



5% - BLACK



5% - WHITE



DESIGN ELEMENTS

TEXTURES -
POWER TOOLS &
OUTDOOR

HOUSING TEXTURE
MT-1055-4
YS 1286A

TOUCH POINTS & SM PARTS
MT-1055-2
YS-1284

SOFTGRIP TEXTURE
MT-11020
YS 1288-A



**CRAFTSMAN
KNURL**
MT-30008

**HEAVY GRIP
TEXTURE**
MT114009
YS2284A

**CRAFTSMAN
KNURL**
MT-30008



DESIGN ELEMENTS

GRAPHIC TRACES



Graphic Traces are 2-shot molded features that allow the red base color to show through the TPR overmold. They are placed in recessed surfaces to enhance grip areas and add visual interest.

PRODUCT SAMPLES



DESIGN ELEMENTS

GRIP DETAILS - POWER TOOLS



Diagonal hatching pattern
applied to finger grip areas to
improve grip.

..... Palm grip area defined with
highly-technical, geometric surface
and texture breaks. Graphic traces
incorporated into recessed surfaces
for enhanced grip and visual interest.



DESIGN ELEMENTS

GRIP DETAILS - HAND TOOLS


DIAGONAL HATCH PATTERN GRIP

When applied to grip zones, diagonal hatching should be at a 45° angle, relative to the axis of the handle direction or ground plane. De-bossed grooves should be 1.2mm wide with 1.2 mm spacing.



PARTING LINES

When the diagonal hatching extends across a parting line of a round section, the pattern should be stopped 3mm short of the parting line.



PRODUCT RANGE

OPP - MPP - HPP


DESIGN ELEMENTS

GRIP DETAILS - HAND TOOLS

DIAGONAL HATCHING PATTERN

Hatching pattern used in grip zones to improve utility. The pattern should be placed at a 30-45° angle from the natural axis of the handle or grip.

Groove width and spacing should be 1.3mm at a depth of .3mm, with a polished finish.



SPACING CAN ADJUST RELATIVE TO PRODUCT SIZE.

Single-handle grip details are symmetric around the natural axis of the handle.



DESIGN ELEMENTS

SHIELD ELEMENT



LEGACY C-SHIELD LOGO

The legacy CRAFTSMAN C-Shield logo is no longer used on products or graphics, but this element has evolved into a dimensional feature used to frame the CRAFTSMAN logo on product.



In instances where the shield element is not used directly, aspects of the shape can be used to reference the shield element for a similar result.

DESIGN ELEMENTS

BRACKET FORM BREAKS

Bracket Form Breaks are a derivative of the Shield Element, using diagonal form breaks to define part or material transitions and surface changes, often framing the CRAFTSMAN logo.



MECHANICS TOOLS

CRAFTSMAN mechanics tools follow the other range of products by incorporating strong geometric surface transitions and bold logo execution.



STAMPED LOGO EXECUTION*

/// CRAFTSMAN ///

*These stamped and pad-print executions are only to be used on mechanics tools.



PADPRINT LOGO EXECUTION*

/// CRAFTSMAN ///

ON PRODUCT GRAPHICS

PRODUCT LABEL DESIGN

PRODUCT LABEL DESIGN


LIBERTY RED



PANTONE®
2035 C

SBD Engineering Standards:
ES306

CHICAGO GREY



PANTONE®
426 C

SBD Engineering Standards:
ES314

CRAFTSMAN GREY



PANTONE®
425 C

SBD Engineering Standards:
ES318

BLACK



SBD Engineering Standards:
ES006

CRAFTSMAN METALLIC



SBD Engineering Standards:
ES323

ON PRODUCT GRAPHICS

PRODUCT LABEL DESIGN

PRODUCT RATING LABEL EXAMPLE

Proper alignment & graphic detail of the elements within our product labels is imperative to insure CRAFTSMAN brand is consistency portrayed in the marketplace.

Catalog/SKU Number

Product name

Safety information content as

required by product liability.

CRAFTSMAN, address,

website, phone, and website

CMCD711 TYPE 1
1/2 in. (13mm)
20V MAX DC
0-350/ 0-1500/min (RPM) 0-2550/min (BPM)

WARNING/AVERTISSEMENT/ADVERTENCIA

TO REDUCE THE RISK OF INJURY, USER MUST READ INSTRUCTION MANUAL. USE ONLY 20V MAX CRAFTSMAN BATTERIES. AFIN DE RÉDUIRE LE RISQUE DE BLESSURES, L'UTILISATEUR DOIT LIRE LE MODE D'EMPLOI. UTILISER UNIQUEMENT DES PILES CRAFTSMAN DE 20 V MAX. PARA REDUCIR EL RIESGO DE LESIONES, EL USUARIO DEBE LEER EL MANUAL DE INSTRUCCIONES. USE SOLO BATERIAS CRAFTSMAN DE 20 V MAX. MADE IN CHINA CRAFTSMAN, TOWSON, MD 21286 U.S.A. WWW.CRAFTSMAN.COM ? 1-888-331-4569

Electrical/mechanical specifications per listing agency requirements. Applicable agency monograms.

ON-PRODUCT TYPEFACE

INVERSION (MODIFIED)

Inversion type is to be used where letters are needed on products.

" I N V E R S I O N "
(MODIFIED)

A B C D E F G H I J K L M

N O P Q R S T U V W X Y Z

BRUSHLESS
L I T H I U M

AGENCY FB BOLD (MODIFIED)

Inversion type is to be used where numbers are needed on products.

"AGENCY FB BOLD"
(MODIFIED)

1 2 3 4 5 6 7 8 9 0

V20 V60

1.5[±] 2.0[±] 5.0[±] 9.0[±]

TYPEFACE LICENSES

Stanley Black & Decker does not provide fonts to external users. Users will be required to purchase a valid license from a third party vendor, such as Linotype. www.linotype.com

ON PRODUCT
GRAPHICS

POWER TOOL
ACCESSORIES



CIRCULAR SAW BLADE

OPP Front Graphics



RECIPROCATING SAW BLADE

OPP Front Graphics



RECIPROCATING SAW BLADE

MIUSA Front Graphics



CIRCULAR SAW BLADE

MPP Front Graphics



JIG SAW BLADE

MPP Front Graphics



JIG SAW BLADE

MPP Front Graphics

ON PRODUCT GRAPHICS

MIUSA

MADE IN USA ON PRODUCT LOGO



MIUSA SIZES

The MIUSA logo is set to three standard sizes on PTE products. (S, M, L). Please refer to the official AI files.

The graphic is ideally applied via Heat Transfer or PAD Print. In some instances a clear label is acceptable (ex. Metal Compressor Tank).

The MIUSA graphic should be placed on a tool in an area that complements the formal design of the tool (ex. Grinder), ideally with a Liberty Red quiet space around the logo.



ON PRODUCT GRAPHICS

LITHIUM ION BATTERY

LITHIUM ION BATTERY




4. BRAND EXECUTION – PACKAGING

PACKAGE DESIGN

CARTON - POWER TOOLS / OUTDOOR

STANDARD CARTON

Cordless variant shown.



UNLESS SPECIFIED, ALL PACKAGING PRINTS AS 5 COLOR LITHOGRAPHY – CMYK + PMS 2035 WITH A MATTE FINISH.

PRINT LIBERTY RED AS A SPOT COLOR. NEVER PRINT AS A PROCESS BUILD.

30.47
[774]

PRINCIPLE DISPLAY PANEL
PRODUCT IS SHOWN WITH ALL INCLUDED ITEMS; TOOL, BATTERY AND CHARGER.

PRODUCT IMAGERY
THE HERO PRODUCT IS PRESENTED AS LARGE AS POSSIBLE. THE IMAGE AS SHOWN, ALONG WITH THE INCLUDED ATTACHMENTS OR ACCESSORIES, ARE GROUNDED ON THE SAME PLANE. INCLUDED ITEMS, LIKE THE CHARGER ON THIS PACKAGE, ARE REPRESENTED AT 85% AND SHOWN IN PERSPECTIVE.



BACK PANEL
NOTE SPECIFIC WARNINGS NEEDED FOR CORDLESS TOOLS

TOP PANEL
BASIC PRODUCT DESCRIPTION AND VISUAL.

MINOR FLAPS
CONTAINS PART NUMBER OR PRINT SUPPLIER INFORMATION.

SIDE PANEL
BASIC PRODUCT DESCRIPTION AND VISUAL.

NOTE: SAFETY WARNING MUST APPEAR ON PANEL MOST LIKELY TO BE OPENED.

BOTTOM PANEL
BASIC PRODUCT DESCRIPTION AND VISUAL.

PACKAGE DESIGN

CARTON - POWER TOOLS / OUTDOOR

STANDARD CARTON

Cordless variant shown. Serves as an ideal scenario for layout and design.

FRONT PANEL

SIDE PANEL

CRAFTSMAN® LOGO
SHOULD SPAN APPROXIMATELY 2/3 OF THE FRONT PANEL WIDTH. IDEAL SPACING BASED ON CAP C HEIGHT AS SHOWN.

PRODUCT LINE
1/2 THE HEIGHT OF THE CRAFTSMAN® LOGO HEIGHT.

PRODUCT DESCRIPTOR
FONT: **TEKO SEMIBOLD**.
HEIGHT = WIDTH OF THE "C"

DIVIDER LINES
A 2PT. WHITE RULE AT 1/2 THE DISTANCE OF THE LONGEST TEXT. CENTER BETWEEN THE COPY. USE THE LETTER "C" AS SHOWN FOR SPACING.

TRANSLATIONS
ALL PACKAGING IS TRI-LINGUAL WITH EQUAL PROMINENCE IN SIZE, WEIGHT AND COLOR.

ICONOGRAPHY
75% OF CRAFTSMAN® LOGO FOR HEIGHT. SPACING between icons should equal 1/4 width of icon.



PRINT LIBERTY RED AS A SPOT COLOR. NEVER PRINT AS A PROCESS BUILD.

CATALOG NUMBER
150% OF PRODUCT DESCRIPTOR. FONT: **TEKO MEDIUM**.

LEGAL QUALIFIER
6PT FONT SIZE, FONT: **TRADE GOTHIC LT STANDARD CONDENSED**.

PRODUCT IMAGE
GROUP 3/4 DYNAMIC VIEW BEAUTY IMAGE WITH INCLUDED ITEMS. ATTACH BATTERY PACK IF INCLUDED. SPECIFIC DROP SHADOW GROUNDS THE IMAGE ON THE PLANE. IMAGE SHOULD NOT OVERLAP CONTENT ON PACKAGE.

WARRANTY
WIDTH IS EQUAL TO HEIGHT OF THE CRAFTSMAN® LOGO.



CRAFTSMAN® LOGO
CENTERED TOP PANEL USING STANDARD CLEAR SPACE.

WARRANTY
EQUALS THE HEIGHT OF THE CRAFTSMAN LOGO

PRODUCT INFORMATION
REPLICATED FROM THE FRONT PANEL, SIZED IN RELATION TO THE CRAFTSMAN® LOGO.

WARNING STATEMENT
MUST BE PRESENT ON A PANEL MOST LIKELY TO BE OPENED BY CONSUMERS.

CATALOG NUMBER
150% OF PRODUCT DESCRIPTOR. FONT: **TEKO MEDIUM**.

NOTE:
OPPOSITE SIDE PANEL WILL BE UTILIZED FOR SYSTEM MESSAGING.

PACKAGE DESIGN

CARTON - POWER TOOLS / OUTDOOR

STANDARD TALL OUTDOOR CARTON

Gas variant shown. Follows the same principals for the STANDARD BOX layout within the limitations of the tall box aspect ratio.

BRANDING BASICS

CRAFTSMAN® LOGO
ON SLENDER PACKS, THE LOGO CAN SPAN THE FULL WIDTH, WITH IDEAL SPACING BASED ON CAP C HEIGHT AS SHOWN.

PRODUCT LINE
1/2 THE HEIGHT OF THE CRAFTSMAN® LOGO HEIGHT.

PRODUCT DESCRIPTOR
FONT: TEKO SEMIBOLD.
HEIGHT = WIDTH OF THE "C" ASCENDER

DIVIDER LINES
A 2PT. WHITE RULE AT 1/2 THE DISTANCE OF THE LONGEST TEXT, CENTER BETWEEN THE COPY. USE THE LETTER "C" AS SHOWN FOR SPACING.

TRANSLATIONS
ALL PACKAGING IS TRILINGUAL WITH EQUAL PROMINENCE IN SIZE, WEIGHT AND COLOR.



CRAFTS

V20
LITHIUM ION

1/2" DRILL/DRIVER KIT

JUEGO DE TALADRO / DESTORNILLADOR DE 13MM

ENSEMBLE DE PERCEUSE / VISSEUSE DE 13MM

PRINT SPECS

CYAN	MAGENTA	YELLOW	BLACK	+ PANTONE® 2035 C
------	---------	--------	-------	-------------------

UNLESS SPECIFIED, ALL PACKAGING PRINTS AS 5 COLOR LITHOGRAPHY – CMYK + PMS 2035 WITH A MATTE FINISH.

PRINT LIBERTY RED AS A SPOT COLOR. NEVER PRINT AS A PROCESS BUILD.

ICONOGRAPHY
75% OF CRAFTSMAN® LOGO HEIGHT.

CATALOG NUMBER
150% OF PRODUCT DESCRIPTOR.
FONT: TEKO MEDIUM.

FRONT PANEL



LEGAL QUALIFIER
12 PT FONT SIZE, FONT:
TRADE GOTHIC LT STANDARD
CONDENSED.

SIDE PANEL



REPLICATE DESIGN
REPLICATE FRONT PANEL CONTENT AND RE-PURPOSE TO FIT UTILIZING PACKAGING GUIDELINES.

WARRANTY
WHEN ORIENTED IN THIS POSITION, THE WARRANTY HEIGHT EQUALS THE HEIGHT OF THE CRAFTSMAN LOGO


NOTE:
OPPOSITE SIDE PANEL
WILL BE UTILIZED FOR SYSTEM MESSAGING.

PRODUCT IMAGE
GROUP 3/4 DYNAMIC VIEW BEAUTY IMAGE WITH INCLUDED ITEMS. ATTACH BATTERY PACK IF INCLUDED. SPECIFIC DROP SHADOW GROUNDS THE IMAGE ON THE PLANE. IMAGE SHOULD NOT OVERLAP CONTENT ON PACKAGE.

PACKAGE DESIGN

CARTON - POWER TOOLS / OUTDOOR

BACK PANEL



PRODUCT FEATURES AND BENEFITS WITH APPROPRIATELY SPACED TRANSLATIONS. APPROXIMATELY 100% OF THE FRONT PANEL PRODUCT DESCRIPTORS. FEATURE = TEK0 MEDIUM BENEFIT = TEK0 LIGHT

SPECIFICATION CHART START WITH A 20% BLACK STRIPE AND THEN ALTERNATE WITH 10% BLACK STRIPES.


BAR CODE AREA SIZE MUST BE 165% AND MUST SCAN AT GRADE A ON PRODUCTION SAMPLES.

CRAFTSMAN® LOGO MAXIMIZE SIZE BY PLACING LOGO TOP CENTER USING STANDARD CLEAR SPACE.

LEGAL STATEMENTS MINIMUM SIZE IS 12 PT.

4"x 6" LABEL AREA SPACE ALLOCATED FOR SHIPPING LABEL.

COMPLETE EXAMPLE





PACKAGE DESIGN

SKIN CARDS - HAND TOOLS & ACCESSORIES

HANG CARDS

PTA Power Bits Skin Card shown. Follows the same principals for the STANDARD BOX layout within the limitations of unique hang card die lines.




FRONT PANEL



CATALOG NUMBER
POSITIONED AT THE BOTTOM OF THE CARD LOWER LEFT.

PIECE COUNT
POSITIONED AT THE BOTTOM OF THE CARD LOWER RIGHT.

BACK PANEL



NOTE: SENSOR TAG LOCATION
IF THE DIE LINE CONTAINS A SENSOR TAG, CONSULT PACKAGING ENGINEER IF THE SENSOR TAG INTERFERES WITH COPY PLACEMENT.

PACKAGE DESIGN

HANG CARDS -
HAND TOOLS &
ACCESSORIES

HANG CARDS

Knife variant shown. Follows the same principals for the STANDARD BOX layout within the limitations of unique hang card die lines.

CRAFTSMAN® LOGO

ON SLENDER PACKS, THE LOGO CAN SPAN THE FULL WIDTH, WITH IDEAL SPACING BASED ON CAP C HEIGHT AS SHOWN.

PRODUCT LINE

1/2 THE HEIGHT OF THE CRAFTSMAN® LOGO HEIGHT.

PRODUCT DESCRIPTOR

FONT: TEKO SEMIBOLD.
HEIGHT = WIDTH OF THE "C" ASCENDER

DIVIDER LINES

A 2PT. WHITE RULE AT 1/2 THE DISTANCE OF THE LONGEST TEXT. CENTER BETWEEN THE COPY. USE THE LETTER "C" AS SHOWN FOR SPACING.

TRANSLATIONS

ALL PACKAGING IS TRILINGUAL WITH EQUAL PROMINENCE IN SIZE, WEIGHT AND COLOR.

PRINT SPECS

CYAN

MAGENTA

YELLOW

BLACK

+

PANTONE®
2035 C

UNLESS SPECIFIED, ALL PACKAGING PRINTS AS 5 COLOR LITHOGRAPHY – CMYK + PMS 2035 WITH A MATTE FINISH.

PRINT LIBERTY RED AS A SPOT COLOR. NEVER PRINT AS A PROCESS BUILD.

FRONT PANEL

BACK PANEL

WARRANTY
WIDTH = 100% OF THE HEIGHT OF THE CRAFTSMAN® LOGO.

ICONOGRAPHY
100% OF CRAFTSMAN® LOGO HEIGHT.



CRAFTSMAN® LOGO
MAXIMIZE SIZE WHILE MAINTAINING CLEAR SPACE. LOGO SHOULD ALWAYS BE CENTERED OR JUSTIFIED LEFT.

WARNING STATEMENTS
MINIMUM SIZE 6 PT. WHEN POSSIBLE.

LEGAL STATEMENTS
MINIMUM SIZE IS 6 PT.

BAR CODE AREA
MUST SCAN AT GRADE A ON PRODUCTION SAMPLES.

PACKAGE DESIGN

MADE IN USA WITH GLOBAL MATERIALS

FLAG STRIPE & LOGO

MIUSA PACKAGING

Any package with product
Made In The USA With Global
Materials, will receive this
graphic treatment.

CRAFTSMAN® LOGO

OVERLAPS THE MIUSA STRIPE.

MIUSA FLAG STRIPE

APPLY THIS STRIPE TO THE LEFT SIDE OF THE
CARTON OR CARD. THE FLAG STRIPE OCCUPIES
7% OF THE FACE PANEL AND SHOULD CONTAIN
A MAXIMUM OF 4 WHITE STRIPES AND 5 STARS.

FOR TALLER PACKAGES, THE WHITE STRIPES OF
THE FLAG FADE INTO RED AFTER THE 4TH WHITE
STRIPE. SEE EXAMPLE ON THE LEFT.

ALIGN TO THE CENTER OF THE LOWER LEG OF
THE "C".

PRODUCT LINE

1/2 THE HEIGHT OF THE
CRAFTSMAN® LOGO HEIGHT.

PRODUCT DESCRIPTOR

ALIGN TO THE CENTER OF THE
LOWER LEG OF THE "C"
FONT: **TEKO SEMIBOLD**.
HEIGHT = WIDTH OF THE "C" ASCENDER

PRINT SPECS



UNLESS SPECIFIED, ALL PACKAGING PRINTS AS
5 COLOR LITHOGRAPHY – CMYK + PMS 2035
WITH A MATTE FINISH.

+



PRINT LIBERTY RED
AS A SPOT COLOR.
NEVER PRINT AS A
PROCESS BUILD.



CAN
CONVERT
TO PROCESS
COLOR.



MIUSA PACKAGING LOGO

APPLY THIS LOGO ON THE RIGHT SIDE OF THE
PACKAGE CLOSE TO THE PRODUCT IMAGE.
LOGO SHOULD BE THE HEIGHT OF THE
CRAFTSMAN® LOGO.



CAN
CONVERT
TO PROCESS
COLOR.



NEVER PRINT
LIBERTY
RED AS A
PROCESS
COLOR.

MIUSA ON PRODUCT LOGO

USE THE APPROPRIATE MIUSA ON PRODUCT
LOGO. PLEASE REFERENCE THE INDUSTRIAL
DESIGN SECTION FOR USAGE.

PACKAGE DESIGN


ICONOGRAPHY

PRIMARY ICONOGRAPHY UNIQUE TRADEMARKED ICONS


May require trilingual translations.

Primary font: **TEKO SEMI BOLD**

Secondary font: **TEKO REGULAR**



STANDARD BLACK & WHITE ICONS
FOR POWER TOOLS & STORAGE



POWER TOOL ACCESSORY ICONS
CAN BE IN COLOR

WARRANTY ICONS

Do not require trilingual translations.

Icon font: **TEKO SEMI BOLD**

We Build Pride font: **TEXTA BLACK**

PRIMARY



PRODUCT DESCRIPTION ICONS



ICONS CAN BE USED AS PRODUCT DESCRIPTORS
INDICATING TYPE & SIZE



DIGITAL TYPEFACE

TEKO SEMIBOLD - SIZE JUSTIFIED HEADLINE

TEKO SEMIBOLD - SUBHEAD

Open Sans - Body Copy


BUTTONS AND ACTIONS

RED CTA

BLACK CTA

Box is square not rounded.

TEKO BOLD - ALL CAPS



EMAIL TEMPATE

EMAIL TYPEFACE

HEADLINE
28/30 ARIAL
BOLD CAPS

Body
16/25 Arial Regular

CTA COPY
14px Helvetica Neue LT Std 75 Bold



HEADER

HERO

Primary image: Focus on App shot or App with Beauty
Big story telling over single product.

SUPPORTING CAMPAIGN COPY

Story telling copy
CTA

SUPPORTING SKUS

Layout may change based on number of skus

FOOTER

5. BRAND VISUALS — STORYTELLING THROUGH IMAGERY

BRAND VISUALS

PRODUCT PHOTOGRAPHY



DYNAMIC BEAUTY

Primary image: 3/4 View, 135° angle looking up
Direct Side View, name plate side.
Even light, sharp focus, color corrected.



PROFILE BEAUTY

Primary Image: Direct Side View.
Even light, sharp focus, color corrected.



ANGLE VARIATIONS

Secondary angles for supporting visuals.



GROUP BEAUTY

Primary Image: Dynamic beauty aligned with accessories. Even light, sharp focus, color corrected.

BEAUTY PRODUCT PHOTOGRAPHY & 3D RENDERS

Photography is used to visually communicate the features, functions and aesthetic of each product. There are two approaches used for product photography, a standard product imagery and dynamic product imagery. Both of these styles are photographed on a clean, evenly lit white background and are intended for use in catalogues, brochures, and website product pages.

There are four standard views that are listed to the right. By shooting in this specific way, allows for a variety of options and enforces consistency. Make certain that product details are clearly showcased.

3D Renderings can be utilized for product photography when following the technical information listed below, and the visual representation to the right.

TECHNICAL INFORMATION

LIGHTING – Product should be evenly lit from all sides to ensure all product details will be represented accurately in imagery produced.

SHARPNESS – To ensure a consistent in-focus image, from edge to edge, be sure that the camera is set to the lowest f-stop possible (f 22 for example).

COLOR CORRECTION – CRAFTSMAN® LIBERTY Red, as well as all product colors need to be correctly represented. When photographing products be sure to test light using a gray card and adjust the white balance when needed.

RETOUCHING – All imagery needs to show products in a precise and accurate manner while being free from dust, scratches and fingerprints.

DROP SHADOWS AND EFFECTS – Standard product photography is free of any drop shadows, filters or lighting effects.

FIVE STANDARD VIEWS FOR POWER TOOLS



3/4 FRONT VIEW
PHOTOGRAPH PRODUCT FROM A 3/4 VIEW USING AN UNDISTORTED, LEVEL AND STRAIGHT ANGLE.



STANDARD VIEW
PHOTOGRAPH PRODUCT FROM FRONT USING AN UNDISTORTED, LEVEL AND STRAIGHT ANGLE.



3/4 TOP VIEW
PHOTOGRAPH PRODUCT FROM A 3/4 VIEW, FROM AN ELEVATED ANGLE OF APPROXIMATELY 30°.



BACK VIEW
PHOTOGRAPH PRODUCT FROM BACK USING AN UNDISTORTED, LEVEL AND STRAIGHT ANGLE.



3/4 REAR VIEW
PHOTOGRAPH PRODUCT FROM A 3/4 VIEW USING A LEVEL, STRAIGHT LINE OF SIGHT.

BRAND VISUALS

PRODUCT PHOTOGRAPHY

FOUR STANDARD VIEWS FOR STORAGE



STANDARD VIEW
PHOTOGRAPH PRODUCT FROM FRONT
USING AN UNDISTORTED, LEVEL AND
STRAIGHT ANGLE.



3/4 FRONT VIEW
PHOTOGRAPH PRODUCT FROM A 3/4 VIEW
USING AN UNDISTORTED, LEVEL AND
STRAIGHT ANGLE.



COMBINATION STANDARD VIEW
TOP CHEST OPEN AND BOTTOM CABINET



COMBINATION 3/4 FRONT VIEW
TOP CHEST CLOSED AND BOTTOM CABINET.

THREE STANDARD VIEWS FOR MECHANICS TOOLS



PRODUCT ONLY STANDARD VIEW
PHOTOGRAPH PRODUCT ONLY FROM FRONT USING AN
UNDISTORTED, LEVEL AND STRAIGHT ANGLE.



3/4 FRONT VIEW
PHOTOGRAPH PRODUCT IN OPEN CASE
FROM A 3/4 VIEW USING AN UNDISTORTED,
LEVEL AND STRAIGHT ANGLE.



CASE FRONT VIEW
PHOTOGRAPH PRODUCT CASE CLOSED
FROM FRONT USING AN UNDISTORTED,
LEVEL AND STRAIGHT ANGLE.

BRAND VISUALS

PRODUCT PHOTOGRAPHY

TWO STANDARD VIEWS FOR HAND TOOLS



STANDARD VIEW
PHOTOGRAPH PRODUCT FROM FRONT
USING AN UNDISTORTED, LEVEL AND
STRAIGHT ANGLE.



3/4 FRONT VIEW
PHOTOGRAPH PRODUCT FROM A 3/4 VIEW
USING AN UNDISTORTED, LEVEL AND
STRAIGHT ANGLE.

TWO STANDARD VIEWS FOR POWER TOOL ACCESSORIES



STANDARD VIEW
PHOTOGRAPH PRODUCT FROM FRONT
USING AN UNDISTORTED, LEVEL AND
STRAIGHT ANGLE.




STANDARD VIEW IN PACK
PHOTOGRAPH PRODUCT IN PACK FROM
FRONT USING AN UNDISTORTED, LEVEL
AND STRAIGHT ANGLE.

BRAND VISUALS

PRODUCT PHOTOGRAPHY

DYNAMIC PRODUCT PHOTOGRAPHY

Dynamic Product Photography is used to visually communicate the features, functions and aesthetic of each product. There are two approaches used for product photography, a standard product imagery and dynamic product imagery. Both of these styles are photographed on a clean, evenly lit white background and are intended for use in catalogues, brochures, and website product pages.




DYNAMIC EXAMPLES



BRAND VISUALS

SIGNATURE PHOTOGRAPHY



USER CENTRIC SIGNATURE APPLICATION IMAGERY

Primary application photography should be focused on the user and task at hand, with an emphasis on the brand tone of voice. All application imagery should be evenly, naturally lit with no harsh contrast or distracting color tones. RED should be the dominant color, while the remaining elements should be balanced in tonality.

Photography should be centered around our user. Unless the application prohibits, the users face should be included. The user should be interacting with the product and other CRAFTSMAN products should be included in the photograph.


BRAND VISUALS

SIGNATURE PHOTOGRAPHY

BRAND STORY PHOTOGRAPHY

Brand Story photography should feature products in-use, showcasing the user in their primary function. Environments should be an accurate representation of an ideal situation for using the product, however should not serve as a distraction. Incorporate other CRAFTSMAN® products into the shot where it makes sense. Users should always be the focal point of the image, and communicate a prideful, authentic and honest purpose. By capturing users in this specific way, it enforces the CRAFTSMAN® brand fundamentals.

1. SETTING THE SCENE



Set the scene with user and/or product viewed from a distance to reveal a real workplace, appropriate for the user and tool. Ensure the user is in focus, and obscured by the setting.

2. THE USER IN ACTION



Camera now engages the subject in order to accentuate the user interacting with the product and keeping both in focus.

BRAND STORY PHOTOGRAPHY - TECHNICAL GUIDELINES

1. SELECTIVE FOCUS

Channel viewers' attention by keeping the user and product sharp and in focus, while the foreground and background can fall out of focus.



Do not blur users face, keep in focus

Do not oversharpen in post production

Do not artificially blur objects in post production

2. VIEWPOINT

Tell the human story through interesting angles. Consider the best viewpoint for the user so that we can communicate the benefit of the product.



Do not use exaggerated angles

Do not use ultra wide lenses that distort objects within the image

3. LIGHTING

To maintain a realistic look, keep lighting natural, even with highlights. Refrain from overly dramatic, high contrast lighting.



Do not over light user or key subject

Do not use high contrast lighting

Do not oversaturate colors

BRAND VISUALS

HORIZONTAL IMAGE CAPTURE

CAPTURING WIDE FOR ALL MEDIA TYPES


All imagery should be captured horizontally with room to crop. This holds true for both landscape and portrait orientated images. This will allow for proper edging for web optimized images, video optimized stills, and will allow for vertical image cropping for print related materials.



ORIGINAL IMAGE




HORIZONTAL CROP



WEBSITE BANNER



ORIGINAL IMAGE



VERTICAL CROP



PRINT ADVERTISING

BRAND VISUALS

WARDROBE

OBTAINING THE PERFECT BALANCE

All imagery should be captured horizontally with room to crop. This holds true for both landscape and portrait orientated images. This will allow for proper edging for web optimized images, video optimized stills, and will allow for vertical image cropping for print related materials.

MAKE SURE THAT ALL APPROPRIATE SAFETY GEAR IS WORN AT ALL TIMES.

IDEAL COLOR PALETTE



- No extremely bright colors
- No conflicting primary colors
- No predominate yellow

ACCENT COLOR PALETTE



IDEAL ATTIRE



- No 3rd party branding
- No excessive patterns
- No unsafe attire for application

6. ADS & MERCHANDISING — SHARING THE PRIDE

MARKETING & ADVERTISING

MASTER CREATIVE HORIZONTAL

CONNECT WITH USERS

Utilize on-brand messaging and key visuals that resonate with our users.

KEY VISUAL

SIGNATURE APPLICATION IMAGE, FEATURES THE USER AT WORK, WITH A SENSE OF PRIDE AND ACCOMPLISHMENT.

TONALITY

ALL IMAGERY MUST FOLLOW PHOTOGRAPHY DIRECTION FOR FEATURED APPLICATION.

BODY COPY

15% BLACK - LIGHT GREY
KERNING SET TO 180% OF
PT. LETTER HEIGHT.
FONT: **TEXTA BLACK**

LOGO LOCK-UP

CRAFTSMAN® LOGO AND
WE BUILD PRIDE. LOCK-UP.
TEXTURE FROM BASE GRAPHIC
DOES NOT SHOW THROUGH
THE LOGO.



HEADLINE

TEMPLATE TEXTURE TEXT,
15% BLACK - LIGHT GREY
WITH SUPPORTING DESIGN ELEMENTS.
FONT: **KNOCKOUT FULL FEATHERWEIGHT REG**

SUPPORTING VISUALS

UP TO 3 FEATURE IMAGES.
FEATURING PRODUCT IN-USE,
MUST MATCH TONALITY OF THE
KEY VISUAL.

PRODUCT IMAGE

BREAKS GRAPHIC ELEMENT PLANE
AND INTO SUPPORTING VISUALS.
DROP SHADOW ADDED FOR DEPTH.

MARKETING & ADVERTISING

MASTER CREATIVE VERTICAL

HEADLINE

TEMPLATE TEXTURE TEXT,
15% BLACK - LIGHT GREY
WITH SUPPORTING DESIGN ELEMENTS.
FONT: **KNOCKOUT FULL FEATHERWEIGHT REG**

TONALITY

ALL IMAGERY MUST
FOLLOW PHOTOGRAPHY
DIRECTION FOR FEATURED
APPLICATION.

BODY COPY

15% BLACK - LIGHT GREY
KERNING SET TO 180% OF
PT. LETTER HEIGHT.
FONT: **Texta Black**

LOGO LOCK-UP

CRAFTSMAN® LOGO AND
WE BUILD PRIDE. LOCK-UP.
TEXTURE FROM BASE GRAPHIC
DOES NOT SHOW THROUGH
THE LOGO.



KEY VISUAL

SIGNATURE APPLICATION
IMAGE, FEATURES THE
USER AT WORK, WITH
A SENSE OF PRIDE AND
ACCOMPLISHMENT.

SUPPORTING VISUALS

ONE IMAGE THAT ILLUSTRATES
THE KEY MATERIAL USED OR A
SUPPORTING APPLICATION IMAGE.

PRODUCT IMAGE

BREAKS GRAPHIC ELEMENT PLANE
AND INTO SUPPORTING VISUALS.
DROP SHADOW ADDED FOR DEPTH.



WOODCUT TEXTURE

CRAFTSMAN® Liberty Red texture art file only to be used with Master Creative and approved in-store executions. Included in graphic assets file.

IT'S ONE THING
TO BE ———
ON THE JOB,
IT'S ANOTHER TO HAVE
YOUR NAME
BEHIND THE JOB.

You know that pride in the process is just as important as pride in the outcome. And you don't cut corners unless you're actually cutting corners.

HEADLINE & COPY

Headline - Texture added to emphasize headline only.
Font: **KNOCKOUT FULL FEATHERWEIGHT**
Body copy - Title case, non-textured 15% Black Light Grey
Font: **TEXTA BLACK**
Asterisks & Stripes graphic elements included in graphic assets file.



PRODUCT IMAGE

Features standard applied drop shadow at 50% opacity.



FINAL RESULT

Includes Key visuals and CRAFTSMAN® logo with WE BUILD PRIDE™

MARKETING & ADVERTISING


QUARTER PALLETS

STANDARD APPLICATIONS

Common approaches to point of sale artwork include a consistent flood of CRAFTSMAN® Liberty Red, and key visuals when applicable. The standard design application can be applied to a variety of point of sale types.

STANDARD HEADER

With key visual header and product information.




UPC CODE
UPC IS 100% AND REPRESENTS THE PRODUCT SOLD ON THE DISPLAY. IF MORE THAN ONE PRODUCT IS MERCHANDISED THEN LIST UPC CODES AS SHOWN.

PRODUCT INFO
USE THE MASTER CREATIVE TEMPLATE GRAPHIC ELEMENTS.

KEY VISUAL
SHOULD SHOWCASE THE PRODUCT IN USE.

RETAIL LABEL
SPACE ALLOCATED FOR RETAILER SPECIFIC CALL OUT OR PRICING INFORMATION. SIZE VARIES PER RETAILER, TYPICAL SIZE 7"X10" SHOWN.

PRINT SPECS




UNLESS SPECIFIED, ALL PACKAGING PRINTS AS 5 COLOR LITHOGRAPHY – CMYK + PMS 2035 WITH A MATTE FINISH.

PRINT LIBERTY RED AS A SPOT COLOR. NEVER PRINT AS A PROCESS BUILD.

STANDARD QP

With key visual header and branded base.



KEY VISUALS
SIGNATURE APPLICATION PHOTOGRAPHY FEATURING PRODUCT BEING MERCHANDISED.

MARKETING & ADVERTISING

END CAPS & CUT CASES



STANDARD BRAND END CAP

With key visual elements related to product on display.

LOGO LOCK-UP

CRAFTSMAN® WE BUILD PRIDE LOCK-UP.

MESSAGING AREA

HEADLINE AND DESCRIPTOR USING MASTER CREATIVE TEMPLATE.

KEY VISUALS

SIGNATURE APPLICATION PHOTOGRAPHY FEATURING PRODUCT BEING MERCHANDISED.

TRAYS & CUT CASES

FLOOD CLEAN CRAFTSMAN® LIBERTY RED PMS2035 C.



PRINT LIBERTY RED AS A SPOT COLOR. NEVER PRINT AS A PROCESS BUILD.

STANDARD CUT CASE

With CRAFTSMAN® Logo lock-up.



CASE COLOR

FLOOD CLEAN CRAFTSMAN® LIBERTY RED PMS2035 C.



PRINT LIBERTY RED AS A SPOT COLOR. NEVER PRINT AS A PROCESS BUILD.

LOGO LOCK-UP

CRAFTSMAN® WE BUILD PRIDE LOCK-UP.



MARKETING & ADVERTISING

PALLETS & QUARTER PALLETS

STANDARD BRAND PALLET WRAP

With key visual elements related to product on display.



CRAFTSMAN®

WE BUILD PRIDE.™

©2018 CRAFTSMAN

CRAFTSMAN, 701 EAST JOPPA ROAD TOWSON, MD 21286

CRAFTSMAN® IS A REGISTERED TRADEMARK OF STANLEY BLACK & DECKER, INC.

CRAFTSMAN.COM

THIS MATERIAL IS THE PROPRIETARY AND CONFIDENTIAL INFORMATION OF STANLEY BLACK & DECKER, INC. YOU ARE EXPRESSLY PROHIBITED FROM COPYING, SHARING, OR DISTRIBUTING THE MATERIAL OR ANY STRATEGY, PLAN, DATA, DRAWING OR INFORMATION EMBODIED HEREIN WITHOUT THE WRITTEN AUTHORIZATION OF STANLEY BLACK & DECKER.