



**PROJECT
SOURCE**

Brand Guidelines
2026

Table of Contents

SECTION 1

The Brand

- 4 Brand Positioning
- 5 Brand Messaging & Copy

SECTION 2

Brand Assets

- 7 Logo Usage
- 8 Logo Clear Space and Sizing
- 9 Logo Don'ts
- 10 Core Color Palette
- 11 Fonts
- 12 Icon Library

SECTION 3

Brand Visuals

- 14 Visual Direction
- 15 Product Photography Overview
- 16 Product Photography Silo
- 17 Product Photography In-Use
- 18 Video Brand Storytelling Lifestyle Motion
- 19 Video Features and Benefits Lifestyle Images
- 20 Video Features and Benefits Product Images
- 21 Video Specifications
- 22 Casting and Wardrobe
- 23 Location

SECTION 4

In-Store Marketing and Advertising

- 25 Master Creative
- 26 Sidestacks

SECTION 5

Digital Design

- 28 Digital Colors
- 29 Digital Fonts
- 30 Brand Page Banners
- 31 Brand Page Pencil Banners
- 32 Product List Pages (PLP) Pencil Banners
- 33 Carousel Features and Benefits Images
- 34 Carousel Infographics
- 35 Digital Asset Specifications

Helpful Tips:

Click on any page title or section to jump to that page in the brand book. If you see a page number within the book, click on it to go directly to the page referenced.



Click on this icon throughout the book to return to the Table of Contents.

SECTION 1

The Brand



Brand Positioning



Trusted to get the job done and make your home improvement budget stretch further.

For the budget-conscious millennial, Project Source™ is a hard-working brand that delivers a broad assortment of reliable total home project solutions.

Reliable

Budget Friendly

Good Quality

Functional Design

Broad Assortment

Where the Brand Plays:

Building materials, décor functional basics, hardware, kitchens and bath, millwork, paint, tools, seasonal and outdoor living.



Brand Messaging & Copy

VOICE

Our words reflect who we are: credible, approachable and grounded in getting the job done. We don't overpromise. We don't use fluff. We speak with clarity and confidence, because we know what matters to the customers who count on us.

MESSAGING PRINCIPLES

Speak to the Customer, Not at Them

Always prioritize clarity over cleverness. Talk like a helpful neighbor, not a brochure.

Be Confident, Not Cocky

We don't overpromise. We stand by our products with calm certainty.

Show How It Works, Not Just What It Is

Functionality drives trust. Focus on how it makes life easier.

Simplify the Smart Choice

Smart doesn't mean fancy; it means practical, well-considered, and worth it.

Reflect the Everyday Hero

Our customers are capable. Speak in a way that empowers their decision.

BRAND VOCABULARY EXAMPLES

USE (ON-BRAND)

- Reliable
- Durable
- Gets the job done
- Simplified
- Everyday
- Straightforward
- Built for real life
- Dependable
- Everyday value

AVOID (OFF-BRAND)

- Cutting-edge
- Luxurious
- World-class
- Seamless
- Elevated
- Curated
- Designed to impress
- Next-gen

COPY EXAMPLES

INTENT	CORRECT	INCORRECT
Headline	Get the job done with everyday value.	Premium tools. Designed to go above and beyond.
Product Confidence	Smart tools. Built for the job.	Engineered with premium technology for unmatched performance.
Promoting Durability	Built tough to keep up with real life.	Crafted with premium materials for lifetime luxury.
Product Design	Designed for everyday use.	Curated with sleek lines to suit any aesthetic.
Online Bullet	Pull-down spray head features spray and stream flow patterns.	Advanced pull-down spray head features spa-like spray patterns.

SECTION 2

Brand Assets



Logo Usage

If unsure of which version to use, it is safe to use the TM version until it is confirmed that the ® version can be used.

Reach out to the Brand Management Team to confirm the usage of TM or ®.

See page 8 for logo clear space, minimum sizing and height.

See page 10 for brand colors.

When Spelled Out

“Project Source™” is always title case when spelled out. When typing out the logo, the TM or ® needs to be added to the first instance the logo is typed out (superscript). It is not needed for any additional mentions afterwards.

Primary Logo

Preferred - Full Color

Print Applications: PMS 299 C and white on a PMS 289 C background.



Full Color

Print Applications: PMS 299 C and white on a black background.



Reverse

Print Applications: White on a PMS 289 C background.



Positive

Print Applications: PMS 289 C or black on a white background.



Secondary Logo

Full Color

Print Applications: PMS 299 C and white on a PMS 289 C background.



Full Color

Print Applications: PMS 299 C and white on a black background.



Reverse

Print Applications: White on a PMS 289 C background.



Positive

Print Applications: PMS 289 C or black on a white background.



Segmentation - Pool Items

Full Color

Print Applications: PMS 299 C and white on a PMS 315 C background.



Reverse

Print Applications: White on a PMS 315 C background.



Positive

Print Applications: PMS 315 C on a white background.




Logo Clear Space and Sizing

Minimum Clear Space

The clearance to the left and right sides of the logo is equal to 150% “P” in Project Source™. The clearance above and below the logo is equal to 100% “P”.

If necessary, the clearance can flex +/- 20%.

Note: This does include the TM or ® when determining space around the logo.



Minimum Size Primary Logo

In print applications, the minimum primary logo height is 0.5 inches.

In on-screen applications, the minimum primary logo height is 50 pixels.

Print
0.5 inches



On-Screen
50 pixels



Minimum Size Secondary Logo

In print applications, the minimum primary logo width is 0.85 inches.

In on-screen applications, the minimum primary logo width is 60 pixels.

Print
0.85 inches



On-Screen
60 pixels



Logo Don'ts



**PROJECT
SOURCE**

Don't apply strokes to the logo.



**PROJECT
SOURCE**

Don't scale the house in the logo.



**PROJECT
SOURCE**

Don't vertically scale the logo.



**PROJECT
SOURCE**

Don't horizontally scale the logo.



**PROJECT
SOURCE**

Don't assign unapproved colors
to the logo.



**P PROJECT
SOURCE**

Don't alter the kerning of the logo.



Don't rotate the logo.



Don't alter the clearance of the
logo, unless instructed to do so.



Core Color Palette

The core brand colors are Pantone 289 C, Pantone 299 C, and Pantone 7691 C. When photography is used, the art will run 4cp + spot colors mentioned for each category.

When photography is not used, the art will run spot colors and 100% black.

See page 28 for color segmentation.

Core Background and Logo Colors

LOWE'S PB YANKEE PMS 289 C	LOWE'S PB CAROLINA PMS 299 C	PMS 7691 C	WHITE
C: 100 M: 66 Y: 0 K: 76	C: 79 M: 7 Y: 0 K: 0	C: 100 M: 44 Y: 0 K: 15	C: 0 M: 0 Y: 0 K: 0

Fonts

Standard Typefaces

Pennypacker Condensed Bold
Pennypacker Medium
Pennypacker Condensed Medium
Pennypacker Condensed Regular

Use For:

- Catalogs / brochures / price lists
- Communication materials
- User manuals (internal copy)
- Stationery
- Campaign advertising
- Tradeshow key visuals
- Point of sale
- Packaging

Secondary Packaging Typefaces

HELVETICA NEUE 77 BOLD CONDENSED
HELVETICA NEUE 57 CONDENSED

Use For:

- Item number
- Legal information

Secondary Heavy Duty Typeface

LORIMER NO 2 STENCIL

Use For:

- Heavy Duty category items

Secondary Pool Typeface

Fellix Extra Bold

Use For:

- Pool pro category items

Leading

Leading is tight throughout the range. The targeted leading is equal to 25% “P”, but ranges anywhere from -1 to -5 depending on the layout and size.

Licenses


The Pennypacker font family is available through Adobe Fonts: <https://fonts.adobe.com/fonts/pennypacker>
The Helvetica Neue font family is available through MyFonts: <https://www.myfonts.com/collections/neue-helvetica-font-linotype>
The Lorimer No 2 font family is available through Adobe Fonts: <https://fonts.adobe.com/fonts/lorimer-no-2>
The Fellix font family is available through Display.net: <https://display.net/typeface/fellix/#>
Font License Agreements prohibit Lowe's from distribution or release of active/live fonts.

Icon Library


Do not alter these approved icons in any way.

Use Pennypacker Condensed Bold for the icon feature or descriptions.

Normal Icons



Wide Icons



SECTION 3

Brand Visuals



Visual Direction

Look and Feel

Lifestyle: DIY homeowner or small pro working on a variety of projects.

Locations: Residential settings (e.g., kitchens, living spaces, bathrooms, garages and yard).

Note: For packaging and product focused imagery, paint color for backgrounds should allow the product to stand out.

Lighting: Late morning/early afternoon natural lighting. When indoor, studio lighting will also be required to ensure it is well lit.

Products: Use a variety of angles (wide, medium, tight) to ensure we are featuring images with a variety of products and some that are closer up to show action.

Focus: Capture people working on projects in full focus. Background can be select focus.

Models: Diverse men and women ages 27-50 (Millennial to Generation X). Confident, bold, hard-working, fun.

Image Propping: Prop the scene so we know it's Project Source™, easily identifiable Project Source products: tools, cabinets, accessories, etc.



Product Photography

Overview

Photography visually represents the Project Source™ brand online, in Lowe's stores, in advertising and on packaging. Images should reflect our brand's positioning that budget conscious millennial DIYers seek reliable products for household projects at a value. Photography showcases our product's durability, features, ergonomic design, functionality and value. We believe that good photography gives the customers an "I can do that" confidence to tackle any project with Project Source in hand.

For photography to do its job, images must be clear, focused, accurate and shot in good lighting at the right angles. Project Source uses two types of photography in its marketing strategy: silo images and in-use images. Silo images are product-only and shot on a seamless white or neutral background. In-use images and videos create scenes and stories around the brand in which customers can see themselves.

Technical Information

Lighting: In order to guarantee that all of the product's details are correctly portrayed in the photograph created, the object should be uniformly lit from all angles.

Sharpness: Make sure the camera is adjusted to the highest f-stop feasible (for example, f 22) to guarantee a picture that is consistently in focus from edge to edge.

Color Correction: All product colors must be accurately depicted. When taking product photos, be sure to evaluate the lighting with a gray card and correct the white balance as necessary.

Retouching: All images must be clear of dust, scratches and fingerprints and must accurately and precisely depict items. Correct the white balance as necessary.

Drop Shadows and Effects: Drop shadows, filters and lighting effects are not used in typical product photography.



Product Photography

Silo

Silo images are used to cleanly feature Project Source™ products on packaging, ads and on the website. Silo images on website do not use shadows. However, shadows are used on packaging and ads as needed.

Website Silo Imagery

For direction on website silo imagery, refer to VENDOR GATEWAY or your Brand Advocate Partner on content standards specific to each product group.



Dynamic
Primary
Image



Profile
Primary
Image

Packaging and Advertising Images



Dynamic Primary
Image With
Shadow



Profile Primary
Image With
Shadow



Group
Primary
Image



Ceiling
Angle



Product Photography

In-use

Image: Capture product in-use with lifestyle photography.

Lighting: Natural lighting. When indoor, studio lighting will also be required to ensure it is well lit.

Sharpness: Featured products should be in full focus.

Use On Packaging: Depending on available space and product category, in-use photography guidelines are:

- Product should be hero of the image.
- Styling should be minimal.
- Sets should be simple with light gray or neutral painted walls with neutral flooring. For images that are tightly cropped, the background should be light gray/neutral with white accent details (e.g., faucet shot with light gray wall and white countertop/sink). Propping should only be used if needed to represent use case of product. If propping is used, it should be limited to 1-2 items (e.g., tub or shower to show bath safety product use).
- Product should be evenly lit and feel natural with soft shadows.
- Product color, material and finish should be accurate in the final imagery. Use of gray card to balance color on set and/or swatch matching in post-production should be standard practice.

Use Within Ads, Social and Website: To tell a compelling brand story, the photographer should:

- Show product integrated into the setting.
- Capture a moment where a DIY homeowner is achieving their goal, potentially with their partner or family.
- Talent can be used if it is needed to understand the product.
- Ensure there is sufficient room for all aspect ratios.

Note: If other product photography approaches are needed for packaging, the brand team must be consulted.



Video Brand Storytelling

Lifestyle Motion

Brand direction for the creation of video content with lifestyle motion content. Video may include a combination of product silos, lifestyle images and lifestyle motion. See pages 19 and 20 for additional information.

Focused On: Brand focused, storytelling, the right tool for the occasion, sense of accomplishment and showing creation.

Shooting Technique: Slow motion dolly moves.

Shooting Style: Medium establishing shots, tight frames on faces, medium depth of field highlighting the product.

Lighting: Natural indoor lighting. When indoor, studio lighting will also be required to ensure it is well lit.

Color Grade: Natural tones.

Fonts

Copy: Pennypacker Condensed Bold, Sentence case


Disclaimers: Fellix Regular, Sentence case, 21pt / 21pt and -15 tracking

Video Specifications: See page 21.

Note: For Heavy Duty and PS Commander products see callouts for color changes.

Note: See page 28 for digital brand colors.

VISUAL EXAMPLE OF STORYBOARD



Video Features and Benefits

Lifestyle Images

Brand direction for the creation of video content with lifestyle image content. Video may include a combination of product silos, lifestyle images and lifestyle motion. See pages 18 and 20 for additional information.

Focused On: Focus should be more on the feature, how it solves a solution for the customer, is unique.

Photography Shoot Required:

- 2-3 scenes demonstrating the product features/benefits in use
- One environmental beauty photo

Products included in images should be current, in-stock products.

Fonts

Headlines: Pennypacker Condensed Bold, Title Case

Support Copy, Callouts: Pennypacker Condensed Bold, Sentence case

Disclaimers: Fellix Regular, Sentence case, 21pt / 21pt and -15 tracking

Video Specifications: See page 21.

Note: For Heavy Duty and PS Commander products see callouts for color changes.

Note: See page 28 for digital brand colors.

VISUAL EXAMPLE OF STORYBOARD



Video Features and Benefits

Product Images

Brand direction for the creation of video content with product images. Video may include a combination of product silos, lifestyle images and lifestyle motion. See pages 18 and 19 for additional information.

No shoot required.

No application photos.

Focused On: Features and benefits, provided through data driven insights.

Fonts

Headlines: Pennypacker Condensed Bold, Title Case

Support Copy, Callouts: Pennypacker Condensed Bold, Sentence case

Disclaimers: Fellix Regular, Sentence case, 21pt / 21pt and -15 tracking

Video Specifications: See page 21.

Note: For Heavy Duty and PS Commander products see callouts for color changes.

Note: See page 28 for digital brand colors.

VISUAL EXAMPLE OF STORYBOARD



Video Specifications

Voice Overs: Voice over in video is preferred, discuss with Brand Management or Brand Advocate (.com only) for exceptions.

Closed Captioning: Don't include CC unless directed to by Lowe's brand/video team.

Don't place any messaging or icons outside of safe area where CC may appear based on user's device.

Broadcast and Mid-Funnel Disclaimers: Disclaimer copy should be in Fellix Regular at 21pt / 21pt and -15 tracking. The text box extends edge to edge of the borders so that the space can be maximized for long legal. All legal needs to be clear and legible with picture behind. It should always be base aligned so that the legal grows upwards and clears the HD Title Safe space.

Transitions: Only use cuts and avoid dissolve or fade transitions. The only fade allowed is the gable fade provided in the end card.

End Card: A Lowe's video outro template (end card) has been created for all vendors to use. Contact Brand Management for the video file.

Fonts

Headlines: Pennypacker Condensed Bold, Title Case

Support Copy, Callouts: Pennypacker Condensed Bold, Sentence case

Disclaimers: Fellix Regular, Sentence case, 21pt / 21pt and -15 tracking

Note: For Heavy Duty and PS Commander products see callouts for color changes.

Note: See page 28 for digital brand colors.



Casting and Wardrobe

Style

Casting: Diverse men and women age 27-50 (Millennial to Generation X). Confident, bold, hard-working, fun.

Wardrobe: Styling should be colorful and on-trend that the cast would normally wear.

Clothing to be casual but should be appropriate to undertake DIY jobs in: flannel, jeans, plain long sleeve shirts and t-shirts. Overall look should be of a homeowner, not a professional repairman or construction worker.

Clothes are location and event appropriate.

Clothing accessories such as gloves, safety glasses, hats, etc., are acceptable. Do not use personal accessories such as smart watches, jewelry or clothing showing brand names.

Footwear should be closed-toe. It can be casual or have a steel toe.

Formal or professional attire is not appropriate.

No orange clothing items or accessories.



Location

Settings

Focus on interior home or yard scenes where products may be used.

Kitchens

Living Spaces

Bathrooms

Garages

Residential Yards

Ensure the spaces are up-to-date and on trend for home renovations. Parks, nature settings (such as lakes, forests, etc.), commercial/retail or other non-residential settings are not appropriate locations.

Focused On: Brand focused, storytelling, DIY projects, yardwork.

Shooting Technique: Slow motion dolly moves.

Shooting Style: Medium establishing shots, coupled with tight shots on faces and product/shallow depth of field.

Lighting: Natural lighting.

Color Grade: Bright colors with contrast.



Kitchens



Garages



Foyers



Bathrooms



Living Spaces



Dining Rooms

SECTION 4

In-Store Marketing and Advertising



Master Creative

Advertising

Large image of product in-use with Project Source™ graphics and support copy. A second silo image of the product should be included in the graphic area. Product images may be different from what is on packaging.

Fonts

Headlines: Pennypacker Condensed Bold, Sentence case

Support Copy, Callouts: Pennypacker Condensed Regular, **Sentence case**

Disclaimers: Fellix Regular, Sentence case, 21pt / 21pt and -15 tracking

Note: For Heavy Duty and PS Commander products see callouts for color changes.

Note: See pages 10 and 28 for brand colors.

The color bar will change to yellow PMS 115 for Heavy Duty and PS Commander products

Headline

Approx. copy size: 130% "P"

Call to Action

Approx. copy size: 75% "P"

Product Focused

Romance Body Copy

Brief body copy should encourage home project solutions for families.

Approx. copy size: 60% "P"

Logo

Logo at bottom of panel



Image area occupies half of available space



Key Visual

Product image shown in use and should be the focus

Trusted to get the job done.

Make your home improvement budget stretch further

Whether you're painting the walls in your bedroom or gardening in the backyard Project Source has tools to make your house a home.



PROJECT SOURCE



5.5-cu ft Steel Wheelbarrow - sturdy, portable and easy to use

Product Image

Center product feature(s) and their benefits under or next to image

Feature(s)

Approx. copy size: 50% "P"

The background will change to PMS Black for Heavy Duty and PS Commander products

Sidestacks

For details and direction on header cards, please reference the Visual Standards Sidestacks document via Lowe's vendor portal.

It is the vendor's responsibility to provide sidestack requirements to the printer and ensure compliance with Lowe's private brand standards. Additional information can be found on the Lowe's Private Brand Sidestack Guide via Lowe's vendor portal.




CORE
Mottled White Corrugate
Lowe's PB Yankee
L* 25.85 A* 1.51 B* -19.31
AE 3.0 tolerance



HEAVY DUTY
Mottled White Corrugate
Black
L* 39.33 A* 1.48 B* 2.87
AE 3.0 tolerance

STANDARD BRAND PALLET WRAP



SINGLE TRAY QUARTER PALLET

STANDARD QUARTER PALLET



Reference Lowe's SET
Sidestack Style Guide
for details on
header card direction

Header
Standards and guidelines
provided by Lowe's.

Stacker
Front logo placement:
Primary positive logo in PMS
289 C is centered and scaled
to no larger than 60% width
of base.

Side logo placement:
Primary positive logo in PMS
289 C is centered and scaled
60% the width of the stacker.



Reference Lowe's SET
Sidestack Style Guide
for details on
header card direction

Tray
Front logo placement:
single color positive logo is
centered and scaled to no
larger than 70% height of
the tray.

No side logo placement.



SECTION 5
Digital Design



Digital Colors

Project Source™ utilizes Lowe's PB Yankee Blue and Lowe's PB Carolina Blue across digital products and other digital assets to help create a consistent brand experience.

On certain digital content on Lowes.com such as pencil banners, Project Source uses the corporate Lowe's Blue.

CORE BRAND COLORS

HEX: #0B2341

LOWE'S PB YANKEE

R: 11

G: 35

B: 65

HEX: #00A4EB

LOWE'S PB CAROLINA

R: 0

G: 164

B: 235

HEX: #00629D

R: 0

G: 98

B: 157

LOWE'S BRAND COLORS

HEX: #012169

R: 1

G: 33

B: 105

HEX: #CFE5F6

R: 207

G: 229

B: 246

HEAVY DUTY / PS COMMANDER

HEX: #231F20

R: 35

G: 31

B: 32

HEX: #FDDDB32

R: 253

G: 219

B: 50

POOL

HEX: #006781

R: 0

G: 103

B: 129

HEX: #00A8BF

R: 0

G: 168

B: 191



Digital Fonts

Standard Typeface

Pennypacker Cond Bold, Sentence case
Pennypacker Cond Medium, Sentence case

Use For:

- Brand banners
- Infographics
- Features and benefits
- Videos
- Content clips

Secondary Typeface

Fellix Bold, Title Case
Fellix SemiBold, Sentence case
Fellix Medium, Sentence case

Use For:

- Product list banners
- Call-to-action buttons

Note: All caps should never be used for Fellix.

Leading

Leading is tight throughout the range. The targeted leading is equal to 25% “P”, but ranges anywhere from -1 to -5 depending on the layout and size.

Licenses

The Pennypacker font family is available through Adobe Fonts: <https://fonts.adobe.com/fonts/pennypacker>
The Fellix font family is available through Display.net: <https://display.net/typeface/fellix/#>
Font License Agreements prohibit Lowe's from distribution or release of active/live fonts.

Brand Page Banners

Brand page templates and banners are maintained and designed by Digital Production and Private Brand Advocate team. Content is data driven. This page provides style guide direction to drive consistency across brand assets.

Images: Images are reflective of the category focus for the message.

Background Colors: Background color is PB Yankee #0B2341. The color bar between lifestyle photography and the graphic area is PB Carolina #00A4EB.

See page 28 for digital brand colors.

Words of Significance: PB Carolina can be used to highlight words of significance.

Fonts

Headlines: Pennypacker Condensed Bold, Sentence case

Support Copy: Pennypacker Condensed Medium, Sentence case

Callout Copy (e.g., “Exclusive to Lowe’s”): Fellix Bold, Title Case


Button / CTA Copy (e.g., “Shop Now”): Fellix SemiBold, Title Case

Note: For Heavy Duty and PS Commander products see callouts for color changes.

Note: If there is a question as to which version to use, contact the Brand Advocate team.


Examples:

The color bar will change to yellow #FDD832 for Heavy Duty and PS Commander products




The background will change to black #231F20 for Heavy Duty and PS Commander products

Width of margins should equal width of bar.




Call to action typeface: Fellix SemiBold HEX: #FFFFFF.

Callout typeface: Fellix Bold #0B2341 on white #FFFFFF container shape.



Logo can be added at brand manager's discretion.



Brand Page Pencil Banners

Brand page specs and banners are maintained and designed by Digital Production and Private Brand Advocate team. Content is data driven. This page provides style guide direction to drive consistency across brand assets.

Images: Images are reflective of the category focus for the message. Dimensions can change based on space allocated per Lowes.com.

Background Colors: Background color is PB Yankee #0B2341. The separating line between lifestyle photography and the graphic area is PB Carolina #00A4EB.

See page 28 for digital brand colors.

Words of Significance: PB Carolina can be used to highlight words of significance.

Fonts

Headlines: Pennypacker Condensed Bold, Sentence case

Support Copy: Pennypacker Condensed Medium, Sentence case

Callout Copy (e.g., “Exclusive to Lowe’s”): Fellix Bold, Title Case

Button / CTA Copy (e.g., “Shop Now”): Fellix SemiBold, Title Case

Note: If there is a question as to which version to use, contact the Brand Advocate team.

Examples:



Multicolor Version



Multicolor Version



Single Color Version

Product List Pages (PLP) Pencil Banners

PLP Pencil banners that are created for Lowes.com are required to follow Lowe's Creative best practices. Examples shown on this page are to illustrate proper usage of the Project Source™ logo.

Background Color:

HEX #012169 RGB (1, 33, 105)

or #CFE5F6 RGB (207, 229, 246)

Fonts (do not use brand fonts)

Headlines: Fellix Bold, Sentence case

Support Copy: Fellix Medium, Sentence case

Callout Copy (e.g., "Exclusive to Lowe's"): Fellix Bold, Title Case

Button / CTA Copy (e.g., "Shop Now"): Fellix SemiBold, Title Case

Note: If there is a question as to which version to use, contact the Brand Advocate team.

Examples of Logo Usage:



Copy Only



Single Color with Silo Image

Use white full color logo when used over Lowe's #012169.



Multicolor with Icon, Silo and In-Use Images

Use PB Yankee full color logo when used over Lowe's #CFE5F6.



Carousel Features and Benefits Images

All required assets must be created prior to developing plus-up content for the carousel. Refer to **VENDOR GATEWAY** or your Brand Advocate team for specifications on content. Refer to digital content standards for your specific category for more information.

Location: Carousels and Product Display Page (PDP) feature section.

Focused On: Product features and benefits, provided through data driven insights. Follow specifications on page 35.

Creative Details: Copy is housed within the arrow callout at the bottom of the photo. Carousel assets can include silo images, feature information, in-uses, detail, swatches, etc. This serves as supplementary material to enhance the carousel. **It does not substitute the existing mandatory standards.**

First Image: First image in the carousel must be silo image on white background. It cannot have any text, logos or promotional graphics.

Background Colors: Background color is PB Yankee #0B2341.

See page 28 for brand colors.

Font

Headlines: Pennypacker Condensed Bold, Title Case

Examples:



#00629D

Carousel Infographics

All required assets must be created prior to developing plus-up content for the carousel. Refer to VENDOR GATEWAY or your Brand Advocate team for specifications on content. Refer to digital content standards for your specific category for more information.

Location: Carousels and Product Display Page (PDP) feature section.

Focused On: Product features and benefits. Follow specifications on page 35.

Creative Details: Product feature callouts should be placed near the feature with white rules/bullets identifying the feature. Content can include infographics approved by brand or packaging.

Icons: If you have an icon that has copy associated with it, show the icon above the copy.

Background Color: Preferred background color is PB Yankee #0B2341. PB Carolina #00A4EB can be used as an alternative for dark products.

See page 28 for brand colors.

Font

Headlines: Pennypacker Condensed Bold, Sentence case

Examples:



Digital Asset Specifications

Videos for Carousel:

Resolution 1280 x 720 (16:9) or higher

Frame rate 23.976 (24FPS) min – 60.01 (60FPS) max

File format H.264 (MP4, MOV, M4V, WMV) only

Bit rate 1500 - 100,000 kbps

Audio AAC stereo (49 khz or 96 khz)

File size 1 MB (min) 2 GB (max)

Carousel Images and Infographics:

Size 1000 x 1000 pixels (minimum)

Resolution 72 DPI (minimum)

File size 5 KB (min) 50 MB (max)

Color depth sRGB or Adobe RGB only

File type (BMP, JPG, JPEG, TIF, TIFF, PNG, WEBP)

Fill 90% of the canvas size.

Carousel images are square.

Note: Digital Specs subject to change. Please refer to your Brand Advocate team for latest specs.

