



## Parte Práctica Examen 30 enero Entornos

### 1- Vamos a realizar cambios en el ejercicio




```
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="UTF-8">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Document</title>
8   <style>
9     @import url(style.css);
10  </style>
11 </head>
12
13 <body>
14   <h2>Este es el examen práctico</h2>
15   <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Aliquam aut vel assumenda aliquid saepe quaeat. Sunt culpa illo voluptates possimus tempore porro dolorum fugit quo at, quod perferendis hic tempora. Lorem ipsum dolor sit amet consectetur adipisicing elit. Nulla itaque eos nostrum illum accusantium labore saepe dicta deserunt praesentium, ab laborum ipsa, adipisci perspiciatis quidem corrupti consequuntur? Doloribus, cumque ea.</p>
16   
17   <ul>
18     <li>Preguntas Test</li>
19     <li>Preguntas a desarrollar</li>
20     <li>Parte Practica</li>
21     <li>Subir Practica</li>
22     <li>Esperar Nota</li>
23   </ul>
24 </body>
25 </html>
```



```
1 h2{
2   text-align: center;
3   color: blue;
4   font-size: 35px;
5 }
6
7 p{
8   text-align: center;
9   color: red;
10  font-size: 20px;
11  margin: 5%;
12 }
13
14 img{
15   border-radius: 20px;
16   margin-left: 45%;
17 }
18
19 ul{
20   background-color: green;
21   width: 150px;
22 }
23
24 li{
25   font-size: 20px;
26   text-decoration: underline;
27   margin: 15px;
28   color: white;
29 }
```

## 2- Realizamos el commit

Primero pasaríamos los cambios al staged changes




Haríamos el commit con un mensaje


Haríamos push para que se suba a nuestro repositorio en la nube

## 3- Creamos una rama con cambios en archivos

Abrimos la terminal y creamos una nueva rama con el comando




Agregamos este comando git add . para agregar los cambios



The screenshot shows the Visual Studio Code interface with a file explorer on the left showing 'index.html' and 'style.css'. The main editor displays the content of 'index.html', which is an HTML document with a meta charset, viewport, title, and a body containing a paragraph of Lorem Ipsum, an image, and a list of questions. The terminal at the bottom shows the following commands and output:

```
PS C:\Users\seral\Desktop\1º MEB\Entornos\2º Evaluacion\ExamenPractico\Examen30Enero> git checkout -b cambios-en-archivos
fatal: a branch named 'cambios-en-archivos' already exists
PS C:\Users\seral\Desktop\1º MEB\Entornos\2º Evaluacion\ExamenPractico\Examen30Enero> git add .
```


Confirmamos los cambios y le damos un mensaje



The screenshot shows the Visual Studio Code interface with the same file explorer and editor content as the previous screenshot. The terminal at the bottom shows the following commands and output:

```
PS C:\Users\seral\Desktop\1º MEB\Entornos\2º Evaluacion\ExamenPractico\Examen30Enero> git checkout -b cambios-en-archivos
fatal: a branch named 'cambios-en-archivos' already exists
PS C:\Users\seral\Desktop\1º MEB\Entornos\2º Evaluacion\ExamenPractico\Examen30Enero> git add .
PS C:\Users\seral\Desktop\1º MEB\Entornos\2º Evaluacion\ExamenPractico\Examen30Enero> git commit -m "Cambios en los archivos"
```

Subimos la nueva rama a GitHub




The screenshot shows the Visual Studio Code interface. The 'SOURCE CONTROL' panel on the left displays a commit message dialog with the text 'Message (Ctrl+Enter to commit on...)' and a 'Commit' button. The main editor shows the 'index.html' file with the following content:

```
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="UTF-8">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Document</title>
8   <style>
9     @import url(style.css);
10  </style>
11 </head>
12
13 <body>
14   <h2>Este es el examen práctico</h2>
15   <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Aliquam aut vel assumenda aliquid saepe queraat. Sunt
16     culpa illo voluptates possimus tempore porro dolorum fugit quo at, quod perferendis hic tempora. Lorem ipsum
17     dolor sit amet consectetur adipisicing elit. Nulla itaque eos nostrum illum accusantium labore saepe dicta
18     deserunt praesentium, ab laborum ipsa, adipisci perspiciatis quidem corrupti consequuntur? Doloribus, cumque ea.
19   </p>
20   
21   <ul>
22     <li>Preguntas Test</li>
23     <li>Preguntas a desarrollar</li>
24     <li>Preguntas a desarrollar</li>
25   </ul>
26 </body>
27 </html>
```

The 'TERMINAL' panel at the bottom shows the command: `PS C:\Users\seral\Desktop\1º WEB\Entornos\2º Evaluacion\ExamenPractico\Examen3ºEnero> git push origin cambios-en-archivos`

#### 4- Fusionamos las ramas

Confirmamos las ramas




The screenshot shows the Visual Studio Code interface. The 'SOURCE CONTROL' panel on the left displays a commit message dialog with the text 'Message (Ctrl+Enter to commit on...)' and a 'Commit' button. The main editor shows the 'index.html' file with the following content:

```
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="UTF-8">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Document</title>
8   <style>
9     @import url(style.css);
10  </style>
11 </head>
12
13 <body>
14   <h2>Este es el examen práctico</h2>
15   <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Aliquam aut vel assumenda aliquid saepe queraat. Sunt
16     culpa illo voluptates possimus tempore porro dolorum fugit quo at, quod perferendis hic tempora. Lorem ipsum
17     dolor sit amet consectetur adipisicing elit. Nulla itaque eos nostrum illum accusantium labore saepe dicta
18     deserunt praesentium, ab laborum ipsa, adipisci perspiciatis quidem corrupti consequuntur? Doloribus, cumque ea.
19   </p>
20   
21   <ul>
22     <li>Preguntas Test</li>
23     <li>Preguntas a desarrollar</li>
24     <li>Preguntas a desarrollar</li>
25   </ul>
26 </body>
27 </html>
```

The 'TERMINAL' panel at the bottom shows the command: `PS C:\Users\seral\Desktop\1º WEB\Entornos\2º Evaluacion\ExamenPractico\Examen3ºEnero> git branch`

Cambiamos a la rama que queremos fusionar




The screenshot shows the Visual Studio Code interface. The 'SOURCE CONTROL' panel on the left displays a commit message: 'Message (Ctrl+Enter to commit on...)' with a 'Commit' button. The main editor shows the 'index.html' file with the following content:

```
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="UTF-8">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Document</title>
8   <style>
9     @import url(style.css);
10  </style>
11 </head>
12
13 <body>
14   <h2>Este es el examen práctico</h2>
15   <p>lorem, ipsum dolor sit amet consectetur adipisicing elit. Aliquam aut vel assumenda aliquid saepe queraat. Sunt culpa illo voluptates possimus tempore porro dolorum fugit quo at, quod perferendis hic tempora. Lorem ipsum dolor sit amet consectetur adipisicing elit. Nulla itaque eos nostrum illum accusantium labore saepe dicta deserunt praesentium, ab laborum ipsa, adipisci perspiciatis quidem corrupti consequuntur? Doloribus, cumque ea.
16   </p>
17   
18   <ul>
19     <li>Preguntas Test</li>
20     <li>Preguntas a desarrollar</li>
21   </ul>
22   <li>Preguntas a desarrollar</li>
23   <li>Preguntas a desarrollar</li>
24   <li>Preguntas a desarrollar</li>
25 </body>
```

The 'TERMINAL' panel at the bottom shows the following commands and output:

```
PS C:\Users\seral\Desktop\1º MEB\Entornos\2º Evaluacion\ExamenPractico\Examen3º Enero> git branch
* cambios-en-archivos
main
PS C:\Users\seral\Desktop\1º MEB\Entornos\2º Evaluacion\ExamenPractico\Examen3º Enero> git checkout main
```

Fusionamos la rama




The screenshot shows the Visual Studio Code interface. The 'SOURCE CONTROL' panel on the left displays a commit message: 'Message (Ctrl+Enter to commit on...)' with a 'Commit' button. The main editor shows the 'index.html' file with the following content:

```
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="UTF-8">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Document</title>
8   <style>
9     @import url(style.css);
10  </style>
11 </head>
12
13 <body>
14   <h2>Este es el examen práctico</h2>
15   <p>lorem, ipsum dolor sit amet consectetur adipisicing elit. Aliquam aut vel assumenda aliquid saepe queraat. Sunt culpa illo voluptates possimus tempore porro dolorum fugit quo at, quod perferendis hic tempora. Lorem ipsum dolor sit amet consectetur adipisicing elit. Nulla itaque eos nostrum illum accusantium labore saepe dicta deserunt praesentium, ab laborum ipsa, adipisci perspiciatis quidem corrupti consequuntur? Doloribus, cumque ea.
16   </p>
17   
18   <ul>
19     <li>Preguntas Test</li>
20     <li>Preguntas a desarrollar</li>
21   </ul>
22   <li>Preguntas a desarrollar</li>
23   <li>Preguntas a desarrollar</li>
24   <li>Preguntas a desarrollar</li>
25 </body>
```

The 'TERMINAL' panel at the bottom shows the following commands and output:

```
PS C:\Users\seral\Desktop\1º MEB\Entornos\2º Evaluacion\ExamenPractico\Examen3º Enero> git branch
* cambios-en-archivos
main
PS C:\Users\seral\Desktop\1º MEB\Entornos\2º Evaluacion\ExamenPractico\Examen3º Enero> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\seral\Desktop\1º MEB\Entornos\2º Evaluacion\ExamenPractico\Examen3º Enero> git merge cambios-en-archivos
```

Confirmamos los cambios y hacemos commit



The screenshot shows the Visual Studio Code interface with a project named 'examen30Enero'. The editor displays two files: 'index.html' and 'style.css'. The 'index.html' file contains the following code:

```
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="UTF-8">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Document</title>
8   <style>
9     @import url(style.css);
10  </style>
11 </head>
12
13 <body>
14   <h2>Este es el examen práctico</h2>
15   <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Aliquam aut vel assumenda aliquam saepe queraat. Sunt
16     culpa illo voluptates possimus tempore porro dolorum fugit quo at, quod perferendis hic tempora. Lorem ipsum
17     dolor sit amet consectetur adipisicing elit. Nulla itaque eos nostrum illum accusantium labore saepe dicta
18     deserunt praesentium, ab laborum ipsa, adipisci perspiciatis quidem corrupti consequuntur? Doloribus, cumque ea.
19   </p>
20   
21 </body>
22 <!-- Preguntas Test -->
23 <!-- Preguntas a desarrollar -->
24 <!-- Preguntas -->
```

The 'style.css' file is empty. The terminal window shows the following commands and output:

```
PS C:\Users\seral\Desktop\1º WEB\Entornos\2º Evaluacion\ExamenPractico\Examen30Enero> git branch
* cambios-en-archivos
main
PS C:\Users\seral\Desktop\1º WEB\Entornos\2º Evaluacion\ExamenPractico\Examen30Enero> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\seral\Desktop\1º WEB\Entornos\2º Evaluacion\ExamenPractico\Examen30Enero> git merge cambios-en-archivos
Updating 6747b76..00feb04
Fast-forward
 index.html | 5 +++
 style.css  | 4 +++
 2 files changed, 9 insertions(+), 1 deletion(-)
PS C:\Users\seral\Desktop\1º WEB\Entornos\2º Evaluacion\ExamenPractico\Examen30Enero> git commit -m "Fusion de ramas"
```