Шаги выполнение 1 этапа индивидуального проекта.

Размещение на Github pages заготовки для персонального сайта.


Павлюченков С.В.

07 сентября 2024

Российский университет дружбы народов, Москва, Россия

Докладчик

- Павлюченков Сергей Витальевич
- Студент ФФМиЕН
- Российский университет дружбы народов
- · 1132237372@pfur.ru
- https://serapshi.github.io/svpavliuchenkov.github.io/





Разместить заготовку для индивидуального проекта на сервисе Github Pages.

Задание

Установить необходимое программное обеспечение. Скачать шаблон темы сайта. Разместить его на хостинге git. Установить параметр для URLs сайта. Разместить заготовку сайта на Github pages.

Создание репозитория с шаблоном

| Create a new repository A repository contains all project files, including the revision history. Already have a project repository elsewhere? Import a repository. |
|--|
| Required fields are marked with an asterisk (*). |
| Repository template |
| HugoBlox/theme-academic-cv 🔻 |
| Start your repository with a template repository's contents. |
| Include all branches Copy all branches from HugoBlox/theme-academic-cv and not just the default branch. |
| Owner * Repository name * ** serapshi * / svpavliuchenkov.github.io ** svpavliuchenkov.github.io is available.** |

Рис. 1: Клонирование репозитория




Рис. 2: Установка ПО

Установка ПО

Распаковываю расширенную версию hugo на своей виртуальной машине.

```
[svpavliuchenkov@fedora website]$ tar -xvf hugo_0.134.1_Linux-64bit.tar.gz
hugo
README.md
LICENSE
[svpavliuchenkov@fedora website]$ ∏
```

Рис. 3: Подготовка ПО

Установка ПО




Рис. 4: Перенос исполняемого файла

Подготовка к запуску сайта

```
[supavlluchenkov@fedora =]$ cd website/site.rep/
[supavlluchenkov@fedora site.rep]$ //hugo
|<del>www.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonleneroral.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.commonlenerora.common</del>
```

Рис. 5: Развертывание сайта

Запускаю локальный сервер hugo.

Рис. 6: Запуск сервера

Запуск шаблона сайта по адресу localhost:1313

```
[sypavliuchenkoy@fedora site-rep]$ ./hugo server -D
 ARN deprecated: site config key paginate was deprecated in Hugo v0.128.0 and will be removed in a future release. Use pagination.pagerS
 instead
Watching for changes in /home/svpavliuchenkov/{.cache.website}
Watching for config changes in /home/sypayliuchenkoy/website/site-rep/config/ default. /home/sypayliuchenkoy/.cache/hugo_cache/modules/fi
ache/modules/pkq/mod/qithub.com/|huqo|blox/huqo-blox-builder/modules/blox-pluqin-netlify@v1.1.2-0.20240901230003-ec9127eaf80b/config.yaml
home/sypayliuchenkoy/.cache/hugo_cache/modules/filecache/modules/pkg/mod/github.com/lhugo|blox/hugo-blox-builder/modules/blox-tailwind@v@
1-0.20240901230003-ec9127eaf80b/hugo.vaml./home/svpavliuchenkov/website/site-rep/go.mod
Start building sites ..
hugo v0.134.1-2f89169baa87a9db47e288b60705f4e99e2la945+extended linux/amd64 BuildDate=2024-09-05T10:17:50Z VendorInfo=gohugoio
                   I EN
  Pages
  Paginator pages | 0
  Non-page files | 23
  Static files
  Processed images | 85
  Aliases
  Cleaned
Built in 18280 ms
Environment: "development"
Serving pages from disk
Running in Fast Render Mode. For full rebuilds on change: hugo server --disableFastRender
Web Server is available at http://localhost:1313/ (bind address 127.0.0.1)
```

Рис. 7: Запущенный сервер

Запуск шаблона сайта по адресу localhost:1313



Размещение сайта на Github Pages




Рис. 9: Сборка сайта на Github pages



Мне удалось разместить шаблон индивидуального проекта на сервесе github pages для последующего улучшения и использования.