

# Example application of multi-biome LMA PLSR model

Shawn Serbin

2019-09-07

## Overview

This is an R Markdown Notebook to illustrate how to apply the multi-biome LMA PLSR model to leaf reflectance spectra.

Try executing this chunk by clicking the *Run* button within the chunk or by placing your cursor inside it and pressing *Cmd+Shift+Enter*.

```
#-----#
# get all required libraries
list.of.packages <- c("readr","scales","plotrix","httr","devtools") # packages needed for script
# check for dependencies and install if needed
new.packages <- list.of.packages[!(list.of.packages %in% installed.packages()[,"Package"])]
if(length(new.packages)) install.packages(new.packages)

# load libraries needed for script
library(readr)      # readr - read_csv function to pull data from EcoSIS
library(plotrix)    # plotCI - to generate observed vs predicted plot with CIs
library(scales)     # alpha() - for applying a transparency to data points

##
## Attaching package: 'scales'

## The following object is masked from 'package:plotrix':
##
##   rescale

## The following object is masked from 'package:readr':
##
##   col_factor

library(devtools)

## Loading required package: usethis

library(httr)

# define function to grab PLSR model from GitHub
#devtools::source_gist("gist.github.com/christophergandrud/4466237")
source_GitHubData <-function(url, sep = ",", header = TRUE) {
  require(httr)
  request <- GET(url)
  stop_for_status(request)
  handle <- textConnection(content(request, as = 'text'))
  on.exit(close(handle))
  read.table(handle, sep = sep, header = header)
}
#-----#
#-----#
#### PLSR Coefficients - Grab from GitHub
```

```
git_repo <- "https://raw.githubusercontent.com/serbinsh/SSerbin_etal_2019_NewPhytologist/master/"
print("**** Downloading PLSR coefficients ****")

## [1] "**** Downloading PLSR coefficients ****"

githubURL <- paste0(git_repo, "SSerbin_multibiome_lma_plsr_model/sqrt_LMA_gDW_m2_PLSR_Coefficients_10comp")
LeafLMA.plsr.coeffs <- source_GitHubData(githubURL)
rm(githubURL)
githubURL <- paste0(git_repo, "SSerbin_multibiome_lma_plsr_model/sqrt_LMA_gDW_m2_Jackkife_PLSR_Coefficients_10comp")
LeafLMA.plsr.jk.coeffs <- source_GitHubData(githubURL)
#-----#
```

---



---

## Example datasets

URL: <https://ecosis.org/#result/13aef0ce-dd6f-4b35-91d9-28932e506c41> (Lopex)

URL: <https://ecosis.org/#result/2231d4f6-981e-4408-bf23-1b2b303f475e> (Angers)

---



---

```
#-----#
### Grab data
print("**** Downloading Ecosis data ****")

## [1] "**** Downloading Ecosis data ****"

ecosis_id <- "13aef0ce-dd6f-4b35-91d9-28932e506c41" # lopex
ecosis_file <- sprintf(
  "https://ecosis.org/package/export?package_id=%s&filters=&metadata=true",
  ecosis_id
)

message("Downloading data...")

## Downloading data...

dat_raw <- read_csv(ecosis_file)

## Parsed with column specification:
## cols(
##   .default = col_double(),
##   `English Name` = col_character(),
##   `Latin Name` = col_character(),
##   Measurement_type = col_character(),
##   Refl_file = col_character(),
##   Trans_file = col_character()
## )
```

```

## See spec(...) for full column specifications.
message("Download complete!")

## Download complete!
# keep just fresh leaf refl obs. remove dried leaves from sample set
remove <- c(176,177,178,179,180,196,197,198,199,200,321,322,323,324,325)
remove <- which(dat_raw$Measurement_type=="transmittance" | dat_raw$`Sample_#` %in% remove)
lopex_dat_clean <- dat_raw[-remove,]

ecosis_id <- "2231d4f6-981e-4408-bf23-1b2b303f475e" # angers
ecosis_file <- sprintf(
  "https://ecosis.org/package/export?package_id=%s&filters=&metadata=true",
  ecosis_id
)
message("Downloading data...")

## Downloading data...
dat_raw <- read_csv(ecosis_file)

## Parsed with column specification:
## cols(
##   .default = col_double(),
##   `English Name` = col_character(),
##   `Latin Name` = col_character(),
##   Measurement_type = col_character(),
##   Refl_file = col_character(),
##   Trans_file = col_character()
## )
## See spec(...) for full column specifications.
message("Download complete!")

## Download complete!
# cleanup and remove dried leaves from dataset
remove <- c(178,179,184,185,196,197,241,250,254,257,258,269)
remove <- which(dat_raw$Measurement_type=="transmittance" | dat_raw$`Sample_#` %in% remove)
angers_dat_clean <- dat_raw[-remove,]

rm(dat_raw)
#-----#
#-----#

## Concatenate data
Start.wave <- 500
End.wave <- 2400
wv <- seq(Start.wave,End.wave,1)

lopex_spectra_sub <- lopex_dat_clean[,names(lopex_dat_clean)[match(seq(Start.wave,End.wave,1),names(lopex_dat_clean))]]
lopex_info <- data.frame(Sample_Num=lopex_dat_clean$`Sample_#`, Common_Species_Name=lopex_dat_clean$`English Name`,
  LMA_gDW_m2=(lopex_dat_clean$`Leaf mass per area (g/cm²)`)*10000)

angers_spectra_sub <- angers_dat_clean[,names(angers_dat_clean)[match(seq(Start.wave,End.wave,1),names(angers_dat_clean))]]
angers_spectra_sub <- na.omit(angers_spectra_sub)
angers_info <- data.frame(Sample_Num=angers_dat_clean$`Sample_#`, Common_Species_Name=angers_dat_clean$`English Name`,
  LMA_gDW_m2=(angers_dat_clean$`Leaf mass per area (g/cm²)`)*10000)

```

```

LMA_gDW_m2=(angers_dat_clean$`Leaf mass per area (g/cm )`)*10000
angers_info <- na.omit(angers_info)

all_data <- rbind(data.frame(Dataset=rep("Lopex",dim(lopex_info)[1]), lopex_info, lopex_spectra_sub),
                  data.frame(Dataset=rep("Angers",dim(angers_info)[1]), angers_info, angers_spectra_sub))

## cleanup
rm(angers_dat_clean,lopex_dat_clean, angers_info, angers_spectra_sub, lopex_info, lopex_spectra_sub)
#-----#
#-----#
## Plot data
waves <- seq(500,2400,1)
cexaxis <- 1.5
cexlab <- 1.8
ylim <- 74
ylim2 <- 80

mean_spec <- colMeans(all_data[,which(names(all_data) %in% paste0("X",seq(Start.wave,End.wave,1)))]))
spectra_quantiles <- apply(all_data[,which(names(all_data) %in% paste0("X",seq(Start.wave,End.wave,1)))],
                           2,quantile,na.rm=T,probs=c(0,0.025,0.05,0.5,0.95,0.975,1))

print("**** Plotting Ecosis data. Writing to scratch space ****")


## [1] "**** Plotting Ecosis data. Writing to scratch space ****"

png(file=file.path("~",wd,'Angers_Lopex_spectra_summary_plot.png'),height=3000,
    width=3900, res=340)
par(mfrow=c(1,1), mar=c(4.5,5.7,0.3,0.4), oma=c(0.3,0.9,0.3,0.1)) # B, L, T, R
plot(waves,mean_spec*100,ylim=c(0,ylim),cex=0.00001, col="white",xlab="Wavelength (nm)",
     ylab="Reflectance (%)",cex.axis=cexaxis, cex.lab=cexlab)
polygon(c(waves ,rev(waves)),c(spectra_quantiles[6,]*100, rev(spectra_quantiles[2,]*100)),
       col="#99CC99",border=NA)
lines(waves,mean_spec*100,lwd=3, lty=1, col="black")
lines(waves,spectra_quantiles[1,]*100,lwd=1.85, lty=3, col="grey40")
lines(waves,spectra_quantiles[7,]*100,lwd=1.85, lty=3, col="grey40")
legend("topright",legend=c("Mean reflectance","Min/Max", "95% CI"),lty=c(1,3,1),
      lwd=c(3,3,15),col=c("black","grey40","#99CC99"),bty="n", cex=1.7)
box(lwd=2.2)
dev.off()

## pdf
## 2

par(mfrow=c(1,1), mar=c(4.5,5.7,0.3,0.4), oma=c(0.3,0.9,0.3,0.1)) # B, L, T, R
plot(waves,mean_spec*100,ylim=c(0,ylim),cex=0.00001, col="white",xlab="Wavelength (nm)",
     ylab="Reflectance (%)",cex.axis=cexaxis, cex.lab=cexlab)
polygon(c(waves ,rev(waves)),c(spectra_quantiles[6,]*100, rev(spectra_quantiles[2,]*100)),
       col="#99CC99",border=NA)
lines(waves,mean_spec*100,lwd=3, lty=1, col="black")
lines(waves,spectra_quantiles[1,]*100,lwd=1.85, lty=3, col="grey40")
lines(waves,spectra_quantiles[7,]*100,lwd=1.85, lty=3, col="grey40")
legend("topright",legend=c("Mean reflectance","Min/Max", "95% CI"),lty=c(1,3,1),
      lwd=c(3,3,15),col=c("black","grey40","#99CC99"),bty="n", cex=1)
box(lwd=2.2)

```



```
#-----#
#-----#
print("**** Applying PLSR model to estimate LMA from spectral observations ****")

## [1] "**** Applying PLSR model to estimate LMA from spectral observations ****"

# setup model
dims <- dim(LeafLMA.plsr.coefs)
LeafLMA.plsr.intercept <- LeafLMA.plsr.coefs[1,]
LeafLMA.plsr.coefs <- data.frame(LeafLMA.plsr.coefs[2:dims[1],])
names(LeafLMA.plsr.coefs) <- c("wavelength", "coefs")
LeafLMA.plsr.coefs.vec <- as.vector(LeafLMA.plsr.coefs[,2])

# estimate LMA
sub_spec <- as.matrix(droplevels(all_data[,which(names(all_data) %in% paste0("X",seq(Start.wave,End.wave)))]))
temp <- as.matrix(sub_spec) %*% LeafLMA.plsr.coefs.vec # Updated: Using matrix mult.
leafLMA <- data.frame(rowSums(temp))+LeafLMA.plsr.intercept[,2]
leafLMA <- leafLMA[,1]^2 # convert to standard LMA units from sqrt(LMA)
names(leafLMA) <- "FS_PLSR_LMA_gDW_m2"

# organize output
LeafLMA.PLSR.dataset <- data.frame(all_data[,c(1:4)],FS_PLSR_LMA_gDW_m2=leafLMA)

# Derive LMA estimate uncertainties
print("**** Deriving uncertainty estimates ****")

## [1] "**** Deriving uncertainty estimates ****"
```

```

dims <- dim(LeafLMA.plsr.jk.coefs)
intercepts <- LeafLMA.plsr.jk.coefs[,2]
jk.leaf.lma.est <- array(data=NA,dim=c(dim(sub_spec)[1],dims[1]))
for (i in 1:length(intercepts)){
  coefs <- unlist(as.vector(LeafLMA.plsr.jk.coefs[i,3:dims[2]]))
  temp <- sub_spec %*% coefs
  values <- data.frame(rowSums(temp))+intercepts[i]
  jk.leaf.lma.est[,i] <- values[,1]^2
  rm(temp)
}

jk.leaf.lma.est.quant <- apply(jk.leaf.lma.est,1,quantile,probs=c(0.025,0.975))
jk.leaf.lma.est.quant2 <- data.frame(t(jk.leaf.lma.est.quant))
names(jk.leaf.lma.est.quant2) <- c("FS_PLSR_Leaf_LMA_L5","FS_PLSR_Leaf_LMA_U95")
jk.leaf.lma.est.sd <- apply(jk.leaf.lma.est,1,sd)
names(jk.leaf.lma.est.sd) <- "FS_PLSR_Leaf_LMA_Sdev"

## Combine into final dataset
stats <- data.frame(jk.leaf.lma.est.sd,jk.leaf.lma.est.quant2)
names(stats) <- c("FS_PLSR_Leaf_LMA_Sdev","FS_PLSR_Leaf_LMA_L5","FS_PLSR_Leaf_LMA_U95")
LeafLMA.PLSR.dataset.out <- data.frame(LeafLMA.PLSR.dataset,stats,
                                       residual=(LeafLMA.PLSR.dataset$FS_PLSR_LMA_gDW_m2-LeafLMA.PLSR.d

# output results
write.csv(x = LeafLMA.PLSR.dataset.out, file = file.path("~",wd,"Angers_Lopex_PLSR_estimated_LMA_data.csv",
row.names = F)

# calculate error stats
rmse <- sqrt(mean(LeafLMA.PLSR.dataset.out$residual^2))
# calculate fit stats
reg <- lm(LeafLMA.PLSR.dataset.out$FS_PLSR_LMA_gDW_m2~LeafLMA.PLSR.dataset.out$LMA_gDW_m2)
#-----#

#-----#

## Plot up results
ptcex <- 1.8
cexaxis <- 1.3
cexlab <- 1.8

print("**** Plotting Lopex/Angers LMA validation plot. Writing to scratch space ****")

## [1] "**** Plotting Lopex/Angers LMA validation plot. Writing to scratch space ****"
png(file=file.path("~",wd,'Angers_Lopex_LMA_validation_plot.png'),height=3000,
width=3900, res=340)
par(mfrow=c(1,1), mar=c(4.5,5.4,1,1), oma=c(0.3,0.9,0.3,0.1)) # B, L, T, R
plotCI(LeafLMA.PLSR.dataset.out$FS_PLSR_LMA_gDW_m2,LeafLMA.PLSR.dataset.out$LMA_gDW_m2,
li=LeafLMA.PLSR.dataset.out$FS_PLSR_Leaf_LMA_L5,gap=0.009,sfrac=0.004,lwd=1.6,
ui=LeafLMA.PLSR.dataset.out$FS_PLSR_Leaf_LMA_U95,err="x",pch=21,col="black",
pt.bg=alpha("grey70",0.7),scol="grey30",xlim=c(0,340),cex=ptcex,
ylim=c(0,340),xlab="",
ylab=expression(paste("Observed LMA (",g~m^{-2},")")),main="",
cex.axis=cexaxis,cex.lab=cexlab)
mtext(side = 1, text = expression(paste(Predicted~LMA," (",g~m^{-2},")")), line = 3.5,
cex=2.2)

```

```

abline(0,1,lty=2,lw=2)
legend("topleft",legend = c(paste0("RMSE = ",round(rmse)),
                               paste0("R2 = ",round(summary(reg)$r.squared,2))), bty="n", cex=1.5)


box(lwd=2.2)
dev.off()

## pdf
## 2

par(mfrow=c(1,1), mar=c(4.5,5.4,1,1), oma=c(0.3,0.9,0.3,0.1)) # B, L, T, R
plotCI(LeafLMA.PLSR.dataset.out$FS_PLSR_LMA_gDW_m2,LeafLMA.PLSR.dataset.out$LMA_gDW_m2,
       li=LeafLMA.PLSR.dataset.out$FS_PLSR_Leaf_LMA_L5,gap=0.009,sfrac=0.004,lwd=1.6,
       ui=LeafLMA.PLSR.dataset.out$FS_PLSR_Leaf_LMA_U95,err="x",pch=21,col="black",
       pt.bg=alpha("grey70",0.7),scol="grey30",xlim=c(0,340),cex=ptcex,
       ylim=c(0,340),xlab="",
       ylab=expression(paste("Observed LMA (",g~m^{-2},")")),main="",
       cex.axis=cexaxis,cex.lab=cexlab)
mtext(side = 1, text = expression(paste(Predicted~LMA," (",g~m^{-2},")")), line = 3.5,
       cex=2.2)
abline(0,1,lty=2,lw=2)
legend("topleft",legend = c(paste0("RMSE = ",round(rmse)),
                               paste0("R2 = ",round(summary(reg)$r.squared,2))), bty="n", cex=1.5)

box(lwd=2.2)

```



```

#-----#
#-----#
rm(list=ls(all=TRUE)) # clear workspace
### EOF

```