FORMULARIO DE PRESENTACIÓN DE PROPUESTA

NOMBRE DE LA EMPRESA:	200
IMMEDENIMORY	N° de NIT o C.I.:
NOMBRE DEL BERRYGIANG AND A DE	132751021
NOMBRE DEL REPRESENTANTE LEGAL O PROPIETARIO:	Nº Telefono de Contacto:
IVAN RIOS CAMACHO	r releiono de Contacto:
of the control of the	2422102

Nota: Poner unicamente el precio unitario ofertado en la columna "Precio Unitario", de los ítems ofertados por su empresa/persona.

Nº de	0	are as an arrangement		oo por su cm	presa/persona.	
Ítem	Concepto	Unidad Medida	Cantidad	Precio	Precio Total	
001	TERMÓMETRO INFRARROJO	DESCRIPTION OF THE PARTY OF THE		Unitario	Ofertado	
	TOTAL	PIEZA	366	250,00	91.500,00	
	TOTAL				91,500,00	

Januah

INFRARROJO TERMÓMETRO



Medición de Temperatura Pantalla LCD

Temperature indicator



Green T<37.5°C



Encendido/Cambio de Modo

Puede guardar hasta 32 mediciones











INMEDENT S.R.L.

Twan Rios Camacho





TERMOMETRO INFRAROJOFT-100B

NOMBRE DEL PRODUCTO:

TERMOMETRO INFRAROJO (sin contacto)

MODELO:

YS-TWA-1(FT-100B)

CARACTERISTICAS

Innovadora tecnología de infrarroja, que puede medir rápidamente la temperatura corporal y la temperatura del ambiente sin contacto alguno.

Se puede obtener resultados inmediatos y precisos con la energía térmica emitida en la frente.

Alta confiabilidad: Este producto pasa los exámenes de confiabilidad y vida interna de fábrica.

Alta precisión: este producto ha pasado los estándares de rendimiento del termómetro infrarrojo de la unión europea y china para requerimientos clínicos de medición, la precisión de medición clínica no es mayor que $\pm\,0.2^{\circ}$ C (0.4°F).

ESPECIFICACIONES TECNICAS

- Lugar de medición: en la frente
- Rango de medición:
 - 1. Modo temperatura corporal: 28.0 42.9 °C
 - Modo temperatura ambiente: 28.0 − 50.0 °C
- Resolución de la pantalla: 0.1°c / 0.1°f
- Condiciones de almacenamiento: temperatura -20-50°c, humedad ≤ 9
- Requerimiento de energía: 2 BATERÍAS AAA
- Condiciones de operación: rango de temperatura 10-40°c, humedad ≤ 85% rh 0% rh
- Medias: 135*36*40mm
- Peso: sobre 67g (sin baterías)
- Modo de operación: operación continua
- Tiempo de vida de la batería: ≥1000 repeticiones
- Tiempo de vida del producto: 5 años
- Versión de software: v1.1
- Grados Centígrados y Grados Fahrenheit
- Modo de funcionamiento: Corporal y Ambiente
- Capacidad de almacenamiento: 32 mediciones

TERMOMETRO INTELIGENTE

Cuenta con rangos de medición que reflejan en tres colores diferentes en la pantalla, que nos pueden alertar la temperatura, con 4 segundos de duración.

COLOR VERDE. - cuando la temperatura es menor a 37.5 grados centígrados, con sonido prolongado.

Ivan Rios Camacho
REPRESENTANTE LEGAL
INMEDENT S.R.L.

<u>COLOR NARANJA.</u> - cuando la temperatura esta entre 37.5 – 38 grados centígrados, con sonido de 3 timbres cortos.

<u>COLOR ROJO. -</u> cuando la temperatura es superior a 38 grados centígrados, con sonido de 3 timbres cortos.



Ivan Rios Camacho
PLPRESENTANTE LEGAL
PNMEDENT S.R.L.

经	· 拉尔人体影響與政策後衛衛協议認明中	減 配 計	報のご確	a frace		
中间	FT-1008	The second second	ME	を発送		
報題	809书写纸		遊遊	20204.3B.28B	288	
ME	MINISTER AND YES	K:100	16.83	からの部		
版本	Mar.2020.ver.1		支更整治	1,1		
RT	45*140mm					
	UniverHealth	Catalog 1. Samma y at his act the magnetal 2. Setting previous 3. Setting services 4. Pregetthe measurement music and arrive description	Sand therapes persons and answers	0 H	Librariany of infanted thermometer. To Colonia and the Colonia	And the second of the second o
		Prestance Coveral description Coveration indistribution Preparesses Coverance distribution	hen Victori Pepares ng	6 4 10 a	elements of the properties of the second for the se	Sections of a recognition of a section of a
5	anrared Inermomerer	9. Nasitterumes 10. Calibration			cheriety Basic principles:	Do not dispersible, repair on exactly the unit This tremonants only a personal detain, plants do not user for others.
2	ISER MANITAL	-		1		 Confidential the battery output when measure a the Unimidation must be stored according to the technical meditionions.
	M1 700 11 11 11 1 1 100 1	12. Arrespories 18 Total Auditorious	2	1		 The materiol/ARS; had pessed the ISQ 10999-5 and ISO 20899-10 Apartered het; no towards allow
_	-	14 Specifications			conference of the particular at the format of the format o	Principles of the company of the company and the company of the co
		15 Standard Est			refer a man the consistence and restrict to the reference to the construction of the c	Access of any facilities of the potential consistent for the profession of the facilities of the facil
		15. Dispession		я	are side to memore the housen train school	Commenced and data and register tracking and managed and contract tracking and managed the desires and
	36.00	17. Normalized symptods 18. Esk' declaration	slepels o	# 2	2. Salety precautions	AT TROSsentes according to the user manual. *The device is not extended for PASEST spagner outside a healthcare fadles.
	P & -	13. Ganrettes		T P	An advantage of the received has a suppression to advantage on the supersystem of the sup	Recommendations: (See 1. Dark our sets treatment of 1. Dark our sets treatmented on other purposes. 2. Ris fratisfies to be set the product expendent on the product expendent on the product expendent on the product expendent on the product expenses are demonstrate under our product expenses and the product expenses and the product expenses of the product of the pr
Thirt dealers in the laws					8	A De tot incasum skille talking so the phone 3. Please report to MANIFACTUREA it any somether opinization to events occur \$Linfended use
-					-	This themsengter is intended to measure (malead tenderature at home or bossital, including scients, clighter and adults. For the solely reason, clighon
ntoque, de					refred fampersture, make 4, skrett tirled, motive, making and bathing, making and samples migger a should 30 ramples migger	or the back is temperated in that he resembled by potent or white.
and the same					Serfore consequences:	

Normal temperature range for different measuring position Romal forehead Winperature range for different ages

the rate untertal LCD is entitled once	w.	The second secon
	*	
	•	
The orange and	7	A Street Military
For Doving is favor or no.6.	1	13. Trouble-shooting
F1-100B		cts, each three the [4] MOTES:
MODEL: FT-10(-	the function setting you

the entrange meant mode, long power the [4],
where the mode of the many operation of the long power the part of the long power will many control of the mode of the long of th

									-			1	Tr.	-						-							
	AN Date of manufacture		62/BATEC SWEEE!	1	Kaup dry	7	dn 🗱	Fragite handle with care	-	N. S.			As and agone extractional and control precognises and requirements and the control of the contro	Art relighability from investry	2) Wheter communication equipment such as where such as where shows between cases, e., medications, confidences, and their transportations of the such transportation of the	should be lapt of least a destrice do Libra may	To write example in the first the form of the property of the angle from the property of the p	19/Guarantine We grant you a governmen pirar for date of	pare this for him year Any dawning chases by inpared and the stressor for the guide and the forested on the grand of the guide and an angle of the guide and the guide and an angle of the guide and the guide and an angle of the guide and and an angle of the guide and an angle of	Enducted from the guarantee All other damage Upons enchoded A guarantee daem must be	Statement with the purchase recent Please pack your defective things and sent with	A Company to the constitution	Manufacturer Hungstron Universal Electronic Coults	harpoter 31121. Zhiyang Cisoa	RC REP	in The Europolin Continuity Polinic Globi Borbwan Cd. #1233 Data dd.orf, Germany	
16 Disposal	And At the sect of the croduct Bleeydests	heartfree this product mis the named	callectors positive the resping of	Whate Electrical and Electronic Europement carriagos	parantistic transful effects on the environment or correct disposal can cause hamilial towns to	country in the all states and the and can be farmed to however health.	NOTES: shading at believy and waters england, place	freedly. Take out the lattery if you are not gaing to say the	unit far a long time.	To product the environment, depose of	appropriate collection situa according to	netonal or lond regulations.	17. Normalized symbols	-	Manufactuar		Follow operating instructions	Gautient Consult accompanying		Type BF applied parts		HOT Better and	5000 10100	IP code of the device this	ingress of solid foreign abjects		
and list	WASE Blockeday by declars that the 6-135 contides with 1 Meeting systemates	Smittale for use for the fatering of	Mylementics transfer for the	manufacturar with medical ceutons	* Medical direction equipments Part 1: General regulation ands for Days, 12 Series and respected to the formation				performers colored	Medical sterrical equipment part	Place softly and querral	themselves for body	Medical decision egolgovers-Part	Danie astely and electric	Requirements for treating decision systems used medical electrical systems used in home fundate are environment.	The second of the last of the second of the	Landon Translating teaching S Parkandance of information desired	Standard Standbarder for Informal Diemigrater for Information Orienteen for of Neural	Temperature	Hercycle processes	Mindred devices Application of	devices	American constitute at medical devices but. Important and recting within a restriction particular	process			40
15.Standard list	THSEE BILON	EN 386	EN 1641		EN SERIES	1/3	2000000	EN 20251-1-8		150			EN 62361-1-11		-	1		A3TME 1983	F8.42484		EN 62350		1-03.565				
14. Specifications	Danca same Infrared Trainmenter		Printed to the state of the sta	Meanur entrayer For thand	Aphibics of	Personning Indightering Automotives and re-	1 4	42 \$**C(13) 4"**C(15) \$***C(15) \$***	Uhty.	display	Operation Temistry and 10-48 C	Storage Temperature - Shabit specifical Homodity # 500 pp.	1555-547400000	Weight about 17 sparding babaries)	High lendy a St. S' C(16th 4° F) famountleins filmt	Gradual (022	Windows Alexander and the equipment should be appropried shoot	Applied part Type MF applied part, industring the whole one.	Made of Gentlind out operation op matten	Stathery KFs and State Streets	oferticit 2 years	Auftriert VI 1	Netw Nuthranded to be stedlibed Not far and in an OXYGER NICH ENVENORMENT	The above specifications are subject to	Sewerall as at the said.		-
44	C Camprophisson of	Agricue nate	Date of the Pro-	-	el.	ST ments		g Jo	E 6	S	000	100	87%	T	A STATE OF S	_		1	Marker (194 Marker)	Tremple	6	Sufficial Warston	Nata DXV	J.			
13. Trouble-shooting	Chemistrate or established Cres	of the publishmen was used	Safery o and a polenty factor	Sac tellungual you	Appropriate and a second	North Continue	s 1	M. Mgharasa M. Mgharasa A. M. Shina Santasa	2.0	60	And Desirement and a Transfer or Transfer	distance expeller Measured in report	Cott the or completence. Let Less from	Townships Monthly	Automotive II there is a supplementation of the supplementation of t		Thirtendments Sapuration provided construction construction substance substance substances		or others have ver	Count Stitlery Superyte (Nation	-						
13. Tro	Thatter Of prov	An inspense	1	75	Ji-i	Shad for sympal fer	74°,	1	Show the	-	4				(3:)		(N)	ErrE Reel		ال				terprinap.		
WOTES:	Don't use other non-recognished medicula to perform dowlers.	dian the production day the theremaker in	9 Maintanana	If We do not suffering my leghtness or lechsidual	soupers that the products have any questions, pleased by the products have any questions, please confacts the manufactum or developing has	hander the case. 2) The electritual not attempt any repairs to the	Periods are any at the accomposes these consists the restrict the restrict for expose and superiors of the exposement by unsufficiented agency agency of the followed and well assertance and	dom to sunsamy. WARNERS: No modification of this	equipment is alloadi	10.Cellbration The fluxeometer is infully callwated at the time.	of examplecture. If this them souther is used scooding to the user instruction compile	resultablished in ordered by you doubt the accessory of investment, please contact	distributes of consultature, the contact artemation see but page.	11 Storaga	 Dart pat flic thememeter sade the vestione, high temperature and most eminimizers or parablace which maybe get to reach with five an it 	All Table 200 the better of don't not the dark one of	long time.	Specially Place	404 AAA kabarak	No.						*	
4. In the function setting made, each three the [1] Hey is presed, the setting functions are converted	Marin paint all ad retaings 1-3 resignature frees marin paint 3 the phintmen temperature with change of the personnel of a section of the personnel of the pers	Never alters point 2 the decisions temperature with red labbling and come est	S. In the tumperature and justing of the functions and adding mode press the [4], hey the ensurement	attic the following better in the sound sering	and of function of the menument provided in the country of the function of the menument provided in the functions seeming the functions seeming the functions seeming the functions and the functions are supported by the functions and the functions and the functions are supported by th	the temperature along power 1 section in the feet feet greatest about point 1 section states from (1)	Authors for current alasts power timperature. Each of some grown pages the Life May the temperature alasts. The power accused by Life 1. Hoth for uncertake acting tange (E/H/C - 1800/C) ng.	turbon selections again the Little of the Court of the Co	the temperature	_		-	buzzer been sharby, the LCD disaby is tunied oil; and the inclument extes an edity mede.		(b) off result color go as before table: consists fifts of	Scott State State State	Mention tensories 200 as	SCare and cleaning	The probertion and fers are the upon deficate pert of his Phemporates. It has to be dead and securing	she account present, if the demonster is she account to the place of the probe and they account to the country of the country	 Very gently case the softer with a cutton social; se soft-their accentance well, alcohol Date are tree. 	Sternmanuter after the should fee completely deed 52	Gen the unit body:	Action a soft, dry dieth to dean the tharmanature oppose you and the body.		0	





CERTIFICADOS DE AGEMED

Jamanu Camachu Gruan Rios Camachu Gruan Rios Camachu Representant S. R. L.



Cert.: 05180/2020

AGENCIA ESTATAL DE MEDICAMENTOS Y TECNOLOGIAS EN SALUD

CERTIFICADO DE EMPRESA

LA AGENCIA ESTATAL DE MEDICAMENTOS Y TECNOLOGÍAS EN SALUD - AGEMED DEL MINISTERIO DE SALUD, a solicitud de INMEDENT S.R.L.

CERTIFICA:

Que, INMEDENT S.R.L. empresa legalmente establecida, se encuentra inscrita en la Agencia Estatal de Medicamentos y Tecnologías en Salud - AGEMED con la actividad de IMPORTACION, DISTRIBUCION Y COMERCIALIZACION DE MEDICAMENTOS RECONOCIDOS POR LEY, DISPOSITIVOS Y EQUIPOS MÉDICOS, con Resolución Administrativa No. 051 de fecha 25 de Junio de 2018.

Que, INMEDENT S.R.L., ha realizado el pago correspondiente a la reinscripción anual de la gestión 2021.

A AGEMED

Es cuanto certifico para fines consiguientes. La Paz, 19 de Noviembre de 2020

ELAB:
POR:
POR:
POR:
POR:
PC ZUMO
Memoni Ch.
Grat./865

REF: 432918 Usua.: ZULMA cc: Arch.

C/CAPITAN RAVELO Nº 2199 Http:// agemed.minsalud.gob.bo AGENCIA VESTATAL DE COMEDICAMENTOS EN SALUD

TELF-FAX: (591 - 2) 2440 TAZOTT RIOS COMBEGAL
LA PAZ - BOLIVA PRESENTANTE LEGAL
INNIEDENT S.R.L.



Bagencia Estatal de Medicamento, y Tecnología en Salud

CERTIFICADO DE INSPECCION

Cert.: 1020/2020

LA AGENCIA ESTATAL DE MEDICAMENTOS Y TECNOLOGÍAS EN SALUD - AGEMED, a solicitud de INMEDENT S.R.L.

CERTIFICA:

Que, INMEDENT S.R.L. empresa legalmente establecida, esta sujeta a inspecciones regulares y periódicas, en conformidad a disposiciones legales vigentes.

NOTA. EL PRESENTE DOCUMENTO NO ES UN CERTIFICADO DE CUMPLIMIENTO DE BUENAS PRÁCTICAS DE ALMACENAMIENTO (BPA).

Es cuanto certifico para fines consiguientes.

La Paz, 23 de Diciembre de 2020

& AGEMED

REF: 436324 Usua.: ZULMA cc: Arch.

Nox Baliat

TELF-FAX: (591 - 2) 2440122 LA PAZ - BOLIVIA

AGENCIA ESTATAL DE MEDICAMENTOS TECNO CGIAS



DOCUMENTOS LEGALES

Tuan Rios Camacho

Tuan Rios Camacho

Representante Legal

Representante Legal

REGISTRO DE COMERCIO DE BOLIVIA

No. DE OPERACION: 159000602028



MATRICULA DE COMERCIO

EL REGISTRO DE COMERCIO DE BOLIVIA, ORGANO CONCESIONADO A LA FUNDACION PARA EL DESARROLLO EMPRESARIAL - FUNDEMPRESA, EN MERITO A LAS FACULTADES ESTABLECIDAS EN EL DECRETO SUPREMO 26215 Y EN CUMPLIMIENTO A LAS NORMAS ESTABLECIDAS EN EL CODIGO DE COMERCIO;

LA MATRICULA DE COMERCIO NO 00115566 , CON LOS SIGUIENTES DATOS:

DENOMINACION O RAZON SOCIAL : "INMEDENT" S.R.L.

TIPO SOCIETARIO : SOCIEDAD DE RESPONSABILIDAD LIMITADA

CAPITAL SOCIAL : BS.90,000.00 (NOVENTA MIL

00/100 BOLIVIANOS)

DOMICILIO : LA PAZ - CALLE LUIS URIA DE LA OLIVA N°

2786 UV: S/N MZNO: S/N ZONA:

SOPOCACHI

REPRESENTANTE LEGAL : RIOS CAMACHO IVAN

CEDULA DE IDENTIDAD : 00006845782

No. DE TESTIMONIO : 0309/05

FECHA : 15 DE JULIO DE 2005

NOTARIA : NOTARIA NO 85

DISTRITO : LA PAZ LIBRO DE REGISTRO : 09

No.DE REGISTRO : 00062117

FECHA DE REGISTRO : 02 DE AGOSTO DE 2005

EL OBJETO O ACTIVIDAD DECLARADA POR LA SOCIEDAD O EMPRESA UNIPERSONAL: IMPORTACION, EXPORTACION, FABRICACION, DISTRIBUCION, COMERCIALIZACION Y REPRESENTACION COMERCIAL DE INSUMOS MEDICOS Y DENTALES EN GENERAL, MEDICAMENTOS RECONOCIDOS POR LEY, MATERIAL DE LABORATORIO Y REACTIVOS, MATERIA PRIMA, PRODUCTOS FARMACEUTICOS, DISPOSITIVOS MEDICOS, EQUIPOS MEDICOS, HOSPITALARIOS Y DE LABORATORIO. LA PAZ, 02 DE JUNIO DE 2021

Dra. Deniela Larrazabal Velez Ocampo GERENTE DE ÁREA OCCIDENTAL REGISTRO DE COMERCIO - FUNDEMPRESA

ESTADO DE LA MATRICULA: VIGENTE HASTA EL 31 DE MAYO DE 2022

PAGINA: 1 de 1 REPRESENT



undempresa Concesionaria del Registro de Comercio de Bolivia

CÉDULA DE IDENTIDAD



serie 44343 sección 42242



2025

No. 6845782

de

La Pa

LIFG PI.P

Válida hasta el

19 de Noviembre d

loud

OO5WUYWM1211068


EL SERVICIO GENERAL DE IDENTIFICACIÓN PERSONAL
CERTIFICA: Que la firma, fotografía
e impresión pertenece 913110

NAN RIOS CAMACHO

Nacido el 27 de Meyo de 1989
en LA PAZ-MURILLO-NUESTRA SEÑORA DE LA PAZ
Estado Civil SOLTERO
Profesión/Ocupación Estudiante
Domicilio AV. ARCE NRO. 2456 Z.SAN JORGE

2 383 MM ZCM SEMERALANA

Wan Rios Camacha REPRESENTANTE LEGAL INMEDENT S.R.L.



NÚMERO DE IDENTIFICACIÓN TRIBUTARIA

REGIMEN GENERAL

132751021

EMITE FACTURA

Contribuyente:

Domicilio Tributario:

INMEDENT S.R.L.

CASA MATRIZ

CALLE LUIS URIA DE LA OLIVA , NRO: 2786 ZONA SOPOCACHI , ESQ. VINCENTI

LA PAZ

COMERCIO MAYORISTA

464300 - VENTA AL POR MAYOR DE OTROS PRODUCTOS

PERSONA JURIDICA

Tipo Contribuyente:

Actividad Principal:

Gran Actividad:

Municipio:



IVAN RIOS CAMACHO CI: 6845782 LP REPRESENTANTE LEGAL:



Código de seguridad:85220871

Código de certificación: 1048427578

Fecha de certificación: 29/03/2021

REPRESENTANTE LEGAL Ivan Rios Camacho



Página 1 de

FORMULARIO DE REGISTRO DE BENEFICIARIO

Fecha: 01/10/2021 15:44:11

Gestión: 2021

Usuario: USUARIOINTERNET Ambiente: PRODUCCION Reporte: RBenRegBeneficiario

Categoria PRIVADO

Sub Categoria:

JURIDICO

*****	DEL BENEFICI												
	de identificació	-	Nú	mero Docum	ento	4	Lug	ar Expedició	n	País			
	ntificación Tribut	aria		132751021	-			NACIONAL		BOLIVI	Ą		
Primer /	Apeliido	-	Segundo Apeliido			Nomi	bres		A	pellido Casada			
		Razón Soc	iai				Nombre C	omercial		Registro Er	npresarial		
	IN	MEDENT S	.R.L.				"INMEDEN	IT" S.R.L.		1158			
	Correo	Electronic	•	Т	lpo de identifica	clón	Núm	ero Documen	to Adic.	Lugar Expedic	lón Adic.		
	contratacione	s@inmede	nt.com								**********		
DIRECCION DEL	BENEFICIARIO												
-	Cludad			Localida	d			Pai	6	Casilla	Postal		
	LA PAZ			LA PAZ			VIA	3080					
				ono	Fax								
	CALLE LUIS	URIA DE	LA OLIVIA Nº 2786 Z	ONA SOPOCA	CHI			2422	102	2-24	2360		
REPRESENTANTI	E8												
Tipo Doc.	Documento	Expedid	Apellic	los y Nombre	s 1	País	Caracter	Notaria	Num. Poder	Fecha Poder	Estado		
Cédula de Identidad	6845782	LAP	RIOS CAMACHO IVAN			во	Legal		118/021	19/03/2021	ACTIVO		
Cédula de Identidad	6845783	LAP	RIOS CAMACHO CRIST	IAN ARIEL		во	Legal		118/021	19/03/2021	ACTIVO		
HABILITADOS										1 101002021	AOTIVO		
Tipo Doc.	Nro. Doc	umento	Expedido	T		A	pellidos y N	ombres			Estado		
Cédula de Identida	id 1268	0927	СОСНАВАМВА	VIDAURE	RE ALFARO RICHAI	-					ACTIVO		
Cédula de Identida	ad 8677	047	COCHABAMBA	ESPINOZ	A GARCIA JOSE F	RANKI	LIN				ACTIVO		
Cédula de Identida	Identidad 13898043		POTOSI	ACEBEY	CASTRO LIZETH Y	ASTRO LIZETH YESSENIA							
Cédula de Identida	d 6673	208	POTOSI	RODRIGI	UEZ MAMANI DANI	TZA	***************************************				ACTIVO		
Cédula de Identida	d 5048	831	TARIJA	FLORES	MOSCOSO MARGA	ARITA	NORMA				ACTIVO		
Cédula de Identida	d 2636	126	LA PAZ	CAMACH	CAMACHO DE RIOS MAGDA								
Cédula de Identidad 2364370 LA PAZ				RIOS JAL	RIOS JALDIN IVAN								
Cédula de Identida	d 9088	952	LA PAZ	GUERRE	GUERRERO MALDONADO LAURA CECILIA								
Cédula de Identida	d 9064	955	LA PAZ	QUISPE F	QUISPE FERNANDEZ JHENNY LISSET								
Cédula de Identida	d 6845	782	LA PAZ	RIOS CAI	MACHO IVAN		ACTIVO						
Cédula de Identida	MARTINE	MARTINEZ CHOQUE GRACIELA VALERIA											
CUENTAS BANCA	ARIAS								The second secon				
Ban	co		Cuenta	Distrito	Moneda	Пре	o de Cuenta	Fecha	Verificación del Ba Descri		Estado		
-	2000	100	00011191587	LA PAZ	BOLIVIANOS	Cue	enta Corriente	13/07/2018	Vál	- Accompany of the Acco	ACTIVO		
ANCO UNION S.A.	PARIS AND								A STATE OF THE PARTY OF THE PAR				
	SANTA CRUZ S.A.	4	023006374	LA PAZ	BOLIVIANOS	Caj	a de Ahorros	17/07/2018	Vál	ida	ACTIVO		

(Firma del Beneficiario)

Fecha y usuario creación: 30/12/2011 Fecha y usuario activación: 30/12/2011 Activado desde Internet

(Aclaración de Firma)

Ivan Rios Camacho REPRESENTANTE LEGAL INMEDENT S.R.L.