

Calculator

Execution time
16/02/2023 08:51:44
Operating system
Windows 10 64bit
Run configuration name
TestRun

Computer name
DESKTOP-5RA6J1R
Screen dimension
1920x1080
Username
star

Language
en-US
Duration
13.43s



■ 1 x Success

Total warnings
0

Total errors
1

Table of Contents

■ [SETUP].....	2
■ StartAUT.....	2
■ Regression.....	2
■ TestCase.....	2
■ Basic_Calculation.....	2
■ [TEARDOWN].....	2
■ CloseAUT.....	2
■ CollectFailedTests.....	3

Global Parameters:

AppProcessID:

SETUP

992ms 

StartAUT

953ms 


Time	Level	Category	Message
00:00.147	Info	Data	Current variable values: \$StartAutProcessIDVar = "
00:00.275	Info	Application	Run application 'C:\Windows\SysWOW64\calc.exe' in normal mode. Return value bound to \$StartAutProcessIDVar.

Regression

11.26s 

TestCase

TestCase

11.26s 

Basic_Calculation

11.25s 

Time	Level	Category	Message
00:01.117	Info	Mouse	Mouse Left Down item 'Calculator.Text1' at 5;26.
00:07.706	Info	Mouse	Mouse Left Click item 'Calculator.MultiplyButton' at 29;35.
00:09.052	Info	Mouse	Mouse Left Click item 'Calculator.Text6' at 12;17.
00:11.113	Info	Mouse	Mouse Left Click item 'Calculator.EqualButton' at 46;25.


TEARDOWN



1.05s 

CloseAUT

914ms 

Time	Level	Category	Message
00:12.372	Info	Data	Current variable values: \$CloseAutProcessIDVar = '6456'
00:12.423	Info	Application	Closing application with Process ID bound to variable \$CloseAutProcessIDVar.

00:13.086	Error	Module	The process with id '6456' does not exist.
			Process with an Id of 6456 is not running.

 CollectFailedTests			
			129ms 
Time	Level	Category	Message
00:13.290	Info	User	3
00:13.360	Info	Number of failed test cases:	0