Model

Package in package ''

Model
Version Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Gestione Flotta

Package in package 'Model'

Gestione Flotta
Version 1.0 Phase 1.0 Proposed
Serena created on 16/04/2026. Last modified 16/04/2026

SD_AggiungiMezzo diagram

Interaction diagram in package 'Gestione Flotta'

SD_AggiungiMezzo
Version 1.0
Serena created on 25/06/2026. Last modified 25/06/2026




Figure 1: SD_AggiungiMezzo

INTERACTION MESSAGES

1.0 'inserisciDatiMezzo(targa, tipo, scadenza)' from ':Referente' sent to 'UI_GestioneFlotta'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.1 'aggiungiMezzo(Mezzo)' from 'UI_GestioneFlotta' sent to ':GestioneFlottaController'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.2 '' from ':GestioneFlottaController' sent to ':Mezzo'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False. Life cycle is New.]

1.3 '' from ':GestioneFlottaController' sent to 'UI_GestioneFlotta'.

Synchronous Call. Returns true.

[Return is True. Iteration is False. New group is False.]

1.4 '' from 'UI_GestioneFlotta' sent to ':Referente'.

Synchronous Call. Returns mostraMessaggio("Nuovo mezzo aggiunto").

[Return is True. Iteration is False. New group is False.]

SD_CompilaChecklist diagram

Interaction diagram in package 'Gestione Flotta'

SD_CompilaChecklist
Version 1.0
Serena created on 25/06/2026. Last modified 25/06/2026




Figure 2: SD_CompilaChecklist

INTERACTION MESSAGES

1.0 'apriChecklist()' from ':Volontario' sent to 'UI_Checklist'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.1 'richiediControlli()' from 'UI_Checklist' sent to ':GestioneFlottaController'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.2 'getRuolo()' from ':GestioneFlottaController' sent to ':GestioneFlottaController'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.3 'getControlliMeccaniciEmergenza()' from ':GestioneFlottaController' sent to ':Checklist'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.4 '' from ':Checklist' sent to ':GestioneFlottaController'.

Synchronous Call. Returns listaControlliAutistaA.

[Return is True. Iteration is False. New group is False.]

1.5 'getDispositiviSanitariAvanzati()' from ':GestioneFlottaController' sent to ':Checklist'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.6 '' from ':Checklist' sent to ':GestioneFlottaController'.

Synchronous Call. Returns listaDispositiviSoccA.

[Return is True. Iteration is False. New group is False.]

1.7 'getControlliMeccaniciBase()' from ':GestioneFlottaController' sent to ':Checklist'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.8 '' from ':Checklist' sent to ':GestioneFlottaController'.

Synchronous Call. Returns listaControlliAutistaB.

[Return is True. Iteration is False. New group is False.]

1.9 'getDispositiviSanitariBase()' from ':GestioneFlottaController' sent to ':Checklist'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.10 '' from ':Checklist' sent to ':GestioneFlottaController'.

Synchronous Call. Returns listaDispositiviSoccB.

[Return is True. Iteration is False. New group is False.]

1.11 '' from ':GestioneFlottaController' sent to 'UI_Checklist'.

Synchronous Call. Returns datiChecklist.

[Return is True. Iteration is False. New group is False.]

1.12 '' from 'UI_Checklist' sent to ':Volontario'.

Synchronous Call. Returns mostraSchermata(OK/KO).

[Return is True. Iteration is False. New group is False.]

SD_CompilaResoconto diagram

Interaction diagram in package 'Gestione Flotta'

SD_CompilaResoconto
Version 1.0
Serena created on 24/06/2026. Last modified 24/06/2026




Figure 3: SD_CompilaResoconto

INTERACTION MESSAGES

1.0 'inviaDatiResoconto()' from ':Volontario' sent to 'UI_Resoconto'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.1 'salvaReport(Report)' from 'UI_Resoconto' sent to ':GestioneFlottaController'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.2 'creaResoconto()' from ':GestioneFlottaController' sent to ':Report'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.3 'aggiornaKm(Integer)' from ':GestioneFlottaController' sent to ':Mezzo'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.4 'cambiaStato(String)' from ':GestioneFlottaController' sent to ':Mezzo'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.5 'aggiungiOreServizio(Integer)' from ':GestioneFlottaController' sent to ':Volontario'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.6 '' from ':GestioneFlottaController' sent to 'UI_Resoconto'.

Synchronous Call. Returns true.

[Return is True. Iteration is False. New group is False.]

1.7 'mostraMessaggio("Salvato")' from 'UI_Resoconto' sent to ':Volontario'.

Synchronous Call. Returns void.

[Return is True. Iteration is False. New group is False.]

STM_Mezzo diagram

StateMachine diagram in package 'Gestione Flotta'

STM_Mezzo
Version 1.0
Serena created on 25/06/2026. Last modified 25/06/2026




Figure 4: STM_Mezzo

Final

Final State in package 'Gestione Flotta'

INCOMING BEHAVIORAL RELATIONSHIPS
Name: radiazioneVeicolo() Transition from Dismesso to Final

Checklist

Class in package 'Gestione Flotta'

Checklist
Version 1.0 Phase 1.0 Proposed
Serena created on 16/04/2026. Last modified 16/04/2026

CONNECTORS
Dependency Source -> Destination From: GestioneFlottaController : Class, Public To: Checklist : Class, Public

ATTRIBUTES

ATTRIBUTES

controlliMeccanici : boolean Private
[Is static True. Containment is Not Specified.]

dispositiviMediciRichiesti : List<String> Private
[Is static True. Containment is Not Specified.]

dispositiviPresenti : boolean Private
[Is static True. Containment is Not Specified.]

id : String Private
[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Class) Turno
Cardinality: [1]

Target: Public (Class) Checklist
Cardinality: [0..1]

OPERATIONS

getControlliMeccaniciBase () : List<String> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

getControlliMeccaniciEmergenza () : List<String> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

getDispositiviSanitariAvanzati () : List<String> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

getDispositiviSanitariBase () : List<String> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

verificaIdoneita () : boolean Public

Properties:
ea_guid = {89FB7F13-5400-4edc-8220-77E020BD4A96}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

GestioneFlottaController

Class in package 'Gestione Flotta'

GestioneFlottaController
Version 1.0 Phase 1.0 Proposed
Serena created on 16/04/2026. Last modified 16/04/2026

CONNECTORS

Dependency Source -> Destination
From: GestioneFlottaController : Class, Public
To: Report : Class, Public

Dependency Source -> Destination
From: GestioneFlottaController : Class, Public
To: Mezzo : Class, Public

Dependency Source -> Destination
From: GestioneFlottaController : Class, Public
To: Checklist : Class, Public

OPERATIONS

aggiungiMezzo (m : Mezzo) : boolean Public

Properties:
ea_guid = {687469D7-DE46-417e-93F7-59938DA8C306}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

assegnaMezzoATurno (m : Mezzo , t : Turno) : boolean Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

compilaChecklist (c : Checklist) : boolean Public

Properties:
ea_guid = {5C520779-9B49-407c-9C22-EF7B0FB966D2}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

creaResoconto () : boolean Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

getRuolo () : String Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

richiediControlli () : List<String> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

salvaReport (r : Report) : boolean Public

Properties:
ea_guid = {D41C524D-AA9D-45c9-85F9-3919064EE15E}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

visualizzaStatoMezzi () : List<Mezzo> Public

Properties:
ea_guid = {695976C2-3BAA-46ed-9965-221F0038DB6F}

OPERATIONS

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Mezzo

Class in package 'Gestione Flotta'

Mezzo
Version 1.0 Phase 1.0 Proposed
Serena created on 16/04/2026. Last modified 16/04/2026

CONNECTORS

Dependency Source -> Destination
From: GestioneFlottaController : Class, Public
To: Mezzo : Class, Public

ATTRIBUTES

chilometraggioTotale : Integer Private
[Is static True. Containment is Not Specified.]

dataScadenzaAssicurazione : Date Private
[Is static True. Containment is Not Specified.]

stato : String Private
[Is static True. Containment is Not Specified.]

targa : String Private
[Is static True. Containment is Not Specified.]

tipo : String Private
[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Class) Turno
Cardinality: [0..*]

Target: Public (Class) Mezzo
Cardinality: [0..1]

OPERATIONS

aggiornaKm (kmPercorsi : Integer) : void Public

Properties:
ea_guid = {D4C0C313-DF7B-4256-8585-4A2957D655CA}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

OPERATIONS

fineRiparazione () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

inviaInOfficina () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

isDismesso () : boolean Public

Properties:
ea_guid = {6A5BAB68-E84C-420d-8461-13C36195DD23}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

radiazioneVeicolo () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Report

Class in package 'Gestione Flotta'

Report
Version 1.0 Phase 1.0 Proposed
Serena created on 16/04/2026. Last modified 16/04/2026

CONNECTORS

Dependency Source -> Destination
From: GestioneFlottaController : Class, Public
To: Report : Class, Public

ATTRIBUTES

id : String Private
[Is static True. Containment is Not Specified.]

kmPercorsi : Integer Private
[Is static True. Containment is Not Specified.]

noteIntervento : String Private
[Is static True. Containment is Not Specified.]

oreEffettive : Integer Private
[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Unspecified)

ASSOCIATIONS

Source: Public (Class) Turno
Cardinality: [1]

Target: Public (Class) Report
Cardinality: [0..1]

Association (direction: Unspecified)

Source: Public (Class) Volontario
Cardinality: [1]

Target: Public (Class) Report
Cardinality: [0..*]

Object

Object in package 'Gestione Flotta'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Object

Object in package 'Gestione Flotta'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

Object

Object in package 'Gestione Flotta'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Object

Object in package 'Gestione Flotta'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Object

Object in package 'Gestione Flotta'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 25/06/2026

Object

Object in package 'Gestione Flotta'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Object

Object in package 'Gestione Flotta'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

Object

Object in package 'Gestione Flotta'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

Assegnato

State in package 'Gestione Flotta'

Assegnato
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: compilaResoconto() [km >= 400.000]
Transition from Assegnato to Dismesso

Name: compilaResoconto() [km < 400.000]
Transition from Assegnato to Disponibile

INCOMING BEHAVIORAL RELATIONSHIPS

Name: assegnaMezzo()
Transition from Disponibile to Assegnato

Dismesso

State in package 'Gestione Flotta'

Dismesso

Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: radiazioneVeicolo()
Transition from Dismesso to Final

INCOMING BEHAVIORAL RELATIONSHIPS

Name: compilaResoconto() [km >= 400.000]
Transition from Assegnato to Dismesso

Disponibile

State in package 'Gestione Flotta'

Disponibile
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: inviaInOfficina()
Transition from Disponibile to In Manutenzione

Name: assegnaMezzo()
Transition from Disponibile to Assegnato

INCOMING BEHAVIORAL RELATIONSHIPS

Name: aggiungiMezzo()
Transition from Inizio to Disponibile

Name: fineRiparazione()
Transition from In Manutenzione to Disponibile

Name: compilaResoconto() [km < 400.000]
Transition from Assegnato to Disponibile

In Manutenzione

State in package 'Gestione Flotta'

In Manutenzione
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: fineRiparazione()
Transition from In Manutenzione to Disponibile

INCOMING BEHAVIORAL RELATIONSHIPS

Name: inviaInOfficina()
Transition from Disponibile to In Manutenzione

InteractionFragment

InteractionFragment in package 'Gestione Flotta'

InteractionFragment
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Sequence

Sequence in package 'Gestione Flotta'

Sequence
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: inserisciDatiMezzo(targa, tipo, scadenza)
Sequence from Sequence to «boundary» UI_GestioneFlotta

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_GestioneFlotta to Sequence

Sequence

Sequence in package 'Gestione Flotta'

Sequence
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: inviaDatiResoconto()
Sequence from Sequence to «boundary» UI_Resoconto

INCOMING BEHAVIORAL RELATIONSHIPS

INCOMING BEHAVIORAL RELATIONSHIPS

Name: mostraMessaggio("Salvato")
Sequence from «boundary» UI_Resoconto to Sequence

Sequence

Sequence in package 'Gestione Flotta'

Sequence
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: apriChecklist()
Sequence from Sequence to «boundary» UI_Checklist

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_Checklist to Sequence

Final

Final State in package 'Gestione Flotta'

INCOMING BEHAVIORAL RELATIONSHIPS

Name: radiazioneVeicolo()
Transition from Dismesso to Final

Inizio

Initial State in package 'Gestione Flotta'

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: aggiungiMezzo()
Transition from Inizio to Disponibile

UI_Checklist

Sequence «boundary» in package 'Gestione Flotta'

UI_Checklist
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: richiediControlli()
Sequence from «boundary» UI_Checklist to Object

Sequence from «boundary» UI_Checklist to Sequence

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from Object to «boundary» UI_Checklist

Name: apriChecklist()
Sequence from Sequence to «boundary» UI_Checklist

UI_GestioneFlotta

Sequence «boundary» in package 'Gestione Flotta'

UI_GestioneFlotta
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: aggiungiMezzo(Mezzo)
Sequence from «boundary» UI_GestioneFlotta to Object

Sequence from «boundary» UI_GestioneFlotta to Sequence

INCOMING BEHAVIORAL RELATIONSHIPS

Name: inserisciDatiMezzo(targa, tipo, scadenza)
Sequence from Sequence to «boundary» UI_GestioneFlotta

Sequence from Object to «boundary» UI_GestioneFlotta

UI_Resoconto

Sequence «boundary» in package 'Gestione Flotta'

UI_Resoconto
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: mostraMessaggio("Salvato")

Sequence from «boundary» UI_Resoconto to Sequence

Name: salvaReport(Report)

Sequence from «boundary» UI_Resoconto to Object

INCOMING BEHAVIORAL RELATIONSHIPS

Name: inviaDatiResoconto()

Sequence from Sequence to «boundary» UI_Resoconto

Sequence from Object to «boundary» UI_Resoconto

Gestione Formazione

Package in package 'Model'

Gestione Formazione
Version 1.0 Phase 1.0 Proposed
Serena created on 16/04/2026. Last modified 16/04/2026

SD_AttestaPartecipazione diagram

Interaction diagram in package 'Gestione Formazione'

SD_AttestaPartecipazione
Version 1.0
Serena created on 25/06/2026. Last modified 25/06/2026




Figure 5: SD_AttestaPartecipazione

INTERACTION MESSAGES

1.0 'confermaPromossi(idCorso, listaVolontari)' from ':Referente' sent to 'UI_RegistroCorsi'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.1 'attestaPartecipazione(String, List<Volontario>)' from 'UI_RegistroCorsi' sent to ':GestioneFormazioneController'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.2 'aggiungiQualifica(String)' from ':GestioneFormazioneController' sent to ':Volontario'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.3 '' from ':GestioneFormazioneController' sent to 'UI_RegistroCorsi'.

Synchronous Call. Returns true.

[Return is True. Iteration is False. New group is False.]

1.4 '' from 'UI_RegistroCorsi' sent to ':Referente'.

Synchronous Call. Returns mostraMessaggio("Brevetti rilasciati").

[Return is True. Iteration is False. New group is False.]

SD_CreaCorso diagram

Interaction diagram in package 'Gestione Formazione'

SD_CreaCorso
Version 1.0
Serena created on 24/06/2026. Last modified 25/06/2026




Figure 6: SD_CreaCorso

INTERACTION MESSAGES

1.0 'inserisciDatiCorso()' from 'Referente' sent to 'UI_GestioneCorsi'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.1 'creaCorso(Corso)' from 'UI_GestioneCorsi' sent to ':GestioneFormazioneController'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.2 '' from ':GestioneFormazioneController' sent to ':Corso'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False. Life cycle is New.]

1.3 '' from ':GestioneFormazioneController' sent to 'UI_GestioneCorsi'.

Synchronous Call. Returns true.

[Return is True. Iteration is False. New group is False.]

1.4 '' from 'UI_GestioneCorsi' sent to 'Referente'.

Synchronous Call. Returns mostraMessaggio("Corso creato").

[Return is True. Iteration is False. New group is False.]

SD_EliminaCorso diagram

Interaction diagram in package 'Gestione Formazione'

SD_EliminaCorso
Version 1.0
Serena created on 25/06/2026. Last modified 25/06/2026




Figure 7: SD_EliminaCorso

INTERACTION MESSAGES

1.0 'cliccaElimina(idCorso)' from 'Referente' sent to 'UI_GestioneCorsi'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.1 'eliminaCorso(String)' from 'UI_GestioneCorsi' sent to ':GestioneFormazioneController'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.2 '' from ':GestioneFormazioneController' sent to ':Corso'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False. Life cycle is Delete.]

1.3 '' from ':GestioneFormazioneController' sent to 'UI_GestioneCorsi'.

Synchronous Call. Returns true.

[Return is True. Iteration is False. New group is False.]

1.4 '' from 'UI_GestioneCorsi' sent to 'Referente'.

Synchronous Call. Returns mostraMessaggio("Corso eliminato").

[Return is True. Iteration is False. New group is False.]

SD_IscriviVolontario diagram

Interaction diagram in package 'Gestione Formazione'

SD_IscriviVolontario
Version 1.0
Serena created on 24/06/2026. Last modified 24/06/2026




Figure 8: SD_IscriviVolontario

INTERACTION MESSAGES

1.0 'cliccaIscriviti(idCorso)' from ':Volontario' sent to 'UI_CatalogoCorsi'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.1 'iscriviVolontario(Volontario, String)' from 'UI_CatalogoCorsi' sent to ':GestioneFormazioneController'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.2 'aggiungiIscritto(Volontario)' from ':GestioneFormazioneController' sent to ':Corso'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.3 '' from ':Corso' sent to ':GestioneFormazioneController'.

Synchronous Call. Returns true.

[Return is True. Iteration is False. New group is False.]

1.4 '' from ':GestioneFormazioneController' sent to 'UI_CatalogoCorsi'.

Synchronous Call. Returns true.

[Return is True. Iteration is False. New group is False.]

1.5 '' from 'UI_CatalogoCorsi' sent to ':Volontario'.

Synchronous Call. Returns mostraMessaggio("Iscrizione completata").

[Return is True. Iteration is False. New group is False.]

SD_ModificaCorso diagram

Interaction diagram in package 'Gestione Formazione'

SD_ModificaCorso
Version 1.0
Serena created on 25/06/2026. Last modified 25/06/2026




Figure 9: SD_ModificaCorso

INTERACTION MESSAGES

1.0 'inserisciDatiModificati(idCorso, nuoviDati)' from 'Referente' sent to 'UI_GestioneCorsi'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.1 'modificaCorso(String, Corso)' from 'UI_GestioneCorsi' sent to ':GestioneFormazioneController'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.2 'aggiornaDati()' from ':GestioneFormazioneController' sent to ':Corso'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False. Life cycle is <none>.]

1.3 '' from ':GestioneFormazioneController' sent to 'UI_GestioneCorsi'.

Synchronous Call. Returns true.

[Return is True. Iteration is False. New group is False.]

1.4 '' from 'UI_GestioneCorsi' sent to 'Referente'.

Synchronous Call. Returns mostraMessaggio("Corso modificato").

[Return is True. Iteration is False. New group is False.]

SD_VisualizzaCorsi diagram

Interaction diagram in package 'Gestione Formazione'

SD_VisualizzaCorsi
Version 1.0
Serena created on 25/06/2026. Last modified 25/06/2026




Figure 10: SD_VisualizzaCorsi

INTERACTION MESSAGES

1.0 'visualizzaCatalogo()' from ':Volontario' sent to 'UI_CatalogoCorsi'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.1 'getCorsiDisponibili(): List<Corso>' from 'UI_CatalogoCorsi' sent to ':GestioneFormazioneController'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.2 'getCorsi(): List<Corso>' from ':GestioneFormazioneController' sent to ':Corso'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.3 '' from ':Corso' sent to ':GestioneFormazioneController'.

Synchronous Call. Returns List<Corso>.

[Return is True. Iteration is False. New group is False.]

1.4 '' from ':GestioneFormazioneController' sent to 'UI_CatalogoCorsi'.

Synchronous Call. Returns List<Corso>.

[Return is True. Iteration is False. New group is False.]

1.5 '' from 'UI_CatalogoCorsi' sent to ':Volontario'.

Synchronous Call. Returns Mostra Catalogo Corsi.

[Return is True. Iteration is False. New group is False.]

Referente

Actor in package 'Gestione Formazione'

Referente
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: inserisciDatiCorso()
Sequence from Referente to «boundary» UI_GestioneCorsi

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_GestioneCorsi to Referente

Referente

Actor in package 'Gestione Formazione'

Referente
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 24/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: inserisciDatiModificati(idCorso, nuoviDati)
Sequence from Referente to «boundary» UI_GestioneCorsi

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_GestioneCorsi to Referente

Referente

Actor in package 'Gestione Formazione'

Referente
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 24/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: cliccaElimina(idCorso)
Sequence from Referente to «boundary» UI_GestioneCorsi

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_GestioneCorsi to Referente

Corso

Class in package 'Gestione Formazione'

Corso
Version 1.0 Phase 1.0 Proposed
Serena created on 16/04/2026. Last modified 16/04/2026

CONNECTORS

Dependency Source -> Destination
From: GestioneFormazioneController : Class, Public
To: Corso : Class, Public

ATTRIBUTES

dataFine : Date Private
[Is static True. Containment is Not Specified.]

dataInizio : Date Private
[Is static True. Containment is Not Specified.]

id : String Private
[Is static True. Containment is Not Specified.]

mesiValidita : Integer Private
[Is static True. Containment is Not Specified.]

qualificaRilasciata : String Private
[Is static True. Containment is Not Specified.]

stato : String Private
[Is static True. Containment is Not Specified.]

titolo : String Private

ATTRIBUTES

[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Class) Corso
Cardinality: [0..*]

Target: Public (Class) Volontario
Cardinality: [0..*]

Association (direction: Unspecified)

Source: Public (Class) Turno
Cardinality: [0..*]

Target: Public corsiRichiesti (Class) Corso
Cardinality: [0..*]

OPERATIONS

aggiungiIscritto (dati : Volontario) : boolean Public

Properties:
ea_guid = {23EEAB10-5D4C-4878-ABA6-C6190F3022AA}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

getIscritti () : List<Volontario> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

rimuoviIscritto (Volontario : Volontario) : boolean Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

GestioneFormazioneController

Class in package 'Gestione Formazione'

GestioneFormazioneController
Version 1.0 Phase 1.0 Proposed
Serena created on 16/04/2026. Last modified 16/04/2026

CONNECTORS

Dependency Source -> Destination
From: GestioneFormazioneController : Class, Public
To: Corso : Class, Public

Dependency Source -> Destination
From: GestioneFormazioneController : Class, Public
To: Volontario : Class, Public

OPERATIONS

OPERATIONS

attestaPartecipazione (String : String , Volontari : List<Volontario>) : void Public

Properties:
ea_guid = {F3A06DB8-74B6-4d6f-8C30-134962DB306C}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

creaCorso (c : Corso) : boolean Public

Properties:
ea_guid = {327B27EE-C8FF-4e39-923A-860B992B66D0}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

eliminaCorso (s : String) : boolean Public

Properties:
ea_guid = {5D202E45-0DE6-4cf4-BC66-BAEB7D657E85}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

iscriviVolontario (v : Volontario , s : String) : boolean Public

Properties:
ea_guid = {70E3DEF5-9A60-4caa-A7AC-2DEF423136A2}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

modificaCorso (s : String , c : Corso) : boolean Public

Properties:
ea_guid = {09B4A0FB-AB15-4ae8-9AB8-171C4D719A8A}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

visualizzaCatalogo () : List<Corso> Public

Properties:
ea_guid = {08571D24-4A2C-4f90-887B-822B15FA9543}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Object

Object in package 'Gestione Formazione'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

Object

Object in package 'Gestione Formazione'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

Object

Object in package 'Gestione Formazione'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 24/06/2026

Object

Object in package 'Gestione Formazione'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 24/06/2026

Object

Object in package 'Gestione Formazione'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Object

Object in package 'Gestione Formazione'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

Object

Object in package 'Gestione Formazione'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

Object

Object in package 'Gestione Formazione'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Object

Object in package 'Gestione Formazione'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 24/06/2026

Object

Object in package 'Gestione Formazione'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 24/06/2026

Object

Object in package 'Gestione Formazione'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Object

Object in package 'Gestione Formazione'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

InteractionFragment

InteractionFragment in package 'Gestione Formazione'

InteractionFragment
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Sequence

Sequence in package 'Gestione Formazione'

Sequence
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: confermaPromossi(idCorso, listaVolontari)
Sequence from Sequence to «boundary» UI_RegistroCorsi

INCOMING BEHAVIORAL RELATIONSHIPS

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_RegistroCorsi to Sequence

Sequence

Sequence in package 'Gestione Formazione'

Sequence
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: cliccaIscriviti(idCorso)
Sequence from Sequence to «boundary» UI_CatalogoCorsi

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_CatalogoCorsi to Sequence

Sequence

Sequence in package 'Gestione Formazione'

Sequence
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: visualizzaCatalogo()
Sequence from Sequence to «boundary» UI_CatalogoCorsi

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_CatalogoCorsi to Sequence

UI_CatalogoCorsi

Sequence «boundary» in package 'Gestione Formazione'

UI_CatalogoCorsi
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

OUTGOING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_CatalogoCorsi to Sequence

Name: getCorsiDisponibili(): List<Corso>
Sequence from «boundary» UI_CatalogoCorsi to Object

Name: iscriviVolontario(Volontario, String)
Sequence from «boundary» UI_CatalogoCorsi to Object

Sequence from «boundary» UI_CatalogoCorsi to Sequence

INCOMING BEHAVIORAL RELATIONSHIPS

Name: visualizzaCatalogo()
Sequence from Sequence to «boundary» UI_CatalogoCorsi

Sequence from Object to «boundary» UI_CatalogoCorsi

Name: cliccaIscriviti(idCorso)
Sequence from Sequence to «boundary» UI_CatalogoCorsi

Sequence from Object to «boundary» UI_CatalogoCorsi

UI_GestioneCorsi

Sequence «boundary» in package 'Gestione Formazione'

UI_GestioneCorsi
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_GestioneCorsi to Referente

Name: creaCorso(Corso)
Sequence from «boundary» UI_GestioneCorsi to Object

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from Object to «boundary» UI_GestioneCorsi

Name: inserisciDatiCorso()
Sequence from Referente to «boundary» UI_GestioneCorsi

UI_GestioneCorsi

Sequence «boundary» in package 'Gestione Formazione'

UI_GestioneCorsi
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 24/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: modificaCorso(String, Corso)
Sequence from «boundary» UI_GestioneCorsi to Object

Sequence from «boundary» UI_GestioneCorsi to Referente

INCOMING BEHAVIORAL RELATIONSHIPS

Name: inserisciDatiModificati(idCorso, nuoviDati)
Sequence from Referente to «boundary» UI_GestioneCorsi

Sequence from Object to «boundary» UI_GestioneCorsi

UI_GestioneCorsi

Sequence «boundary» in package 'Gestione Formazione'

UI_GestioneCorsi
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 24/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: eliminaCorso(String)
Sequence from «boundary» UI_GestioneCorsi to Object

Sequence from «boundary» UI_GestioneCorsi to Referente

INCOMING BEHAVIORAL RELATIONSHIPS

Name: cliccaElimina(idCorso)
Sequence from Referente to «boundary» UI_GestioneCorsi

Sequence from Object to «boundary» UI_GestioneCorsi

UI_RegistroCorsi

Sequence «boundary» in package 'Gestione Formazione'

UI_RegistroCorsi
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: attestaPartecipazione(String, List<Volontario>)
Sequence from «boundary» UI_RegistroCorsi to Object

Sequence from «boundary» UI_RegistroCorsi to Sequence

INCOMING BEHAVIORAL RELATIONSHIPS

Name: confermaPromossi(idCorso, listaVolontari)
Sequence from Sequence to «boundary» UI_RegistroCorsi

Sequence from Object to «boundary» UI_RegistroCorsi

Gestione Turni

Package in package 'Model'

Gestione Turni
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

SD_ModificaTurno diagram

Interaction diagram in package 'Gestione Turni'

SD_ModificaTurno
Version 1.0
Serena created on 25/06/2026. Last modified 25/06/2026




Figure 11:
Figure 12:
Figure 13:
Figure 14:
Figure 15: SD_ModificaTurno

INTERACTION MESSAGES

1.0 'inserisciNuoviDati(idTurno, orario, logistica).' from ':Referente' sent to 'UI_GestioneTurni'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.1 'modificaTurno(String, Turno): boolean' from 'UI_GestioneTurni' sent to ':GestioneTurniController'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.2 'aggiornaDati()' from ':GestioneTurniController' sent to ':Turno'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False. Life cycle is <none>.]

1.3 '' from ':GestioneTurniController' sent to 'UI_GestioneTurni'.

Synchronous Call. Returns true.

[Return is True. Iteration is False. New group is False.]

1.4 '' from 'UI_GestioneTurni' sent to ':Referente'.

Synchronous Call. Returns mostraMessaggio("Turno modificato").

[Return is True. Iteration is False. New group is False.]

ACT_AnnullaPrenotazione diagram

Activity diagram in package 'Gestione Turni'

ACT_AnnullaPrenotazione
Version 1.0
Serena created on 17/01/2026. Last modified 31/01/2026




Figure 16: ACT_AnnullaPrenotazione

Final

ActivityFinal in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Mostra Errore to Final
ControlFlow from Invia Conferma to Final

Initial

ActivityInitial in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Initial to Richiesta Annullamento

ACT_CreaTurno diagram

Activity diagram in package 'Gestione Turni'

ACT_CreaTurno
Version 1.0
Serena created on 25/06/2026. Last modified 25/06/2026




Figure 17: ACT_CreaTurno

ActivityFinal

ActivityFinal in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Salvataggio nuovo turno nel database to ActivityFinal

Inizio

ActivityInitial in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Inizio to Inserimento dati logistici e orario

ACT_EliminaTurno diagram

Activity diagram in package 'Gestione Turni'

ACT_EliminaTurno
Version 1.0
Serena created on 25/06/2026. Last modified 25/06/2026




Figure 18: ACT_EliminaTurno

ActivityFinal

ActivityFinal in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Cancellazione turno dal database to ActivityFinal
ControlFlow from Annullamento operazione to ActivityFinal

Inizio

ActivityInitial in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Inizio to Selezione del turno da eliminare

ACT_ModificaTurno diagram

Activity diagram in package 'Gestione Turni'

ACT_ModificaTurno
Version 1.0
Serena created on 25/06/2026. Last modified 25/06/2026




Figure 19: ACT_ModificaTurno

ActivityFinal

ActivityFinal in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Aggiornamento dati nel database to ActivityFinal

Inizio

ActivityInitial in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Inizio to Ricerca e selezione del turno da modificare

ACT_PrenotaTurno diagram

Activity diagram in package 'Gestione Turni'

ACT_PrenotaTurno
Version 1.0
Serena created on 17/01/2026. Last modified 17/01/2026




Figure 20: ACT_PrenotaTurno

Final

ActivityFinal in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Mostra Errore to Final
ControlFlow from Invia Conferma to Final

Start

ActivityInitial in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Start to Richiesta Prenotazione

ACT_VerificaRequisiti diagram

Activity diagram in package 'Gestione Turni'

ACT_VerificaRequisiti
Version 1.0
Serena created on 17/01/2026. Last modified 31/01/2026




Figure 21: ACT_VerificaRequisiti

Final

ActivityFinal in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Autorizza Prenotazione to Final

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Blocca e Mostra Errore to Final

Initial

ActivityInitial in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Initial to Analisi Turno Selezionato

ACT_VisualizzaTurni diagram

Activity diagram in package 'Gestione Turni'

ACT_VisualizzaTurni
Version 1.0
Serena created on 17/01/2026. Last modified 31/01/2026




Figure 22: ACT_VisualizzaTurni

Final

ActivityFinal in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Mostra Griglia to Final

Start

ActivityInitial in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Start to Richiesta Lista Turni

OUTGOING BEHAVIORAL RELATIONSHIPS

Casi d'Uso Turni diagram

Use Case diagram in package 'Gestione Turni'

Casi d'Uso Turni
Version 1.0
Serena created on 17/01/2026. Last modified 17/01/2026




Figure 23: Casi d'Uso Turni

Sistema Gestione Turni

Boundary in package 'Gestione Turni'

Sistema Gestione Turni
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026
Extends

Classi Turni e Volontari diagram

Class diagram in package 'Gestione Turni'

Classi Turni e Volontari
Version 1.0
Serena created on 17/01/2026. Last modified 25/06/2026




Figure 24: Classi Turni e Volontari

Corso

Class in package 'Gestione Formazione'

Corso
Version 1.0 Phase 1.0 Proposed
Serena created on 16/04/2026. Last modified 16/04/2026

CONNECTORS

Dependency Source -> Destination
From: GestioneFormazioneController : Class, Public
To: Corso : Class, Public

ATTRIBUTES

dataFine : Date Private

[Is static True. Containment is Not Specified.]

dataInizio : Date Private

ATTRIBUTES

[Is static True. Containment is Not Specified.]

id : String Private

[Is static True. Containment is Not Specified.]

mesiValidita : Integer Private

[Is static True. Containment is Not Specified.]

qualificaRilasciata : String Private

[Is static True. Containment is Not Specified.]

stato : String Private

[Is static True. Containment is Not Specified.]

titolo : String Private

[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Class) Corso
Cardinality: [0..*]

Target: Public (Class) Volontario
Cardinality: [0..*]

Association (direction: Unspecified)

Source: Public (Class) Turno
Cardinality: [0..*]

Target: Public corsiRichiesti (Class) Corso
Cardinality: [0..*]

OPERATIONS

aggiungiIscritto (dati : Volontario) : boolean Public

Properties:
ea_guid = {23EEAB10-5D4C-4878-ABA6-C6190F3022AA}

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

getIscritti () : List<Volontario> Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

rimuoviIscritto (Volontario : Volontario) : boolean Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

GestioneFormazioneController

Class in package 'Gestione Formazione'

GestioneFormazioneController
Version 1.0 Phase 1.0 Proposed
Serena created on 16/04/2026. Last modified 16/04/2026

CONNECTORS

Dependency Source -> Destination
From: GestioneFormazioneController : Class, Public
To: Corso : Class, Public

Dependency Source -> Destination
From: GestioneFormazioneController : Class, Public
To: Volontario : Class, Public

OPERATIONS

attestaPartecipazione (String : String , Volontari : List<Volontario>) : void Public

Properties:
ea_guid = {F3A06DB8-74B6-4d6f-8C30-134962DB306C}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

creaCorso (c : Corso) : boolean Public

Properties:
ea_guid = {327B27EE-C8FF-4e39-923A-860B992B66D0}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

eliminaCorso (s : String) : boolean Public

Properties:
ea_guid = {5D202E45-0DE6-4cf4-BC66-BAEB7D657E85}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

iscriviVolontario (v : Volontario , s : String) : boolean Public

Properties:
ea_guid = {70E3DEF5-9A60-4caa-A7AC-2DEF423136A2}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

modificaCorso (s : String , c : Corso) : boolean Public

Properties:
ea_guid = {09B4A0FB-AB15-4ae8-9AB8-171C4D719A8A}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

visualizzaCatalogo () : List<Corso> Public

Properties:
ea_guid = {08571D24-4A2C-4f90-887B-822B15FA9543}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Checklist

Class in package 'Gestione Flotta'

Checklist
Version 1.0 Phase 1.0 Proposed
Serena created on 16/04/2026. Last modified 16/04/2026

CONNECTORS

Dependency Source -> Destination
From: GestioneFlottaController : Class, Public
To: Checklist : Class, Public

ATTRIBUTES

controlliMeccanici : boolean Private
[Is static True. Containment is Not Specified.]

dispositiviMediciRichiesti : List<String> Private
[Is static True. Containment is Not Specified.]

dispositiviPresenti : boolean Private
[Is static True. Containment is Not Specified.]

id : String Private
[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Class) Turno
Cardinality: [1]

Target: Public (Class) Checklist
Cardinality: [0..1]

OPERATIONS

getControlliMeccaniciBase () : List<String> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

getControlliMeccaniciEmergenza () : List<String> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

getDispositiviSanitariAvanzati () : List<String> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

getDispositiviSanitariBase () : List<String> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

OPERATIONS

verificaIdoneita () : boolean Public

Properties:
ea_guid = {89FB7F13-5400-4edc-8220-77E020BD4A96}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

GestioneFlottaController

Class in package 'Gestione Flotta'

GestioneFlottaController
Version 1.0 Phase 1.0 Proposed
Serena created on 16/04/2026. Last modified 16/04/2026

CONNECTORS

Dependency Source -> Destination
From: GestioneFlottaController : Class, Public
To: Report : Class, Public

Dependency Source -> Destination
From: GestioneFlottaController : Class, Public
To: Mezzo : Class, Public

Dependency Source -> Destination
From: GestioneFlottaController : Class, Public
To: Checklist : Class, Public

OPERATIONS

aggiungiMezzo (m : Mezzo) : boolean Public

Properties:
ea_guid = {687469D7-DE46-417e-93F7-59938DA8C306}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

assegnaMezzoATurno (m : Mezzo , t : Turno) : boolean Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

compilaChecklist (c : Checklist) : boolean Public

Properties:
ea_guid = {5C520779-9B49-407c-9C22-EF7B0FB966D2}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

creaResoconto () : boolean Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

OPERATIONS

getRuolo () : String Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

richiediControlli () : List<String> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

salvaReport (r : Report) : boolean Public

Properties:
ea_guid = {D41C524D-AA9D-45c9-85F9-3919064EE15E}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

visualizzaStatoMezzi () : List<Mezzo> Public

Properties:
ea_guid = {695976C2-3BAA-46ed-9965-221F0038DB6F}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Mezzo

Class in package 'Gestione Flotta'

Mezzo
Version 1.0 Phase 1.0 Proposed
Serena created on 16/04/2026. Last modified 16/04/2026

CONNECTORS

Dependency Source -> Destination
From: GestioneFlottaController : Class, Public
To: Mezzo : Class, Public

ATTRIBUTES

chilometraggioTotale : Integer Private
[Is static True. Containment is Not Specified.]

dataScadenzaAssicurazione : Date Private
[Is static True. Containment is Not Specified.]

stato : String Private
[Is static True. Containment is Not Specified.]

targa : String Private
[Is static True. Containment is Not Specified.]

tipo : String Private

ATTRIBUTES

[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Class) Turno
Cardinality: [0..*]

Target: Public (Class) Mezzo
Cardinality: [0..1]

OPERATIONS

aggiornaKm (kmPercorsi : Integer) : void Public

Properties:
ea_guid = {D4C0C313-DF7B-4256-8585-4A2957D655CA}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

fineRiparazione () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

inviaInOfficina () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

isDismesso () : boolean Public

Properties:
ea_guid = {6A5BAB68-E84C-420d-8461-13C36195DD23}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

radiazioneVeicolo () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Report

Class in package 'Gestione Flotta'

Report
Version 1.0 Phase 1.0 Proposed
Serena created on 16/04/2026. Last modified 16/04/2026

CONNECTORS

Dependency Source -> Destination
From: GestioneFlottaController : Class, Public
To: Report : Class, Public

ATTRIBUTES

ATTRIBUTES

id : String Private
[Is static True. Containment is Not Specified.]

kmPercorsi : Integer Private
[Is static True. Containment is Not Specified.]

noteIntervento : String Private
[Is static True. Containment is Not Specified.]

oreEffettive : Integer Private
[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Class) Turno
Cardinality: [1]

Target: Public (Class) Report
Cardinality: [0..1]

Association (direction: Unspecified)

Source: Public (Class) Volontario
Cardinality: [1]

Target: Public (Class) Report
Cardinality: [0..*]

CMP_GestioneTurni diagram

Component diagram in package 'Gestione Turni'

CMP_GestioneTurni
Version 1.0
Serena created on 17/01/2026. Last modified 17/01/2026




Figure 25: CMP_GestioneTurni

DPL_GestioneTurni diagram

Deployment diagram in package 'Gestione Turni'

DPL_GestioneTurni
Version 1.0
Serena created on 17/01/2026. Last modified 17/01/2026




Figure 26: DPL_GestioneTurni

SD_AnnullaPrenotazione diagram

Interaction diagram in package 'Gestione Turni'

SD_AnnullaPrenotazione
Version 1.0
Serena created on 17/01/2026. Last modified 24/06/2026




Figure 27: SD_AnnullaPrenotazione

INTERACTION MESSAGES

1.0 'cliccaAnnulla()' from ':Volontario' sent to 'UI_AreaPersonale'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.1 'annullaPrenotazione(Turno)' from 'UI_AreaPersonale' sent to ':GestioneTurniController'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.2 'verificaTempoLimite' from ':GestioneTurniController' sent to ':GestioneTurniController'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.3 'rimuoviVolontario(Volontario)' from ':GestioneTurniController' sent to ':Turno'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.4 '' from ':Turno' sent to ':GestioneTurniController'.

Synchronous Call. Returns True.

[Return is True. Iteration is False. New group is False.]

1.5 '' from ':GestioneTurniController' sent to 'UI_AreaPersonale'.

Synchronous Call. Returns Conferma Annullamento.

[Return is True. Iteration is False. New group is False.]

1.6 '' from 'UI_AreaPersonale' sent to ':Volontario'.

Synchronous Call. Returns Mostra messaggio OK.

[Return is True. Iteration is False. New group is False.]

1.7 '' from 'UI_AreaPersonale' sent to ':Volontario'.

Synchronous Call. Returns Mostra messaggio Errore.

[Return is True. Iteration is False. New group is False.]

1.8 '' from ':GestioneTurniController' sent to 'UI_AreaPersonale'.

Synchronous Call. Returns Errore (Tempo scaduto).

[Return is True. Iteration is False. New group is False.]

SD_CreaTurno diagram

Interaction diagram in package 'Gestione Turni'

SD_CreaTurno
Version 1.0

Serena created on 25/06/2026. Last modified 25/06/2026




Figure 28: SD_CreaTurno

INTERACTION MESSAGES

1.0 'inserisciDatiServizio(orario, logistica, dispositivi)' from ':Referente' sent to 'UI_GestioneTurni'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.1 'creaTurno(Turno)' from 'UI_GestioneTurni' sent to ':GestioneTurniController'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.2 '' from ':GestioneTurniController' sent to ':Turno'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False. Life cycle is New.]

1.3 '' from ':GestioneTurniController' sent to 'UI_GestioneTurni'.

Synchronous Call. Returns true.

[Return is True. Iteration is False. New group is False.]

1.4 '' from 'UI_GestioneTurni' sent to ':Referente'.

Synchronous Call. Returns mostraMessaggio("Turno creato").

[Return is True. Iteration is False. New group is False.]

SD_EliminaTurno diagram

Interaction diagram in package 'Gestione Turni'

SD_EliminaTurno
Version 1.0
Serena created on 25/06/2026. Last modified 25/06/2026




Figure 29: SD_EliminaTurno

INTERACTION MESSAGES

1.0 'cliccaElimina(idTurno)' from ':Referente' sent to 'UI_GestioneTurni'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.1 'eliminaTurno(String)' from 'UI_GestioneTurni' sent to ':GestioneTurniController'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.2 '' from ':GestioneTurniController' sent to ':Turno'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False. Life cycle is Delete.]

1.3 '' from ':GestioneTurniController' sent to 'UI_GestioneTurni'.

Synchronous Call. Returns true.

[Return is True. Iteration is False. New group is False.]

1.4 '' from 'UI_GestioneTurni' sent to ':Referente'.

Synchronous Call. Returns mostraMessaggio("Turno eliminato").

[Return is True. Iteration is False. New group is False.]

SD_PrenotaTurno diagram

Interaction diagram in package 'Gestione Turni'

SD_PrenotaTurno
Version 1.0
Serena created on 17/01/2026. Last modified 24/06/2026




Figure 30: SD_PrenotaTurno

INTERACTION MESSAGES

1.0 'clickPrenota(idTurno)' from ':Volontario' sent to 'UI_Prenotazione'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.1 'prenotaTurno(String, String)' from 'UI_Prenotazione' sent to ':GestioneTurniController'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.2 'getMonteOre()' from ':GestioneTurniController' sent to ':Volontario'.

Synchronous Call. Returns Integer.

[Return is False. Iteration is False. New group is False.]

1.3 'verificaTempoLimite(Volontario, Turno)' from ':GestioneTurniController' sent to ':GestioneTurniController'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.4 'isCompleto()' from ':GestioneTurniController' sent to ':Turno'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.5 'aggiungiVolontario(Volontario)' from ':GestioneTurniController' sent to ':Turno'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.6 '' from ':GestioneTurniController' sent to 'UI_Prenotazione'.

Synchronous Call. Returns true.

[Return is True. Iteration is False. New group is False.]

1.7 'mostraMessaggio("Prenotazione confermata")' from 'UI_Prenotazione' sent to ':Volontario'.

Synchronous Call. Returns void.

[Return is True. Iteration is False. New group is False.]

SD_VisualizzaTurni diagram

Interaction diagram in package 'Gestione Turni'

SD_VisualizzaTurni
Version 1.0
Serena created on 17/01/2026. Last modified 24/06/2026




Figure 31: SD_VisualizzaTurni

INTERACTION MESSAGES

1.0 'visualizzaTurniDisponibili()' from ':Volontario' sent to 'UI_ListaTurni'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.1 'visualizzaTurniDisponibili()' from 'UI_ListaTurni' sent to ':GestioneTurniController'.

Synchronous Call. Returns List<Turno>.

[Return is False. Iteration is False. New group is False.]

1.2 'getTurniDisponibili(String)' from ':GestioneTurniController' sent to ':Turno'.

Synchronous Call. Returns List<Turno>.

[Return is False. Iteration is False. New group is False.]

1.3 '' from ':Turno' sent to ':GestioneTurniController'.

Synchronous Call. Returns List<Turno>.

[Return is True. Iteration is False. New group is False.]

1.4 '' from ':GestioneTurniController' sent to 'UI_ListaTurni'.

Synchronous Call. Returns List<Turno>.

[Return is True. Iteration is False. New group is False.]

1.5 '' from 'UI_ListaTurni' sent to ':Volontario'.

Synchronous Call. Returns MostraListaTurni.

[Return is False. Iteration is False. New group is False.]

STM_Turno diagram

StateMachine diagram in package 'Gestione Turni'

STM_Turno
Version 1.0
Serena created on 17/01/2026. Last modified 17/01/2026




Figure 32: STM_Turno

Final

Final State in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS
Transition from Annullato to Final
Transition from Concluso to Final Triggers: reportCompilato

INCOMING BEHAVIORAL RELATIONSHIPS

UI_PrenotazioneTurno diagram

Webpage Wireframe diagram in package 'Gestione Turni'

UI_PrenotazioneTurno
Version 1.0
Serena created on 17/01/2026. Last modified 17/01/2026




Figure 33: UI_PrenotazioneTurno

Admin

Actor in package 'Gestione Turni'

Admin
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

ASSOCIATIONS
Association (direction: Unspecified) Source: Public (Actor) Admin Target: Public (UseCase) Crea Turno

Volontario

Actor in package 'Gestione Turni'

Volontario
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

ASSOCIATIONS

ASSOCIATIONS	
Association (direction: Unspecified)	
Source: Public (Actor) Volontario	Target: Public (UseCase) Annulla Prenotazione
Association (direction: Unspecified)	
Source: Public (Actor) Volontario	Target: Public (UseCase) Verifica Disponibilità
Association (direction: Unspecified)	
Source: Public (Actor) Volontario	Target: Public (UseCase) Visualizza Turni Assegnati
Association (direction: Unspecified)	
Source: Public (Actor) Volontario	Target: Public (UseCase) Visualizza Profilo
Association (direction: Unspecified)	
Source: Public (Actor) Volontario	Target: Public (UseCase) Prenota Turno

Annulla Prenotazione

UseCase in package 'Gestione Turni'

Annulla Prenotazione
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

ASSOCIATIONS	
Association (direction: Unspecified)	
Source: Public (Actor) Volontario	Target: Public (UseCase) Annulla Prenotazione

Crea Turno

UseCase in package 'Gestione Turni'

Crea Turno
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

ASSOCIATIONS	
Association (direction: Unspecified)	
Source: Public (Actor) Admin	Target: Public (UseCase) Crea Turno

ASSOCIATIONS

Prenota Turno

UseCase in package 'Gestione Turni'

Prenota Turno
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

CONNECTORS

Include «include» Source -> Destination
From: Prenota Turno : UseCase, Public
To: Verifica Disponibilità : UseCase, Public

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) Volontario Target: Public (UseCase) Prenota Turno

Verifica Disponibilità

UseCase in package 'Gestione Turni'

Verifica Disponibilità
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

CONNECTORS

Include «include» Source -> Destination
From: Prenota Turno : UseCase, Public
To: Verifica Disponibilità : UseCase, Public

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) Volontario Target: Public (UseCase) Verifica Disponibilità

Visualizza Profilo

UseCase in package 'Gestione Turni'

Visualizza Profilo
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) Volontario

Target: Public (UseCase) Visualizza Profilo

Visualizza Turni Assegnati

UseCase in package 'Gestione Turni'

Visualizza Turni Assegnati
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Actor) Volontario

Target: Public (UseCase) Visualizza Turni Assegnati

GestioneTurniController

Class in package 'Gestione Turni'

GestioneTurniController
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

CONNECTORS

Dependency Source -> Destination
From: GestioneTurniController : Class, Public
To: Turno : Class, Public

Dependency Source -> Destination
From: GestioneTurniController : Class, Public
To: Volontario : Class, Public

OPERATIONS

annullaPrenotazione (Turno : Turno) : boolean Public

Properties:
ea_guid = {C4D49FF8-BDBD-401e-BF78-1B9778167B3C}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

assegnaTurno (v : Volontario , t : Turno) : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

OPERATIONS

calcolaOrePeriodo (v : Volontario , inizio : Date , fine : Date) : Integer Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

creaTurno (t : Turno) : boolean Public

Properties:
ea_guid = {1E490BB8-8CB5-466d-BB58-18B0CED98F81}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

filtraTurniDisponibili (s : String) : List<Turno> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

modificaProfilo (nuoviDati : Volontario) : boolean Public

Properties:
ea_guid = {B727FCE7-0BD6-409b-A017-2902DE6CB688}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

prenotaTurno (idTurno : String , idVolontario : String) : boolean Public

Properties:
ea_guid = {DC630591-A540-4e46-AE3E-6527336B719D}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

validaDati () : boolean Private

Properties:
ea_guid = {55E3D0D4-18EA-4da7-995E-53BDB1024EAD}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

verificaCoperturaPatente (t : Turno) : boolean Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

verificaTempoLimite (v : Volontario , t : Turno) : boolean Public

Properties:
ea_guid = {58400D6B-0AB0-4b8c-AE55-9547223FABD9}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

visualizzaTurniDisponibili () : List<Turno> Public

Properties:
ea_guid = {6182789F-3EF0-4f5b-870E-5A16D9B8223B}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Turno

Class in package 'Gestione Turni'

Turno
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

CONNECTORS

Dependency Source -> Destination
From: GestioneTurniController : Class, Public
To: Turno : Class, Public

ATTRIBUTES

data : Date Private
[Is static True. Containment is Not Specified.]

id : String Private
[Is static True. Containment is Not Specified.]

luogoDestinazione : String Private
[Is static True. Containment is Not Specified.]

luogoPrelevamento : String Private
[Is static True. Containment is Not Specified.]

oraFine : Time Private
[Is static True. Containment is Not Specified.]

oraInizio : Time Private
[Is static True. Containment is Not Specified.]

patenteRichiesta : String Private
[Is static True. Containment is Not Specified.]

paziente : String Private
[Is static True. Containment is Not Specified.]

personeRichieste : Integer Private
[Is static True. Containment is Not Specified.]

stato : String Private
[Is static True. Containment is Not Specified.]

tipoServizio : String Private
[Is static True. Containment is Not Specified.]

ASSOCIATIONS

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Class) Turno
Cardinality: [0..*]

Target: Public (Class) Mezzo
Cardinality: [0..1]

Association (direction: Unspecified)

Source: Public (Class) Turno
Cardinality: [0..*]

Target: Public corsiRichiesti (Class) Corso
Cardinality: [0..*]

Association (direction: Unspecified)

Source: Public (Class) Turno
Cardinality: [1]

Target: Public (Class) Report
Cardinality: [0..1]

Association (direction: Unspecified)

Source: Public (Class) Turno
Cardinality: [1]

Target: Public (Class) Checklist
Cardinality: [0..1]

Association (direction: Unspecified)

Source: Public (Class) Volontario
Cardinality: [0..*]

Target: Public (Class) Turno
Cardinality: [0..*]

OPERATIONS

aggiungiVolontario (v : Volontario) : boolean Public

Properties:
ea_guid = {4DE76EA6-0DBB-4d96-AF54-000CF01A0DCE}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

getTurniDisponibili (filtri : String) : List<Turno> Public

Properties:
ea_guid = {E4BE55BE-F63F-42a6-B980-2961094B1919}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

getVolontariIscritti () : List<Volontario> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

isCompleto () : boolean Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

rimuoviVolontario (v : Volontario) : void Public

Properties:
ea_guid = {D2F39462-F28B-4834-AAD3-2A1AF3C56B06}

OPERATIONS

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Volontario

Class in package 'Gestione Turni'

Volontario
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

CONNECTORS

Dependency Source -> Destination
From: GestioneFormazioneController : Class, Public
To: Volontario : Class, Public

Dependency Source -> Destination
From: GestioneTurniController : Class, Public
To: Volontario : Class, Public

ATTRIBUTES

codFiscale : String Private
[Is static True. Containment is Not Specified.]

cognome : String Private
[Is static True. Containment is Not Specified.]

dataNascita : Date Private
[Is static True. Containment is Not Specified.]

disponibilita : String[] Private
[Is static True. Containment is Not Specified.]

email : String Private
[Is static True. Containment is Not Specified.]

monteOreTotale : Integer Private
[Is static True. Containment is Not Specified.]

nome : String Private
[Is static True. Containment is Not Specified.]

password : String Private
[Is static True. Containment is Not Specified.]

ATTRIBUTES

patenti : String[] Private

[Is static True. Containment is Not Specified.]

ruolo : String Private

[Is static True. Containment is Not Specified.]

telefono : String Private

[Is static True. Containment is Not Specified.]

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Class) Volontario
Cardinality: [1]

Target: Public (Class) Report
Cardinality: [0..*]

Association (direction: Unspecified)

Source: Public (Class) Volontario
Cardinality: [0..*]

Target: Public (Class) Turno
Cardinality: [0..*]

Association (direction: Unspecified)

Source: Public (Class) Corso
Cardinality: [0..*]

Target: Public (Class) Volontario
Cardinality: [0..*]

OPERATIONS

aggiornaProfilo (dati : Volontario) : boolean Public

Properties:
ea_guid = {92C02068-AA42-404f-A64A-735B141ED33A}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

aggiungiOreServizio (Integer : Integer) : void Public

Properties:
ea_guid = {0E43ADCC-0026-47e6-A310-3798992EAAE4}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

aggiungiPatente (String : String) : void Public

Properties:
ea_guid = {B808A7B5-76B8-47dd-8515-885D67F0BC4B}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

annullaPrenotazione (idTurno : String) : boolean Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

OPERATIONS

getMonteOre () : Integer Public

Properties:
ea_guid = {45D1359C-20A7-42de-9722-631369B53952}
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

prenotaTurno (idTurno : String) : boolean Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

visualizzaTurniScelti () : List<Turno> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

Object

Object in package 'Gestione Turni'

Object

Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

Database

Component in package 'Gestione Turni'

Database
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

CONNECTORS

Dependency Source -> Destination
From: Gestione Turni Backend : Component, Public
To: Database : Component, Public

Gestione Turni Backend

Component in package 'Gestione Turni'

Gestione Turni Backend

Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

CONNECTORS

Dependency Source -> Destination
From: Gestione Turni Backend : Component, Public
To: Database : Component, Public

Dependency Source -> Destination
From: Interfaccia Volontario : Component, Public
To: Gestione Turni Backend : Component, Public

Interfaccia Volontario

Component in package 'Gestione Turni'

Interfaccia Volontario
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

CONNECTORS

Dependency Source -> Destination
From: Interfaccia Volontario : Component, Public
To: Gestione Turni Backend : Component, Public

ClientArea

ClientArea «WireframeClientArea» in package 'Gestione Turni'

ClientArea
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026
Extends

Combobox

Combobox «WireframeCombobox» owned by 'ClientArea', in package 'Gestione Turni'

Combobox
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026
Extends

Prenota

Button «WireframeButton» owned by 'ClientArea', in package 'Gestione Turni'

Prenota
Version 1.0 Phase 1.0 Proposed

Serena created on 17/01/2026. Last modified 17/01/2026
Extends

Table

Table «WireframeTable» owned by 'ClientArea', in package 'Gestione Turni'

Table
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026
Extends

Annulla

State in package 'Gestione Turni'

Annulla
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

Annullato

State in package 'Gestione Turni'

Annullato
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Transition from Annullato to Final

INCOMING BEHAVIORAL RELATIONSHIPS

Transition from Completo to Annullato

Transition from Aperto to Annullato

Triggers:
annullaTurno

Aperto

State in package 'Gestione Turni'

Aperto
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

OUTGOING BEHAVIORAL RELATIONSHIPS

Transition from Aperto to Annullato

Triggers:
annullaTurno

Transition from Aperto to Aperto
Guard: [iscritti < personeRichieste]

Triggers:
aggiungiVolontario

Transition from Aperto to Completo
Guard: iscritti == personeRichieste

Triggers:
aggiungiVolontario

INCOMING BEHAVIORAL RELATIONSHIPS

Transition from Initial to Aperto

Transition from Completo to Aperto
Guard: iscritti < personeRichieste

Triggers:
aggiungiVolontario

Transition from Aperto to Aperto
Guard: [iscritti < personeRichieste]

Triggers:
aggiungiVolontario

Aperto

State in package 'Gestione Turni'

Aperto
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Transition from Aperto to Aperto

Transition from Aperto to Completo

INCOMING BEHAVIORAL RELATIONSHIPS

INCOMING BEHAVIORAL RELATIONSHIPS

Transition from Start to Aperto

Transition from Aperto to Aperto

Transition from Completo to Aperto

Completo

State in package 'Gestione Turni'

Completo
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Transition from Completo to Aperto
Guard: iscritti < personeRichieste

Triggers:
aggiungiVolontario

Transition from Completo to Annullato

Transition from Completo to In Corso

Triggers:
orarioRaggiunto

INCOMING BEHAVIORAL RELATIONSHIPS

Transition from Aperto to Completo
Guard: iscritti == personeRichieste

Triggers:
aggiungiVolontario

Completo

State in package 'Gestione Turni'

Completo
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Transition from Completo to In Corso

OUTGOING BEHAVIORAL RELATIONSHIPS

Transition from Completo to Aperto

INCOMING BEHAVIORAL RELATIONSHIPS

Transition from Aperto to Completo

Concluso

State in package 'Gestione Turni'

Concluso
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Transition from Concluso to Final

Triggers:
reportCompilato

INCOMING BEHAVIORAL RELATIONSHIPS

Transition from In Corso to Concluso

Triggers:
fineServizio

In Corso

State in package 'Gestione Turni'

In Corso
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Transition from In Corso to Concluso

Triggers:
fineServizio

INCOMING BEHAVIORAL RELATIONSHIPS

Transition from Completo to In Corso

INCOMING BEHAVIORAL RELATIONSHIPS
Triggers: orarioRaggiunto

In Corso

State in package 'Gestione Turni'

In Corso
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

INCOMING BEHAVIORAL RELATIONSHIPS
Transition from Completo to In Corso

Richiesta Prenotazione

Activity in package 'Gestione Turni'

Richiesta Prenotazione
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

DecisionNode

DecisionNode in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from DecisionNode to Mostra Errore Guard: Patenti Mancanti
ControlFlow from DecisionNode to Controllo Posti Guard: Patenti OK

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Controllo Patenti to DecisionNode

DecisionNode

DecisionNode in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from DecisionNode to Mostra Errore

OUTGOING BEHAVIORAL RELATIONSHIPS

Guard: Turno Pieno

ControlFlow from DecisionNode to Salva Prenotazione
Guard: Posti Disponibili

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Controllo Posti to DecisionNode

InteractionFragment

InteractionFragment in package 'Gestione Turni'

InteractionFragment
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

DecisionNode

DecisionNode in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: NO
ControlFlow from DecisionNode to Annullamento operazione

Name: SI
ControlFlow from DecisionNode to Cancellazione turno dal database

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Richiesta di conferma eliminazione to DecisionNode

Sequence

Sequence in package 'Gestione Turni'

Sequence
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: inserisciDatiServizio(orario, logistica, dispositivi)
Sequence from Sequence to «boundary» UI_GestioneTurni

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_GestioneTurni to Sequence

Sequence

Sequence in package 'Gestione Turni'

Sequence
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: inserisciNuoviDati(idTurno, orario, logistica).
Sequence from Sequence to «boundary» UI_GestioneTurni

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_GestioneTurni to Sequence

Sequence

Sequence in package 'Gestione Turni'

Sequence
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: cliccaElimina(idTurno)
Sequence from Sequence to «boundary» UI_GestioneTurni

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_GestioneTurni to Sequence

Sequence

Sequence in package 'Gestione Turni'

Sequence
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: clickPrenota(idTurno)

OUTGOING BEHAVIORAL RELATIONSHIPS

Sequence from Sequence to «boundary» UI_Prenotazione

INCOMING BEHAVIORAL RELATIONSHIPS

Name: mostraMessaggio("Prenotazione confermata")
Sequence from «boundary» UI_Prenotazione to Sequence

Sequence

Sequence in package 'Gestione Turni'

Sequence
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: cliccaAnnulla()
Sequence from Sequence to «boundary» UI_AreaPersonale

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_AreaPersonale to Sequence

Sequence from «boundary» UI_AreaPersonale to Sequence

Sequence

Sequence in package 'Gestione Turni'

Sequence
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: visualizzaTurniDisponibili()
Sequence from Sequence to «boundary» UI_ListaTurni

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_ListaTurni to Sequence

Action1

Action in package 'Gestione Turni'

Action1
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

ActivityFinal

ActivityFinal in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Salvataggio nuovo turno nel database to ActivityFinal

ActivityFinal

ActivityFinal in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Aggiornamento dati nel database to ActivityFinal

ActivityFinal

ActivityFinal in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Cancellazione turno dal database to ActivityFinal
ControlFlow from Annullamento operazione to ActivityFinal

Aggiornamento dati (orari, logistica, dispositivi)

Action in package 'Gestione Turni'

Aggiornamento dati (orari, logistica, dispositivi)
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Aggiornamento dati (orari, logistica, dispositivi) to Conferma modifiche

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Ricerca e selezione del turno da modificare to Aggiornamento dati (orari, logistica, dispositivi)

INCOMING BEHAVIORAL RELATIONSHIPS

Aggiornamento dati nel database

Action in package 'Gestione Turni'

Aggiornamento dati nel database
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Aggiornamento dati nel database to ActivityFinal

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Conferma modifiche to Aggiornamento dati nel database

aggiungiVolontario

Trigger in package 'Gestione Turni'

aggiungiVolontario
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

aggiungiVolontario

Trigger in package 'Gestione Turni'

aggiungiVolontario
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

aggiungiVolontario

Trigger in package 'Gestione Turni'

aggiungiVolontario
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

aggiungiVolontario

Trigger in package 'Gestione Turni'

aggiungiVolontario
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

Analisi Turno Selezionato

Action in package 'Gestione Turni'

Analisi Turno Selezionato
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Analisi Turno Selezionato to Servizio 118 ?

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Initial to Analisi Turno Selezionato

Annullamento operazione

Action in package 'Gestione Turni'

Annullamento operazione
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Annullamento operazione to ActivityFinal

INCOMING BEHAVIORAL RELATIONSHIPS

Name: NO
ControlFlow from DecisionNode to Annullamento operazione

annullaTurno

Trigger in package 'Gestione Turni'

annullaTurno
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

Applica Filtri

Action in package 'Gestione Turni'

Applica Filtri
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Applica Filtri to Escludi Turni Passati

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Ci sono filtri ? to Applica Filtri
Guard: Si

Autorizza Prenotazione

Action in package 'Gestione Turni'

Autorizza Prenotazione
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Autorizza Prenotazione to Final

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Servizio 118 ? to Autorizza Prenotazione
Guard: No

ControlFlow from Patente Scaduta? to Autorizza Prenotazione
Guard: No

Blocca e Mostra Errore

Action in package 'Gestione Turni'

Blocca e Mostra Errore
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Ha patente TSSA ? to Blocca e Mostra Errore
Guard: No

Blocca e Mostra Errore

Action in package 'Gestione Turni'

Blocca e Mostra Errore

Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Blocca e Mostra Errore to Final

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Patente Scaduta? to Blocca e Mostra Errore
Guard: Sì

ControlFlow from Ha patente TSSA ? to Blocca e Mostra Errore
Guard: No

Calcolo ore Mancanti Al Turno

Action in package 'Gestione Turni'

Calcolo ore Mancanti Al Turno
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Calcolo ore Mancanti Al Turno to Controllo Tempo

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Richiesta Annullamento to Calcolo ore Mancanti Al Turno

Cancellazione turno dal database

Action in package 'Gestione Turni'

Cancellazione turno dal database
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Cancellazione turno dal database to ActivityFinal

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Conferma creazione to Cancellazione turno dal database

Name: SI

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from DecisionNode to Cancellazione turno dal database

Ci sono filtri ?

DecisionNode in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Ci sono filtri ? to Escludi Turni Passati
Guard: No

ControlFlow from Ci sono filtri ? to Applica Filtri
Guard: Si

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Recupero Dati dal DB to Ci sono filtri ?

Conferma creazione

Action in package 'Gestione Turni'

Conferma creazione
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Conferma creazione to Salvataggio nuovo turno nel database

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Selezione dispositivi medici richiesti to Conferma creazione

Conferma creazione

Action in package 'Gestione Turni'

Conferma creazione
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Conferma creazione to Cancellazione turno dal database

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Richiesta di conferma eliminazione to Conferma creazione

Conferma modifiche

Action in package 'Gestione Turni'

Conferma modifiche
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Conferma modifiche to Aggiornamento dati nel database

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Aggiornamento dati (orari, logistica, dispositivi) to Conferma modifiche

Controllo Patenti

Action in package 'Gestione Turni'

Controllo Patenti
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Controllo Patenti to DecisionNode

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Richiesta Prenotazione to Controllo Patenti

Controllo Posti

Action in package 'Gestione Turni'

Controllo Posti
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Controllo Posti to DecisionNode

OUTGOING BEHAVIORAL RELATIONSHIPS

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from DecisionNode to Controllo Posti
Guard: Patenti OK

Controllo Tempo

DecisionNode in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Controllo Tempo to Mostra Errore
Guard: Ore < 24

ControlFlow from Controllo Tempo to Rimuovi Prenotazione
Guard: Ore > 24

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Calcolo ore Mancanti Al Turno to Controllo Tempo

Escludi Turni Passati

Action in package 'Gestione Turni'

Escludi Turni Passati
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Escludi Turni Passati to Ordina Per Data

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Applica Filtri to Escludi Turni Passati

ControlFlow from Ci sono filtri ? to Escludi Turni Passati
Guard: No

Final

Final State in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS
Transition from Annullato to Final
Transition from Concluso to Final Triggers: reportCompilato

Final

ActivityFinal in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Mostra Errore to Final
ControlFlow from Invia Conferma to Final

Final

ActivityFinal in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Mostra Errore to Final
ControlFlow from Invia Conferma to Final

Final

ActivityFinal in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Mostra Griglia to Final

Final

ActivityFinal in package 'Gestione Turni'

INCOMING BEHAVIORAL RELATIONSHIPS

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Autorizza Prenotazione to Final
ControlFlow from Blocca e Mostra Errore to Final

fineServizio

Trigger in package 'Gestione Turni'

fineServizio
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

Ha patente TSSA ?

DecisionNode in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Ha patente TSSA ? to Patente Scaduta? Guard: Sì
ControlFlow from Ha patente TSSA ? to Blocca e Mostra Errore Guard: No
ControlFlow from Ha patente TSSA ? to Blocca e Mostra Errore Guard: No

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Servizio 118 ? to Ha patente TSSA ? Guard: Sì

Initial

Initial State in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
Transition from Initial to Aperto

Initial

ActivityInitial in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Initial to Richiesta Annullamento

Initial

ActivityInitial in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Initial to Analisi Turno Selezionato

Inizio

ActivityInitial in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Inizio to Inserimento dati logistici e orario

Inizio

ActivityInitial in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Inizio to Ricerca e selezione del turno da modificare

Inizio

ActivityInitial in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Inizio to Selezione del turno da eliminare

Inserimento dati logistici e orario

Action in package 'Gestione Turni'

Inserimento dati logistici e orario
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Inserimento dati logistici e orario to Selezione dispositivi medici richiesti

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Inizio to Inserimento dati logistici e orario

Invia Conferma

Action in package 'Gestione Turni'

Invia Conferma
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Invia Conferma to Final

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Salva Prenotazione to Invia Conferma

Invia Conferma

Action in package 'Gestione Turni'

Invia Conferma
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Invia Conferma to Final

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Rimuovi Prenotazione to Invia Conferma

Mostra Errore

Action in package 'Gestione Turni'

Mostra Errore
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from DecisionNode to Mostra Errore
Guard: Patenti Mancanti

Mostra Errore

Action in package 'Gestione Turni'

Mostra Errore
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Mostra Errore to Final

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from DecisionNode to Mostra Errore
Guard: Turno Pieno

Mostra Errore

Action in package 'Gestione Turni'

Mostra Errore
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Mostra Errore to Final

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Controllo Tempo to Mostra Errore
Guard: Ore < 24

Mostra Griglia

Action in package 'Gestione Turni'

Mostra Griglia
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Mostra Griglia to Final

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Ordina Per Data to Mostra Griglia

orarioRaggiunto

Trigger in package 'Gestione Turni'

orarioRaggiunto
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

Ordina Per Data

Action in package 'Gestione Turni'

Ordina Per Data
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Ordina Per Data to Mostra Griglia

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Escludi Turni Passati to Ordina Per Data

Patente Scaduta?

DecisionNode in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Patente Scaduta? to Blocca e Mostra Errore
Guard: Sì

ControlFlow from Patente Scaduta? to Autorizza Prenotazione
Guard: No

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Ha patente TSSA ? to Patente Scaduta?

INCOMING BEHAVIORAL RELATIONSHIPS
Guard: Sì

Recupero Dati dal DB

Action in package 'Gestione Turni'

Recupero Dati dal DB
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Recupero Dati dal DB to Ci sono filtri ?

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Richiesta Lista Turni to Recupero Dati dal DB

reportCompilato

Trigger in package 'Gestione Turni'

reportCompilato
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

Ricerca e selezione del turno da modificare

Action in package 'Gestione Turni'

Ricerca e selezione del turno da modificare
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Ricerca e selezione del turno da modificare to Aggiornamento dati (orari, logistica, dispositivi)

INCOMING BEHAVIORAL RELATIONSHIPS
ControlFlow from Inizio to Ricerca e selezione del turno da modificare

Richiesta Annullamento

Action in package 'Gestione Turni'

Richiesta Annullamento
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Richiesta Annullamento to Calcolo ore Mancanti Al Turno

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Initial to Richiesta Annullamento

Richiesta di conferma eliminazione

Action in package 'Gestione Turni'

Richiesta di conferma eliminazione
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Richiesta di conferma eliminazione to DecisionNode

ControlFlow from Richiesta di conferma eliminazione to Conferma creazione

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Selezione del turno da eliminare to Richiesta di conferma eliminazione

Richiesta Lista Turni

Action in package 'Gestione Turni'

Richiesta Lista Turni
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Richiesta Lista Turni to Recupero Dati dal DB

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Start to Richiesta Lista Turni

Richiesta Prenotazione

Action in package 'Gestione Turni'

Richiesta Prenotazione
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Richiesta Prenotazione to Controllo Patenti

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Start to Richiesta Prenotazione

Rimuovi Prenotazione

Action in package 'Gestione Turni'

Rimuovi Prenotazione
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Rimuovi Prenotazione to Invia Conferma

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Controllo Tempo to Rimuovi Prenotazione
Guard: Ore > 24

rimuoviVolontario

Trigger in package 'Gestione Turni'

rimuoviVolontario
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

Salva Prenotazione

Action in package 'Gestione Turni'

Salva Prenotazione
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Salva Prenotazione to Invia Conferma

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from DecisionNode to Salva Prenotazione
Guard: Posti Disponibili

Salvataggio nuovo turno nel database

Action in package 'Gestione Turni'

Salvataggio nuovo turno nel database
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Salvataggio nuovo turno nel database to ActivityFinal

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Conferma creazione to Salvataggio nuovo turno nel database

Selezione del turno da eliminare

Action in package 'Gestione Turni'

Selezione del turno da eliminare
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Selezione del turno da eliminare to Richiesta di conferma eliminazione

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Inizio to Selezione del turno da eliminare

Selezione dispositivi medici richiesti

Action in package 'Gestione Turni'

Selezione dispositivi medici richiesti
Version 1.0 Phase 1.0 Proposed

Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Selezione dispositivi medici richiesti to Conferma creazione

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Inserimento dati logistici e orario to Selezione dispositivi medici richiesti

Server Croce Rossa

Device in package 'Gestione Turni'

Server Croce Rossa
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

ELEMENTS OWNED BY Server Croce Rossa

Docker Engine : ExecutionEnvironment

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Device) Smartphone Volontario

Target: Public (Device) Server Croce Rossa

Docker Engine

ExecutionEnvironment owned by 'Server Croce Rossa', in package 'Gestione Turni'

Docker Engine
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

ELEMENTS OWNED BY Docker Engine

Container Backend (Python/Java) : Component

Container Database (PostgreSQL) : Component

Container Backend (Python/Java)

Component owned by 'Docker Engine', in package 'Gestione Turni'

Container Backend (Python/Java)
Version 1.0 Phase 1.0 Proposed

Serena created on 17/01/2026. Last modified 17/01/2026

OUTGOING STRUCTURAL RELATIONSHIPS

CommunicationPath from Container Backend (Python/Java) to Container Database (PostgreSQL)
[Direction is 'Source -> Destination'.]

Container Database (PostgreSQL)

Component owned by 'Docker Engine', in package 'Gestione Turni'

Container Database (PostgreSQL)
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

INCOMING STRUCTURAL RELATIONSHIPS

CommunicationPath from Container Backend (Python/Java) to Container Database (PostgreSQL)
[Direction is 'Source -> Destination'.]

Servizio 118 ?

DecisionNode in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS

ControlFlow from Servizio 118 ? to Autorizza Prenotazione
Guard: No

ControlFlow from Servizio 118 ? to Ha patente TSSA ?
Guard: Sì

INCOMING BEHAVIORAL RELATIONSHIPS

ControlFlow from Analisi Turno Selezionato to Servizio 118 ?

Smartphone Volontario

Device in package 'Gestione Turni'

Smartphone Volontario
Version 1.0 Phase 1.0 Proposed
Serena created on 17/01/2026. Last modified 17/01/2026

ASSOCIATIONS

Association (direction: Unspecified)

Source: Public (Device) Smartphone Volontario Target: Public (Device) Server Croce Rossa

ASSOCIATIONS

Start

Initial State in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
Transition from Start to Aperto

Start

ActivityInitial in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Start to Richiesta Prenotazione

Start

ActivityInitial in package 'Gestione Turni'

OUTGOING BEHAVIORAL RELATIONSHIPS
ControlFlow from Start to Richiesta Lista Turni

UI_AreaPersonale

Sequence «boundary» in package 'Gestione Turni'

UI_AreaPersonale
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS
Sequence from «boundary» UI_AreaPersonale to Sequence
Sequence from «boundary» UI_AreaPersonale to Sequence
Name: annullaPrenotazione(Turno) Sequence from «boundary» UI_AreaPersonale to Object

INCOMING BEHAVIORAL RELATIONSHIPS

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from Object to «boundary» UI_AreaPersonale

Sequence from Object to «boundary» UI_AreaPersonale

Name: cliccaAnnulla()
Sequence from Sequence to «boundary» UI_AreaPersonale

UI_GestioneTurni

Sequence «boundary» in package 'Gestione Turni'

UI_GestioneTurni
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_GestioneTurni to Sequence

Name: creaTurno(Turno)
Sequence from «boundary» UI_GestioneTurni to Object

INCOMING BEHAVIORAL RELATIONSHIPS

Name: inserisciDatiServizio(orario, logistica, dispositivi)
Sequence from Sequence to «boundary» UI_GestioneTurni

Sequence from Object to «boundary» UI_GestioneTurni

UI_GestioneTurni

Sequence «boundary» in package 'Gestione Turni'

UI_GestioneTurni
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: modificaTurno(String, Turno): boolean
Sequence from «boundary» UI_GestioneTurni to Object

Sequence from «boundary» UI_GestioneTurni to Sequence

INCOMING BEHAVIORAL RELATIONSHIPS

Name: inserisciNuoviDati(idTurno, orario, logistica).
Sequence from Sequence to «boundary» UI_GestioneTurni

Sequence from Object to «boundary» UI_GestioneTurni

UI_GestioneTurni

Sequence «boundary» in package 'Gestione Turni'

UI_GestioneTurni
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_GestioneTurni to Sequence

Name: eliminaTurno(String)
Sequence from «boundary» UI_GestioneTurni to Object

INCOMING BEHAVIORAL RELATIONSHIPS

Name: cliccaElimina(idTurno)
Sequence from Sequence to «boundary» UI_GestioneTurni

Sequence from Object to «boundary» UI_GestioneTurni

UI_ListaTurni

Sequence «boundary» in package 'Gestione Turni'

UI_ListaTurni
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Sequence from «boundary» UI_ListaTurni to Sequence

Name: visualizzaTurniDisponibili()
Sequence from «boundary» UI_ListaTurni to Object

INCOMING BEHAVIORAL RELATIONSHIPS

Name: visualizzaTurniDisponibili()

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from Sequence to «boundary» UI_ListaTurni

Sequence from Object to «boundary» UI_ListaTurni

UI_Prenotazione

Sequence «boundary» in package 'Gestione Turni'

UI_Prenotazione
Version 1.0 Phase 1.0 Proposed
Serena created on 24/06/2026. Last modified 24/06/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: prenotaTurno(String, String)
Sequence from «boundary» UI_Prenotazione to Object

Name: mostraMessaggio("Prenotazione confermata")
Sequence from «boundary» UI_Prenotazione to Sequence

INCOMING BEHAVIORAL RELATIONSHIPS

Name: clickPrenota(idTurno)
Sequence from Sequence to «boundary» UI_Prenotazione

Sequence from Object to «boundary» UI_Prenotazione

Gestione Utente

Package in package 'Model'

Gestione Utente
Version 1.0 Phase 1.0 Proposed
Serena created on 25/06/2026. Last modified 25/06/2026

SD_GestioneProfilo diagram

Interaction diagram in package 'Gestione Utente'

SD_GestioneProfilo
Version 1.0
Serena created on 17/01/2026. Last modified 25/06/2026




Figure 34: SD_GestioneProfilo

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

Object

Object in package 'Gestione Turni'

Object
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

INTERACTION MESSAGES

1.0 'modificaProfilo(Volontario)' from ':Volontario' sent to ':GestioneTurniController'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.1 'validaDati()' from ':GestioneTurniController' sent to ':GestioneTurniController'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.2 'aggiornaProfilo(Volontario)' from ':GestioneTurniController' sent to ':Volontario'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.3 '' from ':Volontario' sent to ':GestioneTurniController'.

Synchronous Call. Returns true.

[Return is True. Iteration is False. New group is False.]

1.4 '' from ':GestioneTurniController' sent to ':Volontario'.

Synchronous Call. Returns Modifica effettuata con successo.

[Return is True. Iteration is False. New group is False.]

Sequence

Sequence in package 'Gestione Utente'

Sequence
Version 1.0 Phase 1.0 Proposed
Serena created on 31/01/2026. Last modified 31/01/2026

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: modificaProfilo(Volontario)
Sequence from Sequence to Object

INCOMING BEHAVIORAL RELATIONSHIPS

Sequence from Object to Sequence