

<b>✓</b>	Congratulations! You passed!	Next Item
<b>\</b>	1 / 1 point	
1.		
Which	of the following is a template that defines the shape of an object that is crea	ited?
	Instance	
0	Class	
Corr	ect	
	Inheritance	
	Method	
	Message	
<b>~</b>	1 / 1 point	
2.		
	of the following describes a feature which we would expect from a program rted first class functions?	ming language that
0	The ability to define a function and assign the function to a variable	
Corr	ect	
	The ability for a function not to return a value (i.e. void functions)	
	The ability to have a variable number of parameters when calling a function	n

<b>/</b>	

1/1 point

3.

What is the keyword / predefined variable that is used in a JavaScript class definition to refer to the "current instance" of the class?



this

## Correct

- self
- \_self
- me
- \$this



1/1 point

4

What do these two statements in JavaScript accomplish?

```
1 data.stuff = "hello";
2 data['stuff'] = "hello";
```

- The first statement is a syntax error in JavaScript
- These two statements accomplish the same thing

Correct

The second statement is a syntax error in JavaScript

<b>~</b>	1 / 1 point		
5.			
How is the constructor defined in JavaScript class compared to how the constructor is defined in a PHP class?			
	The PHP and JavaScript constructor patterns are the same		
	JavaScript does not support the notion of running a "constructor" when objects are created.		
0	A PHP constructor is a method namedconstruct() and a JavaScript constructor is code in the outer function definition		
Correct			
	The PHP constructor method is calledconstruct() and the JavaScript constructor method is called construct()		



