Congratulations! You passed! Next Item 1/1 point In PHP arrays can either be key / value (i.e. an associative array) or indexed by integers (i.e. a linear array). True Correct False 1/1 point Which symbol is used to associate a key to a value in an associative array? Correct

3. PHPil**Arting/S**ank to echo 'Arrays' Practice Quiz, 11 questions

	<pre>\$stuff = array('course echo;</pre>	<u></u> '	=>	'PHP-Intro',	'topic' =	=>	'Arrays');

- \$stuff['Arrays']
- \$stuff['course']
- \$stuff[1]
- \$stuff['topic']

Correct



1/1 point

4.

What is the output of

```
1 $stuff = array('course' => 'PHP-Intro', 'topic' => 'Arrays');
2 echo isset($stuff['section']);
```

1



There is no output

Correct

- True
- False
- 0



5

In PHP you cannot make an array of associative arrays.



True



False

Correct



1/1 point

6.

The [____] function is used to rearrange an array in random order.

shuffle()





1/1 point

7

Which of these are built-in sorting functions provided by PHP?



ksort()





sort()





asort()





Un-selected is correct



1/1 point

8

What function is used to sort the array in alphabetical order of the keys?

ksort()



Correct Response



1/1 point

9.

What function is used to sort the values in array and keep the keys intact?

asort()





1/1 point

10

What function can be used to split a string into an array words based on a delimiter? For instance, create a three element array from the string 'I am great!!!'.

explode()



Correct Response

var_dump will display the name, key/value pairs, and data types of a variable.



True

Correct

False





