

```
package com.example.bean.common;
import lombok.Data;
@Data
public class Result<T> {
    private Integer code;
    private String msg;
    private T data;

    public static <T> Result<T> success(T data) {
        Result<T> r = new Result<>();
        r.code = 200;
        r.msg = "成功";
        r.data = data;
        return r;
    }

    public static <T> Result<T> error(String msg) {
        Result<T> r = new Result<>();
        r.code = 500;
        r.msg = msg;
        return r;
    }
}

package com.example.bean.config;

import org.springframework.context.annotation.Configuration;
import org.springframework.web.servlet.config.annotation.CorsRegistry;
import org.springframework.web.servlet.config.annotation.WebMvcConfigurer;

@Configuration
public class CorsConfig implements WebMvcConfigurer {
    @Override
    public void addCorsMappings(CorsRegistry registry) {
        registry.addMapping("/**")
            .allowedOriginPatterns("*")
            .allowedMethods("GET", "POST", "PUT", "DELETE", "OPTIONS")
            .allowCredentials(true)
            .maxAge(3600);
    }
}

package com.example.bean.controller;

import com.baomidou.mybatisplus.core.conditions.query.QueryWrapper;
import com.example.bean.common.Result;
import com.example.bean.entity.Disease;
import com.example.bean.entity.Treatment;
import com.example.bean.mapper.DiseaseMapper;
import com.example.bean.mapper.TreatmentMapper;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.web.bind.annotation.*;
```

```
import org.springframework.util.StringUtils;

import java.util.List;

@RestController
@RequestMapping("/api")
public class SystemController {

    @Autowired
    private DiseaseMapper diseaseMapper;

    @Autowired
    private TreatmentMapper treatmentMapper;

    // --- 病害管理 ---
    @GetMapping("/disease/list")
    public Result<List<Disease>> getDiseaseList(@RequestParam(defaultValue = "") String name) {
        QueryWrapper<Disease> wrapper = new QueryWrapper<>();
        if (StringUtils.hasText(name)) {
            wrapper.like("name", name);
        }
        wrapper.orderByDesc("create_time");
        return Result.success(diseaseMapper.selectList(wrapper));
    }

    @PostMapping("/disease/save")
    public Result<?> saveDisease(@RequestBody Disease disease) {
        if (disease.getId() == null) {
            diseaseMapper.insert(disease);
        } else {
            diseaseMapper.updateById(disease);
        }
        return Result.success(null);
    }

    @DeleteMapping("/disease/{id}")
    public Result<?> deleteDisease(@PathVariable Long id) {
        diseaseMapper.deleteById(id);
        return Result.success(null);
    }

    // --- 治疗信息管理 ---
    @GetMapping("/treatment/list")
    public Result<List<Treatment>> getTreatmentList(@RequestParam(defaultValue = "") String name) {
        QueryWrapper<Treatment> wrapper = new QueryWrapper<>();
        if (StringUtils.hasText(name)) {
            wrapper.like("disease_name", name);
        }
        wrapper.orderByDesc("create_time");
        return Result.success(treatmentMapper.selectList(wrapper));
    }
}
```

```
@PostMapping("/treatment/save")
public Result<?> saveTreatment(@RequestBody Treatment treatment) {
    if (treatment.getId() == null) {
        treatmentMapper.insert(treatment);
    } else {
        treatmentMapper.updateById(treatment);
    }
    return Result.success(null);
}

@DeleteMapping("/treatment/{id}")
public Result<?> deleteTreatment(@PathVariable Long id) {
    treatmentMapper.deleteById(id);
    return Result.success(null);
}
}
```

```
package com.example.bean.controller;
```

```
import com.baomidou.mybatisplus.core.conditions.query.QueryWrapper;
import com.example.bean.common.Result;
import com.example.bean.entity.User;
import com.example.bean.mapper.UserMapper;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.web.bind.annotation.*;
import java.time.LocalDateTime;
```

```
@RestController
```

```
@RequestMapping("/user")
```

```
public class UserController {
```

```
    @Autowired
```

```
    private UserMapper userMapper; // 注入接口
```

```
    @PostMapping("/login")
```

```
    public Result<User> login(@RequestBody User user) {
```

```
        QueryWrapper<User> wrapper = new QueryWrapper<>();
```

```
        wrapper.eq("username", user.getUsername());
```

```
        wrapper.eq("password", user.getPassword());
```

```
        // selectOne 是 BaseMapper 自带的方法，直接调用即可
```

```
        User res = userMapper.selectOne(wrapper);
```

```
        if (res == null) return Result.error("用户名或密码错误");
```

```
        return Result.success(res);
```

```
    }
```

```
    @PostMapping("/register")
```

```
    public Result<?> register(@RequestBody User user) {
```

```
        QueryWrapper<User> wrapper = new QueryWrapper<>();
```

```
        wrapper.eq("username", user.getUsername());

        // selectCount 也是自带的
        if (userMapper.selectCount(wrapper) > 0) {
            return Result.error("用户名已存在");
        }

        user.setRole("USER");
        user.setCreateTime(LocalDateTime.now()); // 设置创建时间
        // insert 也是自带的
        userMapper.insert(user);
        return Result.success(null);
    }

    @PutMapping("/update")
    public Result<?> update(@RequestBody User user) {
        // updateById 也是自带的
        userMapper.updateById(user);
        return Result.success(null);
    }
}

package com.example.bean.entity;

import com.baomidou.mybatisplus.annotation.IdType;
import com.baomidou.mybatisplus.annotation.TableId;
import com.baomidou.mybatisplus.annotation.TableName;
import lombok.Data;
import java.time.LocalDateTime;

@TableName("disease")
public class Disease {

    @TableId(type = IdType.AUTO)
    private Long id;
    private String name;
    private String symptoms;
    private String imageUrl;
    private LocalDateTime createTime;

    public Long getId() {
        return id;
    }

    public void setId(Long id) {
        this.id = id;
    }

    public String getName() {
        return name;
    }
}
```

```
    public void setName(String name) {
        this.name = name;
    }

    public String getSymptoms() {
        return symptoms;
    }

    public void setSymptoms(String symptoms) {
        this.symptoms = symptoms;
    }

    public String getImageUrl() {
        return imageUrl;
    }

    public void setImageUrl(String imageUrl) {
        this.imageUrl = imageUrl;
    }

    public LocalDateTime getCreateTime() {
        return createTime;
    }

    public void setCreateTime(LocalDateTime createTime) {
        this.createTime = createTime;
    }
}

package com.example.bean.entity;

import com.baomidou.mybatisplus.annotation.IdType;
import com.baomidou.mybatisplus.annotation.TableId;
import com.baomidou.mybatisplus.annotation.TableName;
import lombok.Data;
import java.time.LocalDateTime;

@TableName("treatment")
public class Treatment {
    @TableId(type = IdType.AUTO)
    private Long id;
    private String diseaseName; // 关联病害名，简化处理
    private String method;
    private String pesticide;
    private LocalDateTime createTime;

    public Long getId() {
        return id;
    }

    public void setId(Long id) {
```

```
        this.id = id;
    }

    public String getDiseaseName() {
        return diseaseName;
    }

    public void setDiseaseName(String diseaseName) {
        this.diseaseName = diseaseName;
    }

    public String getMethod() {
        return method;
    }

    public void setMethod(String method) {
        this.method = method;
    }

    public String getPesticide() {
        return pesticide;
    }

    public void setPesticide(String pesticide) {
        this.pesticide = pesticide;
    }

    public LocalDateTime getCreateTime() {
        return createTime;
    }

    public void setCreateTime(LocalDateTime createTime) {
        this.createTime = createTime;
    }
}

package com.example.bean.entity;

import com.baomidou.mybatisplus.annotation.IdType;
import com.baomidou.mybatisplus.annotation.TableId;
import com.baomidou.mybatisplus.annotation.TableName;
import lombok.Data;
import java.time.LocalDateTime;

@TableName("sys_user")
public class User {
    @TableId(type = IdType.AUTO)
    private Long id;
    private String username;
    private String password;
    private String nickname;
```

```
private String role;
private LocalDateTime createTime;

public Long getId() {
    return id;
}

public void setId(Long id) {
    this.id = id;
}

public String getUsername() {
    return username;
}

public void setUsername(String username) {
    this.username = username;
}

public String getPassword() {
    return password;
}

public void setPassword(String password) {
    this.password = password;
}

public String getNickname() {
    return nickname;
}

public void setNickname(String nickname) {
    this.nickname = nickname;
}

public String getRole() {
    return role;
}

public void setRole(String role) {
    this.role = role;
}

public LocalDateTime getCreateTime() {
    return createTime;
}

public void setCreateTime(LocalDateTime createTime) {
    this.createTime = createTime;
}
```

```
}  
  
package com.example.bean.mapper;  
  
  
import com.baomidou.mybatisplus.core.mapper.BaseMapper;  
import com.example.bean.entity.Disease;  
import org.apache.ibatis.annotations.Mapper;  
  
@Mapper  
public interface DiseaseMapper extends BaseMapper<Disease> {}  
  
  
package com.example.bean.mapper;  
  
  
import com.baomidou.mybatisplus.core.mapper.BaseMapper;  
import com.example.bean.entity.User;  
import org.apache.ibatis.annotations.Mapper;  
  
@Mapper  
public interface SystemMapper extends BaseMapper<User> {}  
  
  
package com.example.bean.mapper;  
  
  
import com.baomidou.mybatisplus.core.mapper.BaseMapper;  
import com.example.bean.entity.Treatment;  
import org.apache.ibatis.annotations.Mapper;  
  
@Mapper  
public interface TreatmentMapper extends BaseMapper<Treatment> {}  
  
  
package com.example.bean.mapper;  
  
  
import com.baomidou.mybatisplus.core.mapper.BaseMapper;  
import com.example.bean.entity.User;  
import org.apache.ibatis.annotations.Mapper;  
  
@Mapper  
public interface UserMapper extends BaseMapper<User> {  
  
}  
  
package com.example.bean;  
  
  
import org.mybatis.spring.annotation.MapperScan; // 1. 务必导入这个包  
import org.springframework.boot.SpringApplication;  
import org.springframework.boot.autoconfigure.SpringBootApplication;  
  
@SpringBootApplication  
@MapperScan("com.example.bean.mapper")  
public class BeanBackenApplication {  
  
    public static void main(String[] args) {  
        SpringApplication.run(BeanBackenApplication.class, args);  
    }  
}
```

```
}
}

CREATE DATABASE IF NOT EXISTS bean_system CHARACTER SET utf8mb4;
USE bean_system;

-- 1. 用户表
CREATE TABLE `user` (
  `id` BIGINT AUTO_INCREMENT PRIMARY KEY,
  `username` VARCHAR(50) NOT NULL UNIQUE COMMENT '用户名',
  `password` VARCHAR(100) NOT NULL COMMENT '密码',
  `nickname` VARCHAR(50) COMMENT '昵称',
  `role` VARCHAR(20) DEFAULT 'USER' COMMENT '角色: ADMIN/USER',
  `create_time` DATETIME DEFAULT CURRENT_TIMESTAMP
);

-- 2. 病害信息表
CREATE TABLE `disease` (
  `id` BIGINT AUTO_INCREMENT PRIMARY KEY,
  `name` VARCHAR(100) NOT NULL COMMENT '病害名称',
  `symptoms` TEXT COMMENT '病症描述',
  `image_url` VARCHAR(255) COMMENT '图片地址',
  `create_time` DATETIME DEFAULT CURRENT_TIMESTAMP
);

-- 3. 治疗信息表
CREATE TABLE `treatment` (
  `id` BIGINT AUTO_INCREMENT PRIMARY KEY,
  `disease_name` VARCHAR(100) NOT NULL COMMENT '关联病害名称',
  `method` TEXT NOT NULL COMMENT '治疗方案',
  `pesticide` VARCHAR(100) COMMENT '推荐农药',
  `create_time` DATETIME DEFAULT CURRENT_TIMESTAMP
);

-- 初始化管理员账号 (密码: 123456)
INSERT INTO `user` (username, password, nickname, role) VALUES ('admin', '123456', '系统管理员', 'ADMIN');

<dependencies>
  <!-- Web -->
  <dependency>
    <groupId>org.springframework.boot</groupId>
    <artifactId>spring-boot-starter-web</artifactId>
  </dependency>
  <!-- MyBatis Plus -->
  <dependency>
    <groupId>com.baomidou</groupId>
    <artifactId>mybatis-plus-boot-starter</artifactId>
    <version>3.5.3.1</version>
  </dependency>
  <!-- MySQL Driver -->
  <dependency>
    <groupId>mysql</groupId>
```

```
<artifactId>mysql-connector-java</artifactId>
</dependency>
<!-- Lombok -->
<dependency>
  <groupId>org.projectlombok</groupId>
  <artifactId>lombok</artifactId>
  <optional>true</optional>
</dependency>
</dependencies>
server:
  port: 9090

spring:
  datasource:
    url:
jdbc:mysql://localhost:3306/bean_system?useUnicode=true&characterEncoding=utf-8&serverTimezone=Asia/Shanghai
    username: root
    password: 123456
driver-class-name: com.mysql.cj.jdbc.Driver

mybatis-plus:
  configuration:
    log-impl: org.apache.ibatis.logging.stdout.StdOutImpl # 开启控制台 SQL 日志
    import { createRouter, createWebHistory } from 'vue-router'
    import Login from '../views/Login.vue'
    import Layout from '../views/Layout.vue'

const router = createRouter({
  history: createWebHistory(import.meta.env.BASE_URL),
  routes: [
    { path: '/', redirect: '/login' },
    { path: '/login', component: Login },
    {
      path: '/home',
      component: Layout,
      redirect: '/home/dashboard',
      children: [
        { path: 'dashboard', component: () => import('../views/Home.vue') }, // 首页
        { path: 'profile', component: () => import('../views/Profile.vue') }, // 个人中心
        { path: 'disease', component: () => import('../views/Disease.vue') }, // 患病信息管理
        { path: 'treatment', component: () => import('../views/Treatment.vue') } // 治疗信息管理
      ]
    }
  ]
})

export default router

methods: {
  login() {
    console.log('登录按钮被点击', this.rulesForm);
```

```
    },
    register(role) {
        console.log(`注册按钮被点击, 角色: ${role}`);
    },
    },
};
</script>
```

```
<style scoped>
.container {
    min-height: 100vh;
    display: flex;
    align-items: center;
    justify-content: center;
    background: url('https://img95.699pic.com/photo/60039/5616.jpg_wh860.jpg') no-repeat center center fixed;
    background-size: cover;
}
```

```
.login-box {
    width: 400px;
    padding: 40px;
    background: rgba(255, 255, 255, 0.9);
    border-radius: 10px;
    box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
    text-align: center;
}
```

```
.title {
    font-size: 24px;
    font-weight: bold;
    color: #333;
    margin-bottom: 30px;
}
```

```
.input-box {
    width: 100%;
    margin-bottom: 20px;
    padding: 10px;
    border: 1px solid #ccc;
    border-radius: 5px;
    font-size: 14px;
    color: #333;
}
```

```
.input-box .el-input__prefix i {
    font-size: 20px;
    vertical-align: middle;
    transform: translateY(8px) translateX(8px);
}
```

```
.role-selection {
  margin: 20px 0;
  text-align: center;
}

.login-btn {
  width: 100%;
  padding: 10px;
  font-size: 16px;
  background: linear-gradient(180deg, #009e9c 0%, #29ada9 100%);
  color: #fff;
  border: none;
  border-radius: 5px;
  cursor: pointer;
  margin-bottom: 20px;
}

.login-btn:hover {
  background: linear-gradient(180deg, #29ada9 0%, #009e9c 100%);
}

.register-btn {
  width: 100%;
  padding: 10px;
  font-size: 14px;
  background: #f5f5f5;
  color: #666;
  border: 1px solid #ccc;
  border-radius: 5px;
  cursor: pointer;
}

.register-btn:hover {
  background: #eaeaea;
}
</style>

<script>

import menu from "@/utils/menu";

export default {
  data() {
    return {
      rulesForm: {
        username: "",
        password: "",
        role: "",
        code: "",
      },
    },
  },
}
```

```
    menus: [],
    roles: [],
    tableName: "",
    codes: [{
      num: 1,
      color: '#000',
      rotate: '10deg',
      size: '16px'
    }, {
      num: 2,
      color: '#000',
      rotate: '10deg',
      size: '16px'
    }, {
      num: 3,
      color: '#000',
      rotate: '10deg',
      size: '16px'
    }, {
      num: 4,
      color: '#000',
      rotate: '10deg',
      size: '16px'
    }
  ],
};

},
mounted() {
  let menus = menu.list();
  this.menus = menus;

  for (let i = 0; i < this.menus.length; i++) {
    if (this.menus[i].hasBackLogin=='是') {
      this.roles.push(this.menus[i])
    }
  }
}

},
created() {
  this.getRandCode()
},
destroyed() {
  },
methods: {
  //注册
  register(tableName){
    this.$storage.set("loginTable", tableName);
    this.$storage.set("pageFlag", "register");
    this.$router.push({path: '/register'})
  },
  // 登陆
```

```
login() {
  if (!this.rulesForm.username) {
    this.$message.error("请输入用户名");
    return;
  }
  if (!this.rulesForm.password) {
    this.$message.error("请输入密码");
    return;
  }
  if (this.roles.length > 1) {
    if (!this.rulesForm.role) {
      this.$message.error("请选择角色");
      return;
    }
    let menus = this.menus;
    for (let i = 0; i < menus.length; i++) {
      if (menus[i].roleName == this.rulesForm.role) {
        this.tableName = menus[i].tableName;
      }
    }
  } else {
    this.tableName = this.roles[0].tableName;
    this.rulesForm.role = this.roles[0].roleName;
  }

  this.$http({
    url:
    `${this.tableName}/login?username=${this.rulesForm.username}&password=${this.rulesForm.password}`,
    method: "post"
  }).then(({ data }) => {
    if (data && data.code === 0) {
      this.$storage.set("Token", data.token);
      this.$storage.set("role", this.rulesForm.role);
      this.$storage.set("sessionTable", this.tableName);
      this.$storage.set("adminName", this.rulesForm.username);
      this.$router.replace({ path: "/index/" });
    } else {
      this.$message.error(data.msg);
    }
  });
},
getRandCode(len = 4){
  this.randomString(len)
},
randomString(len = 4) {
  let chars = [
    "a", "b", "c", "d", "e", "f", "g", "h", "i", "j", "k",
    "l", "m", "n", "o", "p", "q", "r", "s", "t", "u", "v",
    "w", "x", "y", "z", "A", "B", "C", "D", "E", "F", "G",
    "H", "I", "J", "K", "L", "M", "N", "O", "P", "Q", "R",
```

```
    "S", "T", "U", "V", "W", "X", "Y", "Z", "0", "1", "2",
    "3", "4", "5", "6", "7", "8", "9"
  ]
  let colors = ["0", "1", "2", "3", "4", "5", "6", "7", "8", "9", "a", "b", "c", "d", "e", "f"]
  let sizes = ['14', '15', '16', '17', '18']
  let output = [];
  for (let i = 0; i < len; i++) {
    // 随机验证码
    let key = Math.floor(Math.random()*chars.length)
    this.codes[i].num = chars[key]
    this.codes[i].color = code
  };
</script>
.list-item /deep/ .el-input .el-input__inner {
  border: 0px solid rgba(64, 158, 255, 1);
  border-radius: 0;
  padding: 0 10px;
  box-shadow: 0px 4px 10px 0px rgba(0,0,0,0.3020);
  color: #333;
  width: 100%;
  font-size: 14px;
  outline-offset: 4px;
  height: 44px;
}

.list-code /deep/ .el-input .el-input__inner {
  border: 0px solid rgba(64, 158, 255, 1);
  border-radius: 0;
  padding: 0 10px;
  box-shadow: 0px 4px 10px 0px rgba(0,0,0,0.3020);
  outline: none;
  color: #333;
  width: 100%;
  font-size: 14px;
  height: 44px;
}

.list-type /deep/ .el-radio__input .el-radio__inner {
  background: rgba(53, 53, 53, 0);
  border-color: #666666;
}

.list-type /deep/ .el-radio__input.is-checked .el-radio__inner {
  background: rgba(73, 186, 181, 1);
  border-color: rgba(73, 186, 181, 1);
}

.list-type /deep/ .el-radio__label {
  color: #666666;
  font-size: 14px;
}

.list-type /deep/ .el-radio__input.is-checked+.el-radio__label {
  color: rgba(73, 186, 181, 1);
}
```

```
font-size: 14px;
}
</style>
<template>
  <div>
    <div
      class="container" :style='{ "minHeight": "100vh", "alignItems": "center", "background": "url(https://file.51pptmoban.com/d/file/2023/06/04/b3925630992729172938c08655e5cfd0.jpg)", "display": "flex", "width": "100%", "backgroundSize": "cover", "backgroundPosition": "center center", "backgroundRepeat": "no-repeat", "justifyContent": "center" }'>
      <el-form v-if="pageFlag=='register'" :style='{ "padding": "30px", "boxShadow": "20px 20px 0px 20px rgba(0,0,0,0.3020)", "margin": "0", "borderRadius": "0", "background": "#fff", "width": "430px", "height": "auto" }' ref="rgsForm"
        class="rgs-form" :model="rgsForm">
        <div v-if="true" :style='{ "margin": "0 0 20px 0", "color": "rgba(0, 0, 0, 1)", "textAlign": "center", "width": "100%", "lineHeight": "44px", "fontSize": "22px", "height": "auto" }' class="title">大豆疾病诊断管理系统注册</div>
        <el-form-item :style='{ "width": "80%", "padding": "0", "margin": "0 auto 15px", "height": "auto" }' class="list-item"
          v-if="tableName=='yuangong'">
          <div v-if="false" :style='{ "width": "64px", "lineHeight": "44px", "fontSize": "14px", "color": "rgba(64, 158, 255, 1)" }'
            class="lable">账号</div>
          <el-input v-model="ruleForm.soybeabianhao" autocomplete="off" placeholder="账号" type="text" />
          </el-form-item>
          <el-form-item :style='{ "width": "80%", "padding": "0", "margin": "0 auto 15px", "height": "auto" }' class="list-item"
            v-if="tableName=='yuangong'">
            <div v-if="false" :style='{ "width": "64px", "lineHeight": "44px", "fontSize": "14px", "color": "rgba(64, 158, 255, 1)" }'
              class="lable">密码</div>
            <el-input v-model="ruleForm.mima" autocomplete="off" placeholder="密码" type="password" />
            </el-form-item>
            <el-form-item :style='{ "width": "80%", "padding": "0", "margin": "0 auto 15px", "height": "auto" }' class="list-item"
              v-if="tableName=='yuangong'">
              <div v-if="false" :style='{ "width": "64px", "lineHeight": "44px", "fontSize": "14px", "color": "rgba(64, 158, 255, 1)" }'
                class="lable">确认密码</div>
              <el-input v-model="ruleForm.mima2" autocomplete="off" placeholder="确认密码" type="password" />
              </el-form-item>
              <el-form-item :style='{ "width": "80%", "padding": "0", "margin": "0 auto 15px", "height": "auto" }' class="list-item"
                v-if="tableName=='yuangong'">
                <div v-if="false" :style='{ "width": "64px", "lineHeight": "44px", "fontSize": "14px", "color": "rgba(64, 158, 255, 1)" }'
                  class="lable">性别</div>
                <el-select v-model="ruleForm.xingbie" placeholder="请选择性别" >
                  <el-option
                    v-for="(item,index) in yuangongxingbieOptions"
                    v-bind:key="index"
                    :label="item"
                    :value="item">
                  </el-option>
                </el-select>
                </el-form-item>
                <el-form-item :style='{ "width": "80%", "padding": "0", "margin": "0 auto 15px", "height": "auto" }' class="list-item"
                  v-if="tableName=='yuangong'">
                  <div v-if="false" :style='{ "width": "64px", "lineHeight": "44px", "fontSize": "14px", "color": "rgba(64, 158, 255, 1)" }'
                    class="lable">头像</div>
```

```

      <file-upload
        tip="点击上传头像"
        action="file/upload"
        :limit="3"
        :multiple="true"
        :fileUrls="ruleForm.touxiang?ruleForm.touxiang:"
        @change="yuangongtouxiangUploadChange"
      ></file-upload>
    </el-form-item>

    <el-form-item :style='{ "width": "80%", "padding": "0", "margin": "0 auto 15px", "height": "auto" }' class="list-item"
    v-if="tableName=='yuangong'">
      <div v-if="false" :style='{ "width": "64px", "lineHeight": "44px", "fontSize": "14px", "color": "rgba(64, 158, 255, 1)" }'
      class="lable">手机号码</div>
      <el-input v-model="ruleForm.dianhua" autocomplete="off" placeholder="手机号码" type="text" />
    </el-form-item>

    <button :style='{ "border": "0", "cursor": "pointer", "padding": "0 10px", "margin": "20px auto
15px", "outline": "none", "color": "#fff", "borderRadius": "8px", "background": "rgba(1, 161, 157,
1)", "display": "block", "width": "80%", "fontSize": "16px", "height": "44px" }' type="button" class="r-btn" @click="login()">注册
</button>

    <div :style='{ "cursor": "pointer", "padding": "0 10%", "color": "rgba(159, 159, 159,
1)", "textAlign": "center", "display": "inline-block", "width": "100%", "lineHeight": "1", "fontSize": "12px", "textDecoration": "underlin
e" }' class="r-login" @click="close()">已有账号，直接登录</div>

  </el-form>
</div>
</div>
</template>
<script>
export default {
  data() {
    return {
      ruleForm: {
        xingbie: "",
      },
      pageFlag: "",
      tableName: "",
      rules: {},
      xingbieOptions: [],
    };
  },
  mounted(){
    this.pageFlag = this.$storage.get("pageFlag");
    let table = this.$storage.get("loginTable");
    this.tableName = table;
    this.xingbieOptions = "男,女".split(',')
  },
  created() {
  },
  destroyed() {
  },
}

```

```
methods: {
  // 获取 uuid
  getUUID () {
    return new Date().getTime();
  },
  close(){
    this.$router.push({ path: "/login" });
  },
  yangongtouxianUploadChange(fileUrls) {
    this.ruleForm.touxian = fileUrls;
  },
  // 多级联动参数
  // 注册
  login() {
    var url=this.tableName+"/register";
    if(!this.ruleForm.soybeanhao) && `yangong` == this.tableName){
      this.$message.error(`账号不能为空`);
      return
    }
    if(!this.ruleForm.mima) && `yangong` == this.tableName) {
      this.$message.error(`密码不能为空`);
      return
    }
    if((this.ruleForm.mima!=this.ruleForm.mima2) && `yangong` == this.tableName){
      this.$message.error(`两次密码输入不一致`);
      return
    }
    if(this.ruleForm.touxian!=null) {
      this.ruleForm.touxian = this.ruleForm.touxian.replace(new RegExp(this.$base.url,"g"), "");
    }
    if(!this.ruleForm.dianhua) && `yangong` == this.tableName){
      this.$message.error(`手机号码不能为空`);
      return
    }
    if(`yangong` == this.tableName && this.ruleForm.dianhua&&(!this.$validate.isMobile(this.ruleForm.dianhua))){
      this.$message.error(`手机号码应输入正确格式`);
      return
    }
    this.$http({
      url: url,
      method: "post",
      data:this.ruleForm
    }).then(({ data }) => {
      if (data && data.code === 0) {
        this.$message({
          message: "注册成功",
          type: "success",
          duration: 1500,
          onClose: () => {
            this.$router.replace({ path: "/login" });
          }
        });
      }
    });
  }
}
```

```
    }  
    });  
    } else {  
        this.$message.error(data.msg);  
    }  
    });  
    }  
    }  
};  
</script>
```

```
<style lang="scss" scoped>
```

```
.container {  
    position: relative;  
    background: url(http://codegen.caihongy.cn/20220804/7b6725db49ff41fcbf4d90334e06cd1c.png);
```

```
.el-date-editor.el-input {  
    width: 100%;  
}
```

```
.rgs-form .el-input /deep/ .el-input__inner {  
    border: 0;  
    border-radius: 8px;  
    padding: 0 10px;  
    box-shadow: 0px 4px 10px 0px rgba(0,0,0,0.3020);  
    outline: none;  
    color: #333;  
    width: 100%;  
    font-size: 14px;  
    height: 44px;  
}
```

```
.rgs-form .el-select /deep/ .el-input__inner {  
    border: 0;  
    border-radius: 8px;  
    padding: 0 10px;  
    box-shadow: 0px 4px 10px 0px rgba(0,0,0,0.3020);  
    outline: none;  
    color: #333;  
    width: 295px;  
    font-size: 14px;  
    height: 44px;  
}
```

```
.rgs-form .el-date-editor /deep/ .el-input__inner {  
    border: 0;  
    border-radius: 8px;  
    padding: 0 10px 0 30px;  
    box-shadow: 0px 4px 10px 0px rgba(0,0,0,0.3020);  
    outline: none;
```

```
color: #333;
width: 288px;
font-size: 14px;
height: 44px;
}

.rgs-form .el-date-editor /deep/ .el-input__inner {
border: 0;
border-radius: 8px;
padding: 0 10px 0 30px;
box-shadow: 0px 4px 10px 0px rgba(0,0,0,0.3020);
outline: none;
color: #333;
width: 288px;
font-size: 14px;
height: 44px;
}

.rgs-form /deep/ .el-upload--picture-card {
background: transparent;
border: 0;
border-radius: 0;
width: auto;
height: auto;
line-height: initial;
vertical-align: middle;
}

.rgs-form /deep/ .upload .upload-img {
border: 1px dashed rgba(0,0,0,0.3020);
cursor: pointer;
border-radius: 8px;
color: #333;
width: 100px;
font-size: 32px;
line-height: 100px;
text-align: center;
height: 100px;
}

.rgs-form /deep/ .el-upload-list .el-upload-list__item {
border: 1px dashed rgba(0,0,0,0.3020);
cursor: pointer;
border-radius: 8px;
color: #333;
width: 100px;
font-size: 32px;
line-height: 100px;
text-align: center;
height: 100px;
}
```

```
}

.rgs-form /deep/ .el-upload .el-icon-plus {
  border: 1px dashed rgba(0,0,0,0.3020);
  cursor: pointer;
  border-radius: 8px;
  color: #333;
  width: 100px;
  font-size: 32px;
  line-height: 100px;
  text-align: center;
  height: 100px;
}
}
</style>
<template>
  <div>
    <el-form
      :style='{ "borderRadius": "6px", "width": "93%", "padding": "30px" }'
      class="add-update-preview"
      ref="ruleForm"
      :rules="rules"
      :model="ruleForm"
      label-width="140px"
    >
      <el-form-item :style='{ "width": "45%", "margin": "0 2% 20px 0", "display": "inline-block" }' label="原密码"
prop="password">
        <el-input v-model="ruleForm.password" show-password></el-input>
      </el-form-item>
      <el-form-item :style='{ "width": "45%", "margin": "0 2% 20px 0", "display": "inline-block" }' label="新密码"
prop="newpassword">
        <el-input v-model="ruleForm.newpassword" show-password></el-input>
      </el-form-item>
      <el-form-item :style='{ "width": "45%", "margin": "0 2% 20px 0", "display": "inline-block" }' label="确认密码"
prop="repassword">
        <el-input v-model="ruleForm.repassword" show-password></el-input>
      </el-form-item>
      <el-form-item :style='{ "padding": "0", "margin": "0" }'>
        <el-button :style='{ "border": "0", "cursor": "pointer", "padding": "0", "margin": "0 20px 0", "outline": "none", "color": "rgba(255, 255, 255, 1)", "borderRadius": "40px", "background": "rgba(52, 73, 94, 1)", "width": "128px", "lineHeight": "40px", "fontSize": "14px", "height": "40px" }' type="primary" @click="onUpdateHandler">确定</el-button>
      </el-form-item>
    </el-form>
  </div>
</template>
<script>
export default {
  data() {
    return {
```

```
    dialogVisible: false,
    ruleForm: {},
    user: {},
    rules: {
      password: [
        {
          required: true,
          message: "密码不能为空",
          trigger: "blur"
        }
      ],
      newpassword: [
        {
          required: true,
          message: "新密码不能为空",
          trigger: "blur"
        }
      ],
      repassword: [
        {
          required: true,
          message: "确认密码不能为空",
          trigger: "blur"
        }
      ]
    }
  };
},
mounted() {
  this.$http({
    url: `${this.$storage.get("sessionTable")}/session`,
    method: "get"
  }).then(({ data }) => {
    if (data && data.code === 0) {
      this.user = data.data;
    } else {
      this.$message.error(data.msg);
    }
  });
},
methods: {
  onLogout() {
    this.$storage.remove("Token");
    this.$router.replace({ name: "login" });
  },
  // 修改密码
  onUpdateHandler() {
    this.$refs["ruleForm"].validate(valid => {
      if (valid) {
        var password = "";
```

```
        if (this.user.mima) {
            password = this.user.mima;
        } else if (this.user.password) {
            password = this.user.password;
        }
        if (this.user.password) {
            password = this.user.password;
        } else if (this.user.password) {
            password = this.user.password;
        }
        if (this.ruleForm.password !== password) {
            this.$message.error("原密码错误");
            return;
        }
        if (this.ruleForm.newpassword !== this.ruleForm.repassword) {
            this.$message.error("两次密码输入不一致");
            return;
        }
        this.user.password = this.ruleForm.newpassword;
        this.user.mima = this.ruleForm.newpassword;
        this.$http({
            url: `${this.$storage.get("sessionTable")}/update`,
            method: "post",
            data: this.user
        }).then(({ data }) => {
            if (data && data.code === 0) {
                this.$message({
                    message: "修改密码成功,下次登录系统生效",
                    type: "success",
                    duration: 1500,
                    onClose: () => {
                    }
                });
            } else {
                this.$message.error(data.msg);
            }
        });
    }
});
}
};
};
</script>
<style lang="scss" scoped>
    .el-date-editor.el-input {
        width: auto;
    }

    .add-update-preview .el-form-item /deep/ .el-form-item__label {
        padding: 0 10px 0 0;
    }

```

```
        color: #333;
        width: 140px;
        font-size: 14px;
        line-height: 40px;
        text-align: right;
    }

.add-update-preview .el-form-item /deep/ .el-form-item__content {
    margin-left: 140px;
}

.add-update-preview .el-input /deep/ .el-input__inner {
    border: 2px solid #797979;
    border-radius: 4px;
    padding: 0 12px;
    outline: none;
    color: #333;
    width: 300px;
    font-size: 14px;
    height: 40px;
}

.add-update-preview .el-select /deep/ .el-input__inner {
    border: 2px solid #797979;
    border-radius: 4px;
    padding: 0 10px;
    outline: none;
    color: #333;
    width: 200px;
    font-size: 14px;
    height: 40px;
}

.add-update-preview .el-date-editor /deep/ .el-input__inner {
    border: 2px solid #797979;
    border-radius: 4px;
    padding: 0 10px 0 30px;
    outline: none;
    color: #333;
    width: 200px;
    font-size: 14px;
    height: 40px;
}

.add-update-preview /deep/ .el-upload--picture-card {
    background: transparent;
    border: 0;
    border-radius: 0;
    width: auto;
    height: auto;
```

[illegible]

```
<script>
export default {
  methods: {
    back() {
      window.history.length > 1 ? this.$router.go(-1) : this.$router.push("/");
    }
  }
};
</script>
```

```
<style lang="scss" scoped>
.content {
  display: flex;
  align-items: center;
  flex-direction: column;
  width: 100%;
  height: 100%;
  min-height: 900px;
  text-align: center;
  .backgroud {
    display: inline-block;
    width: 200px;
    height: 200px;
    margin-top: 80px;
  }
  .main-text{
    margin-top: 80px;
  }
  .text {
    font-size: 24px;
    font-weight: bold;
    color: #333;
  }
}
</style>
```

```
<template>
  <el-container>
    <index-main></index-main>
  </el-container>
</template>
```

```
<script>
import IndexMain from '@/components/index/IndexMain'
export default {
  components: {
    IndexMain
  }
}
</script>
```

```
<style lang="scss" scoped>
```

```
// 铺满全屏
.el-container {
  position: absolute;
  width: 100%;
  top: 0;
  left: 0;
  bottom: 0;
  display: block;
}
</style>
<template>
  <div>
    <!-- 上传文件组件 -->
    <el-upload
      ref="upload"
      :action="getActionUrl"
      list-type="picture-card"
      :multiple="multiple"
      :limit="limit"
      :headers="myHeaders"
      :file-list="fileList"
      :on-exceed="handleExceed"
      :on-preview="handleUploadPreview"
      :on-remove="handleRemove"
      :on-success="handleUploadSuccess"
      :on-error="handleUploadErr"
      :before-upload="handleBeforeUpload"
    >
      <i class="el-icon-plus"></i>
      <div slot="tip" class="el-upload__tip" style="color:#838fa1;">{{tip}}</div>
    </el-upload>
    <el-dialog :visible.sync="dialogVisible" size="tiny" append-to-body>
      
    </el-dialog>
  </div>
</template>
<script>
import storage from "@/utils/storage";
import base from "@/utils/base";
export default {
  data() {
    return {
      // 查看大图
      dialogVisible: false,
      // 查看大图
      dialogImageUrl: "",
      // 组件渲染图片的数组字段，有特殊格式要求
      fileList: [],
      fileList: [],
      myHeaders:{}
    }
  }
}
```

```
};
},
props: ["tip", "action", "limit", "multiple", "fileUrls"],
mounted() {
  this.init();
  this.myHeaders = {
    'Token': storage.get("Token")
  }
},
watch: {
  fileUrls: function(val, oldVal) {
    // console.log("new: %s, old: %s", val, oldVal);
    this.init();
  }
},
computed: {
  // 计算属性的 getter
  getActionUrl: function() {
    // return base.url + this.action + "?token=" + storage.get("token");
    return `${this.$base.name}/${this.action}`;
  }
},
methods: {
  // 初始化
  init() {
    // console.log(this.fileUrls);
    if (this.fileUrls) {
      this.fileUrlList = this.fileUrls.split(",");
      let fileArray = [];
      this.fileUrlList.forEach(function(item, index) {
        var url = item;
        var name = index;
        var file = {
          name: name,
          url: url
        };
        fileArray.push(file);
      });
      this.setFileList(fileArray);
    }
  },
  handleBeforeUpload(file) {

  },
  // 上传文件成功后执行
  handleUploadSuccess(res, file, fileList) {
    if (res && res.code === 0) {
      fileList[fileList.length - 1]["url"] = "upload/" + file.response.file;
      this.setFileList(fileList);
      this.$emit("change", this.fileUrlList.join(","));
    }
  }
}
```

```
    } else {
        this.$message.error(res.msg);
    }
},
// 图片上传失败
handleUploadErr(err, file, fileList) {
    this.$message.error("文件上传失败");
},
// 移除图片
handleRemove(file, fileList) {
    this.setFileList(fileList);
    this.$emit("change", this.fileUrlList.join(", "));
},
// 查看大图
handleUploadPreview(file) {
    this.dialogImageUrl = file.url;
    this.dialogVisible = true;
},
// 限制图片数量
handleExceed(files, fileList) {
    this.$message.warning(`最多上传${this.limit}张图片`);
},
// 重新对 fileList 进行赋值
setFileList(fileList) {
    var fileArray = [];
    var fileUrlArray = [];
    // 有些图片不是公开的，所以需要携带 token 信息做权限校验
    var token = storage.get("token");
    let _this = this;
    fileList.forEach(function(item, index) {
        var url = item.url.split("?")[0];
        if(!url.startsWith("http")) {
            url = _this.$base.url+url
        }
        var name = item.name;
        var file = {
            name: name,
            url: url + "?token=" + token
        };
        fileArray.push(file);
        fileUrlArray.push(url);
    });
    this.fileList = fileArray;
    this.fileUrlList = fileUrlArray;
}
}
};
</script>
<style lang="scss" scoped>
</style>
```

```
<template>
  <div class="addEdit-block" style="width: 100%;">
    <el-form
      :style='{ "borderRadius": "6px", "width": "93%", "padding": "30px" }'
      class="add-update-preview"
      ref="ruleForm"
      :model="ruleForm"
      :rules="rules"
      label-width="140px"
    >
    </el-form>
  </div>
</template>

<div>
  <el-card>
    <div class="search-bar">
      <el-input v-model="searchName" placeholder="搜索病害名称" style="width: 200px; margin-right: 10px"
        clearable @clear="loadData" />
      <el-button type="primary" @click="loadData">查询</el-button>
      <el-button type="success" @click="openDialog({})">新增病害</el-button>
    </div>

    <el-table :data="tableData" border style="width: 100%; margin-top: 20px">
      <el-table-column prop="id" label="ID" width="80" />
      <el-table-column prop="name" label="病害名称" width="150" />
      <el-table-column prop="symptoms" label="病症描述" />
      <el-table-column prop="createTime" label="录入时间" width="180" />
      <el-table-column label="操作" width="180">
        <template #default="scope">
          <el-button size="small" @click="openDialog(scope.row)">编辑</el-button>
          <el-button size="small" type="danger" @click="del(scope.row.id)">删除</el-button>
        </template>
      </el-table-column>
    </el-table>
  </el-card>

  <!-- 弹窗 -->
  <el-dialog v-model="showDialog" :title="form.id ? '编辑' : '新增'">
    <el-form :model="form" label-width="80px">
      <el-form-item label="病害名称">
        <el-input v-model="form.name" />
      </el-form-item>
      <el-form-item label="症状描述">
        <el-input v-model="form.symptoms" type="textarea" :rows="3" />
      </el-form-item>
      <el-form-item label="图片链接">
        <el-input v-model="form.imageUrl" placeholder="http://..." />
      </el-form-item>
    </el-form>
    <template #footer>
      <el-button @click="showDialog = false">取消</el-button>
      <el-button type="primary" @click="save">保存</el-button>
    </template>
  </el-dialog>
</div>
```

```
</template>

</el-dialog>

</div>

</template>

<script setup>
import { ref, onMounted } from 'vue'
import axios from 'axios'
import { ElMessage, ElMessageBox } from 'element-plus'

const API = 'http://localhost:9090/api/disease'
const tableData = ref([])
const searchName = ref('')
const showDialog = ref(false)
const form = ref({})

const loadData = async () => {
  const res = await axios.get(`${API}/list`, { params: { name: searchName.value } })
  tableData.value = res.data.data
}

const openDialog = (row) => {
  form.value = { ...row }
  showDialog.value = true
}

const save = async () => {
  await axios.post(`${API}/save`, form.value)
  ElMessage.success('操作成功')
  showDialog.value = false
  loadData()
}

const del = (id) => {
  ElMessageBox.confirm('确认删除吗?', '提示').then(async () => {
    await axios.delete(`${API}/${id}`)
    ElMessage.success('已删除')
    loadData()
  })
}

onMounted(loadData)
</script>

<style scoped>
.search-bar { display: flex; }
</style>

<template>
<el-card>
  <h2>欢迎来到油豆角病害识别管理系统</h2>

```

```
<p>这里是系统首页。您可以在左侧菜单进行病害信息的录入、查询，以及治疗方案的管理。</p>

<div style="margin-top: 20px;">
  <el-alert title="系统提示：请规范录入病害数据，以便进行准确管理。" type="success" :closable="false" />
</div>

</el-card>

</template>

<template>
  <el-card>
    <h2>欢迎来到油豆角病害识别管理系统</h2>
    <p>这里是系统首页。您可以在左侧菜单进行病害信息的录入、查询，以及治疗方案的管理。</p>
    <div style="margin-top: 20px;">
      <el-alert title="系统提示：请规范录入病害数据，以便进行准确管理。" type="success" :closable="false" />
    </div>
  </el-card>
</template>

<template>
  <el-container class="layout-container">
    <el-aside width="220px" class="aside">
      <div class="logo">油豆角管理系统</div>
      <el-menu
        router
        :default-active="$route.path"
        background-color="#304156"
        text-color="#bfc9d9"
        active-text-color="#409EFF"
        style="border: none"
      >
        <el-menu-item index="/home/dashboard">
          <el-icon><HomeFilled /></el-icon> <span>首页</span>
        </el-menu-item>
        <el-menu-item index="/home/disease">
          <el-icon><FirstAidKit /></el-icon> <span>患病信息管理</span>
        </el-menu-item>
        <el-menu-item index="/home/treatment">
          <el-icon><Medal /></el-icon> <span>治疗信息管理</span>
        </el-menu-item>
        <el-menu-item index="/home/profile">
          <el-icon><User /></el-icon> <span>个人中心</span>
        </el-menu-item>
      </el-menu>
    </el-aside>

    <el-container>
      <el-header class="header">
        <div class="breadcrumb">欢迎使用病害管理系统</div>
        <div class="user-info">
          <span>{{ user.nickname || user.username }}</span>
          <el-button link type="danger" @click="logout" style="margin-left: 15px">退出</el-button>
        </div>
      </el-header>
```

```
<el-main class="main-content">
  <router-view />
</el-main>
</el-container>
</el-container>
</template>

<script setup>
import { useRouter } from 'vue-router'
const router = useRouter()
const user = JSON.parse(localStorage.getItem('user') || '{}')

const logout = () => {
  localStorage.clear()
  router.push('/login')
}
</script>

<style scoped>
.layout-container { height: 100vh; }
.aside { background-color: #304156; color: white; }
.logo { height: 60px; line-height: 60px; text-align: center; font-size: 18px; font-weight: bold; background: #2b2f3a; }
.header { background: #fff; border-bottom: 1px solid #ddd; display: flex; align-items: center; justify-content:
space-between; padding: 0 20px; }
.main-content { background: #f0f2f5; padding: 20px; }
</style>
<template>
  <div class="login-wrapper">
    <div class="login-box">
      <h2>油豆角病害管理系统</h2>
      <el-tabs v-model="activeTab" stretch>
        <el-tab-pane label="登录" name="login">
          <el-form :model="loginForm" ref="loginRef" label-width="0">
            <el-form-item>
              <el-input v-model="loginForm.username" placeholder="用户名" prefix-icon="User" />
            </el-form-item>
            <el-form-item>
              <el-input v-model="loginForm.password" type="password" placeholder="密码" prefix-icon="Lock" />
            </el-form-item>
            <el-button type="primary" class="w-100" @click="handleLogin">登录</el-button>
          </el-form>
        </el-tab-pane>

        <el-tab-pane label="注册" name="register">
          <el-form :model="regForm" label-width="0">
            <el-form-item>
              <el-input v-model="regForm.username" placeholder="设置用户名" prefix-icon="User" />
            </el-form-item>
            <el-form-item>
              <el-input v-model="regForm.nickname" placeholder="设置昵称" prefix-icon="Edit" />
            </el-form-item>
          </el-form>
        </el-tab-pane>
      </el-tabs>
    </div>
  </div>
</template>
```

```
        </el-form-item>
        <el-form-item>
          <el-input v-model="regForm.password" type="password" placeholder="设置密码" prefix-icon="Lock" />
        </el-form-item>
        <el-button type="success" class="w-100" @click="handleRegister">注册</el-button>
      </el-form>
    </el-tab-pane>
  </el-tabs>
</div>
</div>
</template>
```

```
<script setup>
import { ref } from 'vue'
import axios from 'axios'
import { useRouter } from 'vue-router'
import { ElMessage } from 'element-plus'

const router = useRouter()
const activeTab = ref('login')
const loginForm = ref({ username: '', password: '' })
const regForm = ref({ username: '', password: '', nickname: '' })

// 统一请求前缀
const API_URL = 'http://localhost:9090'

const handleLogin = async () => {
  if(!loginForm.value.username || !loginForm.value.password) return ElMessage.warning('请输入完整')
  try {
    const res = await axios.post(`${API_URL}/user/login`, loginForm.value)
    if(res.data.code === 200) {
      ElMessage.success('登录成功')
      localStorage.setItem('user', JSON.stringify(res.data.data))
      router.push('/home')
    } else {
      ElMessage.error(res.data.msg)
    }
  } catch(e) { ElMessage.error('服务器连接失败') }
}

const handleRegister = async () => {
  if(!regForm.value.username || !regForm.value.password) return ElMessage.warning('请输入完整')
  try {
    const res = await axios.post(`${API_URL}/user/register`, regForm.value)
    if(res.data.code === 200) {
      ElMessage.success('注册成功，请登录')
      activeTab.value = 'login'
    } else {
      ElMessage.error(res.data.msg)
    }
  }
}
```

```
    } catch(e) { ElMessage.error('服务器连接失败') }
  }
</script>

<style scoped>
  .login-wrapper { height: 100vh; display: flex; justify-content: center; align-items: center; background-color: #f0f2f5;
background-image: linear-gradient(135deg, #f5f7fa 0%, #c3cfe2 100%); }
  .login-box { width: 400px; padding: 40px; background: white; border-radius: 8px; box-shadow: 0 4px 12px
rgba(0,0,0,0.1); }
  h2 { text-align: center; margin-bottom: 30px; color: #333; }
  .w-100 { width: 100%; margin-top: 20px; }
</style>

<template>
  <el-card style="max-width: 500px; margin: 0 auto;">
    <template #header>
      <div class="clearfix">
        <span>个人信息设置</span>
      </div>
    </template>
    <el-form :model="userForm" label-width="80px">
      <el-form-item label="用户名">
        <el-input v-model="userForm.username" disabled></el-input>
      </el-form-item>
      <el-form-item label="昵称">
        <el-input v-model="userForm.nickname"></el-input>
      </el-form-item>
      <el-form-item label="密码">
        <el-input v-model="userForm.password" type="password" show-password placeholder="不修改请留空
"></el-input>
      </el-form-item>
      <el-form-item>
        <el-button type="primary" @click="updateProfile">保存修改</el-button>
      </el-form-item>
    </el-form>
  </el-card>
</template>

<script setup>
import { ref } from 'vue'
import axios from 'axios'
import { ElMessage } from 'element-plus'

const userForm = ref(JSON.parse(localStorage.getItem('user') || '{}'))

const updateProfile = async () => {
  const res = await axios.put('http://localhost:9090/user/update', userForm.value)
  if(res.data.code === 200){
    ElMessage.success('修改成功')
    localStorage.setItem('user', JSON.stringify(userForm.value))
  } else {
```

```
      ElMessage.error('修改失败')
    }
  }
</script>
<template>
  <div>
    <el-card>
      <div class="search-bar">
        <el-input v-model="searchName" placeholder="搜索关联病害" style="width: 200px; margin-right: 10px"
clearable @clear="loadData" />
        <el-button type="primary" @click="loadData">查询</el-button>
        <el-button type="success" @click="openDialog({})">新增治疗方案</el-button>
      </div>

      <el-table :data="tableData" border style="width: 100%; margin-top: 20px">
        <el-table-column prop="id" label="ID" width="80" />
        <el-table-column prop="diseaseName" label="针对病害" width="150" />
        <el-table-column prop="method" label="治疗方案" />
        <el-table-column prop="pesticide" label="推荐农药" width="150" />
        <el-table-column label="操作" width="180">
          <template #default="scope">
            <el-button size="small" @click="openDialog(scope.row)">编辑</el-button>
            <el-button size="small" type="danger" @click="del(scope.row.id)">删除</el-button>
          </template>
        </el-table-column>
      </el-table>
    </el-card>

    <el-dialog v-model="showDialog" :title="form.id ? '编辑' : '新增'">
      <el-form :model="form" label-width="80px">
        <el-form-item label="针对病害">
          <el-input v-model="form.diseaseName" placeholder="请输入病害名称" />
        </el-form-item>
        <el-form-item label="治疗方案">
          <el-input v-model="form.method" type="textarea" :rows="3" />
        </el-form-item>
        <el-form-item label="推荐农药">
          <el-input v-model="form.pesticide" />
        </el-form-item>
      </el-form>
      <template #footer>
        <el-button @click="showDialog = false">取消</el-button>
        <el-button type="primary" @click="save">保存</el-button>
      </template>
    </el-dialog>
  </div>
</template>

<script setup>
import { ref, onMounted } from 'vue'
```

```
import axios from 'axios'
import { ElMessage, ElMessageBox } from 'element-plus'

const API = 'http://localhost:9090/api/treatment'
const tableData = ref([])
const searchName = ref("")
const showDialog = ref(false)
const form = ref({})

const loadData = async () => {
  const res = await axios.get(`${API}/list`, { params: { name: searchName.value } })
  tableData.value = res.data.data
}

const openDialog = (row) => {
  form.value = { ...row }
  showDialog.value = true
}

const save = async () => {
  await axios.post(`${API}/save`, form.value)
  ElMessage.success('保存成功')
  showDialog.value = false
  loadData()
}

const del = (id) => {
  ElMessageBox.confirm('确认删除吗?', '提示').then(async () => {
    await axios.delete(`${API}/${id}`)
    ElMessage.success('已删除')
    loadData()
  })
}

onMounted(loadData)
</script>
<template>
  <router-view />
</template>

<style>
/* 全局样式重置 */
html, body {
  margin: 0;
  padding: 0;
  height: 100%;
  width: 100%;
}

#app {
```

```
height: 100%;
width: 100%;

font-family: 'Helvetica Neue', Helvetica, 'PingFang SC', 'Hiragino Sans GB', 'Microsoft YaHei', '微软雅黑', Arial, sans-serif;
}

</style>

import { createApp } from 'vue'
import App from './App.vue'
import router from './router'
import ElementPlus from 'element-plus'
import 'element-plus/dist/index.css'
import * as ElementPlusIconsVue from '@element-plus/icons-vue'

const app = createApp(App)

// 注册所有图标
for (const [key, component] of Object.entries(ElementPlusIconsVue)) {
  app.component(key, component)
}

app.use(router)
app.use(ElementPlus)
app.mount('#app')

{
  "name": "bean_vue",
  "version": "0.0.0",
  "private": true,
  "type": "module",
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  },
  "scripts": {
    "dev": "vite",
    "build": "vite build",
    "preview": "vite preview",
    "lint:oxlint": "oxlint . --fix -D correctness --ignore-path .gitignore",
    "lint:eslint": "eslint . --fix --cache",
    "lint": "run-s lint:*"
  },
  "dependencies": {
    "vue": "^3.5.25",
    "vue-router": "^4.6.3"
  },
  "devDependencies": {
    "@eslint/js": "^9.39.1",
    "@vitejs/plugin-vue": "^6.0.2",
    "eslint": "^9.39.1",
    "eslint-plugin-oxlint": "~1.29.0",
    "eslint-plugin-vue": "~10.5.1",
    "globals": "^16.5.0",
    "npm-run-all2": "^8.0.4",
```

```
"oxlint": "~1.29.0",
"vite": "^7.2.4",
"vite-plugin-vue-devtools": "^8.0.5"
}
}
{
  "name": "bean-system",
  "lockfileVersion": 3,
  "requires": true,
  "packages": {
    "": {
      "dependencies": {
        "@element-plus/icons-vue": "^2.3.2",
        "axios": "^1.13.2",
        "element-plus": "^2.12.0",
        "sass": "^1.96.0",
        "vue-router": "^4.6.4"
      }
    },
    "node_modules/@babel/helper-string-parser": {
      "version": "7.27.1",
      "resolved": "https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-parser-7.27.1.tgz",
      "integrity":
"sha512-qMlSxKbpRlAridDExk92nSobyDdpPijUq2DW6oDnUqd0iOGxmQjyqhMlihl9+zv4LPyZdRje2cavWPbCbWm3eA==",
      "license": "MIT",
      "peer": true,
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/helper-validator-identifier": {
      "version": "7.28.5",
      "resolved":
"https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.28.5.tgz",
      "integrity":
"sha512-qSs4ifwzKISV39ucNjsvc6WVHs6b7S03sOh2OcHF9UHfVPqWWALUsNUVzhSBiltjRZoLHx7nlarVjqKVusUZ1Q==",
      "license": "MIT",
      "peer": true,
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/parser": {
      "version": "7.28.5",
      "resolved": "https://registry.npmjs.org/@babel/parser/-/parser-7.28.5.tgz",
      "integrity":
"sha512-KKBU1VGYR7ORr3At5HAtUQ+TV3SzRCmA/8OdDZiLDBIZxVyzXuztPjflD3BV1PRAQGCMWWSHYhLOF8d5uHBDQ==",
      "license": "MIT",
      "peer": true,
      "dependencies": {
```

```
"@babel/types": "^7.28.5"
},
"bin": {
  "parser": "bin/babel-parser.js"
},
"engines": {
  "node": ">=6.0.0"
}
},
"node_modules/@babel/types": {
  "version": "7.28.5",
  "resolved": "https://registry.npmjs.org/@babel/types/-/types-7.28.5.tgz",
  "integrity":
"sha512-qQ5m48el/MFLQ5PxQj4PFapriyCTLI37EIWMmNs0K8Lk3dVeOdNpB3ks8jc7yM5CDmVC73eMVk/trk3fgmrUpA==",
  "license": "MIT",
  "peer": true,
  "dependencies": {
    "@babel/helper-string-parser": "^7.27.1",
    "@babel/helper-validator-identifier": "^7.28.5"
  },
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@ctrl/tinycolor": {
  "version": "3.6.1",
  "resolved": "https://registry.npmjs.org/@ctrl/tinycolor/-/tinycolor-3.6.1.tgz",
  "integrity":
"sha512-SITSV6aIXsuVNV3f3O0f2n/cgyEDWoSqtZMYiAmcsYHydcKrOz3gUxB/iXd/Qf08+IZX4KpgNbvUdMBmWz+kcA==",
  "license": "MIT",
  "engines": {
    "node": ">=10"
  }
},
"node_modules/@element-plus/icons-vue": {
  "version": "2.3.2",
  "resolved": "https://registry.npmjs.org/@element-plus/icons-vue/-/icons-vue-2.3.2.tgz",
  "integrity":
"sha512-OzluTalFC8QXEPmJvB4Y4kw34rSXdCJzxcD1kFStBvr8bK6X1zQAYDo0CNMjjojnftqRQCJ0I7prlErcoRiET2A==",
  "license": "MIT",
  "peerDependencies": {
    "vue": "^3.2.0"
  }
},
"node_modules/@floating-ui/core": {
  "version": "1.7.3",
  "resolved": "https://registry.npmjs.org/@floating-ui/core/-/core-1.7.3.tgz",
  "integrity":
"sha512-SGvV4FzpzF8H8F8q838X2148wN3iZLGlRT5Xt6bJX+ayWnh82Z6yI28OZtjgjqV5qdaV6Ojx5g9FLaQ==",
  "license": "MIT",
```

```
"dependencies": {
  "@floating-ui/utils": "^0.2.10"
},
"node_modules/@floating-ui/dom": {
  "version": "1.7.4",
  "resolved": "https://registry.npmjs.org/@floating-ui/dom/-/dom-1.7.4.tgz",
  "integrity":
"sha512-OOchDgh4F2CchOX94cRVqhvy7b3AFb+/rQXyswmzmGakRfkMgoWVjfnLWkRirfLEfuD4ysVW16eXzwt3jHizKA==",
  "license": "MIT",
  "dependencies": {
    "@floating-ui/core": "^1.7.3",
    "@floating-ui/utils": "^0.2.10"
  },
  "node_modules/@floating-ui/utils": {
    "version": "0.2.10",
    "resolved": "https://registry.npmjs.org/@floating-ui/utils/-/utils-0.2.10.tgz",
    "integrity":
"sha512-aGTXbpg8/b5JfU1HXsrbH3wXZuLPJcNEcZQFMxLs3oSzgtVu6nFPkbbGGUvBcUjKV2YyB9Wxxabo+HEH9tcRQ==",
    "license": "MIT"
  },
  "node_modules/@jridgewell/sourcemap-codec": {
    "version": "1.5.5",
    "resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.5.5.tgz",
    "integrity":
"sha512-cYQ9310grqxueWbl+WulUlaiUaDcj7WOq5fVhEljNVgRfOUhY9fy2zTvfoqWsnebh8SI70VScFblCvJnLKB0Og==",
    "license": "MIT",
    "peer": true
  },
  "node_modules/@parcel/watcher": {
    "version": "2.5.1",
    "resolved": "https://registry.npmjs.org/@parcel/watcher/-/watcher-2.5.1.tgz",
    "integrity":
"sha512-dfUnCxiN9H4ap84DvD2ubjw+3vUNpsta0TneY/Paat8a3R4uQZDLSvWjmnAY/DoahqTHI9V46HF/Zs3F29pg==",
    "hasInstallScript": true,
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "detect-libc": "^1.0.3",
      "is-glob": "^4.0.3",
      "micromatch": "^4.0.5",
      "node-addon-api": "^7.0.0"
    },
    "engines": {
      "node": ">= 10.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  }
}
```

```
    },
    "optionalDependencies": {
      "@parcel/watcher-android-arm64": "2.5.1",
      "@parcel/watcher-darwin-arm64": "2.5.1",
      "@parcel/watcher-darwin-x64": "2.5.1",
      "@parcel/watcher-freebsd-x64": "2.5.1",
      "@parcel/watcher-linux-arm-glibc": "2.5.1",
      "@parcel/watcher-linux-arm-musl": "2.5.1",
      "@parcel/watcher-linux-arm64-glibc": "2.5.1",
      "@parcel/watcher-linux-arm64-musl": "2.5.1",
      "@parcel/watcher-linux-x64-glibc": "2.5.1",
      "@parcel/watcher-linux-x64-musl": "2.5.1",
      "@parcel/watcher-win32-arm64": "2.5.1",
      "@parcel/watcher-win32-ia32": "2.5.1",
      "@parcel/watcher-win32-x64": "2.5.1"
    }
  },
  "node_modules/@parcel/watcher-android-arm64": {
    "version": "2.5.1",
    "resolved": "https://registry.npmjs.org/@parcel/watcher-android-arm64/-/watcher-android-arm64-2.5.1.tgz",
    "integrity":
"sha512-KF8+j9nNbUN8vzOFDpRMsaKBHZ/mcjEjMTtoVMJOHTozkDonQFFrRcfdLWn6yWKCmJKmdVxSgHiYvTCef4/qcBA==",
    "cpu": [
      "arm64"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": ">= 10.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/@parcel/watcher-darwin-arm64": {
    "version": "2.5.1",
    "resolved": "https://registry.npmjs.org/@parcel/watcher-darwin-arm64/-/watcher-darwin-arm64-2.5.1.tgz",
    "integrity":
"sha512-eAzPv50sDmZyBhou8PoF4i6RQXAfeKL9tjb3QzYuccXFMQU0rulc/POh30ePnaOyD1UXdlKguHBmsTs53tVoPw==",
    "cpu": [
      "arm64"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ]
  }
}
```

```
    ],
    "engines": {
      "node": ">= 10.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/@parcel/watcher-darwin-x64": {
    "version": "2.5.1",
    "resolved": "https://registry.npmjs.org/@parcel/watcher-darwin-x64/-/watcher-darwin-x64-2.5.1.tgz",
    "integrity":
"sha512-1ZXDthrnNmww10A0/3AJNZ9JGlzrF82i3gNQcWOzd7nj8aj+ILyW1MTxVk35Db0u91oD5Nlk9MBiujMlwmeXZg==",
    "cpu": [
      "x64"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">= 10.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/@parcel/watcher-freebsd-x64": {
    "version": "2.5.1",
    "resolved": "https://registry.npmjs.org/@parcel/watcher-freebsd-x64/-/watcher-freebsd-x64-2.5.1.tgz",
    "integrity":
"sha512-SI4elJM7Flp9yPuKi8W0ird8TI/JK6CSxju3NojVI6BjHsTyK7zx9urjVjEKJ5MBYC+bLmMcbAWIZ+rFkLpJQ==",
    "cpu": [
      "x64"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": ">= 10.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  }
```

```
    },
    "node_modules/@parcel/watcher-linux-arm-glibc": {
      "version": "2.5.1",
      "resolved": "https://registry.npmjs.org/@parcel/watcher-linux-arm-glibc/-/watcher-linux-arm-glibc-2.5.1.tgz",
      "integrity":
"sha512-RCdZIEyTs8geyBkkcnPWvtXLY44BCeZKmGYRtSgtwwnHR4dxfHRG3gR99XdMEdQ7KeiDdasJwwwNSF5jKtDwdA==",
      "cpu": [
        "arm"
      ],
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">= 10.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/@parcel/watcher-linux-arm-musl": {
      "version": "2.5.1",
      "resolved": "https://registry.npmjs.org/@parcel/watcher-linux-arm-musl/-/watcher-linux-arm-musl-2.5.1.tgz",
      "integrity":
"sha512-6E+m/Mm1t1yhB8X412stiKFG3XykmgdIOqhjWj+VL8oHkKABfu/gjFj8DvLrYVHSBNC+/u5PeNrujiSQ1zwd1Q==",
      "cpu": [
        "arm"
      ],
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">= 10.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/@parcel/watcher-linux-arm64-glibc": {
      "version": "2.5.1",
      "resolved":
"https://registry.npmjs.org/@parcel/watcher-linux-arm64-glibc/-/watcher-linux-arm64-glibc-2.5.1.tgz",
      "integrity":
"sha512-LrGp+f02yU3BN9A+DGuY3v3bmnFUggAITBGriZHURfNEzZh/G006FF5u2kx8x+GBEUyfyTGamol4j3m9ANe8w==",
      "cpu": [
```

```
    "arm64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 10.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/@parcel/watcher-linux-arm64-musl": {
  "version": "2.5.1",
  "resolved":
"https://registry.npmjs.org/@parcel/watcher-linux-arm64-musl/-/watcher-linux-arm64-musl-2.5.1.tgz",
  "integrity":
"sha512-cFOjABi92pMYRXS7AcQv9/M1YuKRw8SZniCDw0ssQb/noPkRzA+HBDkwmyOJYp5wXcsTrhxO0zq1U11ck9jsFg==",
  "cpu": [
    "arm64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 10.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/@parcel/watcher-linux-x64-glibc": {
  "version": "2.5.1",
  "resolved": "https://registry.npmjs.org/@parcel/watcher-linux-x64-glibc/-/watcher-linux-x64-glibc-2.5.1.tgz",
  "integrity":
"sha512-GcESn8NZySmfwlTslur+49yDqSny2lhPeZfXunQi48DMugKeZ7uy1FX83pO0X22sHntJ4Ub+9k34XQCX+oHt2A==",
  "cpu": [
    "x64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
}
```

```
"engines": {
  "node": ">= 10.0.0"
},
"funding": {
  "type": "opencollective",
  "url": "https://opencollective.com/parcel"
}
},
"node_modules/@parcel/watcher-linux-x64-musl": {
  "version": "2.5.1",
  "resolved": "https://registry.npmjs.org/@parcel/watcher-linux-x64-musl/-/watcher-linux-x64-musl-2.5.1.tgz",
  "integrity":
"sha512-n0E2EQbatQ3bXhcH2D1XIAANAcTZkQICBPVaxMeaCVBtOpBZpWJuf7LwyWPSBDITb7In8mqQgJ7gH8CILCURXg==",
  "cpu": [
    "x64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 10.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/@parcel/watcher-win32-arm64": {
  "version": "2.5.1",
  "resolved": "https://registry.npmjs.org/@parcel/watcher-win32-arm64/-/watcher-win32-arm64-2.5.1.tgz",
  "integrity":
"sha512-RFzklRvmc3PkjKjry3hLF9wD7ppR4AKcWNzH7kXR7GUe0Igb3Nz8fyPwtZCSquGrhU5HhUNDr/mKBqj7tqA2Vw==",
  "cpu": [
    "arm64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": ">= 10.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
```

```
"node_modules/@parcel/watcher-win32-ia32": {
  "version": "2.5.1",
  "resolved": "https://registry.npmjs.org/@parcel/watcher-win32-ia32/-/watcher-win32-ia32-2.5.1.tgz",
  "integrity":
"sha512-c2KkcVN+NjmuA7CGlaGD1qJh1cLfDnQsHjE89E60vUEmIqduHGcdCLJCID5geFVM0dOtA3ZiIO8BoEQmzQVfpQ==",
  "cpu": [
    "ia32"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": ">= 10.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/@parcel/watcher-win32-x64": {
  "version": "2.5.1",
  "resolved": "https://registry.npmjs.org/@parcel/watcher-win32-x64/-/watcher-win32-x64-2.5.1.tgz",
  "integrity":
"sha512-9lHBdJITeNR++EvSQVUcaZoWupyHfXe1jZvGZ06O/5MfIPcuPLtEphSciBL+AiCWBO46tDSHzWyD0uDmmZqsgA==",
  "cpu": [
    "x64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": ">= 10.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/@popperjs/core": {
  "name": "@sxzz/popperjs-es",
  "version": "2.11.7",
  "resolved": "https://registry.npmjs.org/@sxzz/popperjs-es/-/popperjs-es-2.11.7.tgz",
  "integrity":
"sha512-Ccy0NlLkzr0Ex2Fkvh2X+OyERHXJ88XJ1MXtsI9y9fGexlaXaVTPzBCRBwlxFkORuOb+uBqeu+RqnpqYTEZRUE==",
  "license": "MIT",
  "funding": {

```

```
      "type": "opencollective",
      "url": "https://opencollective.com/popperjs"
    }
  },
  "node_modules/@types/lodash": {
    "version": "4.17.21",
    "resolved": "https://registry.npmjs.org/@types/lodash/-/lodash-4.17.21.tgz",
    "integrity":
"sha512-FOvQ0YPD5NOFpGmZlihoT+Za5pdkJWcbpuj1DjaKZlr/gxodQjY/uWEFITNqW2ugXHUil8IRQgw63dzKHZdeQ==",
    "license": "MIT"
  },
  "node_modules/@types/lodash-es": {
    "version": "4.17.12",
    "resolved": "https://registry.npmjs.org/@types/lodash-es/-/lodash-es-4.17.12.tgz",
    "integrity":
"sha512-0NgftHucV4v34VhXm8QBSftKVxtbKBG3ViCjs6+eJ5a6y6Mi/jiFGPc1sC7QK+9BFhWrURE3EOggmWaSxL9OzQ==",
    "license": "MIT",
    "dependencies": {
      "@types/lodash": "*"
    }
  },
  "node_modules/@types/web-bluetooth": {
    "version": "0.0.16",
    "resolved": "https://registry.npmjs.org/@types/web-bluetooth/-/web-bluetooth-0.0.16.tgz",
    "integrity":
"sha512-oh8q2Zc32S6gd/j50GowEjKLoOVOWHP/bWVjKJInBwQqdOYMDPrf1oVlelTlyFK3CKxL1uahMDAr+vy8T7yMQ==",
    "license": "MIT"
  },
  "node_modules/@vue/compiler-core": {
    "version": "3.5.25",
    "resolved": "https://registry.npmjs.org/@vue/compiler-core/-/compiler-core-3.5.25.tgz",
    "integrity":
"sha512-vay5/oQJdsNHmliWoZfHPoVZZRmnSWhug0BYT34njYTPqClh3DNWLkZnJBVSjsNMrg0CCrBfoKkjZQPM/QVUw==",
    "license": "MIT",
    "peer": true,
    "dependencies": {
      "@babel/parser": "^7.28.5",
      "@vue/shared": "3.5.25",
      "entities": "^4.5.0",
      "estree-walker": "^2.0.2",
      "source-map-js": "^1.2.1"
    }
  },
  "node_modules/@vue/compiler-dom": {
    "version": "3.5.25",
    "resolved": "https://registry.npmjs.org/@vue/compiler-dom/-/compiler-dom-3.5.25.tgz",
    "integrity":
"sha512-4We00AcMZsKgYoGIMjzYvaoErltdFI2/25wqanuTu+S4gismOTRTBPi4IASOjxWdzlwrYSjnqONfKvuqkXzE2Q==",
    "license": "MIT",
    "peer": true,
  
```

```
"dependencies": {
  "@vue/compiler-core": "3.5.25",
  "@vue/shared": "3.5.25"
},
"node_modules/@vue/compiler-sfc": {
  "version": "3.5.25",
  "resolved": "https://registry.npmjs.org/@vue/compiler-sfc/-/compiler-sfc-3.5.25.tgz",
  "integrity":
"sha512-PUGKp2rn8Fsl++IF2sO7gwO2d9Yj57Utr5yEsDf3GNaQcowCLKL7sf+LvVFvtJDXUp/03+dC6f2+LCv5aK1ag==",
  "license": "MIT",
  "peer": true,
  "dependencies": {
    "@babel/parser": "^7.28.5",
    "@vue/compiler-core": "3.5.25",
    "@vue/compiler-dom": "3.5.25",
    "@vue/compiler-ssr": "3.5.25",
    "@vue/shared": "3.5.25",
    "estree-walker": "^2.0.2",
    "magic-string": "^0.30.21",
    "postcss": "^8.5.6",
    "source-map-js": "^1.2.1"
  },
  "node_modules/@vue/compiler-ssr": {
    "version": "3.5.25",
    "resolved": "https://registry.npmjs.org/@vue/compiler-ssr/-/compiler-ssr-3.5.25.tgz",
    "integrity":
"sha512-ritPSKLBcParnsKYi+GNtbdbrlE1mtuFEJ4U1sWeuOMlIziK5GtOL85t5RhsNy4uWIXPgk+OUdpnXiTdzn8o3A==",
    "license": "MIT",
    "peer": true,
    "dependencies": {
      "@vue/compiler-dom": "3.5.25",
      "@vue/shared": "3.5.25"
    },
    "node_modules/@vue/devtools-api": {
      "version": "6.6.4",
      "resolved": "https://registry.npmjs.org/@vue/devtools-api/-/devtools-api-6.6.4.tgz",
      "integrity":
"sha512-sGhTPMuXqZ1rVOK32RylztWkfXTRhuS7vgAKv0zjqk8gbsHkJ7xfff+jbySxt7tWObEJwyKaHMikV/WGDiQm8g==",
      "license": "MIT",
      "node_modules/@vue/reactivity": {
        "version": "3.5.25",
        "resolved": "https://registry.npmjs.org/@vue/reactivity/-/reactivity-3.5.25.tgz",
        "integrity":
"sha512-5xfAppCQepv4Jog1U4zn8cZlcbKKFka3AgWHEFQeK65OW+Ys4Xybp6z2kKgws4YB43KGpqp5D/K3go2UPPunLA==",
        "license": "MIT",
        "peer": true,
```

```
"dependencies": {
  "@vue/shared": "3.5.25"
},
"node_modules/@vue/runtime-core": {
  "version": "3.5.25",
  "resolved": "https://registry.npmjs.org/@vue/runtime-core/-/runtime-core-3.5.25.tgz",
  "integrity":
"sha512-Z751v203YWwYz460bzsYQISDfPjHTI+6Zzwo/a3CsAf+0ccEjQ8c+0CdX1WsumRTHeywvyUFtW6KvNukT/smA==",
  "license": "MIT",
  "peer": true,
  "dependencies": {
    "@vue/reactivity": "3.5.25",
    "@vue/shared": "3.5.25"
  },
  "node_modules/@vue/runtime-dom": {
    "version": "3.5.25",
    "resolved": "https://registry.npmjs.org/@vue/runtime-dom/-/runtime-dom-3.5.25.tgz",
    "integrity":
"sha512-a4WrkYFbb19i9pjKz38zJBg8wa/rboNERq3+hRRb0dHiJh13c+6kAbgqCPfMaJ2gg4weWD3APzswASOfmKwamA==",
    "license": "MIT",
    "peer": true,
    "dependencies": {
      "@vue/reactivity": "3.5.25",
      "@vue/runtime-core": "3.5.25",
      "@vue/shared": "3.5.25",
      "csstype": "^3.1.3"
    },
    "node_modules/@vue/server-renderer": {
      "version": "3.5.25",
      "resolved": "https://registry.npmjs.org/@vue/server-renderer/-/server-renderer-3.5.25.tgz",
      "integrity":
"sha512-UJaXR54vMG61i8XNizTSf2Q7MOqZHpp8+x3XLGtE3+fL+nQd+k7O5+X3D/uWrnQXOdMw5VPih+Uremcw+u1woQ==",
      "license": "MIT",
      "peer": true,
      "dependencies": {
        "@vue/compiler-ssr": "3.5.25",
        "@vue/shared": "3.5.25"
      },
      "peerDependencies": {
        "vue": "3.5.25"
      },
      "node_modules/@vue/shared": {
        "version": "3.5.25",
        "resolved": "https://registry.npmjs.org/@vue/shared/-/shared-3.5.25.tgz",
        "integrity":
"sha512-AbOPdQQnAnzs58H2FrrDxYj/TJfmeS2jdfEEhgiKINy+bnOANmVizIEgq1r+C5zsbs6l1CCQxtcj71rnNQ4jWg==",
```

```
"license": "MIT",
"peer": true
},
"node_modules/@vueuse/core": {
  "version": "9.13.0",
  "resolved": "https://registry.npmjs.org/@vueuse/core/-/core-9.13.0.tgz",
  "integrity":
"sha512-pujnc1beHWxxPRqXWmdkKV5OX4Wk4YeK7wusHqRwU0Q7EFusHoqNA/aPhB6KCh9hEqJkLAJo7bb0Lh9b+OIVzw==",
  "license": "MIT",
  "dependencies": {
    "@types/web-bluetooth": "^0.0.16",
    "@vueuse/metadata": "9.13.0",
    "@vueuse/shared": "9.13.0",
    "vue-demi": "*"
  },
  "funding": {
    "url": "https://github.com/sponsors/antfu"
  }
},
"node_modules/@vueuse/core/node_modules/vue-demi": {
  "version": "0.14.10",
  "resolved": "https://registry.npmjs.org/vue-demi/-/vue-demi-0.14.10.tgz",
  "integrity":
"sha512-nMZBOwuzabUOOnLgIcc6rycZEebF6eeUfaiQx9+Wsk8e29lbLvPU9fel6tqW4kTo3hvoYAJkMh8n8D0fulSphg==",
  "hasInstallScript": true,
  "license": "MIT",
  "bin": {
    "vue-demi-fix": "bin/vue-demi-fix.js",
    "vue-demi-switch": "bin/vue-demi-switch.js"
  },
  "engines": {
    "node": ">=12"
  },
  "funding": {
    "url": "https://github.com/sponsors/antfu"
  },
  "peerDependencies": {
    "@vue/composition-api": "^1.0.0-rc.1",
    "vue": "^3.0.0-0 || ^2.6.0"
  },
  "peerDependenciesMeta": {
    "@vue/composition-api": {
      "optional": true
    }
  }
},
"node_modules/@vueuse/metadata": {
  "version": "9.13.0",
  "resolved": "https://registry.npmjs.org/@vueuse/metadata/-/metadata-9.13.0.tgz",
  "integrity":
```

```
"sha512-gdU7TKNAUVIXLbaf+ZCfte8BjRjQWPCa2J55+7/h+yDtzW3vOoGQDRXzI6pyKyo6bXFT5/QoPE4hAknExjRLQ==",
  "license": "MIT",
  "funding": {
    "url": "https://github.com/sponsors/antfu"
  }
},
"node_modules/@vueuse/shared": {
  "version": "9.13.0",
  "resolved": "https://registry.npmjs.org/@vueuse/shared/-/shared-9.13.0.tgz",
  "integrity":
"sha512-UrnU+Cnufu4S6JLCPZnkWh0WwZGUp72ktOF2DFptMIOs3TOdVv8xJN53zhHGARMVOsz5KqOIs09+J1NR6sBKw==",
  "license": "MIT",
  "dependencies": {
    "vue-demi": "*"
  },
  "funding": {
    "url": "https://github.com/sponsors/antfu"
  }
},
"node_modules/@vueuse/shared/node_modules/vue-demi": {
  "version": "0.14.10",
  "resolved": "https://registry.npmjs.org/vue-demi/-/vue-demi-0.14.10.tgz",
  "integrity":
"sha512-nMZBOwuzabUOOnLgIcc6rycZEebF6eeUfaiQx9+Wsk8e29IbLvPU9fel6tqW4kTo3hvoYAJkMh8n8D0fulSphg==",
  "hasInstallScript": true,
  "license": "MIT",
  "bin": {
    "vue-demi-fix": "bin/vue-demi-fix.js",
    "vue-demi-switch": "bin/vue-demi-switch.js"
  },
  "engines": {
    "node": ">=12"
  },
  "funding": {
    "url": "https://github.com/sponsors/antfu"
  },
  "peerDependencies": {
    "@vue/composition-api": "^1.0.0-rc.1",
    "vue": "^3.0.0-0 || ^2.6.0"
  },
  "peerDependenciesMeta": {
    "@vue/composition-api": {
      "optional": true
    }
  }
},
"node_modules/async-validator": {
  "version": "4.2.5",
  "resolved": "https://registry.npmjs.org/async-validator/-/async-validator-4.2.5.tgz",
  "integrity":
```

```

"sha512-7HhHjtERjqlNbZtqNqy2rckN/SpOOImDliet+IP7k+eKZEjPk3DgyeU9IIiXLdelZ0uBbbVp+9Qdow9wJWgwwfg==",
  "license": "MIT"
},
"node_modules/asynckit": {
  "version": "0.4.0",
  "resolved": "https://registry.npmjs.org/asynckit/-/asynckit-0.4.0.tgz",
  "integrity":
"sha512-Oei9OH4tRh0YqU3GxhX79dM/mwVgvbZJaSNaRk+bshkj0S5cfHcgYakreBjrHwatXKbz+IoldYLxKim2MjW0Q==",
  "license": "MIT"
},
"node_modules/axios": {
  "version": "1.13.2",
  "resolved": "https://registry.npmjs.org/axios/-/axios-1.13.2.tgz",
  "integrity":
"sha512-VPk9ebNqPcy5IRGuSlKx752ILDatOjT9paPlm8A7yOuW2Fbvp4X3JznJtT4f0GzGLLiWE9W8onz51SgLWzGaA==",
  "license": "MIT",
  "dependencies": {
    "follow-redirects": "^1.15.6",
    "form-data": "^4.0.4",
    "proxy-from-env": "^1.1.0"
  }
},
"node_modules/braces": {
  "version": "3.0.3",
  "resolved": "https://registry.npmjs.org/braces/-/braces-3.0.3.tgz",
  "integrity":
"sha512-yQbXgO/OSZVD2IsiIlro+7Hf6Q18EJrkSEsdoMzKePKXct3gvD8oLcOQdlzGupr5Fj+EDe8gO/lxc1BzfMpxvA=",
  "license": "MIT",
  "optional": true,
  "dependencies": {
    "fill-range": "^7.1.1"
  }
},
"engines": {
  "node": ">=8"
}
},
"node_modules/call-bind-apply-helpers": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-helpers-1.0.2.tgz",
  "integrity":
"sha512-Sp1ablJ0ivDkSzjcaJdxEunN5/XvksFJ2sMBFfq6x0ryhQV/2b/KwFe21cMpmHtPOSij8K99/wSfoEuTObmumQ==",
  "license": "MIT",
  "dependencies": {
    "es-errors": "^1.3.0",
    "function-bind": "^1.1.2"
  }
},
"engines": {
  "node": ">= 0.4"
}
},

```

```
"node_modules/chokidar": {
  "version": "4.0.3",
  "resolved": "https://registry.npmjs.org/chokidar/-/chokidar-4.0.3.tgz",
  "integrity":
"sha512-Qgzu8kFBvo+cA4962jnP1KkS6Dop5NS6g7R5LFYjr4b8Ub94PPQXUksCw9PvXoeXPRRddRNC5C1JQUR2SMGtnA==",
  "license": "MIT",
  "dependencies": {
    "readdirp": "^4.0.1"
  },
  "engines": {
    "node": ">= 14.16.0"
  },
  "funding": {
    "url": "https://paulmillr.com/funding/"
  }
},
"node_modules/combined-stream": {
  "version": "1.0.8",
  "resolved": "https://registry.npmjs.org/combined-stream/-/combined-stream-1.0.8.tgz",
  "integrity":
"sha512-Qq9A+wnm66HNMp999NRxW9rXa7IuiUEjfyIQK6V2zH5KubUW5hW9MJW8ioZ04QI7p0rBEi44UWgALVofP7g==",
  "license": "MIT",
  "dependencies": {
    "delayed-stream": "~1.0.0"
  },
  "engines": {
    "node": ">= 0.8"
  }
},
"node_modules/csstype": {
  "version": "3.2.3",
  "resolved": "https://registry.npmjs.org/csstype/-/csstype-3.2.3.tgz",
  "integrity":
"sha512-Ee133fU3K93wL9E5S+68E1e1aX5140tgWQWzYR7q5QduV1LH5A8o5hXrH56u0G8Xjz14W0WqU+EKpAPQ==",
  "license": "MIT",
  "peer": true
},
"node_modules/dayjs": {
  "version": "1.11.19",
  "resolved": "https://registry.npmjs.org/dayjs/-/dayjs-1.11.19.tgz",
  "integrity":
"sha512-cxX3KI4I4pUuNwDnMXHmUpkAYB3dY5/q7IhxVMdCM9I3wSd4qzdPdVMIxGJ38C0dKn6z/z7C8A3LoStZqHw==",
  "license": "MIT"
},
"node_modules/delayed-stream": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/delayed-stream/-/delayed-stream-1.0.0.tgz",
  "integrity":
"sha512-FkyQgj1lGvrW12ZyDhO0ghHh/XQYOPjWJ3VnlWKbOUEVpO7aI6XQJ7rW9WqXwJ0DMkiV7AiqAGw0XUJjpA==",
  "license": "MIT"
},
"node_modules/zydis": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/zydis/-/zydis-1.0.0.tgz",
  "integrity":
"sha512-zydis1.0.0.tgz",
  "license": "MIT"
}
```

```
"engines": {
  "node": ">=0.4.0"
},
"node_modules/detect-libc": {
  "version": "1.0.3",
  "resolved": "https://registry.npmjs.org/detect-libc/-/detect-libc-1.0.3.tgz",
  "integrity":
"sha512-pGjwhsmp4kL2RTz08wcOIGN83otlqHeD/Z5T8GXZB+/YcpQ/dgo+lbU8ZsGxV0Hlvqxo9l7mqYwyYMD9bKDg==",
  "license": "Apache-2.0",
  "optional": true,
  "bin": {
    "detect-libc": "bin/detect-libc.js"
  },
  "engines": {
    "node": ">=0.10"
  }
},
"node_modules/dunder-proto": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/dunder-proto/-/dunder-proto-1.0.1.tgz",
  "integrity":
"sha512-KIN/nDJBQRcXw0MLVhZE9iQHmG68qAVIBg9CqmUYjmQlhgij9U5MFvrqkUL5FbtyyzZuOeOt0zdeRe4UY7ct+A==",
  "license": "MIT",
  "dependencies": {
    "call-bind-apply-helpers": "^1.0.1",
    "es-errors": "^1.3.0",
    "gopd": "^1.2.0"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/element-plus": {
  "version": "2.12.0",
  "resolved": "https://registry.npmjs.org/element-plus/-/element-plus-2.12.0.tgz",
  "integrity":
"sha512-M9YLSn2np9OnqrSKWsiXvGe3qnF8pd94+TScsHj1aTMCD+nSEvucXermf807qNt6hOP040le0e5Aft7E9ZfHmA==",
  "license": "MIT",
  "dependencies": {
    "@ctrl/tinycolor": "^3.4.1",
    "@element-plus/icons-vue": "^2.3.2",
    "@floating-ui/dom": "^1.0.1",
    "@popperjs/core": "npm:@sxzz/popperjs-es@^2.11.7",
    "@types/lodash": "^4.17.20",
    "@types/lodash-es": "^4.17.12",
    "@vueuse/core": "^9.1.0",
    "async-validator": "^4.2.5",
    "dayjs": "^1.11.19",
    "lodash": "^4.17.21",

```

```
"lodash-es": "^4.17.21",
"lodash-unified": "^1.0.3",
"memoize-one": "^6.0.0",
"normalize-wheel-es": "^1.2.0"
},
"peerDependencies": {
  "vue": "^3.2.0"
}
},
"node_modules/entities": {
  "version": "4.5.0",
  "resolved": "https://registry.npmjs.org/entities/-/entities-4.5.0.tgz",
  "integrity":
"sha512-V0hJH4dGPh9Ao5p0MoRY6BVqtwCjhz6v15LT8AJ55H+4g9/4vbHx1I54fS0XucLhDHArPQCIMjDxjaL8fPxhw==",
  "license": "BSD-2-Clause",
  "peer": true,
  "engines": {
    "node": ">=0.12"
  },
  "funding": {
    "url": "https://github.com/fb55/entities?sponsor=1"
  }
},
"node_modules/es-define-property": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/es-define-property/-/es-define-property-1.0.1.tgz",
  "integrity":
"sha512-e3nRfgfUZ4rNGL232gUgX06QNyyez04KdjFrF+LTrOXMROgFKDg4BCdsjW8EnT69eqdYGmRpJwiPVYNrCaW3g==",
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/es-errors": {
  "version": "1.3.0",
  "resolved": "https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz",
  "integrity":
"sha512-Zf5H2Kxt2xjTvbJvP22ZWLICxA6j+hAmMzIlpy4xcBg1vKVnx89Wy0GbS+kf5cwCVFFzdCFh2XSCFNULS6csw==",
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/es-object-atoms": {
  "version": "1.1.1",
  "resolved": "https://registry.npmjs.org/es-object-atoms/-/es-object-atoms-1.1.1.tgz",
  "integrity":
"sha512-FGgH2h8zKNm9ljj7dankFPcClK9Cp5bm+c2gQSYePhpaG5+esrLODiIorn+Pe6FGJzWhXQotPv73jTaldXA==",
  "license": "MIT",
  "dependencies": {
```

```

    "es-errors": "^1.3.0"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/es-set-tostringtag": {
  "version": "2.1.0",
  "resolved": "https://registry.npmjs.org/es-set-tostringtag/-/es-set-tostringtag-2.1.0.tgz",
  "integrity":
"sha512-j6vWzfrGVfyXge+O0x5sh6cvxAog0a/4Rdd2K36zCMV5eJ+/+tOAngRO8cODMNBwVRdVlmgZQL2YS3yR8bIUA==",
  "license": "MIT",
  "dependencies": {
    "es-errors": "^1.3.0",
    "get-intrinsic": "^1.2.6",
    "has-tostringtag": "^1.0.2",
    "hasown": "^2.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/estree-walker": {
  "version": "2.0.2",
  "resolved": "https://registry.npmjs.org/estree-walker/-/estree-walker-2.0.2.tgz",
  "integrity":
"sha512-Rfkk/Mp/DL7JVje3u18FxFuJQITNR2q6QfMSMB7AvCBx91NGj/ba3kCfza0f6dVDbw7YIRf/nDrn7pQrCCyQ/w==",
  "license": "MIT",
  "peer": true
},
"node_modules/fill-range": {
  "version": "7.1.1",
  "resolved": "https://registry.npmjs.org/fill-range/-/fill-range-7.1.1.tgz",
  "integrity":
"sha512-YsgEEDYh18eSvz1V3m0Xp43X/lUy4L2Ptp5oi+ozqQu8Z2lPVo19Lr3fX4WdlBFsARjAHnHQkDVHwIBv3Q==",
  "license": "MIT",
  "optional": true,
  "dependencies": {
    "to-regexp-range": "^5.0.1"
  },
  "engines": {
    "node": ">=8"
  }
},
"node_modules/follow-redirects": {
  "version": "1.15.11",
  "resolved": "https://registry.npmjs.org/follow-redirects/-/follow-redirects-1.15.11.tgz",
  "integrity":
"sha512-  

  "funding": [

```

```
{
  "type": "individual",
  "url": "https://github.com/sponsors/RubenVerborgh"
},
"license": "MIT",
"engines": {
  "node": ">=4.0"
},
"peerDependenciesMeta": {
  "debug": {
    "optional": true
  }
}
},

"node_modules/get-intrinsic": {
  "version": "1.3.0",
  "resolved": "https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz",
  "integrity":
"sha512-9fshv3864alPcv/z2rZtr1s8zZl16jWZJvZrj2W0MM5k358e8n+P1DafzF6Z4WZCkVp44WZLWZV1Uq1Q==",
  "license": "MIT",
  "dependencies": {
    "call-bind-apply-helpers": "^1.0.2",
    "es-define-property": "^1.0.1",
    "es-errors": "^1.3.0",
    "es-object-atoms": "^1.1.1",
    "function-bind": "^1.1.2",
    "get-proto": "^1.0.1",
    "gopd": "^1.2.0",
    "has-symbols": "^1.1.0",
    "hasown": "^2.0.2",
    "math-intrinsics": "^1.1.0"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},

"node_modules/has-symbols": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz",
  "integrity":
"sha512-1cDNDwJ2Jaohmb3sg4OmKaMBwuC48sYni5HUW2DvsC8LjGTLK9h+eb1X6RyuOHe4hT0ULCW68iomhjUoKUqIPQ==",
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
```

```
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/has-tostringtag": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/has-tostringtag/-/has-tostringtag-1.0.2.tgz",
    "integrity":
"sha512-NqADB8VjPFLM2V0VvHUewwwsw0ZWBalogo+ieHtK3hasLz4qeCRjYcqfB6AQRbggRKppKF8L52/VqdVsO47Dlw==",
    "license": "MIT",
    "dependencies": {
      "has-symbols": "^1.0.3"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/hasown": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/hasown/-/hasown-2.0.2.tgz",
    "integrity":
"sha512-0h4uW3GK1Ft1g13vq117v3u0tjO8ZEzPuv1G0eW/94Ad0S90I9LpeOz2hR4R0q3F6jE9M1Z4gh0Mw==",
    "license": "MIT",
    "dependencies": {
      "function-bind": "^1.1.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/immutable": {
    "version": "5.1.4",
    "resolved": "https://registry.npmjs.org/immutable/-/immutable-5.1.4.tgz",
    "integrity":
"sha512-p60W3353Y1233d8133198631e10038B1LX0Ww0E9p/8l1E1T73A22EYX4A8Rlhj8GbuR3QW4Q==",
    "license": "MIT"
  },
  "node_modules/is-extglob": {
    "version": "2.1.1",
    "resolved": "https://registry.npmjs.org/is-extglob/-/is-extglob-2.1.1.tgz",
    "integrity":
"sha512-SbKbANkN603Vi4jEZv49LeVJMn4yGwsbzZworEoyEiutsN3nJYdbO36zfhGJ6QEDpOZIFkDtnq5JRxmvl3jsoQ==",
    "license": "MIT",
    "optional": true,
    "engines": {
      "node": ">=0.10.0"
    }
  }
```

```
    }
  },

  "node_modules/vue-router": {
    "version": "4.6.4",
    "resolved": "https://registry.npmjs.org/vue-router/-/vue-router-4.6.4.tgz",
    "integrity":
"sha512-Hz9q5sa33Yhduglwz6g9skT8OBPii+4bFn88w6J+J4MfEo4KRRpmiNG/hHHkdbRFILBOqxN8y8gf2Fb0MTUgVg==",
    "license": "MIT",
    "dependencies": {
      "@vue/devtools-api": "^6.6.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/posva"
    },
    "peerDependencies": {
      "vue": "^3.5.0"
    }
  }
}
}

<!DOCTYPE html>
<html lang="">
  <head>
    <meta charset="UTF-8">
    <link rel="icon" href="/favicon.ico">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Vite App</title>
  </head>
  <body>
    <div id="app"></div>
    <script type="module" src="/src/main.js"></script>
  </body>
</html>

{
  "compilerOptions": {
    "paths": {
      "@/*": ["/src/*"]
    }
  },
  "exclude": ["node_modules", "dist"]
}
```