## **Proposed Change Form**

Philip Montial
Date: 1/30/4/18 v. ABC
Number: 23-0056

1. Originator:

Jack Dillon

2. Proposed change to:

A. Parameters (Prep Sols. Batch Make-Up)

- A. Parameters
- B. Standards
- C. Control Moves
- 3. Problem Statement:

Prep Sols. Batch Make-up Matrix was not revised when we went to low humectant (January, 1993)

4. List evidence, provide data to support need for change:

Prep Sols. X & S TQM's, Line 3

5. Describe what will be improved if problem is resolved: What is the objective of making this change?

Reduced variation in Prep Sols.

6. Identify probable causes of problem (attach C&E).

Lack of follow-up to ensure systems were updated upon implementing lower humectant levels.

7. Describe proposed SPC system change.

Change the water/DN make-up matrix for Prep Sols. per the attached.

8. Recommend measurements of effectiveness of proposed change.

Prep Sols. X & S TQM's, Line 3

Describe action plan for implementing proposed change (attach if need more space).

Distribute New Matrix to #1 & Upgrade #1 Operators & MR Supvs.

10. List personnel affected by change:

#1 & Upgrade #1 Operators Machine Room Supvs. SPC Specialists

SIT

Lab Services Process Stage Accountable Quality Services

2024795599