

EMENT RETURNS.[3;1HAFTER ACKNOWLEDGEMENT RETURNS, YOU MAY ENTER ESC-3 FOR ORDER  
SCREEN.[5;1HIF ACKNOWLEDGEMENT DOES NOT RETURN, PLEASE CALL THE FISHER HELP DESK  
:[7;3H1-800-873-3788[10;1HTHANK YOU FOR ORDERING FROM FISHER.[1;1H[5im4i[5i[4i[5  
i[4i[5i[4i[5i

PAGE 1

TO: PHILIP MORRIS USA  
PARK 500 - DOOR 77/78  
4100 BERMUDA HUNDRED RD  
WST TRT LAB/BOILR HSE LAB  
CHESTER VA 23831  
CHANDRA PATEL

FROM: FISHER SCIENTIFIC  
2775 PACIFIC DR  
PO BOX 4829  
NORCROSS GA 30091

FS# A23096168 DATED 11/04/92 08:22AM PO SPO2875 *Rel 22 W*

LN	QTY	SHP	UM	CATALOG #	DESCRIPTION	UNIT PR	EXT PR
001	1	1	EA	13641905	COMBINATION REDOX ELECTRO	187.20	187.20

CALLER: NANCY HAMILTON

TOTAL: 187.20

-----  
P O APPROVED BY

*Complete*

2030138099