

QUESTION 1

```
<!doctype html>

<html>

<head>

<title> Table </title>

</head>

<body>

<table border="3">

<tr>

<th colspan="5">Community Courses--Bath Autumn 1997 </th>

</tr>

<tr>

<th>Course Name</th>

<th>Course Tutor</th>

<th>Summary</th>

<th>Code</th>

<th>Fee</th>

</tr>

<tr>

<td>After the Civil War</td>

<td>Dr. John Wroughton</td>

<td>The course will examine the turbulent <br> years in England after 1646. 6 weekly <br> meetings starting Monday 13th October.</td>

<td>H27</td>
```

<td>£32</td>

</tr>

<tr>

<td>An Introduction to Anglo-Saxon England</td>

<td>Mark Cottle</td>

<td>One day course introducing the early
 Medieval period reconstruction the Anglo-Saxons and their society.
 Saturday 18th October.</td>

<td>H28</td>

<td>£18</td>

</tr>

<tr>

<td>The Glory that was Greece</td>

<td>Valerie Lorenz</td>

<td>Birthplace of democracy, philosophy,
 heartland of theater, home of argument.
 The Roman may have done it but the Greeks did it first. Saturday day school 25th
 October 1997.

<td>H30</td>

<td>£18</td>

</tr>

</table>

**

QUESTION 2

HTML links, or hyperlinks, connect web pages and are created using the `` tag with the `href` attribute. They enable users to navigate between pages or resources. Links can be text, images, or other elements, enhancing web navigation and interactivity.

A hyperlink (often referred to as simply a link), is a reference or navigation element in a document to another section of the same document, another document, or a specified section of another document, that automatically brings the referred information to the user when the navigation element is selected by the user.

QUESTION 3

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Page with Background Color</title>
```

```
  <style>
```

```
    body {
```

```
      background-color: #f0f8ff; /* Change to your desired color */
```

```
      font-family: Arial, sans-serif;
```

```
      margin: 0;
```

```
      padding: 20px;
```

```
    }
```

```
.content {
```

```
height: 2000px; /* Just to create a scrollable area */
```

```
}
```

```
.to-top {
```

```
    position: fixed;
```

```
    bottom: 20px;
```

```
    right: 20px;
```

```
    background-color: #007bff; /* Button color */
```

```
    color: white;
```

```
    padding: 10px 15px;
```

```
    text-decoration: none;
```

```
    border-radius: 5px;
```

```
}
```

```
.to-top:hover {
```

```
    background-color: #0056b3; /* Darker shade on hover */
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="content">
```

```
    <h1>Welcome to My Page</h1>
```

```
<p>This is some content that makes the page scrollable.</p>
```

```
    <p>Keep adding more content to see the scrolling effect.</p>
```

```
    <!-- More content here -->
```

```
</div>
```

```
<a href="#top" class="to-top">Back to Top</a>
```

```
<script>
```

```
    // Smooth scroll for the "Back to Top" link
```

```
    document.querySelector('.to-top').addEventListener('click', function(e) {
```

```
        e.preventDefault();
```


```
        window.scrollTo({ top: 0, behavior: 'smooth' });
```

```
    });
```

```
</script>
```

```
</body>
```

```
</html>
```



QUESTION 4

- TABLE TAG

<table>

<!-- Table content goes here -->

</table>

- TABLE ROW TAG

<tr>

<!-- Table data cells go here -->

</tr>

TABLE DATA TAG

```
<td>Cell Data</td>
```

TABLE HEADER TAG

```
<th>Header Data</th>
```

TABLE THEAD TAG

```
<thead>
```

```
  <tr>
```

```
    <th>Header 1</th>
```

```
    <th>Header 2</th>
```

```
  </tr>
```

```
</thead>
```

TABLE BODY TAG

```
<tbody>
```

```
  <tr>
```

```
    <td>Data 1</td>
```

```
    <td>Data 2</td>
```

```
  </tr>
```

```
</tbody>
```

TABLE FOOTER TAG

```
<tfoot>
```

```
  <tr>
```

```
<td>Total</td>

<td>Sum</td>

</tr>

</tfoot>
```

QUESTION 5

```
<table border="1">

  <thead>

    <tr>

      <th>Name</th>

      <th>Age</th>

      <th colspan="2">Contact Information</th>

    </tr>

  </thead>

  <tbody>

    <tr>

      <td>Alice</td>

      <td>30</td>

      <td>Email</td>

      <td>alice@example.com</td>

    </tr>

    <tr>

      <td>Bob</td>
```



```
<td>25</td>

<td rowspan="2">Phone</td>

<td>bob@example.com</td>

</tr>

<tr>

<td>Charlie</td>

<td>28</td>

<td>charlie@example.com</td>

</tr>

<tr>

<td>David</td>


<td>35</td>



<td colspan="2">david@example.com</td>


</tr>



</tbody>



</table>
```

 Work



 ROWSPAM.HTML



  File | C:/Users/91989/Desktop/ROWSPAM.HTML

Name	Age	Contact Information	
Alice	30	Email	alice@example.com
Bob	25	Phone	bob@example.com
Charlie	28		charlie@example.com
David	35	david@example.com	

.

.