

Module 5 Assignment 5A:

Designing Your Own Object Oriented World

Course: CS 85 - PHP Programming

Instructor: Vicky Seno

For this assignment, I created an interactive PHP page that demonstrates Object-Oriented Programming using a real-world topic from my life and work as a photographer. I designed a PhotographyBooking class based on my SERGIOARTG photography platform <https://sergioartg.com> , where clients can request portrait or fashion sessions, receive pricing quotes, pay deposits, and move through a booking workflow.

The class includes multiple properties such as photographer name, brand name, client name, service type, package name, price, duration, retouched photos, shoot date, location type, booking status, deposit amount, rush delivery, and notes. I added a constructor to initialize each booking object with realistic data.

The page creates two booking objects and lets the user interact with class methods directly through the UI. The buttons run methods that display a booking summary, calculate the total quote, calculate the deposit due, add extra retouched photos, record a deposit payment, change the booking status, and run decision logic for booking priority and confirmation.


I also used AI to generate one method, then included the exact prompt, raw AI-generated code, and a critique explaining security, efficiency, correctness, style, and the changes I made.

Test URL: <http://127.0.0.1:8000/assignments/module5a/MyObject.php>

GitHub Repository: <https://github.com/sergehall/cs85-php-programming/blob/main/assignments/module5a/MyObject.php>

GitHub Repository critique.md showing the AI prompt, raw generated code, and critique: <https://github.com/sergehall/cs85-php-programming/blob/main/assignments/module5a/critique.md>


Screenshot 1 : Interactive PhotographyBooking page in the browser



```
package.json MyObject.php critique.md
assignments > module5a > MyObject.php
754 <body>
755 <main>
756 <section class="hero">
764 </div>
765 </section>
766
767 <section class="content">
768 <div class="metrics" aria-label="Booking pipeline summary">
769 <article class="metric">
770 <span>Active objects</span>
771 <strong><?= h((string) count($bookings)) ?></strong>
772 </article>
773 <article class="metric">
774 <span>Pipeline quote value</span>
775 <strong><?= h(moneyFromCents($totalPipelineCents)) ?></strong>
776 </article>
777 <article class="metric">
778 <span>Deposit still due</span>
779 <strong><?= h(moneyFromCents($depositDueCents)) ?></strong>
780 </article>
781 </div>
782
783 <p class="reflection">
784 Task Summary: This page creates two <code>PhotographyBooking</code> objects and lets the UI call cl
785 </p>
786
787 <article class="panel site-promo">
788 <h2>Live Photography Platform</h2>
789 <p>
790 This classroom object is modeled after my real photography brand. See the live portfolio and bo
791 <a href="https://sergioartg.com" target="_blank" rel="noopener noreferrer">sergioartg.com</a>.
792 </p>
793 </article>
794
795 <section class="workspace" aria-label="Interactive booking method controls">
796 <form class="panel" method="post">
797 <?php if (function_exists('csrf_token')) { ?>
798 <input type="hidden" name="_token" value="<?= h((string) csrf_token()) ?>">
799 <?php } ?>
800 <h2>Run Class Methods</h2>
801 <label>
802 Select booking object
803 <select name="booking">
```

Screenshot 2: MyObject.php code showing the class, constructor, properties, and methods

Screenshot 3: critique.md showing the AI prompt, raw generated code, and critique



```
1 # Module 5 Assignment 5A AI Method Critique
2 ## Method Generated With AI
3
4
5
6
7
8
9
10 ## Exact Prompt
11
12
13 Write a beginner-friendly PHP class method named getPriorityLabel for a photography booking object. The object has
14 properties named status, rushDelivery, shootDate, and a method named calculateDepositDueCents(). Return Done when
15 the booking status is completed, High priority when the shoot is within two days or rush delivery is true, Waiting
16 for deposit when a deposit is still due, and Normal priority otherwise.
17
18
19 ## Raw AI-Generated Code
20
21 ```php
22 public function getPriorityLabel() {
23     if ($this->status == "completed") {
24         return "Done";
25     }
26
27     $today = new DateTime();
28     $shoot = new DateTime($this->shootDate);
29     $days = $today->diff($shoot)->days;
30
31     if ($days <= 2 || $this->rushDelivery == true) {
32         return "High priority";
33     }
34
35     if ($this->calculateDepositDueCents() > 0) {
36         return "Waiting for deposit";
37     }
38
39     return "Normal priority";
40 }
41 ```
42
43 ## Critique
44
45 Security: The raw method does not run SQL or print unescaped client input, so the direct security risk is low. The
46 final page still escapes all rendered output with 'htmlspecialchars()' because client names, notes, and booking
47 details could become user-controlled in a real app.
48
49 Efficiency: The method is efficient. It only checks status, date distance, rush delivery, and deposit due. There
50 is no loop or database call.
```