
2026 Offshore Racing Rule Certificate Data

SUN DRAGON 33070

ORR Type:	Shorthanded		
Valid Year:	2026	Certification #:	US43110
Owner(s):	van Diggelen, Frank	Issue Date:	18-May-2026
Class:	JNU Sun Fast 3300	Build Date:	01-Mar-2022
Builder:	JEANNEAU	Measure Date:	29-Apr-2021
Measurement:	Partially Measured	Float Date:	29-Apr-2021
Rig Type:	Fractional Sloop	LOA:	32.776 ft
Prop Type:	2 Blade Folding Housed Shaft	Beam Max:	11.453 ft
Comment:			
Keel Type:	Fixed	Total Inventory:	308.4 lbs
Hull Const:	Cored	Life Raft Wt:	72.8 lbs
Mast Const:	Carbon	Emer. Steer Wt:	4.4 lbs
Offset File:	SF3300leg.off		

General Purpose Handicap(GPH): 596.7 SpM



Critical Configuration Items

Rated Crew Wgt.:	351 lbs	Base Crew Wgt.:	1410 lbs
LPS(limit of posittive stability):	117.9 °	Stab Index:	112.5 °
Asymmetric Spin:	Yes	Tack:	Centerline
Narrow Asym (.75 <= SHW/SFL < .85):	No		
Symmetric Spin:	No		
Large Roach Headsail (.51 < SHW/SFL <.75):	No		
Leeward Outrigger (used ONLY with Genoa/Jib):	No		
Stored Power:	No		

Measurement Trim

SFFP:	1.706 ft
SAFP:	32.726 ft
FFM:	3.691 ft
FAM:	0.659 ft
SG:	1.021
Disp Empty:	8102 lbs
LCB:	18.245 ft
VCGD:	-0.656 ft
VCGM:	-0.289 ft
Wetted Area:	223.1 ft²
Draft:	6.407 ft
ECE:	0.000 ft
LSM0:	28.415 ft
RMC:	900.7 ft·lbs
Sink/Float:	1010.6 lb/in
MTCT:	1521.42 ft·lbs/in

Sailing Trim

FF:	3.638 ft
FA:	0.538 ft
Disp Sailing:	9218 lbs
LCB:	18.396 ft
VCGM:	-0.010 ft
Wetted Area:	237.7 ft²
Draft:	6.499 ft
Rated Length:	30.538 ft
LSM1:	29.865 ft
LSM3:	30.997 ft
LSM4:	34.823 ft
RM2:	970.8 ft·lbs
RM20:	885.5 ft·lbs
RM40:	637.8 ft·lbs
RM60:	442.8 ft·lbs
RM90:	191.4 ft·lbs

Rig

I:	41.037 ft
J:	13.714 ft
SFJ:	0.551 ft
P:	39.331 ft
E:	14.534 ft
BAS:	4.843 ft
MW:	0.502 ft
GO:	0.538 ft
FSP:	0.052 ft
MDL1:	0.505 ft
MDT1:	0.302 ft
MDL2:	0.436 ft
MDT2:	0.302 ft
TL:	3.281 ft
Mast Wt:	184.1 lbs
Mast CG:	15.659 ft

Sail Tack & Head

IG:	41.037 ft
ISPA:	44.318 ft
JG:	13.714 ft
TPS:	17.552 ft

Rig/Sail Configuration

Whisker Pole:	No
Fstay Adj:	Via Backstay
Inner Fst Adj:	None

Propeller

Prop Dia.:	1.115 ft
PBW:	0.289 ft
Twin Prop:	No
ESL:	3.346 ft
PHD:	0.207 ft
PHL:	0.453 ft
PSA:	18.0 °
PSD:	0.082 ft
PIPA:	0.0441 ft²

Mainsail

Desc: ST Main

MHB:	4.724 ft
MUW:	5.577 ft
MTW:	7.513 ft
MHW:	10.302 ft
MQW:	12.500 ft
Area:	402.2 ft²
Rated Area:	402.2 ft²
Main Wt:	49.4 lbs

Genoa/Jib

Desc: Jib Medium

HLP:	13.714 ft
HLU:	42.717 ft
HHB:	0.262 ft
HUW:	2.165 ft
HTW:	4.003 ft
HHW:	7.480 ft
HQW:	10.728 ft
HLE:	37.697 ft
Area:	311.5 ft²
Rated Area:	311.0 ft²

Asym

Desc: A1.5

SLU:	50.033 ft
SLE:	45.112 ft
SHW:	28.379 ft
SFL:	30.348 ft
Area:	1140.7 ft²
Rated Area:	1140.7 ft²

© Copyright: 2026 Offshore Racing Association and Regatta Management Solutions

2026 Offshore Racing Rule Certificate Polars

SUN DRAGON 33070

Table of Boat Speed Polars (knots)* (at True Wind Angles)

True Wind Speed	4 kts	6 kts	8 kts	10 kts	12 kts	14 kts	16 kts	20 kts	24 kts
Up Angle	46.5°	44.6°	43.6°	40.3°	38.1°	36.6°	36.6°	35.2°	35.5°
Speed Upkts	3.62	4.94	5.97	6.36	6.53	6.64	6.72	6.85	6.97
52°	3.95	5.46	6.55	7.05	7.30	7.47	7.59	7.77	7.90
60°	4.31	5.89	6.83	7.32	7.56	7.73	7.85	8.06	8.23
75°	4.70	6.29	7.09	7.61	7.93	8.13	8.30	8.61	8.87
90°	4.76	6.33	7.25	7.80	8.16	8.49	8.76	9.21	9.59
110°	4.63	6.42	7.37	8.05	8.60	9.05	9.50	10.37	11.01
120°	4.48	6.29	7.23	7.89	8.52	9.22	9.80	10.85	11.67
135°	3.95	5.52	6.70	7.28	7.77	8.26	8.86	10.65	12.64
150°	2.83	4.18	5.35	6.40	7.05	7.55	8.01	9.10	10.74
165°	2.25	3.41	4.47	5.45	6.35	6.96	7.45	8.33	9.41
180°	2.02	3.08	4.07	5.00	5.87	6.59	7.11	7.95	8.84
Speed Dnkts	3.82	5.27	6.34	6.42	6.66	6.96	7.36	8.26	12.10
Dn Angle	137.3°	138.3°	139.8°	149.7°	158.2°	165.2°	168.0°	167.2°	141.3°

* Speed through the water. Available as a Performance Package from the Offshore Racing Association with detailed polar charts and files to upload into popular tactical programs. Go to: https://offshoreracingrule.org/orr/polar-package"

Table of Time Allowances (sec/mile)*

True Wind Speed	4 kts	6 kts	8 kts	10 kts	12 kts	14 kts	16 kts	20 kts	24 kts
Up Angle	46.5	44.6	43.6	40.3	38.1	36.6	36.6	35.2	35.5
VMG Upkts	1,445.6	1,023.4	833.2	742.8	700.2	675.2	667.4	643.4	634.2
52°	912.4	658.8	549.6	510.7	493.1	482.1	474.6	463.4	455.6
60°	834.9	611.1	526.8	491.6	475.9	465.8	458.4	446.6	437.6
75°	765.4	572.1	508.0	472.9	454.0	442.8	433.8	418.2	406.0
90°	756.6	568.9	496.4	461.7	441.1	424.2	410.8	390.7	375.4
110°	777.8	560.3	488.2	446.9	418.7	397.8	379.0	347.3	327.0
120°	804.3	572.7	497.6	456.5	422.4	390.5	367.5	331.8	308.5
135°	911.7	652.1	537.7	494.4	463.6	435.8	406.3	338.1	284.7
150°	1,111.4	793.3	644.0	562.6	511.0	476.7	449.3	395.6	330.2
165°	1,239.6	884.8	718.3	627.5	562.3	517.1	483.4	432.0	368.2
VMG Dnkts	1,283.4	916.0	743.6	649.7	582.2	535.3	499.9	447.1	381.2
Dn Angle	137.3	138.3	139.8	149.7	158.2	165.2	168.0	167.2	141.3

* Sec/mile rating assume gybing downwind when target angles are deeper than best VMG angles.

© Copyright: 2026 Offshore Racing Association and Regatta Management Solutions

2026 Offshore Racing Rule Certificate Polars

SUN DRAGON 33070

The polars on the following tables include the effects of interactions between boats when racing in close proximity throughout the duration of the race.

Table of Boat Speed Polars (knots)* (at True Wind Angles)

True Wind Speed	4 kts	6 kts	8 kts	10 kts	12 kts	14 kts	16 kts	20 kts	24 kts
Up Angle	46.5°	44.6°	43.6°	40.3°	38.1°	36.6°	35.8°	35.2°	35.5°
Speed Upkts	3.61	4.93	5.95	6.34	6.52	6.63	6.71	6.84	6.96
52°	3.93	5.45	6.53	7.03	7.29	7.45	7.57	7.76	7.89
60°	4.30	5.88	6.82	7.31	7.55	7.72	7.84	8.05	8.22
75°	4.70	6.29	7.08	7.61	7.92	8.12	8.29	8.60	8.86
90°	4.75	6.32	7.25	7.79	8.16	8.48	8.76	9.21	9.58
110°	4.63	6.42	7.37	8.05	8.59	9.05	9.50	10.36	11.00
120°	4.47	6.28	7.23	7.88	8.52	9.22	9.79	10.85	11.66
135°	3.95	5.52	6.69	7.28	7.76	8.26	8.86	10.64	12.64
150°	2.83	4.18	5.35	6.40	7.04	7.55	8.01	9.10	10.74
165°	2.25	3.41	4.47	5.45	6.35	6.96	7.45	8.33	9.41
180°	2.02	3.08	4.07	5.00	5.87	6.59	7.11	7.95	8.84
Speed Dnkts	3.82	5.27	6.33	6.42	6.66	6.96	7.36	8.26	12.10
Dn Angle	137.3°	138.3°	139.8°	149.7°	158.2°	165.2°	168.0°	167.2°	141.3°

* Speed through the water. Available as a Performance Package from the Offshore Racing Association with detailed polar charts and files to upload into popular tactical programs. Go to: https://offshoreracingrule.org/orr/polar-package"

Table of Time Allowances (sec/mile)*

True Wind Speed	4 kts	6 kts	8 kts	10 kts	12 kts	14 kts	16 kts	20 kts	24 kts
Up Angle	46.5	44.6	43.6	40.3	38.1	36.6	35.8	35.2	35.5
VMG Upkts	1,451.0	1,026.9	835.9	745.0	702.0	676.9	661.4	644.4	634.8
52°	915.2	660.6	551.0	511.8	494.1	483.0	475.3	464.0	456.0
60°	836.7	612.2	527.8	492.4	476.6	466.4	459.0	447.1	438.0
75°	766.0	572.6	508.4	473.3	454.4	443.2	434.2	418.6	406.4
90°	757.1	569.3	496.7	462.0	441.4	424.5	411.1	390.9	375.6
110°	778.1	560.6	488.4	447.1	418.9	398.0	379.1	347.4	327.2
120°	804.6	572.9	497.8	456.6	422.5	390.6	367.7	331.9	308.6
135°	911.9	652.2	537.8	494.5	463.7	435.9	406.4	338.2	284.8
150°	1,111.7	793.5	644.1	562.7	511.0	476.8	449.3	395.6	330.2
165°	1,239.9	885.0	718.4	627.6	562.4	517.1	483.4	432.0	368.3
VMG Dnkts	1,283.7	916.2	743.8	649.7	582.2	535.3	500.0	447.1	381.3
Dn Angle	137.3	138.3	139.8	149.7	158.2	165.2	168.0	167.2	141.3

* Sec/mile rating assume gybing downwind when target angles are deeper than best VMG angles.

© Copyright: 2026 Offshore Racing Association and Regatta Management Solutions

2026 Offshore Racing Rule Certificate Ratings

SUN DRAGON 33070

GPH Rating (SPM)

GPH	596.7

General Ratings (TCF)

Ocean Non Spinnaker	0.8818
Offshore Offwind	0.8806

Ratings by Wind Speed (TCF)

	Light	Medium	Heavy
Closed Course	0.7706	0.8912	1.0874
WL 50/50	0.7466	0.8874	1.1124
WL 60/40	0.7515	0.8886	1.0926

Performance Metrics

SA/D Dnwind:	56.160
SA/D Average:	41.06
SA/D Upwind:	25.960
D/Length:	144.5
Ave Perf Screen:	28.400

Performance Curve Scoring (PCS) Ratings (SPM)

	6kt	8kt	10kt	12kt	16kt	20kt	24kt
Closed Course	811.6	660.5	580.1	532.9	480.6	447.5	420.1
WL 50/50	991.3	804.4	707.3	650.1	586.8	550.4	511.4
WL 60/40	1,002.6	814.1	717.4	662.3	603.1	570.5	537.2
Newport to Bermuda	907.1	703.9	583.3	504.8	426.4	401.3	382.3
Marion to Bermuda	911.9	709.2	589.8	512.7	435.8	411.0	392.4

Custom Ratings (TCF)


ORA works with OA's to create custom ratings for your race course and wind conditions.

	TOT (Spin)
Chicago Mac Upwind	0.8930
Chicago Mac AP	0.8917
Chicago Mac Offwind	0.8806
Bayview Mac	0.8893
California Offshore	0.8803
Pacific Cup	0.8714
Transpac (Approx.)	0.7795
Puerto Vallarta	0.8830
Cabo San Lucas	0.8790
Acapulco WW/LW	0.8861
Acapulco Random	0.8915
Acapulco WW/LW5	0.8874
Acapulco Stat Fit	0.8891
San Francisco Bay	0.8905

© Copyright: 2026 Offshore Racing Association and Regatta Management Solutions

2026 Offshore Racing Rule Certificate Line Drawing

SUN DRAGON 33070



© Copyright: 2026 Offshore Racing Association and Regatta Management Solutions