A Living Review of Machine Learning for Particle and Nuclear Physics

ABSTRACT: Modern machine learning techniques, including deep learning, are rapidly being applied, adapted, and developed for high energy particle and nuclear physics. The goal of this document is to provide a nearly comprehensive list of citations for those developing and applying these approaches to experimental, phenomenological, or theoretical analyses. As a living document, it will be updated as often as possible to incorporate the latest developments. A list of proper (unchanging) reviews can be found within. Papers are grouped into a small set of topics to be as useful as possible. Suggestions are most welcome.

The purpose of this note is to collect references for modern machine learning as applied to particle and nuclear physics. A minimal number of categories is chosen in order to be as useful as possible. Note that papers may be referenced in more than one category. The fact that a paper is listed in this document does not endorse or validate its content - that is for the community (and for peer-review) to decide. Furthermore, the classification here is a best attempt and may have flaws - please let us know if (a) we have missed a paper you think should be included, (b) a paper has been misclassified, or (c) a citation for a paper is not correct or if the journal information is now available. In order to be as useful as possible, this document will continue to evolve so please check back¹ before you write your next paper. You can simply download the .bib file to get all of the latest references. Please consider citing Ref. [1] when referring to this living review.

• Reviews

Below are links to many (static) general and specialized reviews. The third bullet contains links to classic papers that applied shallow learning methods many decades before the deep learning revolution.

- Modern reviews [2–11]
- Specialized reviews [12–41]
- Classical papers [42, 43]
- Datasets [44-49]

Classification

Given a feature space $x \in \mathbb{R}^n$, a binary classifier is a function $f : \mathbb{R}^n \to [0,1]$, where 0 corresponds to features that are more characteristic of the zeroth class (e.g. background) and 1 correspond to features that are more characteristic of the one class (e.g. signal). Typically, f will be a function specified by some parameters w (e.g. weights and biases of a neural network) that are determined by minimizing a loss of the form $L[f] = \sum_i \ell(f(x_i), y_i)$, where $y_i \in \{0, 1\}$ are labels. The function ℓ is smaller when $f(x_i)$ and y_i are closer. Two common loss functions are the mean squared error $\ell(x,y) = (x-y)^2$ and the binary cross entropy $\ell(x,y) = y \log(x) + (1-y) \log(1-x)$. Exactly what 'more characteristic of' means depends on the loss function used to determine f. It is also possible to make a multi-class classifier. A common strategy for the multi-class case is to represent each class as a different basis vector in $\mathbb{R}^{n_{classes}}$ and then $f(x) \in [0,1]^{n_{classes}}$. In

 $^{^1\}mathrm{See}\ \mathrm{https://github.com/iml-wg/HEPML-LivingReview}.$

this case, f(x) is usually restricted to have its $n_{classes}$ components sum to one and the loss function is typically the cross entropy $\ell(x,y) = \sum_{classes\ i} y_i \log(x)$.

- Parameterized classifiers [50–52].

A classifier that is conditioned on model parameters $f(x|\theta)$ is called a parameterized classifier.

- Representations

There is no unique way to represent high energy physics data. It is often natural to encode x as an image or another one of the structures listed below.

* **Jet images** [53–69]

Jets are collimated sprays of particles. They have a complex radiation pattern and such, have been a prototypical example for many machine learning studies. See the next item for a specific description about images.

* Event images [58, 70–77]

A grayscale image is a regular grid with a scalar value at each grid point. 'Color' images have a fixed-length vector at each grid point. Many detectors are analogous to digital cameras and thus images are a natural representation. In other cases, images can be created by discretizing. Convolutional neural networks are natural tools for processing image data. One downside of the image representation is that high energy physics data tend to be sparse, unlike natural images.

* **Sequences** [26, 70, 78–81]

Data that have a variable with a particular order may be represented as a sequence. Recurrent neural networks are natural tools for processing sequence data.

$* \ \mathbf{Trees} \ [82\text{--}84]$

Recursive neural networks are natural tools for processing data in a tree structure.

* **Graphs** [14, 85–122]

A graph is a collection of nodes and edges. Graph neural networks are natural tools for processing data in a tree structure.

* Sets (point clouds) [49, 67, 123–133]

A point cloud is a (potentially variable-size) set of points in space. Sets are distinguished from sequences in that there is no particular order (i.e. permutation invariance). Sets can also be viewed as graphs without edges

and so graph methods that can parse variable-length inputs may also be appropriate for set learning, although there are other methods as well.

* Physics-inspired basis [134–139]

This is a catch-all category for learning using other representations that use some sort of manual or automated physics-preprocessing.

- Targets

* W/Z tagging [56, 60, 82, 97, 103, 140–142]

Boosted, hadronically decaying W and Z bosons form jets that are distinguished from generic quark and gluon jets by their mass near the boson mass and their two-prong substructure.

- * $H \rightarrow b\bar{b}$ [58, 73, 92, 100, 140, 143–148] Due to the fidelity of b-tagging, boosted, hadronically decaying Higgs bosons (predominantly decaying to $b\bar{b}$) has unique challenged and opportunities compared with W/Z tagging.
- * quarks and gluons [57, 61, 66, 69, 83, 90, 103, 149–156]

 Quark jets tend to be narrower and have fewer particles than gluon jets.

 This classification task has been a benchmark for many new machine learning models.
- * top quark tagging [12, 55, 62, 63, 75, 93, 103, 138, 149, 157–163] Boosted top quarks form jets that have a three-prong substructure $(t \rightarrow Wb, W \rightarrow q\bar{q})$.

* strange jets [164–166]

Strange quarks have a very similar fragmentation to generic quark and gluon jets, so this is a particularly challenging task.

* b-tagging [78, 79, 81, 133, 167–169]

Due to their long (but not too long) lifetime, the B-hadron lifetime is macroscopic and b-jet tagging has been one of the earliest adapters of modern machine learning tools.

* Flavor physics [170, 171]

This category is for studies related to exclusive particle decays, especially with bottom and charm hadrons.

* BSM particles and models [92, 95, 143, 172-208]

There are many proposals to train classifiers to enhance the presence of particular new physics models.

* Particle identification [91, 209–218]

This is a generic category for direct particle identification and cate-

gorization using various detector technologies. Direct means that the particle directly interacts with the detector (in contrast with b-tagging).

* Neutrino Detectors [15, 99, 104, 107, 108, 113, 219–251]

Neutrino detectors are very large in order to have a sizable rate of neutrino detection. The entire neutrino interaction can be characterized to distinguish different neutrino flavors.

* Direct Dark Matter Detectors [252–260]

Dark matter detectors are similar to neutrino detectors, but aim to achieve 'zero' background.

* Cosmology, Astro Particle, and Cosmic Ray physics [102, 261–290]

Machine learning is often used in astrophysics and cosmology in different ways than terrestrial particle physics experiments due to a general divide between Bayesian and Frequentist statistics. However, there are many similar tasks and a growing number of proposals designed for one domain that apply to the other. See also https://github.com/georgestein/ml-incosmology.

- * Tracking [80, 86, 98, 106, 109, 110, 126, 291–307]

 Charged particle tracking is a challenging pattern recognition task. This category is for various classification tasks associated with tracking, such as seed selection.
- * Heavy Ions / Nuclear Physics [68, 74, 150, 308–340]

 Many tools in high energy nuclear physics are similar to high energy particle physics. The physics target of these studies are to understand collective properties of the strong force.

Learning strategies

There is no unique way to train a classifier and designing an effective learning strategy is often one of the biggest challenges for achieving optimality.

- $* \ \mathbf{Hyperparameters} \ [341\text{--}343]$
 - In addition to learnable weights w, classifiers have a number of nondifferentiable parameters like the number of layers in a neural network. These parameters are called hyperparameters.
- $* \ \mathbf{Weak/Semi \ supervision} \ [59, \, 153, \, 344\text{--}359]$

For supervised learning, the labels y_i are known. In the case that the labels are noisy or only known with some uncertainty, then the learning is called weak supervision. Semi-supervised learning is the related case where labels are known for only a fraction of the training examples.

* **Unsupervised** [360–366]

When no labels are provided, the learning is called unsupervised.

* Reinforcement Learning [367–372]

Instead of learning to distinguish different types of examples, the goal of reinforcement learning is to learn a strategy (policy). The prototypical example of reinforcement learning in learning a strategy to play video games using some kind of score as a feedback during the learning.

* Quantum Machine Learning [25, 235, 373–393]

Quantum computers are based on unitary operations applied to quantum states. These states live in a vast Hilbert space which may have a usefully large information capacity for machine learning.

* Feature ranking [139, 394]

It is often useful to take a set of input features and rank them based on their usefulness.

* Attention [80]

This is an ML tool for helping the network to focus on particularly useful features.

* Regularization [395, 396]

This is a term referring to any learning strategy that improves the robustness of a classifier to statistical fluctuations in the data and in the model initialization.

$* \ \mathbf{Optimal} \ \mathbf{Transport} \ [361, \, 364, \, 397\text{--}401]$

Optimal transport is a set of tools for transporting one probability density into another and can be combined with other strategies for classification, regression, etc. The above citation list does not yet include papers using optimal transport distances as part of generative model training.

- Fast inference / deployment

There are many practical issues that can be critical for the actual application of machine learning models.

- * Software [70, 76, 174, 265, 303, 402–409] Strategies for efficient inference for a given hardware architecture.
- * Hardware/firmware [96, 101, 118, 410–428]

Various accelerators have been studied for fast inference that is very important for latency-limited applications like the trigger at collider experiments.

* **Deployment** [429, 430]

This category is for the deployment of machine learning interfaces, such as in the cloud.

• Regression

In contrast to classification, the goal of regression is to learn a function $f: \mathbb{R}^n \to \mathbb{R}^m$ for input features $x \in \mathbb{R}^n$ and target features $y \in \mathbb{R}^m$. The learning setup is very similar to classification, where the network architectures and loss functions may need to be tweaked. For example, the mean squared error is the most common loss function for regression, but the network output is no longer restricted to be between 0 and 1.

- **Pileup** [71, 88, 358, 367, 431, 432]

A given bunch crossing at the LHC will have many nearly simultaneous proton-proton collisions. Only one of those is usually interesting and the rest introduce a source of noise (pileup) that must be mitigating for precise final state reconstruction.

- Calibration [68, 119, 211, 398, 433–459]

The goal of calibration is to remove the bias (and reduce variance if possible) from detector (or related) effects.

- **Recasting** [460–463]

Even though an experimental analysis may provide a single model-dependent interpretation of the result, the results are likely to have important implications for a variety of other models. Recasting is the task of taking a result and interpreting it in the context of a model that was not used for the original analysis.

- Matrix elements [464-476]

Regression methods can be used as surrogate models for functions that are too slow to evaluate. One important class of functions are matrix elements, which form the core component of cross section calculations in quantum field theory.

- Parameter estimation [477–482]

The target features could be parameters of a model, which can be learned directly through a regression setup. Other forms of inference are described in later sections (which could also be viewed as regression).

Parton Distribution Functions (and related) [417, 483–489]

Various machine learning models can provide flexible function approxima-

tors, which can be useful for modeling functions that cannot be determined easily from first principles such as parton distribution functions.

- Lattice Gauge Theory [490-501]

Lattice methods offer a complementary approach to perturbation theory. A key challenge is to create approaches that respect the local gauge symmetry (equivariant networks).

- Function Approximation [502–506]
 Approximating functions that obey certain (physical) constraints.
- Symbolic Regression [507–509] Regression where the result is a (relatively) simple formula.

• Decorrelation methods [173, 510–528]

It it sometimes the case that a classification or regression model needs to be independent of a set of features (usually a mass-like variable) in order to estimate the background or otherwise reduce the uncertainty. These techniques are related to what the machine learning literature calls model 'fairness'.

• Generative models / density estimation

The goal of generative modeling is to learn (explicitly or implicitly) a probability density p(x) for the features $x \in \mathbb{R}^n$. This task is usually unsupervised (no labels).

- GANs: [211, 212, 384, 406, 485, 529–587]
 Generative Adversarial Networks [588] learn p(x) implicitly through the minimax optimization of two networks: one that maps noise to structure G(z) and one a classifier (called the discriminator) that learns to distinguish examples generated from G(z) and those generated from the target process. When the discriminator is maximally 'confused', then the generator is effectively mimicking p(x).
- Autoencoders [112, 117, 365, 544, 580, 589–602]

 An autoencoder consists of two functions: one that maps x into a latent space z (encoder) and a second one that maps the latent space back into the original space (decoder). The encoder and decoder are simultaneously trained so that their composition is nearly the identity. When the latent space has a well-defined probability density (as in variational autoencoders), then one can sample from the autoencoder by applying the detector to a randomly chosen element of the latent space.
- Normalizing flows [282, 426, 457, 490, 494, 571, 573, 598, 603–620] Normalizing flows [621] learn p(x) explicitly by starting with a simple prob-

ability density and then applying series of bijective transformations with tractable Jacobians.

- Diffusion Models [622]

These approaches learn the gradient of the density instead of the density directly.

- Physics-inspired [566, 623–626]

A variety of methods have been proposed to use machine learning tools (e.g. neural networks) combined with physical components.

- Mixture Models [215, 627, 628]

A mixture model is a superposition of simple probability densities. For example, a Gaussian mixture model is a sum of normal probability densities. Mixture density networks are mixture models where the coefficients in front of the constituent densities as well as the density parameters (e.g. mean and variances of Gaussians) are parameterized by neural networks.

- Phase space generation [472, 605–607, 629–638]

Monte Carlo event generators integrate over a phase space that needs to be generated efficiently and this can be aided by machine learning methods.

- Gaussian processes [461, 466, 639, 640]

These are non-parametric tools for modeling the 'time'-dependence of a random variable. The 'time' need not be actual time - for instance, one can use Gaussian processes to model the energy dependence of some probability density.

• Anomaly detection [44, 45, 47, 114, 258, 273, 346, 347, 352, 353, 362, 363, 379, 386, 391, 393, 397, 424, 527, 590, 593, 598, 608, 615, 619, 641–698]

The goal of anomaly detection is to identify abnormal events. The abnormal events

The goal of anomaly detection is to identify abnormal events. The abnormal events could be from physics beyond the Standard Model or from faults in a detector. While nearly all searches for new physics are technically anomaly detection, this category is for methods that are mode-independent (broadly defined). Anomalies in high energy physics tend to manifest as over-densities in phase space (often called 'population anomalies') in contrast to off-manifold anomalies where you can flag individual examples as anomalous.

• Simulation-based ('likelihood-free') Inference

Likelihood-based inference is the case where $p(x|\theta)$ is known and θ can be determined by maximizing the probability of the data. In high energy physics, $p(x|\theta)$ is often not known analytically, but it is often possible to sample from the density implicitly using simulations.

- Parameter estimation [51, 52, 281, 573, 611, 699-713]

This can also be viewed as a regression problem, but there the goal is typically to do maximum likelihood estimation in contrast to directly minimizing the mean squared error between a function and the target.

- **Unfolding** [365, 535, 548, 616, 714–727]

This is the task of removing detector distortions. In contrast to parameter estimation, the goal is not to infer model parameters, but instead, the undistorted phase space probability density. This is often also called deconvolution.

- Domain adaptation [51, 562, 699, 728–730] Morphing simulations to look like data is a form of domain adaptation.

- **BSM** [397, 652, 701–705, 731, 732]

This category is for parameter estimation when the parameter is the signal strength of new physics.

- Differentiable Simulation [733, 734]

Coding up a simulation using a differentiable programming language like TensorFlow, PyTorch, or JAX.

• Uncertainty Quantification

Estimating and mitigating uncertainty is essential for the successful deployment of machine learning methods in high energy physics.

- Interpretability [56, 139, 154, 157, 596, 686, 735–740]

 Machine learning methods that are interpretable maybe more robust and thus less susceptible to various sources of uncertainty.
- **Estimation** [60, 741–744]

A first step in reducing uncertainties is estimating their size.

- Mitigation [395, 510, 519, 745, 746]

This category is for proposals to reduce uncertainty.

- Uncertainty- and inference-aware learning [747–753]

The usual path for inference is that a machine learning method is trained for a nominal setup. Uncertainties are then propagated in the usual way. This is suboptimal and so there are multiple proposals for incorporating uncertainties into the learning to get as close to making the final statistical test the target of the machine learning as possible.

• Experimental results

This section is incomplete as there are many results that directly and indirectly (e.g. via flavor tagging) use modern machine learning techniques. We will try to highlight experimental results that use deep learning in a critical way for the final analysis sensitivity.

- Performance studies [754]
- Searches and measurements were ML reconstruction is a core component [755, 756].
- Final analysis discriminate for searches [352, 757–759].
- Measurements using deep learning directly (not through object reconstruction) [724]

References

- [1] M. Feickert and B. Nachman, A Living Review of Machine Learning for Particle Physics, 2102.02770. 1
- [2] A. J. Larkoski, I. Moult and B. Nachman, Jet Substructure at the Large Hadron Collider: A Review of Recent Advances in Theory and Machine Learning, Phys. Rept. 841 (2020) 1–63, [1709.04464].
- [3] D. Guest, K. Cranmer and D. Whiteson, *Deep Learning and its Application to LHC Physics*, 1806.11484.
- [4] K. Albertsson et al., Machine Learning in High Energy Physics Community White Paper, 1807.02876.
- [5] A. Radovic, M. Williams, D. Rousseau, M. Kagan, D. Bonacorsi, A. Himmel et al., Machine learning at the energy and intensity frontiers of particle physics, Nature 560 (2018) 41–48.
- [6] G. Carleo, I. Cirac, K. Cranmer, L. Daudet, M. Schuld, N. Tishby et al., Machine learning and the physical sciences, Rev. Mod. Phys. 91 (2019) 045002, [1903.10563].
- [7] D. Bourilkov, Machine and Deep Learning Applications in Particle Physics, Int. J. Mod. Phys. A 34 (2020) 1930019, [1912.08245].
- [8] M. D. Schwartz, Modern Machine Learning and Particle Physics, 2103.12226.
- [9] G. Karagiorgi, G. Kasieczka, S. Kravitz, B. Nachman and D. Shih, *Machine Learning in the Search for New Fundamental Physics*, 2112.03769.
- [10] A. Boehnlein et al., Artificial Intelligence and Machine Learning in Nuclear Physics, 2112.02309.
- [11] P. Shanahan et al., Snowmass 2021 Computational Frontier CompF03 Topical Group Report: Machine Learning, 2209.07559. 1
- [12] A. Butter et al., The Machine Learning Landscape of Top Taggers, SciPost Phys. 7 (2019) 014, [1902.09914]. 1, 3
- [13] T. Dorigo and P. de Castro, Dealing with Nuisance Parameters using Machine Learning in High Energy Physics: a Review, 2007.09121.
- [14] J. Shlomi, P. Battaglia and J.-R. Vlimant, Graph neural networks in particle physics, Machine Learning: Science and Technology 2 (Jan, 2021) 021001, [2007.13681]. 2
- [15] F. Psihas, M. Groh, C. Tunnell and K. Warburton, A Review on Machine Learning for Neutrino Experiments, 2008.01242. 4
- [16] A. Butter and T. Plehn, Generative Networks for LHC events, 2008.08558.
- [17] S. Forte and S. Carrazza, Parton distribution functions, 2008.12305.

- [18] J. Brehmer and K. Cranmer, Simulation-based inference methods for particle physics, 2010.06439.
- [19] B. Nachman, Anomaly Detection for Physics Analysis and Less than Supervised Learning, 2010.14554.
- [20] J. Duarte and J.-R. Vlimant, Graph Neural Networks for Particle Tracking and Reconstruction, 2012.01249.
- [21] J.-R. Vlimant and J. Yin, Distributed Training and Optimization Of Neural Networks, 2012.01839.
- [22] K. Cranmer, J. Brehmer and G. Louppe, *The frontier of simulation-based inference*, 1911.01429.
- [23] D. Rousseau and A. Ustyuzhanin, Machine Learning scientific competitions and datasets, 2012.08520.
- [24] M. Kagan, Image-Based Jet Analysis, 2012.09719.
- [25] W. Guan, G. Perdue, A. Pesah, M. Schuld, K. Terashi, S. Vallecorsa et al., Quantum Machine Learning in High Energy Physics, 2005.08582.
- [26] R. T. de Lima, Sequence-based Machine Learning Models in Jet Physics, 2102.06128.
- [27] Y. Alanazi, N. Sato, P. Ambrozewicz, A. N. H. Blin, W. Melnitchouk, M. Battaglieri et al., A survey of machine learning-based physics event generation, 2106.00643.
- [28] P. Baldi, P. Sadowski and D. Whiteson, *Deep Learning From Four Vectors*, 2203.03067.
- [29] B. Viren, J. Huang, Y. Huang, M. Lin, Y. Ren, K. Terao et al., Solving Simulation Systematics in and with AI/ML, in 2022 Snowmass Summer Study, 3, 2022. 2203.06112.
- [30] A. Bogatskiy et al., Symmetry Group Equivariant Architectures for Physics, in 2022 Snowmass Summer Study, 3, 2022. 2203.06153.
- [31] S. Badger et al., Machine Learning and LHC Event Generation, 2203.07460.
- [32] C. Dvorkin et al., Machine Learning and Cosmology, in 2022 Snowmass Summer Study, 3, 2022. 2203.08056.
- [33] A. Adelmann et al., New directions for surrogate models and differentiable programming for High Energy Physics detector simulation, in 2022 Snowmass Summer Study, 3, 2022. 2203.08806.
- [34] S. Thais, P. Calafiura, G. Chachamis, G. DeZoort, J. Duarte, S. Ganguly et al., Graph Neural Networks in Particle Physics: Implementations, Innovations, and Challenges, in 2022 Snowmass Summer Study, 3, 2022. 2203.12852.

- [35] P. Harris et al., Physics Community Needs, Tools, and Resources for Machine Learning, in 2022 Snowmass Summer Study, 3, 2022. 2203.16255.
- [36] Y. Coadou, Boosted decision trees. 6, 2022. 2206.09645.
- [37] G. Benelli et al., Data Science and Machine Learning in Education, in 2022 Snowmass Summer Study, 7, 2022. 2207.09060.
- [38] T. Y. Chen, B. Dey, A. Ghosh, M. Kagan, B. Nord and N. Ramachandra, Interpretable Uncertainty Quantification in AI for HEP, in 2022 Snowmass Summer Study, 8, 2022. 2208.03284.
- [39] T. Plehn, A. Butter, B. Dillon and C. Krause, Modern Machine Learning for LHC Physicists, 2211.01421.
- [40] T. Cheng, Bridging Machine Learning and Sciences: Opportunities and Challenges, 2210.13441.
- [41] E. A. Huerta et al., FAIR for AI: An interdisciplinary, international, inclusive, and diverse community building perspective, 2210.08973. 1
- [42] B. H. Denby, Neural Networks and Cellular Automata in Experimental High-energy Physics, Comput. Phys. Commun. 49 (1988) 429–448. 1
- [43] L. Lonnblad, C. Peterson and T. Rognvaldsson, Finding Gluon Jets With a Neural Trigger, Phys. Rev. Lett. 65 (1990) 1321–1324. 1
- [44] G. Kasieczka et al., The LHC Olympics 2020: A Community Challenge for Anomaly Detection in High Energy Physics, 2101.08320. 1, 8
- [45] T. Aarrestad et al., The Dark Machines Anomaly Score Challenge: Benchmark Data and Model Independent Event Classification for the Large Hadron Collider, 2105.14027. 8
- [46] L. Benato et al., Shared Data and Algorithms for Deep Learning in Fundamental Physics, 2107.00656.
- [47] E. Govorkova, E. Puljak, T. Aarrestad, M. Pierini, K. A. Woźniak and J. Ngadiuba, LHC physics dataset for unsupervised New Physics detection at 40 MHz, 2107.02157.
- [48] Y. Chen et al., A FAIR and AI-ready Higgs Boson Decay Dataset, 2108.02214.
- [49] H. Qu, C. Li and S. Qian, Particle Transformer for Jet Tagging, 2202.03772. 1, 2
- [50] P. Baldi, K. Cranmer, T. Faucett, P. Sadowski and D. Whiteson, Parameterized neural networks for high-energy physics, Eur. Phys. J. C76 (2016) 235, [1601.07913].
- [51] K. Cranmer, J. Pavez and G. Louppe, Approximating Likelihood Ratios with Calibrated Discriminative Classifiers, 1506.02169. 9

- [52] B. Nachman and J. Thaler, E Pluribus Unum Ex Machina: Learning from Many Collider Events at Once, 2101.07263. 2, 9
- [53] J. Pumplin, How to tell quark jets from gluon jets, Phys. Rev. D 44 (1991) 2025–2032. 2
- [54] J. Cogan, M. Kagan, E. Strauss and A. Schwarztman, Jet-Images: Computer Vision Inspired Techniques for Jet Tagging, JHEP 02 (2015) 118, [1407.5675].
- [55] L. G. Almeida, M. Backović, M. Cliche, S. J. Lee and M. Perelstein, Playing Tag with ANN: Boosted Top Identification with Pattern Recognition, JHEP 07 (2015) 086, [1501.05968].
- [56] L. de Oliveira, M. Kagan, L. Mackey, B. Nachman and A. Schwartzman, Jet-images
 deep learning edition, JHEP 07 (2016) 069, [1511.05190]. 3, 9
- [57] ATLAS COLLABORATION collaboration, Quark versus Gluon Jet Tagging Using Jet Images with the ATLAS Detector, Tech. Rep. ATL-PHYS-PUB-2017-017, CERN, Geneva, Jul, 2017. 3
- [58] J. Lin, M. Freytsis, I. Moult and B. Nachman, Boosting $H \to b\bar{b}$ with Machine Learning, JHEP 10 (2018) 101, [1807.10768]. 2, 3
- [59] P. T. Komiske, E. M. Metodiev, B. Nachman and M. D. Schwartz, Learning to classify from impure samples with high-dimensional data, Phys. Rev. D 98 (2018) 011502, [1801.10158]. 4
- [60] J. Barnard, E. N. Dawe, M. J. Dolan and N. Rajcic, Parton Shower Uncertainties in Jet Substructure Analyses with Deep Neural Networks, Phys. Rev. D95 (2017) 014018, [1609.00607]. 3, 9
- [61] P. T. Komiske, E. M. Metodiev and M. D. Schwartz, Deep learning in color: towards automated quark/gluon jet discrimination, JHEP 01 (2017) 110, [1612.01551]. 3
- [62] G. Kasieczka, T. Plehn, M. Russell and T. Schell, Deep-learning Top Taggers or The End of QCD?, JHEP 05 (2017) 006, [1701.08784]. 3
- [63] S. Macaluso and D. Shih, Pulling Out All the Tops with Computer Vision and Deep Learning, JHEP 10 (2018) 121, [1803.00107].
- [64] J. Li, T. Li and F.-Z. Xu, Reconstructing boosted Higgs jets from event image segmentation, 2008.13529.
- [65] J. Li and H. Sun, An Attention Based Neural Network for Jet Tagging, 2009.00170.
- [66] J. S. H. Lee, I. Park, I. J. Watson and S. Yang, Quark-Gluon Jet Discrimination Using Convolutional Neural Networks, J. Korean Phys. Soc. 74 (2019) 219–223, [2012.02531]. 3

- [67] J. Collado, K. Bauer, E. Witkowski, T. Faucett, D. Whiteson and P. Baldi, Learning to Isolate Muons, 2021. 2
- [68] Y.-L. Du, D. Pablos and K. Tywoniuk, Deep learning jet modifications in heavy-ion collisions, 2012.07797. 4, 6
- [69] J. Filipek, S.-C. Hsu, J. Kruper, K. Mohan and B. Nachman, *Identifying the Quantum Properties of Hadronic Resonances using Machine Learning*, 2105.04582. 2, 3
- [70] T. Q. Nguyen, D. Weitekamp, D. Anderson, R. Castello, O. Cerri, M. Pierini et al., Topology classification with deep learning to improve real-time event selection at the LHC, Comput. Softw. Big Sci. 3 (2019) 12, [1807.00083]. 2, 5
- [71] ATLAS COLLABORATION collaboration, Convolutional Neural Networks with Event Images for Pileup Mitigation with the ATLAS Detector, Tech. Rep. ATL-PHYS-PUB-2019-028, CERN, Geneva, Jul, 2019. 6
- [72] M. Andrews, M. Paulini, S. Gleyzer and B. Poczos, End-to-End Physics Event Classification with the CMS Open Data: Applying Image-based Deep Learning on Detector Data to Directly Classify Collision Events at the LHC, 1807.11916.
- [73] Y.-L. Chung, S.-C. Hsu and B. Nachman, Disentangling Boosted Higgs Boson Production Modes with Machine Learning, 2009.05930. 3
- [74] Y.-L. Du, K. Zhou, J. Steinheimer, L.-G. Pang, A. Motornenko, H.-S. Zong et al., Identifying the nature of the QCD transition in relativistic collision of heavy nuclei with deep learning, Eur. Phys. J. C 80 (2020) 516, [1910.11530]. 4
- [75] M. Andrews et al., End-to-End Jet Classification of Boosted Top Quarks with the CMS Open Data, 2104.14659. 3
- [76] A. A. Pol et al., Jet Single Shot Detection, 2105.05785. 5
- [77] D. Bae et al., Large-Scale Deep Learning for Multi-Jet Event Classification, 2207.11710. 2
- [78] D. Guest, J. Collado, P. Baldi, S.-C. Hsu, G. Urban and D. Whiteson, Jet Flavor Classification in High-Energy Physics with Deep Neural Networks, Phys. Rev. D94 (2016) 112002, [1607.08633]. 2, 3
- [79] E. Bols, J. Kieseler, M. Verzetti, M. Stoye and A. Stakia, Jet Flavour Classification Using DeepJet, 2008.10519.
- [80] K. Goto, T. Suehara, T. Yoshioka, M. Kurata, H. Nagahara, Y. Nakashima et al., Development of a Vertex Finding Algorithm using Recurrent Neural Network, 2021. 4, 5
- [81] ATLAS collaboration, Identification of Jets Containing b-Hadrons with Recurrent

- Neural Networks at the ATLAS Experiment, Tech. Rep. ATL-PHYS-PUB-2017-003, CERN, Geneva, Mar, 2017. 2, 3
- [82] G. Louppe, K. Cho, C. Becot and K. Cranmer, QCD-Aware Recursive Neural Networks for Jet Physics, 1702.00748. 2, 3
- [83] T. Cheng, Recursive Neural Networks in Quark/Gluon Tagging, 1711.02633. 3
- [84] M. Jercic, I. Jercic and N. Poljak, Introduction and analysis of a method for the investigation of QCD-like tree data, 2112.01809. 2
- [85] I. Henrion, K. Cranmer, J. Bruna, K. Cho, J. Brehmer, G. Louppe et al., Neural Message Passing for Jet Physics, 2017. 2
- [86] X. Ju et al., Graph Neural Networks for Particle Reconstruction in High Energy Physics detectors, 33rd Annual Conference on Neural Information Processing Systems (3, 2020), [2003.11603]. 4
- [87] M. Abdughani, J. Ren, L. Wu and J. M. Yang, Probing stop pair production at the LHC with graph neural networks, JHEP 08 (2019) 055, [1807.09088].
- [88] J. Arjona Martínez, O. Cerri, M. Pierini, M. Spiropulu and J.-R. Vlimant, Pileup mitigation at the Large Hadron Collider with graph neural networks, Eur. Phys. J. Plus 134 (2019) 333, [1810.07988]. 6
- [89] J. Ren, L. Wu and J. M. Yang, Unveiling CP property of top-Higgs coupling with graph neural networks at the LHC, Phys. Lett. B 802 (2020) 135198, [1901.05627].
- [90] E. A. Moreno, O. Cerri, J. M. Duarte, H. B. Newman, T. Q. Nguyen, A. Periwal et al., JEDI-net: a jet identification algorithm based on interaction networks, Eur. Phys. J. C 80 (2020) 58, [1908.05318].
- [91] S. R. Qasim, J. Kieseler, Y. Iiyama and M. Pierini, Learning representations of irregular particle-detector geometry with distance-weighted graph networks, Eur. Phys. J. C 79 (2019) 608, [1902.07987]. 3
- [92] A. Chakraborty, S. H. Lim and M. M. Nojiri, Interpretable deep learning for two-prong jet classification with jet spectra, JHEP 19 (2020) 135, [1904.02092]. 3
- [93] A. Chakraborty, S. H. Lim, M. M. Nojiri and M. Takeuchi, Neural Network-based Top Tagger with Two-Point Energy Correlations and Geometry of Soft Emissions, 2003.11787.
- [94] M. Abdughani, D. Wang, L. Wu, J. M. Yang and J. Zhao, *Probing triple Higgs* coupling with machine learning at the LHC, 2005.11086.
- [95] E. Bernreuther, T. Finke, F. Kahlhoefer, M. Krämer and A. Mück, *Casting a graph net to catch dark showers*, 2006.08639. 3

- [96] Y. Iiyama et al., Distance-Weighted Graph Neural Networks on FPGAs for Real-Time Particle Reconstruction in High Energy Physics, Front. Big Data 3 (2020) 598927, [2008.03601]. 5
- [97] X. Ju and B. Nachman, Supervised Jet Clustering with Graph Neural Networks for Lorentz Boosted Bosons, Phys. Rev. D 102 (2020) 075014, [2008.06064]. 3
- [98] N. Choma et al., Track Seeding and Labelling with Embedded-space Graph Neural Networks, 2007.00149. 4
- [99] S. Alonso-Monsalve, D. Douqa, C. Jesus-Valls, T. Lux, S. Pina-Otey, F. Sanchez et al., Graph neural network for 3D classification of ambiguities and optical crosstalk in scintillator-based neutrino detectors, 2009.00688. 4
- [100] Jun Guo and Jinmian Li and Tianjun Li, The Boosted Higgs Jet Reconstruction via Graph Neural Network, 2010.05464. 3
- [101] A. Heintz et al., Accelerated Charged Particle Tracking with Graph Neural Networks on FPGAs, 34th Conference on Neural Information Processing Systems (11, 2020), [2012.01563]. 5
- [102] Y. Verma and S. Jena, Particle Track Reconstruction using Geometric Deep Learning, 2012.08515. 4
- [103] F. A. Dreyer and H. Qu, Jet tagging in the Lund plane with graph networks, 2012.08526. 3
- [104] Z. Qian et al., Vertex and Energy Reconstruction in JUNO with Machine Learning Methods, 2101.04839. 4
- [105] J. Pata, J. Duarte, J.-R. Vlimant, M. Pierini and M. Spiropulu, MLPF: Efficient machine-learned particle-flow reconstruction using graph neural networks, 2101.08578.
- [106] C. Biscarat, S. Caillou, C. Rougier, J. Stark and J. Zahreddine, Towards a realistic track reconstruction algorithm based on graph neural networks for the HL-LHC, in 25th International Conference on Computing in High-Energy and Nuclear Physics, 3, 2021. 2103.00916. 4
- [107] M. Rossi and S. Vallecorsa, Deep Learning strategies for ProtoDUNE raw data denoising, in 25th International Conference on Computing in High-Energy and Nuclear Physics, 3, 2021. 2103.01596. 4
- [108] J. Hewes et al., Graph Neural Network for Object Reconstruction in Liquid Argon Time Projection Chambers, 3, 2021. 2103.06233. 4
- [109] S. Thais and G. DeZoort, Instance Segmentation GNNs for One-Shot Conformal Tracking at the LHC, 3, 2021. 2103.06509. 4

- [110] G. Dezoort, S. Thais, I. Ojalvo, P. Elmer, V. Razavimaleki, J. Duarte et al., *Charged particle tracking via edge-classifying interaction networks*, 2103.16701. 4
- [111] Y. Verma and S. Jena, Jet characterization in Heavy Ion Collisions by QCD-Aware Graph Neural Networks, 2103.14906.
- [112] A. Hariri, D. Dyachkova and S. Gleyzer, Graph Generative Models for Fast Detector Simulations in High Energy Physics, 2104.01725. 7
- [113] V. Belavin, E. Trofimova and A. Ustyuzhanin, Segmentation of EM showers for neutrino experiments with deep graph neural networks, 2104.02040. 4
- [114] O. Atkinson, A. Bhardwaj, C. Englert, V. S. Ngairangbam and M. Spannowsky, Anomaly detection with Convolutional Graph Neural Networks, 2105.07988.
- [115] P. Konar, V. S. Ngairangbam and M. Spannowsky, Energy-weighted Message Passing: an infra-red and collinear safe graph neural network algorithm, 2109.14636.
- [116] O. Atkinson, A. Bhardwaj, S. Brown, C. Englert, D. J. Miller and P. Stylianou, Improved Constraints on Effective Top Quark Interactions using Edge Convolution Networks, 2111.01838.
- [117] S. Tsan, R. Kansal, A. Aportela, D. Diaz, J. Duarte, S. Krishna et al., Particle Graph Autoencoders and Differentiable, Learned Energy Mover's Distance, in 35th Conference on Neural Information Processing Systems, 11, 2021. 2111.12849.
- [118] A. Elabd et al., Graph Neural Networks for Charged Particle Tracking on FPGAs, 2112.02048. 5
- [119] J. Pata, J. Duarte, F. Mokhtar, E. Wulff, J. Yoo, J.-R. Vlimant et al., Machine Learning for Particle Flow Reconstruction at CMS, in 20th International Workshop on Advanced Computing and Analysis Techniques in Physics Research: AI Decoded -Towards Sustainable, Diverse, Performant and Effective Scientific Computing, 3, 2022. 2203.00330. 6
- [120] S. Gong, Q. Meng, J. Zhang, H. Qu, C. Li, S. Qian et al., An Efficient Lorentz Equivariant Graph Neural Network for Jet Tagging, 2201.08187.
- [121] S. R. Qasim, N. Chernyavskaya, J. Kieseler, K. Long, O. Viazlo, M. Pierini et al., End-to-end multi-particle reconstruction in high occupancy imaging calorimeters with graph neural networks, 2204.01681.
- [122] F. Ma, F. Liu and W. Li, A jet tagging algorithm of graph network with HaarPooling message passing, 2210.13869. 2
- [123] P. T. Komiske, E. M. Metodiev and J. Thaler, Energy Flow Networks: Deep Sets for Particle Jets, JHEP 01 (2019) 121, [1810.05165]. 2

- [124] H. Qu and L. Gouskos, ParticleNet: Jet Tagging via Particle Clouds, Phys. Rev. D 101 (2020) 056019, [1902.08570].
- [125] V. Mikuni and F. Canelli, ABCNet: An attention-based method for particle tagging, Eur. Phys. J. Plus 135 (2020) 463, [2001.05311].
- [126] J. Shlomi, S. Ganguly, E. Gross, K. Cranmer, Y. Lipman, H. Serviansky et al., Secondary Vertex Finding in Jets with Neural Networks, 2008.02831. 4
- [127] M. J. Dolan and A. Ore, Equivariant Energy Flow Networks for Jet Tagging, 2012.00964.
- [128] M. J. Fenton, A. Shmakov, T.-W. Ho, S.-C. Hsu, D. Whiteson and P. Baldi, Permutationless Many-Jet Event Reconstruction with Symmetry Preserving Attention Networks, 2010.09206.
- [129] J. S. H. Lee, I. Park, I. J. Watson and S. Yang, Zero-Permutation Jet-Parton Assignment using a Self-Attention Network, 2012.03542.
- [130] V. Mikuni and F. Canelli, *Point Cloud Transformers applied to Collider Physics*, 2102.05073.
- [131] A. Shmakov, M. J. Fenton, T.-W. Ho, S.-C. Hsu, D. Whiteson and P. Baldi, SPANet: Generalized Permutationless Set Assignment for Particle Physics using Symmetry Preserving Attention, 2106.03898.
- [132] C. Shimmin, Particle Convolution for High Energy Physics, 7, 2021. 2107.02908.
- [133] ATLAS collaboration, Deep Sets based Neural Networks for Impact Parameter Flavour Tagging in ATLAS, Tech. Rep. ATL-PHYS-PUB-2020-014, CERN, Geneva, May, 2020. 2, 3
- [134] K. Datta, A. Larkoski and B. Nachman, Automating the Construction of Jet Observables with Machine Learning, 1902.07180. 3
- [135] K. Datta and A. Larkoski, How Much Information is in a Jet?, JHEP 06 (2017) 073, [1704.08249].
- [136] K. Datta and A. J. Larkoski, Novel Jet Observables from Machine Learning, JHEP 03 (2018) 086, [1710.01305].
- [137] P. T. Komiske, E. M. Metodiev and J. Thaler, Energy flow polynomials: A complete linear basis for jet substructure, JHEP **04** (2018) 013, [1712.07124].
- [138] A. Butter, G. Kasieczka, T. Plehn and M. Russell, Deep-learned Top Tagging with a Lorentz Layer, SciPost Phys. 5 (2018) 028, [1707.08966]. 3
- [139] C. Grojean, A. Paul and Z. Qian, Resurrecting $b\bar{b}h$ with kinematic shapes, 2011.13945. 3, 5, 9

- [140] CMS collaboration, A. M. Sirunyan et al., Identification of heavy, energetic, hadronically decaying particles using machine-learning techniques, JINST 15 (2020) P06005, [2004.08262]. 3
- [141] Y.-C. J. Chen, C.-W. Chiang, G. Cottin and D. Shih, Boosted W and Z tagging with jet charge and deep learning, Phys. Rev. D 101 (2020) 053001, [1908.08256].
- [142] T. Kim and A. Martin, $A W^{\pm}$ polarization analyzer from Deep Neural Networks, 2102.05124. 3
- [143] K. Datta, A. Larkoski and B. Nachman, Automating the Construction of Jet Observables with Machine Learning, Phys. Rev. D 100 (2019) 095016, [1902.07180]. 3
- [144] E. A. Moreno, T. Q. Nguyen, J.-R. Vlimant, O. Cerri, H. B. Newman, A. Periwal et al., Interaction networks for the identification of boosted $H \to b\bar{b}$ decays, Phys. Rev. D 102 (2020) 012010, [1909.12285].
- [145] B. Tannenwald, C. Neu, A. Li, G. Buehlmann, A. Cuddeback, L. Hatfield et al., Benchmarking Machine Learning Techniques with Di-Higgs Production at the LHC, 2009.06754.
- [146] M. Abbas, A. Khan, A. S. Qureshi and M. W. Khan, Extracting Signals of Higgs Boson From Background Noise Using Deep Neural Networks, 2010.08201.
- [147] C. Jang, S.-K. Ko, Y.-K. Noh, J. Choi, J. Lim and T. J. Kim, Learning to increase matching efficiency in identifying additional b-jets in the ttbb process, 2103.09129.
- [148] C. K. Khosa and S. Marzani, Higgs tagging with the Lund jet plane, 2105.03989. 3
- [149] M. Stoye, J. Kieseler, M. Verzetti, H. Qu, L. Gouskos, A. Stakia et al., *DeepJet:*Generic physics object based jet multiclass classification for LHC experiments, 2017. 3
- [150] Y.-T. Chien and R. Kunnawalkam Elayavalli, *Probing heavy ion collisions using* quark and gluon jet substructure, 1803.03589. 4
- [151] G. Kasieczka, N. Kiefer, T. Plehn and J. M. Thompson, Quark-Gluon Tagging: Machine Learning vs Detector, SciPost Phys. 6 (2019) 069, [1812.09223].
- [152] G. Kasieczka, S. Marzani, G. Soyez and G. Stagnitto, *Towards Machine Learning Analytics for Jet Substructure*, 2007.04319.
- [153] J. S. H. Lee, S. M. Lee, Y. Lee, I. Park, I. J. Watson and S. Yang, Quark Gluon Jet Discrimination with Weakly Supervised Learning, J. Korean Phys. Soc. 75 (2019) 652–659, [2012.02540]. 4
- [154] A. Romero, D. Whiteson, M. Fenton, J. Collado and P. Baldi, Safety of Quark/Gluon Jet Classification, 2103.09103.
- [155] F. Dreyer, G. Soyez and A. Takacs, Quarks and gluons in the Lund plane, 2112.09140.

- [156] S. Bright-Thonney, I. Moult, B. Nachman and S. Prestel, Systematic Quark/Gluon Identification with Ratios of Likelihoods, 2207.12411.
- [157] S. Diefenbacher, H. Frost, G. Kasieczka, T. Plehn and J. M. Thompson, CapsNets Continuing the Convolutional Quest, SciPost Phys. 8 (2020) 023, [1906.11265]. 3, 9
- [158] S. Bhattacharya, M. Guchait and A. H. Vijay, Boosted Top Quark Tagging and Polarization Measurement using Machine Learning, 2010.11778.
- [159] S. H. Lim and M. M. Nojiri, Morphology for Jet Classification, 2010.13469.
- [160] J. A. Aguilar-Saavedra, Pulling the Higgs and Top needles from the jet stack with Feature Extended Supervised Tagging, 2102.01667.
- [161] F. A. Dreyer, R. Grabarczyk and P. F. Monni, Leveraging universality of jet taggers through transfer learning, 2203.06210.
- [162] I. Ahmed, A. Zada, M. Waqas and M. U. Ashraf, Application of deep learning in top pair and single top quark production at the LHC, 2203.12871.
- [163] J. M. Munoz, I. Batatia and C. Ortner, BIP: Boost Invariant Polynomials for Efficient Jet Tagging, 2207.08272. 3
- [164] Y. Nakai, D. Shih and S. Thomas, Strange Jet Tagging, 2003.09517. 3
- [165] J. Erdmann, A tagger for strange jets based on tracking information using long short-term memory, JINST 15 (2020) P01021, [1907.07505].
- [166] J. Erdmann, O. Nackenhorst and S. V. Zeißner, Maximum performance of strange-jet tagging at hadron colliders, 2011.10736. 3
- [167] CMS collaboration, A. M. Sirunyan et al., Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV, 1712.07158. 3
- [168] J. Bielcikoaá, R. K. Elayavalli, G. Ponimatkin, J. H. Putschke and J. Sivic, *Identifying Heavy-Flavor Jets Using Vectors of Locally Aggregated Descriptors*, 2005.01842.
- [169] L. Liao, S. Wang, W. Song, Z. Zhang and G. Li, Performance studies of jet flavor tagging and measurement of R_b using ParticleNet at CEPC, 2208.13503.
- [170] S. Bhattacharya, S. Nandi, S. K. Patra and S. Sahoo, 'Deep' Dive into $b \to c$ Anomalies: Standardized and Future-proof Model Selection Using Self-normalizing
 Neural Networks, 2008.04316. 3
- [171] H. Bahtiyar, Predicting Exotic Hadron Masses with Data Augmentation Using Multilayer Perceptron, 2208.09538. 3
- [172] P. Baldi, P. Sadowski and D. Whiteson, Searching for Exotic Particles in High-Energy Physics with Deep Learning, Nature Commun. 5 (2014) 4308, [1402.4735].
- [173] C. Collaboration, A deep neural network to search for new long-lived particles decaying to jets, Machine Learning: Science and Technology (2020), [1912.12238].

- [174] J. Alimena, Y. Iiyama and J. Kieseler, Fast convolutional neural networks for identifying long-lived particles in a high-granularity calorimeter, 2004.10744. 5
- [175] S. Chang, T.-K. Chen and C.-W. Chiang, Distinguishing W' Signals at Hadron Colliders Using Neural Networks, 2007.14586.
- [176] D. Cogollo, F. Freitas, C. S. Pires, Y. M. Oviedo-Torres and P. Vasconcelos, Deep learning analysis of the inverse seesaw in a 3-3-1 model at the LHC, 2008.03409.
- [177] M. Grossi, J. Novak, D. Rebuzzi and B. Kersevan, Comparing Traditional and Deep-Learning Techniques of Kinematic Reconstruction for polarisation Discrimination in Vector Boson Scattering, 2008.05316.
- [178] V. S. Ngairangbam, A. Bhardwaj, P. Konar and A. K. Nayak, *Invisible Higgs search through Vector Boson Fusion: A deep learning approach*, 2008.05434.
- [179] C. Englert, M. Fairbairn, M. Spannowsky, P. Stylianou and S. Varma, Sensing Higgs cascade decays through memory, 2008.08611.
- [180] F. F. Freitas, J. a. Gonçalves, A. P. Morais and R. Pasechnik, *Phenomenology of vector-like leptons with Deep Learning at the Large Hadron Collider*, 2010.01307.
- [181] C. K. Khosa, V. Sanz and M. Soughton, WIMPs or else? Using Machine Learning to disentangle LHC signatures, 1910.06058.
- [182] F. F. Freitas, C. K. Khosa and V. Sanz, Exploring the standard model EFT in VH production with machine learning, Phys. Rev. D 100 (2019) 035040, [1902.05803].
- [183] A. Stakia et al., Advanced Multi-Variate Analysis Methods for New Physics Searches at the Large Hadron Collider, 2105.07530.
- [184] E. Arganda, A. D. Medina, A. D. Perez and A. Szynkman, Towards a method to anticipate dark matter signals with deep learning at the LHC, 2105.12018.
- [185] F. Jorge, R. Ronald, S. Jesus, M. Juan and A. Carlos, *Top squark signal significance enhancement by different Machine Learning Algorithms*, 2106.06813.
- [186] J. Ren, D. Wang, L. Wu, J. M. Yang and M. Zhang, Detecting an axion-like particle with machine learning at the LHC, 2106.07018.
- [187] J. Barron, D. Curtin, G. Kasieczka, T. Plehn and A. Spourdalakis, Unsupervised Hadronic SUEP at the LHC, 2107.12379.
- [188] J.-C. Yang, J.-H. Chen and Y.-C. Guo, Extract the energy scale of anomalous $\gamma\gamma \to W^+W^-$ scattering in the vector boson scattering process using artificial neural networks, 2107.13624.
- [189] D. Alvestad, N. Fomin, J. Kersten, S. Maeland and I. Strümke, Beyond Cuts in Small Signal Scenarios - Enhanced Sneutrino Detectability Using Machine Learning, 2108.03125.

- [190] A. P. Morais, A. Onofre, F. F. Freitas, J. a. Gonçalves, R. Pasechnik and R. Santos, Deep Learning Searches for Vector-Like Leptons at the LHC and Electron/Muon Colliders, 2108.03926.
- [191] S. Jung, Z. Liu, L.-T. Wang and K.-P. Xie, *Probing Higgs exotic decay at the LHC with machine learning*, 2109.03294.
- [192] M. Drees, M. Shi and Z. Zhang, Machine Learning Optimized Search for the Z' from $U(1)_{L_{\mu}-L_{\tau}}$ at the LHC, 2109.07674.
- [193] A. S. Cornell, W. Doorsamy, B. Fuks, G. Harmsen and L. Mason, *Boosted decision trees in the era of new physics: a smuon analysis case study*, 2109.11815.
- [194] X. C. Vidal, L. D. Maroñas and A. D. Suárez, How to use Machine Learning to improve the discrimination between signal and background at particle colliders, 2110.15099.
- [195] H. Beauchesne and G. G. di Cortona, Event-level variables for semivisible jets using anomalous jet tagging, in 2022 Snowmass Summer Study, 11, 2021. 2111.12156.
- [196] J. Feng, M. Li, Q.-S. Yan, Y.-P. Zeng, H.-H. Zhang, Y. Zhang et al., Improving heavy Dirac neutrino prospects at future hadron colliders using machine learning, 2112.15312.
- [197] P. Konar and V. S. Ngairangbam, Influence of QCD parton shower in deep learning invisible Higgs through vector boson fusion, 2201.01040.
- [198] A. Badea, W. J. Fawcett, J. Huth, T. J. Khoo, R. Poggi and L. Lee, Solving Combinatorial Problems at Particle Colliders Using Machine Learning, 2201.02205.
- [199] F. F. Freitas, J. a. Gonçalves, A. P. Morais and R. Pasechnik, Phenomenology at the Large Hadron Collider with Deep Learning: the case of vector-like quarks decaying to light jets, 2204.12542.
- [200] M. D. Goodsell and A. Joury, Active learning BSM parameter spaces, 2204.13950.
- [201] H. Lv, D. Wang and L. Wu, Deep Learning Jet Image as a Probe of Light Higgsino Dark Matter at the LHC, 2203.14569.
- [202] X. Ai, S.-C. Hsu, K. Li and C.-T. Lu, Probing highly collimated photon-jets with deep learning, 2203.16703.
- [203] J.-C. Yang, X.-Y. Han, Z.-B. Qin, T. Li and Y.-C. Guo, Measuring the anomalous quartic gauge couplings in the $W^+W^- \to W^+W^-$ process at muon collider using artificial neural networks, 2204.10034.
- [204] L. Alasfar, R. Gröber, C. Grojean, A. Paul and Z. Qian, Machine learning the trilinear and light-quark Yukawa couplings from Higgs pair kinematic shapes, 2207.04157.

- [205] D. Barbosa, F. Díaz, L. Quintero, A. Flórez, M. Sanchez, A. Gurrola et al., Probing a Z' with non-universal fermion couplings through top quark fusion, decays to bottom quarks, and machine learning techniques, 2210.15813.
- [206] C.-W. Chiang, D. Shih and S.-F. Wei, VBF vs. GGF Higgs with Full-Event Deep Learning: Towards a Decay-Agnostic Tagger, 2209.05518.
- [207] N. C. Hall, I. Criddle, A. Crossland, C. Englert, P. Forbes, R. Hankache et al., Machine-enhanced CP-asymmetries in the electroweak sector, 2209.05143.
- [208] T. Faucett, S.-C. Hsu and D. Whiteson, Learning to Identify Semi-Visible Jets, 2208.10062. 3
- [209] L. De Oliveira, B. Nachman and M. Paganini, Electromagnetic Showers Beyond Shower Shapes, Nucl. Instrum. Meth. A 951 (2020) 162879, [1806.05667]. 3
- [210] M. Paganini, L. de Oliveira and B. Nachman, Survey of Machine Learning Techniques for High Energy Electromagnetic Shower Classification, 2017.
- [211] B. Hooberman, A. Farbin, G. Khattak, V. Pacela, M. Pierini, J.-R. Vlimant et al., Calorimetry with Deep Learning: Particle Classification, Energy Regression, and Simulation for High-Energy Physics, 2017. 6, 7
- [212] D. Belayneh et al., Calorimetry with Deep Learning: Particle Simulation and Reconstruction for Collider Physics, 1912.06794. 7
- [213] J. Collado, J. N. Howard, T. Faucett, T. Tong, P. Baldi and D. Whiteson, Learning to Identify Electrons, 2011.01984.
- [214] Y. Verma and S. Jena, Shower Identification in Calorimeter using Deep Learning, 2103.16247.
- [215] G. Graziani, L. Anderlini, S. Mariani, E. Franzoso, L. Pappalardo and P. di Nezza, A Neural-Network-defined Gaussian Mixture Model for particle identification applied to the LHCb fixed-target programme, 2110.10259. 8
- [216] ALICE collaboration, L. K. Graczykowski, M. Jakubowska, K. R. Deja and M. Kabus, *Using Machine Learning for Particle Identification in ALICE*, 4, 2022. 2204.06900.
- [217] C. Fanelli and A. Mahmood, Artificial Intelligence for Imaging Cherenkov Detectors at the EIC, in Experimental Applications of Artificial Intelligence for the Electron Ion Collider, 4, 2022. 2204.08645.
- [218] PADME collaboration, K. Dimitrova, Using Artificial Intelligence in the Reconstruction of Signals from the PADME Electromagnetic Calorimeter, Instruments 6 (2022) 46, [2210.00811]. 3
- [219] A. Aurisano, A. Radovic, D. Rocco, A. Himmel, M. D. Messier, E. Niner et al., A

- Convolutional Neural Network Neutrino Event Classifier, JINST 11 (2016) P09001, [1604.01444]. 4
- [220] MICROBOONE collaboration, R. Acciarri et al., Convolutional Neural Networks Applied to Neutrino Events in a Liquid Argon Time Projection Chamber, JINST 12 (2017) P03011, [1611.05531].
- [221] L. Hertel, L. Li, P. Baldi and J. Bian, Convolutional Neural Networks for Electron Neutrino and Electron Shower Energy Reconstruction in the NOνA Detectors, 2017.
- [222] MICROBOONE collaboration, C. Adams et al., Deep neural network for pixel-level electromagnetic particle identification in the MicroBooNE liquid argon time projection chamber, Phys. Rev. **D99** (2019) 092001, [1808.07269].
- [223] DEEPLEARNPHYSICS collaboration, L. Dominé and K. Terao, Scalable deep convolutional neural networks for sparse, locally dense liquid argon time projection chamber data, Phys. Rev. D 102 (2020) 012005, [1903.05663].
- [224] KM3NET collaboration, S. Aiello et al., Event reconstruction for KM3NeT/ORCA using convolutional neural networks, 2004.08254.
- [225] C. Adams, K. Terao and T. Wongjirad, PILArNet: Public Dataset for Particle Imaging Liquid Argon Detectors in High Energy Physics, 2006.01993.
- [226] L. Dominé and K. Terao, Point Proposal Network for Reconstructing 3D Particle Positions with Sub-Pixel Precision in Liquid Argon Time Projection Chambers, 2006.14745.
- [227] DUNE collaboration, B. Abi et al., Neutrino interaction classification with a convolutional neural network in the DUNE far detector, Phys. Rev. D 102 (2020) 092003, [2006.15052].
- [228] DEEPLEARNPHYSICS collaboration, F. Drielsma, Q. Lin, P. C. de Soux, L. Dominé, R. Itay, D. H. Koh et al., Clustering of electromagnetic showers and particle interactions with graph neural networks in liquid argon time projection chambers, Phys. Rev. D 104 (2021) 072004, [2007.01335].
- [229] DEEPLEARNPHYSICS collaboration, D. H. Koh, P. Côte De Soux, L. Dominé, F. Drielsma, R. Itay, Q. Lin et al., Scalable, Proposal-free Instance Segmentation Network for 3D Pixel Clustering and Particle Trajectory Reconstruction in Liquid Argon Time Projection Chambers, 2007.03083.
- [230] H. Yu et al., Augmented signal processing in Liquid Argon Time Projection Chambers with a deep neural network, JINST 16 (2021) P01036, [2007.12743].
- [231] MICROBOONE collaboration, P. Abratenko et al., A Convolutional Neural Network for Multiple Particle Identification in the MicroBooNE Liquid Argon Time Projection Chamber, 2010.08653.

- [232] B. Clerbaux, P.-A. Petitjean, Y. Xu and Y. Yang, Study of using machine learning for level 1 trigger decision in JUNO experiment, 2011.08847.
- [233] J. Liu, J. Ott, J. Collado, B. Jargowsky, W. Wu, J. Bian et al., Deep-Learning-Based Kinematic Reconstruction for DUNE, 2012.06181.
- [234] MICROBOONE collaboration, P. Abratenko et al., Semantic Segmentation with a Sparse Convolutional Neural Network for Event Reconstruction in MicroBooNE, 2012.08513.
- [235] S. Y.-C. Chen, T.-C. Wei, C. Zhang, H. Yu and S. Yoo, Quantum Convolutional Neural Networks for High Energy Physics Data Analysis, 2012.12177. 5
- [236] ICECUBE collaboration, R. Abbasi et al., A Convolutional Neural Network based Cascade Reconstruction for the IceCube Neutrino Observatory, 2021.
- [237] F. Drielsma, K. Terao, L. Dominé and D. H. Koh, Scalable, End-to-End, Deep-Learning-Based Data Reconstruction Chain for Particle Imaging Detectors, in 34th Conference on Neural Information Processing Systems, 2, 2021. 2102.01033.
- [238] Argoneut collaboration, R. Acciarri et al., A deep-learning based raw waveform region-of-interest finder for the liquid argon time projection chamber, 2103.06391.
- [239] D. Maksimović, M. Nieslony and M. Wurm, CNNs for enhanced background discrimination in DSNB searches in large-scale water-Gd detectors, 2104.13426.
- [240] A. Gavrikov and F. Ratnikov, The use of Boosted Decision Trees for Energy Reconstruction in JUNO experiment, in 25th International Conference on Computing in High-Energy and Nuclear Physics, 6, 2021. 2106.02907.
- [241] J. García-Méndez, N. Geißelbrecht, T. Eberl, M. Ardid and S. Ardid, *Deep learning reconstruction in ANTARES*, 2107.13654.
- [242] K. Carloni, N. W. Kamp, A. Schneider and J. M. Conrad, Convolutional Neural Networks for Shower Energy Prediction in Liquid Argon Time Projection Chambers, 2110.10766.
- [243] MICROBOONE collaboration, P. Abratenko et al., Electromagnetic Shower Reconstruction and Energy Validation with Michel Electrons and π^0 Samples for the Deep-Learning-Based Analyses in MicroBooNE, 2110.11874.
- [244] MICROBOONE collaboration, P. Abratenko et al., Wire-Cell 3D Pattern Recognition Techniques for Neutrino Event Reconstruction in Large LArTPCs: Algorithm Description and Quantitative Evaluation with MicroBooNE Simulation, 2110.13961.
- [245] Z. A. Elkarghli, Improvement of the NOvA Near Detector Event Reconstruction and Primary Vertexing through the Application of Machine Learning Methods, Master's thesis, Wichita State U., 2020.

- [246] DUNE collaboration, A. Abed Abud et al., Separation of track- and shower-like energy deposits in ProtoDUNE-SP using a convolutional neural network, 2203.17053.
- [247] P. Lutkus, T. Wongjirad and S. Aeron, Towards Designing and Exploiting Generative Networks for Neutrino Physics Experiments using Liquid Argon Time Projection Chambers, in 9th International Conference on Learning Representations, 4, 2022. 2204.02496.
- [248] A. Chappell and L. H. Whitehead, Application of Transfer Learning to Neutrino Interaction Classification, Eur. Phys. J. C 82 (2022) 1099, [2207.03139].
- [249] M. Bachlechner, T. Birkenfeld, P. Soldin, A. Stahl and C. Wiebusch, *Partition Pooling for Convolutional Graph Network Applications in Particle Physics*, 2208.05952.
- [250] A. Søgaard, R. F. Ørsøe, L. Bozianu, M. Holm, K. E. Iversen, T. Guggenmos et al., GraphNeT: Graph neural networks for neutrino telescope event reconstruction, 2210.12194.
- [251] ICECUBE collaboration, R. Abbasi et al., Graph Neural Networks for low-energy event classification & reconstruction in IceCube, JINST 17 (2022) P11003, [2209.03042].
- [252] A. Ilyasov and A. Grobov, Boosted decision trees approach to neck alpha events discrimination in DEAP-3600 experiment, Physica Scripta (2020) . 4
- [253] LUX collaboration, D. Akerib et al., Improving sensitivity to low-mass dark matter in LUX using a novel electrode background mitigation technique, 2011.09602.
- [254] C. K. Khosa, L. Mars, J. Richards and V. Sanz, Convolutional Neural Networks for Direct Detection of Dark Matter, J. Phys. G 47 (2020) 095201, [1911.09210].
- [255] A. Golovatiuk, A. Ustyuzhanin, A. Alexandrov and G. De Lellis, Deep Learning for direct Dark Matter search with nuclear emulsions, 2106.11995.
- [256] J. I. McDonald, Scanning the landscape of axion dark matter detectors: applying gradient descent to experimental design, 2108.13894.
- [257] I. Coarasa et al., Machine-learning techniques applied to three-year exposure of ANAIS-112, in 17th International Conference on Topics in Astroparticle and Underground Physics, 10, 2021. 2110.10649.
- [258] J. Herrero-Garcia, R. Patrick and A. Scaffidi, Signal-agnostic dark matter searches in direct detection data with machine learning, 2110.12248.
- [259] S. Liang, A. Higuera, C. Peters, V. Roy, W. U. Bajwa, H. Shatkay et al., Domain-informed neural networks for interaction localization within astroparticle experiments, 2112.07995.
- [260] Z.-Y. Li, Z. Qian, J.-H. He, W. He, C.-X. Wu, X.-Y. Cai et al., Improving the

- machine learning based vertex reconstruction for large liquid scintillator detectors with multiple types of PMTs, 2205.04039. 4
- [261] B. Ostdiek, A. Diaz Rivero and C. Dvorkin, Detecting Subhalos in Strong Gravitational Lens Images with Image Segmentation, 2009.06663. 4
- [262] J. Brehmer, S. Mishra-Sharma, J. Hermans, G. Louppe and K. Cranmer, Mining for Dark Matter Substructure: Inferring subhalo population properties from strong lenses with machine learning, 1909.02005.
- [263] Y.-L. S. Tsai, Y.-L. Chung, Q. Yuan and K. Cheung, Inverting cosmic ray propagation by Convolutional Neural Networks, 2011.11930.
- [264] PIERRE AUGER collaboration, A. Aab et al., Deep-Learning based Reconstruction of the Shower Maximum X_{max} using the Water-Cherenkov Detectors of the Pierre Auger Observatory, 2101.02946.
- [265] DarkMachines High Dimensional Sampling Group collaboration, C. Balázs et al., A comparison of optimisation algorithms for high-dimensional particle and astrophysics applications, 2101.04525. 5
- [266] B. S. González, R. C. ao, M. Pimenta, B. Tomé and A. Guillén, Tackling the muon identification in water Cherenkov detectors problem for the future Southern Wide-field Gamma-ray Observatory by means of Machine Learning, 2021.
- [267] R. Conceição, B. S. González, A. Guillén, M. Pimenta and B. Tomé, Muon identification in a compact single-layered water Cherenkov detector and gamma/hadron discrimination using Machine Learning techniques, 2101.10109.
- [268] W.-C. Huang, J.-L. Kuo and Y.-L. S. Tsai, A convolutional-neural-network estimator of CMB constraints on dark matter energy injection, 2021.
- [269] D. Droz, A. Tykhonov, X. Wu, F. Alemanno, G. Ambrosi, E. Catanzani et al., A neural network classifier for electron identification on the DAMPE experiment, 2102.05534.
- [270] M.-Z. Han, J.-L. Jiang, S.-P. Tang and Y.-Z. Fan, Bayesian nonparametric inference of neutron star equation of state via neural network, 2103.05408.
- [271] R. Arjona and S. Nesseris, Novel null tests for the spatial curvature and homogeneity of the Universe and their machine learning reconstructions, 2103.06789.
- [272] A. Dropulic, B. Ostdiek, L. J. Chang, H. Liu, T. Cohen and M. Lisanti, *Machine Learning the 6th Dimension: Stellar Radial Velocities from 5D Phase-Space Correlations*, 2103.14039.
- [273] D. Shih, M. R. Buckley, L. Necib and J. Tamanas, Via Machinae: Searching for Stellar Streams using Unsupervised Machine Learning, 2104.12789. 8

- [274] T. Ikeda, T. Tanimori, A. Takada, Y. Mizumura, K. Yoshikawa, M. Abe et al., Development of Convolutional Neural Networks for an Electron-Tracking Compton Camera, 2105.02512.
- [275] A. Aizpuru, R. Arjona and S. Nesseris, Machine Learning improved fits of the sound horizon at the baryon drag epoch, 2106.00428.
- [276] N. O. P. Vago, I. A. Hameed and M. Kachelriess, Using Convolutional Neural Networks for the Helicity Classification of Magnetic Fields, in 37th International Cosmic Ray Conference, 6, 2021. 2106.06718.
- [277] F. List, N. L. Rodd and G. F. Lewis, Dim but not entirely dark: Extracting the Galactic Center Excess' source-count distribution with neural nets, 2107.09070.
- [278] F. Kahlhoefer, M. Korsmeier, M. Krämer, S. Manconi and K. Nippel, Constraining dark matter annihilation with cosmic ray antiprotons using neural networks, 2107.12395.
- [279] C. G. Sabiu, K. Kadota, J. Asorey and I. Park, Probing Ultra-light Axion Dark Matter from 21cm Tomography using Convolutional Neural Networks, 2108.07972.
- [280] S. Mishra-Sharma, Inferring dark matter substructure with astrometric lensing beyond the power spectrum, in 35th Conference on Neural Information Processing Systems, 10, 2021. 2110.01620.
- [281] S. Mishra-Sharma and K. Cranmer, A neural simulation-based inference approach for characterizing the Galactic Center γ-ray excess, 2110.06931. 9
- [282] T. Bister, M. Erdmann, U. Köthe and J. Schulte, Inference of cosmic-ray source properties by conditional invertible neural networks, 2110.09493. 7
- [283] Y. Chen and B.-Q. Ma, Novel pre-burst stage of gamma-ray bursts from machine learning, JHEAp 32 (2021) 128, [1910.08043].
- [284] S. De, W. Maitra, V. Rentala and A. M. Thalapillil, Deep learning techniques for Imaging Air Cherenkov Telescopes, 2206.05296.
- [285] N. A. Montel, A. Coogan, C. Correa, K. Karchev and C. Weniger, Estimating the warm dark matter mass from strong lensing images with truncated marginal neural ratio estimation, 2205.09126.
- [286] T. Glauch, T. Kerscher and P. Giommi, BlaST A Machine-Learning Estimator for the Synchrotron Peak of Blazars, 2207.03813.
- [287] Y. Sun and T. R. Slatyer, Modeling early-universe energy injection with Dense Neural Networks, 2207.06425.
- [288] S. Abel, A. Constantin, T. R. Harvey and A. Lukas, Cosmic Inflation and Genetic Algorithms, 2208.13804.

- [289] G. Zhang, S. Mishra-Sharma and C. Dvorkin, Inferring subhalo effective density slopes from strong lensing observations with neural likelihood-ratio estimation, 2208.13796.
- [290] T. Nguyen, S. Mishra-Sharma, R. Williams and L. Necib, Uncovering dark matter density profiles in dwarf galaxies with graph neural networks, 2208.12825. 4
- [291] S. Farrell, P. Calafiura, M. Mudigonda, Prabhat, D. Anderson, J. Bendavid et al., Particle Track Reconstruction with Deep Learning, 2017. 4
- [292] S. Farrell et al., Novel deep learning methods for track reconstruction, 4th International Workshop Connecting The Dots 2018 (10, 2018), [1810.06111].
- [293] S. Amrouche et al., The Tracking Machine Learning challenge: Accuracy phase, 1904.06778.
- [294] S. Akar, T. J. Boettcher, S. Carl, H. F. Schreiner, M. D. Sokoloff, M. Stahl et al., An updated hybrid deep learning algorithm for identifying and locating primary vertices, 2007.01023.
- [295] F. Siviero, R. Arcidiacono, N. Cartiglia, M. Costa, M. Ferrero, M. Mandurrino et al., First application of machine learning algorithms to the position reconstruction in Resistive Silicon Detectors, 2011.02410.
- [296] P. J. Fox, S. Huang, J. Isaacson, X. Ju and B. Nachman, Beyond 4D Tracking: Using Cluster Shapes for Track Seeding, 2012.04533.
- [297] S. Amrouche, M. Kiehn, T. Golling and A. Salzburger, Hashing and metric learning for charged particle tracking, 33rd Annual Conference on Neural Information Processing Systems (1, 2021), [2101.06428].
- [298] S. Akar, G. Atluri, T. Boettcher, M. Peters, H. Schreiner, M. Sokoloff et al., Progress in developing a hybrid deep learning algorithm for identifying and locating primary vertices, 2103.04962.
- [299] X. Ju et al., Physics and Computing Performance of the Exa. TrkX TrackML Pipeline, 2103.06995.
- [300] A. Edmonds, D. Brown, L. Vinas and S. Pagan, *Using Machine Learning to Select High-Quality Measurements*, 2106.08891.
- [301] E. Lavrik, M. Shiroya, H. R. Schmidt, A. Toia and J. M. Heuser, Optical Inspection of the Silicon Micro-strip Sensors for the CBM Experiment employing Artificial Intelligence, 2107.07714.
- [302] B. Huth, A. Salzburger and T. Wettig, Machine learning for surface prediction in ACTS, in 25th International Conference on Computing in High-Energy and Nuclear Physics, 8, 2021. 2108.03068.
- [303] P. Goncharov, E. Schavelev, A. Nikolskaya and G. Ososkov, Ariadne: PyTorch

- Library for Particle Track Reconstruction Using Deep Learning, in 24th International Scientific Conference of Young Scientists and Specialists, 9, 2021. 2109.08982. 5
- [304] C.-Y. Wang et al., Reconstruction of Large Radius Tracks with the Exa. TrkX pipeline, in 20th International Workshop on Advanced Computing and Analysis Techniques in Physics Research: AI Decoded - Towards Sustainable, Diverse, Performant and Effective Scientific Computing, 3, 2022. 2203.08800.
- [305] S. Alonso-Monsalve, D. Sgalaberna, X. Zhao, C. McGrew and A. Rubbia, Artificial intelligence for improved fitting of trajectories of elementary particles in inhomogeneous dense materials immersed in a magnetic field, 2211.04890.
- [306] O. Bakina et al., Deep learning for track recognition in pixel and strip-based particle detectors, 2210.00599.
- [307] A. Akram and X. Ju, Track Reconstruction using Geometric Deep Learning in the Straw Tube Tracker (STT) at the PANDA Experiment, 8, 2022. 2208.12178. 4
- [308] L.-G. Pang, K. Zhou, N. Su, H. Petersen, H. Stöcker and X.-N. Wang, An equation-of-state-meter of quantum chromodynamics transition from deep learning, Nature Commun. 9 (2018) 210, [1612.04262]. 4
- [309] N. Mallick, S. Tripathy, A. N. Mishra, S. Deb and R. Sahoo, Estimation of Impact Parameter and Transverse Spherocity in heavy-ion collisions at the LHC energies using Machine Learning, 2103.01736.
- [310] S. Nagu, J. Singh, J. Singh and R. B. Singh, Constraining nuclear effects in Argon using machine learning algorithms, 2105.12733.
- [311] Y.-S. Zhao, L. Wang, K. Zhou and X.-G. Huang, Detecting Chiral Magnetic Effect via Deep Learning, 2105.13761.
- [312] D. L. B. Sombillo, Y. Ikeda, T. Sato and A. Hosaka, Classifying near-threshold enhancement using deep neural network, in 8th Asia-Pacific conference on Few-Body problems in Physics: Yamada Conference LXXII, 6, 2021. 2106.03453.
- [313] M. Zhou, F. Gao, J. Chao, Y.-X. Liu and H. Song, Application of radial basis functions neutral networks in spectral functions, 2106.08168.
- [314] L. Apolinário, N. F. Castro, M. Crispim Romão, J. G. Milhano, R. Pedro and F. C. R. Peres, Deep Learning for the Classification of Quenched Jets, 2106.08869.
- [315] S. Brown, G. Niculescu and I. Niculescu, inclusive AI: A machine learning representation of the F_2 structure function over all charted Q^2 and x range, 2106.06390.
- [316] Y.-L. Du, D. Pablos and K. Tywoniuk, Jet tomography in heavy ion collisions with deep learning, 2106.11271.

- [317] M. O. Kuttan, K. Zhou, J. Steinheimer, A. Redelbach and H. Stoecker, An equation-of-state-meter for CBM using PointNet, 2107.05590.
- [318] Y.-G. Huang, L.-G. Pang, X. Luo and X.-N. Wang, Probing criticality with deep learning in relativistic heavy-ion collisions, 2107.11828.
- [319] E. Shokr, A. De Roeck and M. A. Mahmoud, Modeling of charged-particle multiplicity and transverse-momentum distributions in pp collisions using a DNN, 2108.06102.
- [320] J. He, W.-B. He, Y.-G. Ma and S. Zhang, Machine-learning-based identification for initial clustering structure in relativistic heavy-ion collisions, 2109.06277.
- [321] D. M. Habashy, M. Y. El-Bakry, A. N. Tawfik, R. M. A. Rahman and M. Hanafy, Particles Multiplicity Based on Rapidity in Landau and Artificial Neural Network(ANN) Models, 2109.07191.
- [322] E. Zepeda and A. Ortiz, Multiparton Interactions in pp collisions from Machine Learning, in 9th Large Hadron Collider Physics Conference, 10, 2021. 2110.01748.
- [323] A. N. Mishra, N. Mallick, S. Tripathy, S. Deb and R. Sahoo, Implementation of machine learning techniques to predict impact parameter and transverse spherocity in heavy-ion collisions at the LHC, in 9th Large Hadron Collider Physics Conference, 10, 2021. 2110.04026.
- [324] JPAC collaboration, L. Ng, L. Bibrzycki, J. Nys, C. Fernandez-Ramirez, A. Pilloni, V. Mathieu et al., Deep Learning Exotic Hadrons, 2110.13742.
- [325] D. M. Habashy, M. Y. El-Bakry, W. Scheinast and M. Hanafy, Entropy per rapidity in Pb-Pb central collisions using Thermal and Artificial neural network(ANN) models at LHC energies, 2110.15026.
- [326] G. Bíró, B. Tankó-Bartalis and G. G. Barnaföldi, Studying Hadronization by Machine Learning Techniques, 2111.15655.
- [327] Y. S. Lai, J. Mulligan, M. Płoskoń and F. Ringer, The information content of jet quenching and machine learning assisted observable design, 2111.14589.
- [328] Y.-L. Du, D. Pablos and K. Tywoniuk, Classification of quark and gluon jets in hot QCD medium with deep learning, in Particles and Nuclei International Conference, 12, 2021. 2112.00681.
- [329] Y.-L. Du, D. Pablos and K. Tywoniuk, Jet tomography in hot QCD medium with deep learning, in European Physical Society Conference on High Energy Physics 2021, 12, 2021. 2112.00679.
- [330] P. Xiang, Y.-S. Zhao and X.-G. Huang, Determination of impact parameter in high-energy heavy-ion collisions via deep learning, 2112.03824.

- [331] S. Soma, L. Wang, S. Shi, H. Stöcker and K. Zhou, Neural network reconstruction of the dense matter equation of state from neutron star observables, 2201.01756.
- [332] R. M. A. Rahman, M. Y. El-Bakry, D. M. Habashy, A. N. Tawfik and M. Hanafy, Particle ratios with in Hadron Resonance Gas (HRG) and Artificial Neural Network (ANN) models, 2201.04444.
- [333] M. Boglione, M. Diefenthaler, S. Dolan, L. Gamberg, W. Melnitchouk, D. Pitonyak et al., New tool for kinematic regime estimation in semi-inclusive deep-inelastic scattering, 2201.12197.
- [334] D. Liyanage, Y. Ji, D. Everett, M. Heffernan, U. Heinz, S. Mak et al., Efficient emulation of relativistic heavy ion collisions with transfer learning, 2201.07302.
- [335] L. Liu, M. Verweij and J. Velkovska, *Identifying quenched jets in heavy ion collisions* with machine learning, 2206.01628.
- [336] C. Fanelli et al., AI-assisted Optimization of the ECCE Tracking System at the Electron Ion Collider, 2205.09185.
- [337] H. Chen, W.-Q. Niu and H.-Q. Zheng, Identify Hadronic Molecule States by Neural Network, 2205.03572.
- [338] A. Saha, D. Dan and S. Sanyal, Machine Learning model driven prediction of the initial geometry in Heavy-Ion Collision experiments, 2203.15433.
- [339] K. Lee, J. Mulligan, M. Ploskon, F. Ringer and F. Yuan, Machine learning-based jet and event classification at the Electron-Ion Collider with applications to hadron structure and spin physics, 2210.06450.
- [340] G. Bíró, B. Tankó-Bartalis and G. G. Barnaföldi, Testing of KNO-scaling of charged hadron multiplicities within a Machine Learning based approach, PoS ICHEP2022 (2022) 1188, [2210.10548]. 4
- [341] L. Tani, D. Rand, C. Veelken and M. Kadastik, Evolutionary algorithms for hyperparameter optimization in machine learning for application in high energy physics, 2011.04434. 4
- [342] L. Dudko, P. Volkov, G. Vorotnikov and A. Zaborenko, Application of Deep Learning Technique to an Analysis of Hard Scattering Processes at Colliders, 9, 2021. 2109.08520.
- [343] A. Bevan, R. G. Go ni, T. Stevenson and T. Stevenson, Support vector machines and generalisation in HEP, J. Phys. Conf. Ser. 898 (2017) 072021, [1702.04686]. 4
- [344] L. M. Dery, B. Nachman, F. Rubbo and A. Schwartzman, Weakly Supervised Classification in High Energy Physics, JHEP 05 (2017) 145, [1702.00414].

- [345] E. M. Metodiev, B. Nachman and J. Thaler, Classification without labels: Learning from mixed samples in high energy physics, JHEP 10 (2017) 174, [1708.02949].
- [346] J. H. Collins, K. Howe and B. Nachman, Anomaly Detection for Resonant New Physics with Machine Learning, Phys. Rev. Lett. 121 (2018) 241803, [1805.02664]. 8
- [347] J. H. Collins, K. Howe and B. Nachman, Extending the search for new resonances with machine learning, Phys. Rev. **D99** (2019) 014038, [1902.02634]. 8
- [348] M. Borisyak and N. Kazeev, Machine Learning on data with sPlot background subtraction, 1905.11719.
- [349] T. Cohen, M. Freytsis and B. Ostdiek, (Machine) Learning to Do More with Less, 1706.09451.
- [350] P. T. Komiske, E. M. Metodiev and J. Thaler, An operational definition of quark and gluon jets, JHEP 11 (2018) 059, [1809.01140].
- [351] E. M. Metodiev and J. Thaler, Jet Topics: Disentangling Quarks and Gluons at Colliders, Phys. Rev. Lett. 120 (2018) 241602, [1802.00008].
- [352] ATLAS Collaboration, Dijet resonance search with weak supervision using 13 TeV pp collisions in the ATLAS detector, 2005.02983. 8, 10
- [353] O. Amram and C. M. Suarez, Tag N' Train: A Technique to Train Improved Classifiers on Unlabeled Data, 2002.12376. 8
- [354] J. Brewer, J. Thaler and A. P. Turner, *Data-driven quark and gluon jet modification* in heavy-ion collisions, 2008.08596.
- [355] S.-e. Dahbi, J. Choma, B. Mellado, G. Mokgatitswane, X. Ruan, T. Celik et al., Machine learning approach for the search of resonances with topological features at the Large Hadron Collider, 2011.09863.
- [356] B. Lieberman, J. Choma, S.-E. Dahbi, B. Mellado and X. Ruan, An investigation of over-training within semi-supervised machine learning models in the search for heavy resonances at the LHC, in 65th Annual Conference of the South African Institute of Physics, 9, 2021. 2109.07287.
- [357] P. T. Komiske, S. Kryhin and J. Thaler, Disentangling Quarks and Gluons with CMS Open Data, 2205.04459.
- [358] T. Li, S. Liu, Y. Feng, G. Paspalaki, N. Tran, M. Liu et al., Semi-supervised Graph Neural Networks for Pileup Noise Removal, 2203.15823. 6
- [359] M. LeBlanc, B. Nachman and C. Sauer, Going off topics to demix quark and gluon jets in α_S extractions, 2206.10642. 4
- [360] L. Mackey, B. Nachman, A. Schwartzman and C. Stansbury, Fuzzy Jets, JHEP 06 (2016) 010, [1509.02216]. 5

- [361] P. T. Komiske, E. M. Metodiev and J. Thaler, Metric Space of Collider Events, Phys. Rev. Lett. 123 (2019) 041801, [1902.02346]. 5
- [362] B. M. Dillon, D. A. Faroughy, J. F. Kamenik and M. Szewc, *Learning the latent structure of collider events*, 2005.12319. 8
- [363] B. M. Dillon, D. A. Faroughy and J. F. Kamenik, Uncovering latent jet substructure, Phys. Rev. D100 (2019) 056002, [1904.04200]. 8
- [364] T. Cai, J. Cheng, K. Craig and N. Craig, Linearized Optimal Transport for Collider Events, 2008.08604. 5
- [365] J. N. Howard, S. Mandt, D. Whiteson and Y. Yang, Foundations of a Fast, Data-Driven, Machine-Learned Simulator, 2101.08944. 7, 9
- [366] B. M. Dillon, G. Kasieczka, H. Olischlager, T. Plehn, P. Sorrenson and L. Vogel, Symmetries, Safety, and Self-Supervision, 2108.04253. 5
- [367] S. Carrazza and F. A. Dreyer, Jet grooming through reinforcement learning, Phys. Rev. D 100 (2019) 014014, [1903.09644]. 5, 6
- [368] J. Brehmer, S. Macaluso, D. Pappadopulo and K. Cranmer, Hierarchical clustering in particle physics through reinforcement learning, 34th Conference on Neural Information Processing Systems (11, 2020), [2011.08191].
- [369] J. S. John et al., Real-time Artificial Intelligence for Accelerator Control: A Study at the Fermilab Booster, 2011.07371.
- [370] T. R. Harvey and A. Lukas, Particle Physics Model Building with Reinforcement Learning, 2103.04759.
- [371] K. Cranmer, M. Drnevich, S. Macaluso and D. Pappadopulo, *Reframing Jet Physics with New Computational Methods*, 2105.10512.
- [372] A. Windisch, T. Gallien and C. Schwarzlmueller, A machine learning pipeline for autonomous numerical analytic continuation of Dyson-Schwinger equations, 12, 2021. 2112.13011. 5
- [373] A. Mott, J. Job, J. R. Vlimant, D. Lidar and M. Spiropulu, Solving a Higgs optimization problem with quantum annealing for machine learning, Nature 550 (2017) 375–379. 5
- [374] A. Zlokapa, A. Mott, J. Job, J.-R. Vlimant, D. Lidar and M. Spiropulu, Quantum adiabatic machine learning with zooming, 1908.04480.
- [375] A. Blance and M. Spannowsky, Quantum Machine Learning for Particle Physics using a Variational Quantum Classifier, 2010.07335.
- [376] K. Terashi, M. Kaneda, T. Kishimoto, M. Saito, R. Sawada and J. Tanaka, Event Classification with Quantum Machine Learning in High-Energy Physics, 2002.09935.

- [377] S. L. Wu et al., Application of Quantum Machine Learning using the Quantum Variational Classifier Method to High Energy Physics Analysis at the LHC on IBM Quantum Computer Simulator and Hardware with 10 qubits, 2012.11560.
- [378] S. Y.-C. Chen, T.-C. Wei, C. Zhang, H. Yu and S. Yoo, *Hybrid Quantum-Classical Graph Convolutional Network*, 2101.06189.
- [379] A. Blance and M. Spannowsky, Unsupervised Event Classification with Graphs on Classical and Photonic Quantum Computers, 2103.03897. 8
- [380] J. Heredge, C. Hill, L. Hollenberg and M. Sevior, Quantum Support Vector Machines for Continuum Suppression in B Meson Decays, 2103.12257.
- [381] S. L. Wu et al., Application of Quantum Machine Learning using the Quantum Kernel Algorithm on High Energy Physics Analysis at the LHC, 2104.05059.
- [382] V. Belis, S. González-Castillo, C. Reissel, S. Vallecorsa, E. F. Combarro, G. Dissertori et al., *Higgs analysis with quantum classifiers*, in *25th International Conference on Computing in High-Energy and Nuclear Physics*, 4, 2021. 2104.07692.
- [383] J. Y. Araz and M. Spannowsky, Quantum-inspired event reconstruction with Tensor Networks: Matrix Product States, JHEP 08 (2021) 112, [2106.08334].
- [384] C. Bravo-Prieto, J. Baglio, M. Cè, A. Francis, D. M. Grabowska and S. Carrazza, Style-based quantum generative adversarial networks for Monte Carlo events, 2110.06933. 7
- [385] M. Kim, P. Ko, J.-h. Park and M. Park, Leveraging Quantum Annealer to identify an Event-topology at High Energy Colliders, 2111.07806.
- [386] V. S. Ngairangbam, M. Spannowsky and M. Takeuchi, Anomaly detection in high-energy physics using a quantum autoencoder, 2112.04958.
- [387] A. Gianelle, P. Koppenburg, D. Lucchesi, D. Nicotra, E. Rodrigues, L. Sestini et al., Quantum Machine Learning for b-jet identification, 2202.13943.
- [388] S. Abel, J. C. Criado and M. Spannowsky, Completely Quantum Neural Networks, 2202.11727.
- [389] J. Y. Araz and M. Spannowsky, Classical versus Quantum: comparing Tensor Network-based Quantum Circuits on LHC data, 2202.10471.
- [390] A. Delgado and K. E. Hamilton, Unsupervised Quantum Circuit Learning in High Energy Physics, 2203.03578.
- [391] S. Alvi, C. Bauer and B. Nachman, Quantum Anomaly Detection for Collider Physics, 2206.08391. 8
- [392] M. C. Peixoto, N. F. Castro, M. Crispim Romão, M. G. J. a. Oliveira and I. Ochoa,

- Fitting a Collider in a Quantum Computer: Tackling the Challenges of Quantum Machine Learning for Big Datasets, 2211.03233.
- [393] J. Y. Araz and M. Spannowsky, Quantum-probabilistic Hamiltonian learning for generative modelling & anomaly detection, 2211.03803. 5, 8
- [394] T. Faucett, J. Thaler and D. Whiteson, Mapping Machine-Learned Physics into a Human-Readable Space, 2010.11998. 5
- [395] J. Y. Araz and M. Spannowsky, Combine and Conquer: Event Reconstruction with Bayesian Ensemble Neural Networks, JHEP 04 (2021) 296, [2102.01078]. 5, 9
- [396] F. Sforza and V. Lippi, Support vector machine classification on a biased training set: Multi-jet background rejection at hadron colliders, Nucl. Instrum. Meth. A **722** (2013) 11–19, [1407.0317]. 5
- [397] M. C. Romao, N. Castro, J. Milhano, R. Pedro and T. Vale, Use of a Generalized Energy Mover's Distance in the Search for Rare Phenomena at Colliders, 2004.09360. 5, 8, 9
- [398] C. Pollard and P. Windischhofer, Transport away your problems: Calibrating stochastic simulations with optimal transport, 2107.08648. 6
- [399] T. Cai, J. Cheng, K. Craig and N. Craig, Which Metric on the Space of Collider Events?, 2111.03670.
- [400] T. Manole, P. Bryant, J. Alison, M. Kuusela and L. Wasserman, Background Modeling for Double Higgs Boson Production: Density Ratios and Optimal Transport, 2208.02807.
- [401] L. Gouskos, F. Iemmi, S. Liechti, B. Maier, V. Mikuni and H. Qu, *Optimal transport* for a global event description at high-intensity hadron colliders, 2211.02029. 5
- [402] G. C. Strong, On the impact of modern deep-learning techniques to the performance and time-requirements of classification models in experimental high-energy physics, 2002.01427. 5
- [403] V. V. Gligorov and M. Williams, Efficient, reliable and fast high-level triggering using a bonsai boosted decision tree, JINST 8 (2013) P02013, [1210.6861].
- [404] D. W. III, T. Q. Nguyen, D. Anderson, R. Castello, M. Pierini, M. Spiropulu et al., Deep topology classifiers for a more efficient trigger selection at the LHC, 2017.
- [405] D. Bourgeois, C. Fitzpatrick and S. Stahl, *Using holistic event information in the trigger*, 1808.00711.
- [406] F. Rehm, S. Vallecorsa, V. Saletore, H. Pabst, A. Chaibi, V. Codreanu et al., Reduced Precision Strategies for Deep Learning: A High Energy Physics Generative Adversarial Network Use Case, 2103.10142.

- [407] C. Mahesh, K. Dona, D. W. Miller and Y. Chen, Towards an Interpretable Data-driven Trigger System for High-throughput Physics Facilities, in 34th Conference on Neural Information Processing Systems, 4, 2021. 2104.06622.
- [408] S. Amrouche et al., The Tracking Machine Learning challenge: Throughput phase, 2105.01160.
- [409] M. Saito, T. Kishimoto, Y. Kaneta, T. Itoh, Y. Umeda, J. Tanaka et al., Event Classification with Multi-step Machine Learning, EPJ Web Conf. 251 (2021) 03036, [2106.02301]. 5
- [410] J. Duarte et al., Fast inference of deep neural networks in FPGAs for particle physics, JINST 13 (2018) P07027, [1804.06913]. 5
- [411] J. Ngadiuba et al., Compressing deep neural networks on FPGAs to binary and ternary precision with HLS4ML, Mach. Learn.: Sci. Tech. 2 (2020) 015001, [2003.06308].
- [412] S. Summers et al., Fast inference of Boosted Decision Trees in FPGAs for particle physics, JINST 15 (2020) P05026, [2002.02534].
- [413] J. Krupa et al., GPU coprocessors as a service for deep learning inference in high energy physics, 2007.10359.
- [414] L. R. M. Mohan, A. Marshall, S. Maddrell-Mander, D. O'Hanlon, K. Petridis, J. Rademacker et al., Studying the potential of Graphcore IPUs for applications in Particle Physics, 2008.09210.
- [415] S. Carrazza, J. M. Cruz-Martinez and M. Rossi, *PDFFlow: parton distribution functions on GPU*, 2009.06635.
- [416] D. S. Rankin et al., FPGAs-as-a-Service Toolkit (FaaST), 2020 IEEE/ACM International Workshop on Heterogeneous High-performance Reconfigurable Computing (H2RC) (10, 2020) 38, [2010.08556].
- [417] M. Rossi, S. Carrazza and J. M. Cruz-Martinez, *PDFFlow: hardware accelerating parton density access*, 2012.08221. 6
- [418] T. Aarrestad et al., Fast convolutional neural networks on FPGAs with hls4ml, 2101.05108.
- [419] B. Hawks, J. Duarte, N. J. Fraser, A. Pappalardo, N. Tran and Y. Umuroglu, Ps and Qs: Quantization-aware pruning for efficient low latency neural network inference, 2102.11289.
- [420] T. Teixeira, L. Andrade and J. M. de Seixas, Sparse Deconvolution Methods for Online Energy Estimation in Calorimeters Operating in High Luminosity Conditions, 2103.12467.

- [421] T. M. Hong, B. T. Carlson, B. R. Eubanks, S. T. Racz, S. T. Roche, J. Stelzer et al., Nanosecond machine learning event classification with boosted decision trees in FPGA for high energy physics, 2104.03408.
- [422] G. Di Guglielmo et al., A reconfigurable neural network ASIC for detector front-end data compression at the HL-LHC, 2105.01683.
- [423] M. Migliorini, J. Pazzini, A. Triossi, M. Zanetti and A. Zucchetta, Muon trigger with fast Neural Networks on FPGA, a demonstrator, 2105.04428.
- [424] E. Govorkova et al., Autoencoders on FPGAs for real-time, unsupervised new physics detection at 40 MHz at the Large Hadron Collider, 2108.03986. 8
- [425] Y.-J. Jwa, G. D. Guglielmo, L. P. Carloni and G. Karagiorgi, Accelerating Deep Neural Networks for Real-time Data Selection for High-resolution Imaging Particle Detectors, in 2019 New York Scientific Data Summit: Data-Driven Discovery in Science and Industry, 6, 2019. 2201.04740. DOI.
- [426] A. Butter, S. Diefenbacher, G. Kasieczka, B. Nachman, T. Plehn, D. Shih et al., Ephemeral Learning – Augmenting Triggers with Online-Trained Normalizing Flows, 2202.09375. 7
- [427] E. E. Khoda et al., Ultra-low latency recurrent neural network inference on FPGAs for physics applications with hls4ml, 2207.00559.
- [428] B. Carlson, Q. Bayer, T. M. Hong and S. Roche, Nanosecond machine learning regression with deep boosted decision trees in FPGA for high energy physics, 2207.05602. 5
- [429] V. Kuznetsov, L. Giommi and D. Bonacorsi, MLaaS4HEP: Machine Learning as a Service for HEP, 2007.14781. 6
- [430] O. Sunneborn Gudnadottir, D. Gedon, C. Desmarais, K. B. Bernander, R. Sainudiin and R. G. Suarez, Distributed training and scalability for the particle clustering method UCluster, EPJ Web Conf. 251 (2021) 02054, [2109.00264]. 6
- [431] P. T. Komiske, E. M. Metodiev, B. Nachman and M. D. Schwartz, *Pileup Mitigation with Machine Learning (PUMML)*, *JHEP* **12** (2017) 051, [1707.08600]. 6
- [432] B. Maier, S. M. Narayanan, G. de Castro, M. Goncharov, C. Paus and M. Schott, Pile-Up Mitigation using Attention, 2107.02779.
- [433] S. Cheong, A. Cukierman, B. Nachman, M. Safdari and A. Schwartzman, Parametrizing the Detector Response with Neural Networks, JINST 15 (2020) P01030, [1910.03773]. 6
- [434] ATLAS COLLABORATION collaboration, Simultaneous Jet Energy and Mass Calibrations with Neural Networks, Tech. Rep. ATL-PHYS-PUB-2020-001, CERN, Geneva, Jan, 2020.

- [435] ATLAS COLLABORATION collaboration, Generalized Numerical Inversion: A Neural Network Approach to Jet Calibration, Tech. Rep. ATL-PHYS-PUB-2018-013, CERN, Geneva, Jul, 2018.
- [436] G. Kasieczka, M. Luchmann, F. Otterpohl and T. Plehn, *Per-Object Systematics using Deep-Learned Calibration*, 2003.11099.
- [437] CMS collaboration, A. M. Sirunyan et al., A deep neural network for simultaneous estimation of b jet energy and resolution, 1912.06046.
- [438] P. Baldi, L. Blecher, A. Butter, J. Collado, J. N. Howard, F. Keilbach et al., *How to GAN Higher Jet Resolution*, 2012.11944.
- [439] J. Kieseler, G. C. Strong, F. Chiandotto, T. Dorigo and L. Layer, Calorimetric Measurement of Multi-TeV Muons via Deep Regression, 2107.02119.
- [440] N. Akchurin, C. Cowden, J. Damgov, A. Hussain and S. Kunori, On the Use of Neural Networks for Energy Reconstruction in High-granularity Calorimeters, 2107.10207.
- [441] J. Kieseler, Object condensation: one-stage grid-free multi-object reconstruction in physics detectors, graph and image data, Eur. Phys. J. C 80 (2020) 886, [2002.03605].
- [442] N. Akchurin, C. Cowden, J. Damgov, A. Hussain and S. Kunori, Perspectives on the Calibration of CNN Energy Reconstruction in Highly Granular Calorimeters, 2108.10963.
- [443] M. Diefenthaler, A. Farhat, A. Verbytskyi and Y. Xu, Deeply Learning Deep Inelastic Scattering Kinematics, 2108.11638.
- [444] L. Polson, L. Kurchaninov and M. Lefebvre, Energy reconstruction in a liquid argon calorimeter cell using convolutional neural networks, 2109.05124.
- [445] ICECUBE collaboration, J. Micallef, Using Convolutional Neural Networks to Reconstruct Energy of GeV Scale IceCube Neutrinos, 9, 2021. 2109.08152.
- [446] M. Arratia, D. Britzger, O. Long and B. Nachman, Reconstructing the Kinematics of Deep Inelastic Scattering with Deep Learning, 2110.05505.
- [447] B. Kronheim, M. P. Kuchera, H. B. Prosper and R. Ramanujan, *Implicit Quantile Neural Networks for Jet Simulation and Correction*, 2111.11415.
- [448] D. F. Rentería-Estrada, R. J. Hernández-Pinto, G. F. R. Sborlini and P. Zurita, Reconstructing partonic kinematics at colliders with Machine Learning, 2112.05043.
- [449] M. Chadeeva and S. Korpachev, Machine-learning-based prediction of parameters of secondaries in hadronic showers using calorimetric observables, 2205.12534.
- [450] T. Dorigo, S. Guglielmini, J. Kieseler, L. Layer and G. C. Strong, Deep Regression of Muon Energy with a K-Nearest Neighbor Algorithm, 2203.02841.

- [451] A. Alves and C. H. Yamaguchi, Reconstruction of Missing Resonances Combining Nearest Neighbors Regressors and Neural Network Classifiers, 2203.03662.
- [452] S. Qiu, S. Han, X. Ju, B. Nachman and H. Wang, A Holistic Approach to Predicting Top Quark Kinematic Properties with the Covariant Particle Transformer, 2203.05687.
- [453] N. Akchurin, J. Damgov, S. Dugad, P. G. C, S. Grönroos, K. Lamichhane et al., Deep learning applications for quality control in particle detector construction, 3, 2022. 2203.08969.
- [454] R. Gambhir, B. Nachman and J. Thaler, Learning Uncertainties the Frequentist Way: Calibration and Correlation in High Energy Physics, 2205.03413.
- [455] R. Gambhir, B. Nachman and J. Thaler, Bias and Priors in Machine Learning Calibrations for High Energy Physics, 2205.05084.
- [456] CMS collaboration, D. Valsecchi, Deep learning techniques for energy clustering in the CMS ECAL, in 20th International Workshop on Advanced Computing and Analysis Techniques in Physics Research: AI Decoded - Towards Sustainable, Diverse, Performant and Effective Scientific Computing, 4, 2022. 2204.10277.
- [457] M. Leigh, J. A. Raine and T. Golling, ν-Flows: conditional neutrino regression, 2207.00664. 7
- [458] D. Darulis, R. Tyson, D. G. Ireland, D. I. Glazier, B. McKinnon and P. Pauli, Machine Learned Particle Detector Simulations, 2207.11254.
- [459] P. Ge, X. Huang, M. Saur and L. Sun, A new method for the q^2 reconstruction in semileptonic decays at LHCb based on machine learning, 2208.02145. 6
- [460] S. Caron, J. S. Kim, K. Rolbiecki, R. R. de Austri and B. Stienen, *The BSM-AI* project: SUSY-AI-generalizing LHC limits on supersymmetry with machine learning, The European Physical Journal C 77 (2017) 257. 6
- [461] G. Bertone, M. P. Deisenroth, J. S. Kim, S. Liem, R. Ruiz de Austri and M. Welling, Accelerating the BSM interpretation of LHC data with machine learning, 1611.02704.
- [462] B. Kronheim, M. Kuchera, H. Prosper and A. Karbo, Bayesian Neural Networks for Fast SUSY Predictions, 2007.04506.
- [463] A. Hammad, M. Park, R. Ramos and P. Saha, Exploration of Parameter Spaces Assisted by Machine Learning, 2207.09959. 6
- [464] S. Badger and J. Bullock, Using neural networks for efficient evaluation of high multiplicity scattering amplitudes, JHEP 06 (2020) 114, [2002.07516]. 6

- [465] F. Bishara and M. Montull, (Machine) Learning Amplitudes for Faster Event Generation, 1912.11055.
- [466] A. Buckley, A. Kvellestad, A. Raklev, P. Scott, J. V. Sparre, J. V. d. Abeele et al., Xsec: the cross-section evaluation code, 2006.16273.
- [467] F. Bury and C. Delaere, Matrix Element Regression with Deep Neural Networks breaking the CPU barrier, 2008.10949.
- [468] D. L. B. Sombillo, Y. Ikeda, T. Sato and A. Hosaka, Unveiling the pole structure of S-matrix using deep learning, 2104.14182.
- [469] D. L. B. Sombillo, Y. Ikeda, T. Sato and A. Hosaka, Model independent analysis of coupled-channel scattering: a deep learning approach, 2105.04898.
- [470] J. Aylett-Bullock, S. Badger and R. Moodie, Optimising simulations for diphoton production at hadron colliders using amplitude neural networks, 2106.09474.
- [471] D. Maître and H. Truong, A factorisation-aware Matrix element emulator, 2107.06625.
- [472] K. Danziger, T. Janßen, S. Schumann and F. Siegert, Accelerating Monte Carlo event generation – rejection sampling using neural network event-weight estimates, 2109.11964. 8
- [473] R. Winterhalder, V. Magerya, E. Villa, S. P. Jones, M. Kerner, A. Butter et al., Targeting Multi-Loop Integrals with Neural Networks, 2112.09145.
- [474] C. Karl, P. Eller and S. Mertens, Fast and precise model calculation for KATRIN using a neural network, 2201.04523.
- [475] A. Alnuqaydan, S. Gleyzer and H. Prosper, SYMBA: Symbolic Computation of Squared Amplitudes in High Energy Physics with Machine ALearning, 2206.08901.
- [476] A. Dersy, M. D. Schwartz and X. Zhang, Simplifying Polylogarithms with Machine Learning, 2206.04115. 6
- [477] Y.-K. Lei, C. Liu and Z. Chen, Numerical analysis of neutrino physics within a high scale supersymmetry model via machine learning, 2006.01495. 6
- [478] S. Chen, A. Glioti, G. Panico and A. Wulzer, *Parametrized classifiers for optimal EFT sensitivity*, 2007.10356.
- [479] M. Lazzarin, S. Alioli and S. Carrazza, MCNNTUNES: tuning Shower Monte Carlo generators with machine learning, 2010.02213.
- [480] D. Kim, K. Kong, K. T. Matchev, M. Park and P. Shyamsundar, Deep-Learned Event Variables for Collider Phenomenology, 2105.10126.
- [481] J. Alda, J. Guasch and S. Penaranda, *Using Machine Learning techniques in phenomenological studies in flavour physics*, 2109.07405.

- [482] S. Craven, D. Croon, D. Cutting and R. Houtz, Machine learning a manifold, 2112.07673. 6
- [483] L. Del Debbio, T. Giani, J. Karpie, K. Orginos, A. Radyushkin and S. Zafeiropoulos, Neural-network analysis of Parton Distribution Functions from Inffe-time pseudodistributions, 2010.03996.
- [484] J. Grigsby, B. Kriesten, J. Hoskins, S. Liuti, P. Alonzi and M. Burkardt, *Deep Learning Analysis of Deeply Virtual Exclusive Photoproduction*, 2012.04801.
- [485] S. Carrazza, J. Cruz-Martinez and T. R. Rabemananjara, Compressing PDF sets using generative adversarial networks, 2104.04535. 7
- [486] R. D. Ball et al., The Path to Proton Structure at One-Percent Accuracy, 2109.02653.
- [487] R. D. Ball et al., An open-source machine learning framework for global analyses of parton distributions, 2109.02671.
- [488] R. A. Khalek, Exploring the substructure of nucleons and nuclei with machine learning, other thesis, 10, 2021.
- [489] S. Iranipour and M. Ubiali, A new generation of simultaneous fits to LHC data using deep learning, 2201.07240. 6
- [490] G. Kanwar, M. S. Albergo, D. Boyda, K. Cranmer, D. C. Hackett, S. Racanière et al., Equivariant flow-based sampling for lattice gauge theory, 2003.06413. 7
- [491] M. Favoni, A. Ipp, D. I. Müller and D. Schuh, *Lattice gauge equivariant convolutional neural networks*, 2012.12901.
- [492] S. Bulusu, M. Favoni, A. Ipp, D. I. Müller and D. Schuh, Generalization capabilities of translationally equivariant neural networks, 2103.14686.
- [493] S. Shi, K. Zhou, J. Zhao, S. Mukherjee and P. Zhuang, *Heavy Quark Potential in QGP: DNN meets LQCD*, 2105.07862.
- [494] D. C. Hackett, C.-C. Hsieh, M. S. Albergo, D. Boyda, J.-W. Chen, K.-F. Chen et al., Flow-based sampling for multimodal distributions in lattice field theory, 2107.00734.
- [495] B. Yoon, T. Bhattacharya and R. Gupta, Machine Learning Estimators for Lattice QCD Observables, Phys. Rev. D 100 (2019) 014504, [1807.05971].
- [496] R. Zhang, Z. Fan, R. Li, H.-W. Lin and B. Yoon, Machine-learning prediction for quasiparton distribution function matrix elements, Phys. Rev. D 101 (2020) 034516, [1909.10990].
- [497] N. T. T. Nguyen, G. T. Kenyon and B. Yoon, A regression algorithm for accelerated lattice QCD that exploits sparse inference on the D-Wave quantum annealer, Sci. Rep. 10 (2020) 10915, [1911.06267].

- [498] M. Favoni, A. Ipp, D. I. Müller and D. Schuh, Lattice gauge symmetry in neural networks, in 38th International Symposium on Lattice Field Theory, 11, 2021. 2111.04389.
- [499] S.-Y. Chen, H.-T. Ding, F.-Y. Liu, G. Papp and C.-B. Yang, Machine learning Hadron Spectral Functions in Lattice QCD, in 38th International Symposium on Lattice Field Theory, 12, 2021. 2112.00460.
- [500] S. Bulusu, M. Favoni, A. Ipp, D. I. Müller and D. Schuh, Equivariance and generalization in neural networks, 12, 2021. 2112.12493.
- [501] S. Shi, L. Wang and K. Zhou, Rethinking the ill-posedness of the spectral function reconstruction – why is it fundamentally hard and how Artificial Neural Networks can help, 2201.02564.
- [502] J. Y. Araz, J. C. Criado and M. Spannwosky, Elvet a neural network-based differential equation and variational problem solver, 2103.14575. 7
- [503] W. Haddadin, Invariant polynomials and machine learning, 2104.12733.
- [504] I. Chahrour and J. D. Wells, Function Approximation for High-Energy Physics: Comparing Machine Learning and Interpolation Methods, 2111.14788.
- [505] L. Wang, S. Shi and K. Zhou, Reconstructing spectral functions via automatic differentiation, 2111.14760.
- [506] O. Kitouni, N. Nolte and M. Williams, Robust and Provably Monotonic Networks, in 35th Conference on Neural Information Processing Systems, 11, 2021. 2112.00038.
- [507] A. Butter, T. Plehn and N. Soybelman, *Back to the Formula LHC Edition*, 2109.10414. 7
- [508] Z. Zhang, R. Ma, J. Hu and Q. Wang, Discover the GellMann-Okubo formula with machine learning, 2208.03165.
- [509] Y. Lu, Y.-J. Wang, Y. Chen and J.-J. Wu, Rediscovery of Numerical Luscher's Formula from the Neural Network, 2210.02184.
- [510] G. Louppe, M. Kagan and K. Cranmer, Learning to Pivot with Adversarial Networks, in Advances in Neural Information Processing Systems (I. Guyon, U. V. Luxburg, S. Bengio, H. Wallach, R. Fergus, S. Vishwanathan et al., eds.), vol. 30, Curran Associates, Inc., 2017. 1611.01046. 7, 9
- [511] J. Dolen, P. Harris, S. Marzani, S. Rappoccio and N. Tran, *Thinking outside the ROCs: Designing Decorrelated Taggers (DDT) for jet substructure*, *JHEP* **05** (2016) 156, [1603.00027].
- [512] I. Moult, B. Nachman and D. Neill, Convolved Substructure: Analytically Decorrelating Jet Substructure Observables, JHEP 05 (2018) 002, [1710.06859].

- [513] J. Stevens and M. Williams, uBoost: A boosting method for producing uniform selection efficiencies from multivariate classifiers, JINST 8 (2013) P12013, [1305.7248].
- [514] C. Shimmin, P. Sadowski, P. Baldi, E. Weik, D. Whiteson, E. Goul et al., Decorrelated Jet Substructure Tagging using Adversarial Neural Networks, 1703.03507.
- [515] L. Bradshaw, R. K. Mishra, A. Mitridate and B. Ostdiek, Mass Agnostic Jet Taggers, 1908.08959.
- [516] ATLAS collaboration, Performance of mass-decorrelated jet substructure observables for hadronic two-body decay tagging in ATLAS, ATL-PHYS-PUB-2018-014 (2018).
- [517] G. Kasieczka and D. Shih, DisCo Fever: Robust Networks Through Distance Correlation, 2001.05310.
- [518] L.-G. Xia, QBDT, a new boosting decision tree method with systematical uncertainties into training for High Energy Physics, Nucl. Instrum. Meth. A930 (2019) 15–26, [1810.08387].
- [519] C. Englert, P. Galler, P. Harris and M. Spannowsky, Machine Learning Uncertainties with Adversarial Neural Networks, Eur. Phys. J. C79 (2019) 4, [1807.08763].
- [520] S. Wunsch, S. Jórger, R. Wolf and G. Quast, Reducing the dependence of the neural network function to systematic uncertainties in the input space, 1907.11674.
- [521] A. Rogozhnikov, A. Bukva, V. V. Gligorov, A. Ustyuzhanin and M. Williams, New approaches for boosting to uniformity, JINST 10 (2015) T03002, [1410.4140].
- [522] J. M. Clavijo, P. Glaysher and J. M. Katzy, Adversarial domain adaptation to reduce sample bias of a high energy physics classifier, 2005.00568.
- [523] G. Kasieczka, B. Nachman, M. D. Schwartz and D. Shih, *ABCDisCo: Automating the ABCD Method with Machine Learning*, 2007.14400.
- [524] O. Kitouni, B. Nachman, C. Weisser and M. Williams, *Enhancing searches for resonances with machine learning and moment decomposition*, 2010.09745.
- [525] A. Ghosh and B. Nachman, A Cautionary Tale of Decorrelating Theory Uncertainties, 2109.08159.
- [526] M. J. Dolan and A. Ore, Meta-learning and data augmentation for mass-generalised jet taggers, 2111.06047.
- [527] V. Mikuni, B. Nachman and D. Shih, Online-compatible Unsupervised Non-resonant Anomaly Detection, 2111.06417. 8
- [528] S. Klein and T. Golling, Decorrelation with conditional normalizing flows, 2211.02486. 7

- [529] L. de Oliveira, M. Paganini and B. Nachman, Learning Particle Physics by Example: Location-Aware Generative Adversarial Networks for Physics Synthesis, 1701.05927.
- [530] M. Paganini, L. de Oliveira and B. Nachman, Accelerating Science with Generative Adversarial Networks: An Application to 3D Particle Showers in Multilayer Calorimeters, Phys. Rev. Lett. 120 (2018) 042003, [1705.02355].
- [531] M. Paganini, L. de Oliveira and B. Nachman, CaloGAN: Simulating 3D high energy particle showers in multilayer electromagnetic calorimeters with generative adversarial networks, Phys. Rev. **D97** (2018) 014021, [1712.10321].
- [532] S. Alonso-Monsalve and L. H. Whitehead, *Image-based model parameter optimization using Model-Assisted Generative Adversarial Networks*, 1812.00879.
- [533] A. Butter, T. Plehn and R. Winterhalder, How to GAN Event Subtraction, 1912.08824.
- [534] J. Arjona Martinez, T. Q. Nguyen, M. Pierini, M. Spiropulu and J.-R. Vlimant, Particle Generative Adversarial Networks for full-event simulation at the LHC and their application to pileup description, ACAT 2019 (2019), [1912.02748].
- [535] M. Bellagente, A. Butter, G. Kasieczka, T. Plehn and R. Winterhalder, How to GAN away Detector Effects, 1912.00477. 9
- [536] S. Vallecorsa, F. Carminati and G. Khattak, 3D convolutional GAN for fast simulation, Proceedings, 23rd International Conference on Computing in High Energy and Nuclear Physics (CHEP 2018): Sofia, Bulgaria, July 9-13, 2018 214 (2019) 02010.
- [537] SHIP collaboration, C. Ahdida et al., Fast simulation of muons produced at the SHiP experiment using Generative Adversarial Networks, 1909.04451.
- [538] S. Carrazza and F. A. Dreyer, Lund jet images from generative and cycle-consistent adversarial networks, Eur. Phys. J. C79 (2019) 979, [1909.01359].
- [539] A. Butter, T. Plehn and R. Winterhalder, How to GAN LHC Events, SciPost Phys. 7 (2019) 075, [1907.03764].
- [540] J. Lin, W. Bhimji and B. Nachman, Machine Learning Templates for QCD Factorization in the Search for Physics Beyond the Standard Model, JHEP 05 (2019) 181, [1903.02556].
- [541] R. Di Sipio, M. Faucci Giannelli, S. Ketabchi Haghighat and S. Palazzo, *DijetGAN:*A Generative-Adversarial Network Approach for the Simulation of QCD Dijet Events
 at the LHC, 1903.02433.
- [542] B. Hashemi, N. Amin, K. Datta, D. Olivito and M. Pierini, *LHC analysis-specific datasets with Generative Adversarial Networks*, 1901.05282.

- [543] V. Chekalina, E. Orlova, F. Ratnikov, D. Ulyanov, A. Ustyuzhanin and E. Zakharov, Generative Models for Fast Calorimeter Simulation. LHCb case, CHEP 2018 (2018), [1812.01319].
- [544] ATLAS collaboration, Deep generative models for fast shower simulation in ATLAS, ATL-SOFT-PUB-2018-001 (Jul, 2018).
- [545] K. Zhou, G. Endrodi, L.-G. Pang and H. Stocker, Regressive and generative neural networks for scalar field theory, Phys. Rev. **D100** (2019) 011501, [1810.12879].
- [546] F. Carminati, A. Gheata, G. Khattak, P. Mendez Lorenzo, S. Sharan and S. Vallecorsa, Three dimensional Generative Adversarial Networks for fast simulation, Proceedings, 18th International Workshop on Advanced Computing and Analysis Techniques in Physics Research (ACAT 2017): Seattle, WA, USA, August 21-25, 2017 1085 (2018) 032016.
- [547] S. Vallecorsa, Generative models for fast simulation, Proceedings, 18th International Workshop on Advanced Computing and Analysis Techniques in Physics Research (ACAT 2017): Seattle, WA, USA, August 21-25, 2017 1085 (2018) 022005.
- [548] K. Datta, D. Kar and D. Roy, Unfolding with Generative Adversarial Networks, 1806.00433.
- [549] P. Musella and F. Pandolfi, Fast and Accurate Simulation of Particle Detectors Using Generative Adversarial Networks, Comput. Softw. Big Sci. 2 (2018) 8, [1805.00850].
- [550] M. Erdmann, L. Geiger, J. Glombitza and D. Schmidt, Generating and refining particle detector simulations using the Wasserstein distance in adversarial networks, Comput. Softw. Big Sci. 2 (2018) 4, [1802.03325].
- [551] K. Deja, T. Trzcinski and u. Graczykowski, Generative models for fast cluster simulations in the TPC for the ALICE experiment, Proceedings, 23rd International Conference on Computing in High Energy and Nuclear Physics (CHEP 2018): Sofia, Bulgaria, July 9-13, 2018 214 (2019) 06003.
- [552] D. Derkach, N. Kazeev, F. Ratnikov, A. Ustyuzhanin and A. Volokhova, RICH 2018, 1903.11788.
- [553] H. Erbin and S. Krippendorf, GANs for generating EFT models, 1809.02612.
- [554] M. Erdmann, J. Glombitza and T. Quast, Precise simulation of electromagnetic calorimeter showers using a Wasserstein Generative Adversarial Network, Comput. Softw. Big Sci. 3 (2019) 4, [1807.01954].
- [555] J. M. Urban and J. M. Pawlowski, Reducing Autocorrelation Times in Lattice Simulations with Generative Adversarial Networks, 1811.03533.
- [556] L. de Oliveira, M. Paganini and B. Nachman, Tips and Tricks for Training GANs with Physics Constraints, 2017.

- [557] L. de Oliveira, M. Paganini and B. Nachman, Controlling Physical Attributes in GAN-Accelerated Simulation of Electromagnetic Calorimeters, J. Phys. Conf. Ser. 1085 (2018) 042017, [1711.08813].
- [558] S. Farrell, W. Bhimji, T. Kurth, M. Mustafa, D. Bard, Z. Lukic et al., Next Generation Generative Neural Networks for HEP, EPJ Web Conf. 214 (2019) 09005.
- [559] K. Wang and J. Zhu, A Novel Scenario in the Semi-constrained NMSSM, JHEP 06 (2020) 078, [2002.05554].
- [560] E. Buhmann, S. Diefenbacher, E. Eren, F. Gaede, G. Kasieczka, A. Korol et al., Getting High: High Fidelity Simulation of High Granularity Calorimeters with High Speed, 2005.05334.
- [561] Y. Alanazi et al., AI-based Monte Carlo event generator for electron-proton scattering, 2008.03151.
- [562] S. Diefenbacher, E. Eren, G. Kasieczka, A. Korol, B. Nachman and D. Shih, DCTRGAN: Improving the Precision of Generative Models with Reweighting, Journal of Instrumentation 15 (2020) P11004, [2009.03796].
- [563] A. Butter, S. Diefenbacher, G. Kasieczka, B. Nachman and T. Plehn, GANplifying Event Samples, 2008.06545.
- [564] R. Kansal, J. Duarte, B. Orzari, T. Tomei, M. Pierini, M. Touranakou et al., *Graph Generative Adversarial Networks for Sparse Data Generation in High Energy Physics*, 34th Conference on Neural Information Processing Systems (11, 2020), [2012.00173].
- [565] A. Maevskiy, F. Ratnikov, A. Zinchenko and V. Riabov, Simulating the Time Projection Chamber responses at the MPD detector using Generative Adversarial Networks, 2012.04595.
- [566] Y. S. Lai, D. Neill, M. Płoskoń and F. Ringer, Explainable machine learning of the underlying physics of high-energy particle collisions, 2012.06582.
- [567] S. Choi and J. H. Lim, A Data-driven Event Generator for Hadron Colliders using Wasserstein Generative Adversarial Network, 2102.11524.
- [568] F. Rehm, S. Vallecorsa, K. Borras and D. Krücker, Validation of Deep Convolutional Generative Adversarial Networks for High Energy Physics Calorimeter Simulations, 3, 2021. 2103.13698.
- [569] F. Rehm, S. Vallecorsa, K. Borras and D. Krücker, Physics Validation of Novel Convolutional 2D Architectures for Speeding Up High Energy Physics Simulations, 5, 2021. 2105.08960.
- [570] T. Lebese, B. Mellado and X. Ruan, The use of Generative Adversarial Networks to characterise new physics in multi-lepton final states at the LHC, 2105.14933.

- [571] R. Winterhalder, M. Bellagente and B. Nachman, Latent Space Refinement for Deep Generative Models, 2106.00792. 7
- [572] R. Kansal, J. Duarte, H. Su, B. Orzari, T. Tomei, M. Pierini et al., *Particle Cloud Generation with Message Passing Generative Adversarial Networks*, 2106.11535.
- [573] S. Shirobokov, V. Belavin, M. Kagan, A. Ustyuzhanin and A. G. Baydin, Black-Box Optimization with Local Generative Surrogates, in Advances in Neural Information Processing Systems (H. Larochelle, M. Ranzato, R. Hadsell, M. F. Balcan and H. Lin, eds.), vol. 33, pp. 14650–14662, Curran Associates, Inc., Feb, 2020. 2002.04632. 7, 9
- [574] G. R. Khattak, S. Vallecorsa, F. Carminati and G. M. Khan, Fast Simulation of a High Granularity Calorimeter by Generative Adversarial Networks, 2109.07388.
- [575] W. Mu, A. I. Himmel and B. Ramson, Photon detection probability prediction using one-dimensional generative neural network, 2109.07277.
- [576] J. Li, C. Zhang and R. Zhang, Polarization measurement for the dileptonic channel of W^+W^- scattering using generative adversarial network, 2109.09924.
- [577] L. Anderlini, Machine Learning for the LHCb Simulation, 10, 2021. 2110.07925.
- [578] A. Chisholm, T. Neep, K. Nikolopoulos, R. Owen, E. Reynolds and J. Silva, Non-Parametric Data-Driven Background Modelling using Conditional Probabilities, 2112.00650.
- [579] K. Desai, B. Nachman and J. Thaler, Symmetry GAN: Symmetry Discovery with Deep Learning, 2112.05722.
- [580] E. Buhmann, S. Diefenbacher, E. Eren, F. Gaede, D. Hundhausen, G. Kasieczka et al., *Hadrons, Better, Faster, Stronger*, 2112.09709. 7
- [581] S. Bieringer, A. Butter, S. Diefenbacher, E. Eren, F. Gaede, D. Hundhausen et al., Calomplification - The Power of Generative Calorimeter Models, 2202.07352.
- [582] A. Ghosh, X. Ju, B. Nachman and A. Siodmok, Towards a Deep Learning Model for Hadronization, 2203.12660.
- [583] LHCB collaboration, L. Anderlini, M. Barbetti, D. Derkach, N. Kazeev, A. Maevskiy and S. Mokhnenko, Towards Reliable Neural Generative Modeling of Detectors, 2204.09947.
- [584] F. Ratnikov, A. Maevskiy, A. Zinchenko, V. Riabov, A. Sukhorosov and D. Evdokimov, Generative Surrogates for Fast Simulation: TPC Case, 2207.04340.
- [585] A. Rogachev and F. Ratnikov, GAN with an Auxiliary Regressor for the Fast Simulation of the Electromagnetic Calorimeter Response, in 20th International Workshop on Advanced Computing and Analysis Techniques in Physics Research: AI

- Decoded Towards Sustainable, Diverse, Performant and Effective Scientific Computing, 7, 2022. 2207.06329.
- [586] ATLAS collaboration, Deep generative models for fast photon shower simulation in ATLAS, 2210.06204.
- [587] LHCB collaboration, L. Anderlini, C. Chimpoesh, N. Kazeev and A. Shishigina, Generative models uncertainty estimation, in 20th International Workshop on Advanced Computing and Analysis Techniques in Physics Research: AI Decoded -Towards Sustainable, Diverse, Performant and Effective Scientific Computing, 10, 2022. 2210.09767. 7
- [588] I. J. Goodfellow, J. Pouget-Abadie, M. Mirza, B. Xu, D. Warde-Farley, S. Ozair et al., Generative Adversarial Networks, 1406.2661.
- [589] J. W. Monk, Deep Learning as a Parton Shower, 1807.03685. 7
- [590] T. Cheng, J.-F. Arguin, J. Leissner-Martin, J. Pilette and T. Golling, Variational Autoencoders for Anomalous Jet Tagging, 2007.01850.
- [591] K. Dohi, Variational Autoencoders for Jet Simulation, 2009.04842.
- [592] E. Buhmann, S. Diefenbacher, E. Eren, F. Gaede, G. Kasieczka, A. Korol et al., Decoding Photons: Physics in the Latent Space of a BIB-AE Generative Network, 2102.12491.
- [593] B. Bortolato, B. M. Dillon, J. F. Kamenik and A. Smolkovič, Bump Hunting in Latent Space, 2103.06595. 8
- [594] K. Deja, J. Dubiński, P. Nowak, S. Wenzel and T. Trzciński, *End-to-end sinkhorn autoencoder with noise generator*, 2020.
- [595] C. Fanelli and J. Pomponi, DeepRICH: Learning Deeply Cherenkov Detectors, Mach. Learn. Sci. Tech. 1 (11, 2019) 015010, [1911.11717].
- [596] J. H. Collins, An Exploration of Learnt Representations of W Jets, 9, 2021. 2109.10919. 9
- [597] B. Orzari, T. Tomei, M. Pierini, M. Touranakou, J. Duarte, R. Kansal et al., Sparse Data Generation for Particle-Based Simulation of Hadronic Jets in the LHC, in 38th International Conference on Machine Learning Conference, 9, 2021. 2109.15197.
- [598] P. Jawahar, T. Aarrestad, M. Pierini, K. A. Wozniak, J. Ngadiuba, J. Duarte et al., Improving Variational Autoencoders for New Physics Detection at the LHC with Normalizing Flows, 2110.08508. 7, 8
- [599] M. Touranakou, N. Chernyavskaya, J. Duarte, D. Gunopulos, R. Kansal, B. Orzari et al., Particle-based Fast Jet Simulation at the LHC with Variational Autoencoders, 2203.00520.

- [600] P. Ilten, T. Menzo, A. Youssef and J. Zupan, Modeling hadronization using machine learning, 2203.04983.
- [601] J. H. Collins, Y. Huang, S. Knapen, B. Nachman and D. Whiteson, Machine-Learning Compression for Particle Physics Discoveries, 2210.11489.
- [602] A. Abhishek, E. Drechsler, W. Fedorko and B. Stelzer, CaloDVAE: Discrete Variational Autoencoders for Fast Calorimeter Shower Simulation, 10, 2022. 2210.07430.
- [603] M. S. Albergo, G. Kanwar and P. E. Shanahan, Flow-based generative models for Markov chain Monte Carlo in lattice field theory, Phys. Rev. D100 (2019) 034515, [1904.12072]. 7
- [604] J. Brehmer and K. Cranmer, Flows for simultaneous manifold learning and density estimation, 2003.13913.
- [605] E. Bothmann, T. Janßen, M. Knobbe, T. Schmale and S. Schumann, Exploring phase space with Neural Importance Sampling, 2001.05478. 8
- [606] C. Gao, S. Höche, J. Isaacson, C. Krause and H. Schulz, Event Generation with Normalizing Flows, Phys. Rev. D 101 (2020) 076002, [2001.10028].
- [607] C. Gao, J. Isaacson and C. Krause, i-flow: High-Dimensional Integration and Sampling with Normalizing Flows, 2001.05486.
- [608] B. Nachman and D. Shih, Anomaly Detection with Density Estimation, Phys. Rev. D 101 (2020) 075042, [2001.04990]. 8
- [609] S. Choi, J. Lim and H. Oh, Data-driven Estimation of Background Distribution through Neural Autoregressive Flows, 2008.03636.
- [610] Y. Lu, J. Collado, D. Whiteson and P. Baldi, SARM: Sparse Autoregressive Model for Scalable Generation of Sparse Images in Particle Physics, 2009.14017.
- [611] S. Bieringer, A. Butter, T. Heimel, S. Höche, U. Köthe, T. Plehn et al., Measuring QCD Splittings with Invertible Networks, 2012.09873.
- [612] J. Hollingsworth, M. Ratz, P. Tanedo and D. Whiteson, Efficient sampling of constrained high-dimensional theoretical spaces with machine learning, 2103.06957.
- [613] C. Krause and D. Shih, CaloFlow: Fast and Accurate Generation of Calorimeter Showers with Normalizing Flows, 2106.05285.
- [614] S. B. Menary and D. D. Price, Learning to discover: expressive Gaussian mixture models for multi-dimensional simulation and parameter inference in the physical sciences, 2108.11481.
- [615] A. Hallin, J. Isaacson, G. Kasieczka, C. Krause, B. Nachman, T. Quadfasel et al.,

- Classifying Anomalies Through Outer Density Estimation (CATHODE), 2109.00546.
- [616] M. Vandegar, M. Kagan, A. Wehenkel and G. Louppe, Neural Empirical Bayes: Source Distribution Estimation and its Applications to Simulation-Based Inference, in Proceedings of The 24th International Conference on Artificial Intelligence and Statistics (A. Banerjee and K. Fukumizu, eds.), vol. 130 of Proceedings of Machine Learning Research, pp. 2107–2115, PMLR, 11, 2021. 2011.05836. 9
- [617] C. Krause and D. Shih, CaloFlow II: Even Faster and Still Accurate Generation of Calorimeter Showers with Normalizing Flows, 2110.11377.
- [618] A. Butter, T. Heimel, S. Hummerich, T. Krebs, T. Plehn, A. Rousselot et al., Generative Networks for Precision Enthusiasts, 2110.13632.
- [619] R. Verheyen, Event Generation and Density Estimation with Surjective Normalizing Flows, 2205.01697. 8
- [620] C. Krause, I. Pang and D. Shih, CaloFlow for CaloChallenge Dataset 1, 2210.14245.
- [621] D. Rezende and S. Mohamed, Variational inference with normalizing flows, Proceedings of the 32nd International Conference on Machine Learning 37 (07–09 Jul, 2015) 1530–1538.
- [622] V. Mikuni and B. Nachman, Score-based Generative Models for Calorimeter Shower Simulation, 2206.11898. 8
- [623] A. Andreassen, I. Feige, C. Frye and M. D. Schwartz, JUNIPR: a Framework for Unsupervised Machine Learning in Particle Physics, 1804.09720.
- [624] A. Andreassen, I. Feige, C. Frye and M. D. Schwartz, Binary JUNIPR: an interpretable probabilistic model for discrimination, Phys. Rev. Lett. 123 (2019) 182001, [1906.10137].
- [625] M. Jercic and N. Poljak, Exploring the Possibility of a Recovery of Physics Process Properties from a Neural Network Model, 2007.13110.
- [626] G. Barenboim, J. Hirn and V. Sanz, Symmetry meets AI, 2103.06115. 8
- [627] C. Chen, O. Cerri, T. Q. Nguyen, J.-R. Vlimant and M. Pierini, Data Augmentation at the LHC through Analysis-specific Fast Simulation with Deep Learning, 2010.01835. 8
- [628] C. Burton, S. Stubbs and P. Onyisi, Mixture Density Network Estimation of Continuous Variable Maximum Likelihood Using Discrete Training Samples, 2103.13416. 8

- [629] J. Bendavid, Efficient Monte Carlo Integration Using Boosted Decision Trees and Generative Deep Neural Networks, 1707.00028. 8
- [630] M. D. Klimek and M. Perelstein, Neural Network-Based Approach to Phase Space Integration, 1810.11509.
- [631] S. Carrazza and J. M. Cruz-Martinez, VegasFlow: accelerating Monte Carlo simulation across multiple hardware platforms, 2002.12921.
- [632] B. Nachman and J. Thaler, A Neural Resampler for Monte Carlo Reweighting with Preserved Uncertainties, 2007.11586.
- [633] I.-K. Chen, M. D. Klimek and M. Perelstein, Improved Neural Network Monte Carlo Simulation, 2009.07819.
- [634] R. Verheyen and B. Stienen, Phase Space Sampling and Inference from Weighted Events with Autoregressive Flows, 2011.13445.
- [635] M. Backes, A. Butter, T. Plehn and R. Winterhalder, How to GAN Event Unweighting, 2012.07873.
- [636] B. Yoon, A machine learning approach for efficient multi-dimensional integration, Sci. Rep. 11 (2021) 18965, [2009.06697].
- [637] D. Maître and R. Santos-Mateos, Multi-variable Integration with a Neural Network, 2211.02834.
- [638] R. Jinno, G. Kälin, Z. Liu and H. Rubira, Machine Learning Post-Minkowskian Integrals, 2209.01091. 8
- [639] M. Frate, K. Cranmer, S. Kalia, A. Vandenberg-Rodes and D. Whiteson, Modeling Smooth Backgrounds and Generic Localized Signals with Gaussian Processes, 1709.05681. 8
- [640] E. Cisbani et al., AI-optimized detector design for the future Electron-Ion Collider: the dual-radiator RICH case, JINST 15 (2020) P05009, [1911.05797]. 8
- [641] R. T. D'Agnolo and A. Wulzer, Learning New Physics from a Machine, Phys. Rev. D99 (2019) 015014, [1806.02350]. 8
- [642] R. T. D'Agnolo, G. Grosso, M. Pierini, A. Wulzer and M. Zanetti, Learning Multivariate New Physics, 1912.12155.
- [643] M. Farina, Y. Nakai and D. Shih, Searching for New Physics with Deep Autoencoders, 1808.08992.
- [644] T. Heimel, G. Kasieczka, T. Plehn and J. M. Thompson, QCD or What?, SciPost Phys. 6 (2019) 030, [1808.08979].
- [645] T. S. Roy and A. H. Vijay, A robust anomaly finder based on autoencoder, 1903.02032.

- [646] O. Cerri, T. Q. Nguyen, M. Pierini, M. Spiropulu and J.-R. Vlimant, Variational Autoencoders for New Physics Mining at the Large Hadron Collider, JHEP 05 (2019) 036, [1811.10276].
- [647] A. Blance, M. Spannowsky and P. Waite, Adversarially-trained autoencoders for robust unsupervised new physics searches, JHEP 10 (2019) 047, [1905.10384].
- [648] J. Hajer, Y.-Y. Li, T. Liu and H. Wang, Novelty Detection Meets Collider Physics, 1807.10261.
- [649] A. De Simone and T. Jacques, Guiding New Physics Searches with Unsupervised Learning, Eur. Phys. J. C79 (2019) 289, [1807.06038].
- [650] A. Mullin, H. Pacey, M. Parker, M. White and S. Williams, *Does SUSY have friends?*A new approach for LHC event analysis, 1912.10625.
- [651] G. M. Alessandro Casa, Nonparametric semisupervised classification for signal detection in high energy physics, 1809.02977.
- [652] A. Andreassen, B. Nachman and D. Shih, Simulation Assisted Likelihood-free Anomaly Detection, Phys. Rev. D 101 (2020) 095004, [2001.05001]. 9
- [653] J. A. Aguilar-Saavedra, J. H. Collins and R. K. Mishra, A generic anti-QCD jet tagger, JHEP 11 (2017) 163, [1709.01087].
- [654] M. Romão Crispim, N. Castro, R. Pedro and T. Vale, Transferability of Deep Learning Models in Searches for New Physics at Colliders, Phys. Rev. D 101 (2020) 035042, [1912.04220].
- [655] O. Knapp, G. Dissertori, O. Cerri, T. Q. Nguyen, J.-R. Vlimant and M. Pierini, Adversarially Learned Anomaly Detection on CMS Open Data: re-discovering the top quark, 2005.01598.
- [656] M. C. Romao, N. Castro and R. Pedro, Finding New Physics without learning about it: Anomaly Detection as a tool for Searches at Colliders, 2006.05432.
- [657] C. K. Khosa and V. Sanz, Anomaly Awareness, 2007.14462.
- [658] P. Thaprasop, K. Zhou, J. Steinheimer and C. Herold, *Unsupervised Outlier Detection in Heavy-Ion Collisions*, 2007.15830.
- [659] S. Alexander, S. Gleyzer, H. Parul, P. Reddy, M. W. Toomey, E. Usai et al., Decoding Dark Matter Substructure without Supervision, 2008.12731.
- [660] J. A. Aguilar-Saavedra, F. R. Joaquim and J. F. Seabra, Mass Unspecific Supervised Tagging (MUST) for boosted jets, 2008.12792.
- [661] K. Benkendorfer, L. L. Pottier and B. Nachman, Simulation-Assisted Decorrelation for Resonant Anomaly Detection, 2009.02205.

- [662] Adrian Alan Pol and Victor Berger and Gianluca Cerminara and Cecile Germain and Maurizio Pierini, Anomaly Detection With Conditional Variational Autoencoders, 2010.05531.
- [663] V. Mikuni and F. Canelli, Unsupervised clustering for collider physics, 2010.07106.
- [664] M. van Beekveld, S. Caron, L. Hendriks, P. Jackson, A. Leinweber, S. Otten et al., Combining outlier analysis algorithms to identify new physics at the LHC, 2010.07940.
- [665] S. E. Park, D. Rankin, S.-M. Udrescu, M. Yunus and P. Harris, Quasi Anomalous Knowledge: Searching for new physics with embedded knowledge, 2011.03550.
- [666] D. A. Faroughy, Uncovering hidden patterns in collider events with Bayesian probabilistic models, 2012.08579.
- [667] G. Stein, U. Seljak and B. Dai, Unsupervised in-distribution anomaly detection of new physics through conditional density estimation, 2012.11638.
- [668] P. Chakravarti, M. Kuusela, J. Lei and L. Wasserman, Model-Independent Detection of New Physics Signals Using Interpretable Semi-Supervised Classifier Tests, 2102.07679.
- [669] J. Batson, C. G. Haaf, Y. Kahn and D. A. Roberts, Topological Obstructions to Autoencoding, 2102.08380.
- [670] J. H. Collins, P. Martín-Ramiro, B. Nachman and D. Shih, Comparing Weak- and Unsupervised Methods for Resonant Anomaly Detection, 2104.02092.
- [671] B. M. Dillon, T. Plehn, C. Sauer and P. Sorrenson, Better Latent Spaces for Better Autoencoders, 2104.08291.
- [672] T. Finke, M. Krämer, A. Morandini, A. Mück and I. Oleksiyuk, Autoencoders for unsupervised anomaly detection in high energy physics, 2104.09051.
- [673] A. Kahn, J. Gonski, I. Ochoa, D. Williams and G. Brooijmans, *Anomalous Jet Identification via Sequence Modeling*, 2105.09274.
- [674] T. Dorigo, M. Fumanelli, C. Maccani, M. Mojsovska, G. C. Strong and B. Scarpa, RanBox: Anomaly Detection in the Copula Space, 2106.05747.
- [675] S. Caron, L. Hendriks and R. Verheyen, Rare and Different: Anomaly Scores from a combination of likelihood and out-of-distribution models to detect new physics at the LHC, 2106.10164.
- [676] G. Kasieczka, B. Nachman and D. Shih, New Methods and Datasets for Group Anomaly Detection From Fundamental Physics, 7, 2021. 2107.02821.
- [677] S. Volkovich, F. D. V. Halevy and S. Bressler, The Data-Directed Paradigm for BSM searches, 2107.11573.

- [678] B. Ostdiek, Deep Set Auto Encoders for Anomaly Detection in Particle Physics, 2109.01695.
- [679] K. Fraser, S. Homiller, R. K. Mishra, B. Ostdiek and M. D. Schwartz, Challenges for Unsupervised Anomaly Detection in Particle Physics, 2110.06948.
- [680] J. A. Aguilar-Saavedra, Anomaly detection from mass unspecific jet tagging, 2111.02647.
- [681] R. Tombs and C. G. Lester, A method to challenge symmetries in data with self-supervised learning, 2111.05442.
- [682] C. G. Lester and R. Tombs, Stressed GANs snag desserts, a.k.a Spotting Symmetry Violation with Symmetric Functions, 2111.00616.
- [683] S. V. Chekanov and W. Hopkins, Event-based anomaly detection for new physics searches at the LHC using machine learning, 2111.12119.
- [684] R. T. d'Agnolo, G. Grosso, M. Pierini, A. Wulzer and M. Zanetti, *Learning New Physics from an Imperfect Machine*, 2111.13633.
- [685] F. Canelli, A. de Cosa, L. L. Pottier, J. Niedziela, K. Pedro and M. Pierini, Autoencoders for Semivisible Jet Detection, 2112.02864.
- [686] L. Bradshaw, S. Chang and B. Ostdiek, Creating Simple, Interpretable Anomaly Detectors for New Physics in Jet Substructure, 2203.01343.
- [687] J. A. Aguilar-Saavedra, Taming modeling uncertainties with Mass Unspecific Supervised Tagging, 2201.11143.
- [688] B. M. Dillon, R. Mastandrea and B. Nachman, Self-supervised Anomaly Detection for New Physics, 2205.10380.
- [689] M. Birman, B. Nachman, R. Sebbah, G. Sela, O. Turetz and S. Bressler, Data-directed search for new physics based on symmetries of the SM, Eur. Phys. J. C 82 (2022) 508, [2203.07529].
- [690] J. A. Raine, S. Klein, D. Sengupta and T. Golling, CURTAINs for your Sliding Window: Constructing Unobserved Regions by Transforming Adjacent Intervals, 2203.09470.
- [691] M. Letizia, G. Losapio, M. Rando, G. Grosso, A. Wulzer, M. Pierini et al., Learning new physics efficiently with nonparametric methods, 2204.02317.
- [692] C. Fanelli, J. Giroux and Z. Papandreou, "Flux+Mutability": A Conditional Generative Approach to One-Class Classification and Anomaly Detection, 2204.08609.
- [693] B. M. Dillon, L. Favaro, T. Plehn, P. Sorrenson and M. Krämer, A Normalized Autoencoder for LHC Triggers, 2206.14225.

- [694] S. Caron, R. R. de Austri and Z. Zhang, Mixture-of-theories Training: Can We Find New Physics and Anomalies Better by Mixing Physical Theories?, 2207.07631.
- [695] S. E. Park, P. Harris and B. Ostdiek, Neural Embedding: Learning the Embedding of the Manifold of Physics Data, 2208.05484.
- [696] J. F. Kamenik and M. Szewc, Null Hypothesis Test for Anomaly Detection, 2210.02226.
- [697] A. Hallin, G. Kasieczka, T. Quadfasel, D. Shih and M. Sommerhalder, Resonant anomaly detection without background sculpting, 2210.14924.
- [698] G. Kasieczka, R. Mastandrea, V. Mikuni, B. Nachman, M. Pettee and D. Shih, Anomaly Detection under Coordinate Transformations, 2209.06225.
- [699] A. Andreassen and B. Nachman, Neural Networks for Full Phase-space Reweighting and Parameter Tuning, Phys. Rev. D 101 (2020) 091901, [1907.08209].
- [700] M. Stoye, J. Brehmer, G. Louppe, J. Pavez and K. Cranmer, *Likelihood-free inference* with an improved cross-entropy estimator, 1808.00973.
- [701] J. Hollingsworth and D. Whiteson, Resonance Searches with Machine Learned Likelihood Ratios, 2002.04699. 9
- [702] J. Brehmer, K. Cranmer, G. Louppe and J. Pavez, Constraining Effective Field Theories with Machine Learning, 1805.00013.
- [703] J. Brehmer, K. Cranmer, G. Louppe and J. Pavez, A Guide to Constraining Effective Field Theories with Machine Learning, 1805.00020.
- [704] J. Brehmer, F. Kling, I. Espejo and K. Cranmer, MadMiner: Machine learning-based inference for particle physics, Comput. Softw. Big Sci. 4 (2020) 3, [1907.10621].
- [705] J. Brehmer, G. Louppe, J. Pavez and K. Cranmer, Mining gold from implicit models to improve likelihood-free inference, Proc. Nat. Acad. Sci. (2020) 201915980, [1805.12244]. 9
- [706] A. Andreassen, S.-C. Hsu, B. Nachman, N. Suaysom and A. Suresh, Parameter Estimation using Neural Networks in the Presence of Detector Effects, Phys. Rev. D 103 (2021) 036001, [2010.03569].
- [707] A. Coogan, K. Karchev and C. Weniger, Targeted Likelihood-Free Inference of Dark Matter Substructure in Strongly-Lensed Galaxies, 34th Conference on Neural Information Processing Systems (10, 2020), [2010.07032].
- [708] F. Flesher, K. Fraser, C. Hutchison, B. Ostdiek and M. D. Schwartz, Parameter Inference from Event Ensembles and the Top-Quark Mass, 2011.04666.
- [709] S. Chatterjee, N. Frohner, L. Lechner, R. Schöfbeck and D. Schwarz, Tree boosting for learning EFT parameters, 2107.10859.

- [710] R. K. Barman, D. Gonçalves and F. Kling, Machine Learning the Higgs-Top CP Phase, 2110.07635.
- [711] H. Bahl and S. Brass, Constraining CP-violation in the Higgs-top-quark interaction using machine-learning-based inference, 2110.10177.
- [712] E. Arganda, X. Marcano, V. M. Lozano, A. D. Medina, A. D. Perez, M. Szewc et al., A method for approximating optimal statistical significances with machine-learned likelihoods, 2205.05952.
- [713] K. Kong, K. T. Matchev, S. Mrenna and P. Shyamsundar, New Machine Learning Techniques for Simulation-Based Inference: InferoStatic Nets, Kernel Score Estimation, and Kernel Likelihood Ratio Estimation, 2210.01680. 9
- [714] A. Andreassen, P. T. Komiske, E. M. Metodiev, B. Nachman and J. Thaler, OmniFold: A Method to Simultaneously Unfold All Observables, Phys. Rev. Lett. 124 (2020) 182001, [1911.09107].
- [715] N. D. Gagunashvili, Machine learning approach to inverse problem and unfolding procedure, 1004.2006.
- [716] A. Glazov, Machine learning as an instrument for data unfolding, 1712.01814.
- [717] D. Martschei, M. Feindt, S. Honc and J. Wagner-Kuhr, Advanced event reweighting using multivariate analysis, J. Phys. Conf. Ser. 368 (2012) 012028.
- [718] L. Lindemann and G. Zech, Unfolding by weighting Monte Carlo events, Nucl. Instrum. Meth. A 354 (1995) 516–521.
- [719] G. Zech and B. Aslan, Binning-Free Unfolding Based on Monte Carlo Migration, PHYSTAT (2003).
- [720] M. Bellagente, A. Butter, G. Kasieczka, T. Plehn, A. Rousselot and R. Winterhalder, Invertible Networks or Partons to Detector and Back Again, 2006.06685.
- [721] P. Baroň, Comparison of Machine Learning Approach to other Unfolding Methods, 2104.03036.
- [722] A. Andreassen, P. T. Komiske, E. M. Metodiev, B. Nachman, A. Suresh and J. Thaler, Scaffolding Simulations with Deep Learning for High-dimensional Deconvolution, 2105.04448.
- [723] P. Komiske, W. P. McCormack and B. Nachman, Preserving New Physics while Simultaneously Unfolding All Observables, 2105.09923.
- [724] H1 collaboration, V. Andreev et al., Measurement of lepton-jet correlation in deep-inelastic scattering with the H1 detector using machine learning for unfolding, 2108.12376. 10

- [725] M. Arratia et al., Presenting Unbinned Differential Cross Section Results, 2109.13243.
- [726] M.-L. Wong, A. Edmonds and C. Wu, Feed-forward neural network unfolding, 2112.08180.
- [727] M. Arratia, D. Britzger, O. Long and B. Nachman, Optimizing Observables with Machine Learning for Better Unfolding, 2203.16722. 9
- [728] A. Rogozhnikov, Reweighting with Boosted Decision Trees, Proceedings, 17th
 International Workshop on Advanced Computing and Analysis Techniques in Physics
 Research (ACAT 2016): Valparaiso, Chile, January 18-22, 2016 762 (2016) 012036,
 [1608.05806]. 9
- [729] B. Nachman and J. Thaler, Neural Conditional Reweighting, 2107.08979.
- [730] B. Camaiani, R. Seidita, L. Anderlini, R. Ceccarelli, V. Ciulli, P. Lenzi et al., Model independent measurements of Standard Model cross sections with Domain Adaptation, 2207.09293.
- [731] F. A. de Souza, M. Crispim Romão, N. F. Castro, M. Nikjoo and W. Porod, Exploring Parameter Spaces with Artificial Intelligence and Machine Learning Black-Box Optimisation Algorithms, 2206.09223.
- [732] R. Gomez Ambrosio, J. ter Hoeve, M. Madigan, J. Rojo and V. Sanz, Unbinned multivariate observables for global SMEFT analyses from machine learning, 2211.02058. 9
- [733] L. Heinrich and M. Kagan, Differentiable Matrix Elements with MadJax, in 20th International Workshop on Advanced Computing and Analysis Techniques in Physics Research: AI Decoded - Towards Sustainable, Diverse, Performant and Effective Scientific Computing, 2, 2022. 2203.00057.
- [734] B. Nachman and S. Prestel, Morphing parton showers with event derivatives, 2208.02274. 9
- [735] S. Chang, T. Cohen and B. Ostdiek, What is the Machine Learning?, Phys. Rev. D97 (2018) 056009, [1709.10106]. 9
- [736] G. Agarwal, L. Hay, I. Iashvili, B. Mannix, C. McLean, M. Morris et al., Explainable AI for ML jet taggers using expert variables and layerwise relevance propagation, 2011.13466.
- [737] F. Mokhtar, R. Kansal, D. Diaz, J. Duarte, J. Pata, M. Pierini et al., Explaining machine-learned particle-flow reconstruction, in 35th Conference on Neural Information Processing Systems, 11, 2021. 2111.12840.
- [738] L. Anzalone, T. Diotalevi and D. Bonacorsi, *Improving Parametric Neural Networks for High-Energy Physics (and Beyond)*, 2202.00424.

- [739] C. Grojean, A. Paul, Z. Qian and I. Strümke, Lessons on interpretable machine learning from particle physics, Nature Rev. Phys. 4 (2022) 284–286, [2203.08021].
- [740] A. Khot, M. S. Neubauer and A. Roy, A Detailed Study of Interpretability of Deep Neural Network based Top Taggers, 2210.04371. 9
- [741] B. Nachman, A guide for deploying Deep Learning in LHC searches: How to achieve optimality and account for uncertainty, 1909.03081. 9
- [742] B. Nachman and C. Shimmin, AI Safety for High Energy Physics, 1910.08606.
- [743] M. Bellagente, M. Haußmann, M. Luchmann and T. Plehn, *Understanding Event-Generation Networks via Uncertainties*, 2104.04543.
- [744] K. Cheung, Y.-L. Chung, S.-C. Hsu and B. Nachman, Exploring the Universality of Hadronic Jet Classification, 2204.03812.
- [745] V. Estrade, C. Germain, I. Guyon and D. Rousseau, Adversarial learning to eliminate systematic errors: a case study in High Energy Physics, 2017. 9
- [746] A. Stein, X. Coubez, S. Mondal, A. Novak and A. Schmidt, *Improving robustness of jet tagging algorithms with adversarial training*, 2203.13890. 9
- [747] S. Caron, T. Heskes, S. Otten and B. Stienen, Constraining the Parameters of High-Dimensional Models with Active Learning, Eur. Phys. J. C79 (2019) 944, [1905.08628]. 9
- [748] S. Bollweg, M. Haußmann, G. Kasieczka, M. Luchmann, T. Plehn and J. Thompson, Deep-Learning Jets with Uncertainties and More, SciPost Phys. 8 (2020) 006, [1904.10004].
- [749] P. De Castro and T. Dorigo, INFERNO: Inference-Aware Neural Optimisation, Comput. Phys. Commun. 244 (2019) 170–179, [1806.04743].
- [750] S. Wunsch, S. Jörger, R. Wolf and G. Quast, Optimal statistical inference in the presence of systematic uncertainties using neural network optimization based on binned Poisson likelihoods with nuisance parameters, 2003.07186.
- [751] A. Ghosh, B. Nachman and D. Whiteson, *Uncertainty Aware Learning for High Energy Physics*, 2105.08742.
- [752] F. Abudinén et al., Punzi-loss: A non-differentiable metric approximation for sensitivity optimisation in the search for new particles, 2110.00810.
- [753] N. Simpson and L. Heinrich, neos: End-to-End-Optimised Summary Statistics for High Energy Physics, in 20th International Workshop on Advanced Computing and Analysis Techniques in Physics Research: AI Decoded - Towards Sustainable, Diverse, Performant and Effective Scientific Computing, 3, 2022. 2203.05570. DOI. 9

- [754] CMS collaboration, A. Tumasyan et al., *Identification of hadronic tau lepton decays* using a deep neural network, 2201.08458. 10
- [755] MICROBOONE collaboration, P. Abratenko et al., Search for an anomalous excess of inclusive charged-current ν_e interactions in the MicroBooNE experiment using Wire-Cell reconstruction, 2110.13978. 10
- [756] MICROBOONE collaboration, P. Abratenko et al., Search for an anomalous excess of charged-current quasi-elastic ν_e interactions with the MicroBooNE experiment using Deep-Learning-based reconstruction, 2110.14080. 10
- [757] ATLAS collaboration, G. Aad et al., Search for non-resonant Higgs boson pair production in the $bb\ell\nu\ell\nu$ final state with the ATLAS detector in pp collisions at $\sqrt{s}=13$ TeV, Phys. Lett. B 801 (2020) 135145, [1908.06765]. 10
- [758] ATLAS collaboration, G. Aad et al., Search for Higgs boson decays into a Z boson and a light hadronically decaying resonance using 13 TeV pp collision data from the ATLAS detector, 2004.01678.
- [759] CMS collaboration, A. M. Sirunyan et al., Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 12 (2020) 085, [2006.13251]. 10