On the feasibility for the system of quadratic equations

Anatoly Dymarsky, Elena Gryazina, Boris Polyak,
Yury Maximov, Sergei Volodin

Skolkovo Insitute of Science and Technology

Outline

1. The Power Flow feasibility problem
2. The algorithm
3. An example
4. Further plans

Power Flow Feasibility problem:

1. Large-scale power grids
2. Need to know if a regime is «normal», «safe»
3. Ohm's law $\Rightarrow$ quadratic equations:

$$y_i = f_i(x) = x^T A_i x + 2b_i^T x$$

   y (regime) known, x is not
4. Determine if $\exists x \colon y = f(x)$ (means «safe»)

The image $f(\mathbb{R}^n)$ must be examined

The solution

Given: the map $f : \mathbb{R}^n \to \mathbb{R}^m$, $f_i(x) = x^T A_i x + 2b_i^T x$, $A_i^T = A_i$
Proposed algorithm for examining $F = f(\mathbb{R}^n)$:

- **Input:** $y^0 \in F$, direction $c_+ : c_+ \cdot A > 0$
- **Output:** value $z_{\max}$ s.t. the cut $Q(c_+, z_{\max}, F)$ is convex

Solution overview:

1. Discovering boundary nonconvexities $\{F_i\}$ close to y^0
2. Projecting to c_+: (F_i, c_+)
3. Calculating $z_{\max} = \inf_i \inf_{y \in F_i} (c_+, y)$

$Q(c_+, z, F) = \{y \big| (y - y^*, c_+) \in [0, z]\} \cap F$, y^* — touching point of hyperplane c_+



The solution

Infinite number of nonconvexities $\Rightarrow$

1. $z_{\max} = \inf\limits_{c \in c_{\mathrm{bad}}} z(c)$ — constrained optimization
2. Gradient projection method
3. Projection using $\vec{n} \perp c_{\mathrm{bad}}$



An example: $f : \mathbb{R}^4 \to \mathbb{R}^4$. Looking for $z_{\max} = \inf_{c \in c_{\mathrm{bad}}} z(c)$

- 4 local minima
- Global minimum found



Results

Summary

1. Power Flow feasibility
2. Algorithm cuts convex parts
3. Gradient projection method
4. Algorithm was tested on a number of maps f

Plan: practical application

1. $\mathbb{C}$ case
2. Testing for higher dimensions









Thank you!

Questions?