

No.	Time	Source	Destination	Protocol	Length	Info
16	3.911919	192.168.0.105	143.89.14.1	ICMP	74	Echo (ping) request id=0, seq=1/256, ttl=64 (no response found!)
Frame 16: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{BF23FEA1-E9C4-4BB65-52FAE1FF74B2}, id 0						
Ethernet II, Src: WistronI_6f:b9:19 (f8:0f:41:6f:b9:19), Dst: Tp-LinkT_66:03:90 (a0:f3:c1:66:03:90)						
Internet Protocol Version 4, Src: 192.168.0.105, Dst: 143.89.14.1						
Internet Control Message Protocol						
Type: 8 (Echo (ping) request)						
Code: 0						
Checksum: 0x4d5a [correct]						
[Checksum Status: Good]						
Identifier (BE): 1 (0x0001)						
Identifier (LE): 256 (0x0100)						
Sequence number (BE): 1 (0x0001)						
Sequence number (LE): 256 (0x0100)						
[No response seen]						
Data (32 bytes)						
0000	61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70	abcdefghijklmnop				
0010	71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69	qrstuvwxyzabcdefghijklmnop				
20	8.584681	192.168.0.105	143.89.14.1	ICMP	74	Echo (ping) request id=0, seq=2/512, ttl=64 (no response found!)
Frame 20: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{BF23FEA1-E9C4-4BB65-52FAE1FF74B2}, id 0						
Ethernet II, Src: WistronI_6f:b9:19 (f8:0f:41:6f:b9:19), Dst: Tp-LinkT_66:03:90 (a0:f3:c1:66:03:90)						
Internet Protocol Version 4, Src: 192.168.0.105, Dst: 143.89.14.1						
Internet Control Message Protocol						
Type: 8 (Echo (ping) request)						
Code: 0						
Checksum: 0x4d59 [correct]						
[Checksum Status: Good]						
Identifier (BE): 1 (0x0001)						
Identifier (LE): 256 (0x0100)						
Sequence number (BE): 2 (0x0002)						
Sequence number (LE): 512 (0x0200)						
[No response seen]						
Data (32 bytes)						
0000	61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70	abcdefghijklmnop				
0010	71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69	qrstuvwxyzabcdefghijklmnop				
23	13.584607	192.168.0.105	143.89.14.1	ICMP	74	Echo (ping) request id=0, seq=3/768, ttl=64 (no response found!)
Frame 23: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{BF23FEA1-E9C4-4BB65-52FAE1FF74B2}, id 0						
Ethernet II, Src: WistronI_6f:b9:19 (f8:0f:41:6f:b9:19), Dst: Tp-LinkT_66:03:90 (a0:f3:c1:66:03:90)						
Internet Protocol Version 4, Src: 192.168.0.105, Dst: 143.89.14.1						
Internet Control Message Protocol						
Type: 8 (Echo (ping) request)						
Code: 0						
Checksum: 0x4d58 [correct]						
[Checksum Status: Good]						
Identifier (BE): 1 (0x0001)						
Identifier (LE): 256 (0x0100)						
Sequence number (BE): 3 (0x0003)						
Sequence number (LE): 768 (0x0300)						
[No response seen]						
Data (32 bytes)						
0000	61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70	abcdefghijklmnop				
0010	71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69	qrstuvwxyzabcdefghijklmnop				
25	18.564592	192.168.0.105	143.89.14.1	ICMP	74	Echo (ping) request id=0, seq=4/1024, ttl=64 (no response found!)
Frame 25: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{BF23FEA1-E9C4-4BB65-52FAE1FF74B2}, id 0						
Ethernet II, Src: WistronI_6f:b9:19 (f8:0f:41:6f:b9:19), Dst: Tp-LinkT_66:03:90 (a0:f3:c1:66:03:90)						
Internet Protocol Version 4, Src: 192.168.0.105, Dst: 143.89.14.1						
Internet Control Message Protocol						
Type: 8 (Echo (ping) request)						
Code: 0						
Checksum: 0x4d57 [correct]						

```

Sequence number (BE): 4 (0x0004)
Sequence number (LE): 1024 (0x0400)
[No response seen]
Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70  abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69  qrstuvwabcdefghi
No.      Time                Source                Destination                Protocol Length Info
    47 23.584584          192.168.0.105          143.89.14.1                ICMP      74      Echo (ping) request id=0
seq=5/1280, ttl=64 (no response found!)
Frame 47: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{BF23FEA1-E9C4-4
BB65-52FAE1FF74B2}, id 0
Ethernet II, Src: WistronI_6f:b9:19 (f8:0f:41:6f:b9:19), Dst: Tp-LinkT_66:03:90 (a0:f3:c1:66:03:90)
Internet Protocol Version 4, Src: 192.168.0.105, Dst: 143.89.14.1
Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0x4d56 [correct]
  [Checksum Status: Good]
  Identifier (BE): 1 (0x0001)
  Identifier (LE): 256 (0x0100)
  Sequence number (BE): 5 (0x0005)
  Sequence number (LE): 1280 (0x0500)
  [No response seen]
  Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70  abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69  qrstuvwabcdefghi
No.      Time                Source                Destination                Protocol Length Info
    50 28.564483          192.168.0.105          143.89.14.1                ICMP      74      Echo (ping) request id=0
seq=6/1536, ttl=64 (no response found!)
Frame 50: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{BF23FEA1-E9C4-4
BB65-52FAE1FF74B2}, id 0
Ethernet II, Src: WistronI_6f:b9:19 (f8:0f:41:6f:b9:19), Dst: Tp-LinkT_66:03:90 (a0:f3:c1:66:03:90)
Internet Protocol Version 4, Src: 192.168.0.105, Dst: 143.89.14.1
Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0x4d55 [correct]
  [Checksum Status: Good]
  Identifier (BE): 1 (0x0001)
  Identifier (LE): 256 (0x0100)
  Sequence number (BE): 6 (0x0006)
  Sequence number (LE): 1536 (0x0600)
  [No response seen]
  Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70  abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69  qrstuvwabcdefghi
No.      Time                Source                Destination                Protocol Length Info
    53 33.574436          192.168.0.105          143.89.14.1                ICMP      74      Echo (ping) request id=0
seq=7/1792, ttl=64 (no response found!)
Frame 53: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{BF23FEA1-E9C4-4
BB65-52FAE1FF74B2}, id 0
Ethernet II, Src: WistronI_6f:b9:19 (f8:0f:41:6f:b9:19), Dst: Tp-LinkT_66:03:90 (a0:f3:c1:66:03:90)
Internet Protocol Version 4, Src: 192.168.0.105, Dst: 143.89.14.1
Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0x4d54 [correct]
  [Checksum Status: Good]
  Identifier (BE): 1 (0x0001)
  Identifier (LE): 256 (0x0100)
  Sequence number (BE): 7 (0x0007)
  Sequence number (LE): 1792 (0x0700)
  [No response seen]
  Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70  abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69  qrstuvwabcdefghi
No.      Time                Source                Destination                Protocol Length Info
    60 38.574437          192.168.0.105          143.89.14.1                ICMP      74      Echo (ping) request id=0
seq=8/2048, ttl=64 (no response found!)
Frame 60: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{BF23FEA1-E9C4-4
BB65-52FAE1FF74B2}. id 0

```

```

Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x4d53 [correct]
[Checksum Status: Good]
Identifier (BE): 1 (0x0001)
Identifier (LE): 256 (0x0100)
Sequence number (BE): 8 (0x0008)
Sequence number (LE): 2048 (0x0800)
[No response seen]
Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70  abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69  qrstuvwabcdefghi
No.      Time                Source                Destination                Protocol Length Info
    74 43.584424          192.168.0.105          143.89.14.1                ICMP      74      Echo (ping) request id=0
seq=9/2304, ttl=64 (no response found!)
Frame 74: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{BF23FEA1-E9C4-4
BB65-52FAE1FF74B2}, id 0
Ethernet II, Src: WistronI_6f:b9:19 (f8:0f:41:6f:b9:19), Dst: Tp-LinkT_66:03:90 (a0:f3:c1:66:03:90)
Internet Protocol Version 4, Src: 192.168.0.105, Dst: 143.89.14.1
Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0x4d52 [correct]
  [Checksum Status: Good]
  Identifier (BE): 1 (0x0001)
  Identifier (LE): 256 (0x0100)
  Sequence number (BE): 9 (0x0009)
  Sequence number (LE): 2304 (0x0900)
  [No response seen]
  Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70  abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69  qrstuvwabcdefghi
No.      Time                Source                Destination                Protocol Length Info
    75 48.574509          192.168.0.105          143.89.14.1                ICMP      74      Echo (ping) request id=0
seq=10/2560, ttl=64 (no response found!)
Frame 75: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{BF23FEA1-E9C4-4
BB65-52FAE1FF74B2}, id 0
Ethernet II, Src: WistronI_6f:b9:19 (f8:0f:41:6f:b9:19), Dst: Tp-LinkT_66:03:90 (a0:f3:c1:66:03:90)
Internet Protocol Version 4, Src: 192.168.0.105, Dst: 143.89.14.1
Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0x4d51 [correct]
  [Checksum Status: Good]
  Identifier (BE): 1 (0x0001)
  Identifier (LE): 256 (0x0100)
  Sequence number (BE): 10 (0x000a)
  Sequence number (LE): 2560 (0x0a00)
  [No response seen]
  Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70  abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69  qrstuvwabcdefghi

```