Get CTT Points

Version	Created by	Department
2.1	Héctor Furió	Client Integrations

Introduction 3

1. Service Description and Limitations 3

1.1 Service Description 3

1.2 Service Limitations 3

2. Getting CTT Distribution Points 4

2.1 API Rest Endpoint 4

2.2 CSV File Method 4

2.3 Request Parameters 4

2.4 Response Examples 5

2.5 Error Responses 9

3. Manifesting PUDO Delivery 11

3.1 Overview 11

3.3 API Rest Implementation 11

3.4 Additional Services for Pudo Delivery 11

4. Manifesting PUDO Drop Off 13

4.1 Overview 13

4.2 Information Requirements 13

4.3 API Rest Implementation 13

4.4 Additional Services for Spain 13

4.5 Additional Services for Portugal 14

5. Notifications 16

5.1 Important Notes 16

5.2 Direct Delivery PUDO Notifications 16

5.3 PUDO Drop Off Notifications 18

Introduction

The CTT Express API allows users to obtain information about the available distribution points for shipments. This service provides details such as address, opening hours, and other relevant data about the delivery points. Users can perform specific searches using pagination parameters to facilitate navigation through the results.

Base URLs:

- **Test Environment:** https://api-test.cttexpress.com/integrations
- **Production Environment:** https://api.cttexpress.com/integrations

1. Service Description and Limitations

1.1 Service Description

The Direct Delivery Point (PUDO) service offers the possibility of delivering shipments to a selected CTT point so the recipient can pick them up there.

1.2 Service Limitations

PUDO Deliveries can be used in all services except those which have a compromised time of delivery (10h and 14h) and Collect in Agency (REA).

The shipment must accomplish the following characteristics:

- 1 parcel per shipment
- Maximum weight 20 Kg
- Height + Width + Length should be 160cm maximum
- No return service
- No refund service
- No shipping due
- Without management service at destination
- Without customer delivery note scanning service
- Without recipient ID verification service
- Mandatory recipient mobile phone
- Mandatory recipient email

2. Getting CTT Distribution Points

2.1 API Rest Endpoint

Endpoint:

{baseURL}/delivery/v1.0/distribution-points/v2.0/search

Example URL:

https://api.cttexpress.com/integrations/delivery/v1.0/distribution-points/v2.0/search?page_limit=2&page_offsets=3

2.2 CSV File Method

The complete list of the available PUDO Points in CSV can be downloaded using the following link:

http://transfer.cttexpress.com/IT/export/integra/PUNTOSCTT.csv

CSV File Structure:

Field Description	Details
Organic Point Code	PUDO CTT Internal code
Point Name	PUDO Name
Phone Number	PUDO Phone number
Address	PUDO Address
Town	PUDO Town
Postal Code	PUDO Zip code
Country Code	PUDO Country Code
GPS Latitude	PUDO Latitude
GPS Longitude	PUDO Longitude
Scheduled	Opening Hours
Services	Services available separated by comma: - PUDO (Delivery in a PUDO) - REVERSE_LOGISTICS (PUDO Drop off)

2.3 Request Parameters

Query Parameters:

- **page_limit**: Number of CTT points to display per page. Minimum=1; Maximum=1000; Default value=100.
- **page_offsets**: Page number to display. First page=0; Default value=0.

Body Parameters:

Field	Mandatory	Data Type	Description
postal_code		String	This field can be filled in with the first digits of the zip code or with the complete zip code.
country_code		String	The country must be included only PT or ES, if the field is not filled it returns the points of the two Countries
type	X	String	Fixed value
services		Array	["REVERSE_LOGISTICS","PUDO"], can be filtered by either of the two keys.

2.4 Response Examples

Successful Response:

- **200 OK**: Request successful

Response Body Example 1:


```
{
  "postal_code": "28044",
  "country_code": "ES",
  "gps_location": {
    "latitude": 40.375160724099,
    "longitude": -3.773524762957
  },
  "opening_hours": [
    {
      "day_of_week": "MON",
      "hours": [
        {
          "from": "10:00",
          "to": "13:15"
        },
        {
          "from": "17:30",
          "to": "19:45"
        }
      ]
    },
    {
      "day_of_week": "TUE",
      "hours": [
```

```
      {
        "from": "10:00",
        "to": "13:15"
      },
      {
        "from": "17:30",
        "to": "19:45"
      }
    ]
  },
  {
    "day_of_week": "WED",
    "hours": [
      {
        "from": "10:00",
        "to": "13:15"
      },
      {
        "from": "17:30",
        "to": "19:45"
      }
    ]
  },
  {
    "day_of_week": "THU",
    "hours": [
      {
        "from": "10:00",
        "to": "13:15"
      },
      {
        "from": "17:30",
        "to": "19:45"
      }
    ]
  },
  {
    "day_of_week": "FRI",
    "hours": [
```

```
        {
          "from": "10:00",
          "to": "13:15"
        },
        {
          "from": "17:30",
          "to": "19:45"
        }
      ]
    },
    null,
    null
  ],
  "services": [
    "PUDO"
  ]
}
```


Response Body Example 2:


```
{
  "organic_point_code": "5111307",
  "point_name": "ANIMALIA",
  "phone_number": "918612499",
  "is_active": "1",
  "address": {
    "address": "PLAZA CORREDERA 27",
    "town": "SAN MARTIN DE VALDEIGLESIAS",
    "postal_code": "28680",
    "country_code": "ES",
    "gps_location": {
      "latitude": 40.361729436722,
      "longitude": -4.400074204616
    }
  },
  "opening_hours": [
    {
      "day_of_week": "MON",
      "hours": [
        {
          "from": "10:00",
```

```
        "to": "14:00"
      },
      {
        "from": "18:00",
        "to": "20:00"
      }
    ]
  },
  {
    "day_of_week": "TUE",
    "hours": [
      {
        "from": "10:00",
        "to": "14:00"
      },
      {
        "from": "18:00",
        "to": "20:00"
      }
    ]
  },
  {
    "day_of_week": "WED",
    "hours": [
      {
        "from": "10:00",
        "to": "14:00"
      },
      {
        "from": "18:00",
        "to": "20:00"
      }
    ]
  },
  {
    "day_of_week": "THU",
    "hours": [
      {
        "from": "10:00",
```

```
          "to": "14:00"
        },
        {
          "from": "18:00",
          "to": "20:00"
        }
      ]
    },
    {
      "day_of_week": "FRI",
      "hours": [
        {
          "from": "10:00",
          "to": "14:00"
        },
        {
          "from": "18:00",
          "to": "20:00"
        }
      ]
    },
    {
      "day_of_week": "SAT",
      "hours": [
        {
          "from": "10:00",
          "to": "13:00"
        }
      ]
    }
  ]
}
```


2.5 Error Responses

- **400 BadRequest**: Incorrect arguments.
- **401 Unauthorized**: Not authenticated or not authorized to perform the action.
- **403 Forbidden**: Action forbidden.
- **404 NotFound**: Related data not found.
- **405 NotAllowed**: Method not allowed.

- **406 NotAcceptable**
- **409 Conflict**: Conflict with an existing shipment.
- **412 PreconditionFailed**
- **415 UnsupportedMediaType**
- **500 InternalServerError**: Service error, try again.
- **502 BadGateway**
- **504 GatewayTimeout**

3. Manifesting PUDO Delivery

3.1 Overview

This section describes how to send a shipment for direct delivery to a PUDO point using the API Rest Cloud method. It is necessary to fill in the **Additional Services** section and the **Destination Information** with the correct information to use this service.

3.2 Destination Information Requirements

The destination information should be filled using the following considerations:

- **Destination Name**: Real contact name of the destination (Buyer)
- **Destination Contact Name**: Pudo's Name + Real contact name of the destination (Buyer)
- **Destination Address**: PUDO Address
- **Destination Zipcode**: PUDO zipcode
- **Destination Country**: PUDO Country
- **Destination Email**: Buyer Email (Used for notifications)
- **Destination Phone**: Buyer Phone (Used for notifications)

3.3 API Rest Implementation

Endpoint:

https://api.cttexpress.com/integrations/manifest/v1.0/shippings

Additional Services Information:

Additional services must be configured for PUDO Deliveries according to the API documentation.

Important Notes:

- The destination address must be the PUDO address, not the final recipient's address
- The contact information (email and phone) must be from the actual buyer for notification purposes
- The PUDO name should be included in the destination contact name field

3.4 Additional Services for Pudo Delivery

Field	Value	Comment
additional_code	PER	Fixed field "PER" for PUDO Deliveries
additional_value	0	Fixed value
additional_flag	true	Fixed value
additional_text	5500001	organic_point_code" field from the PUDO List
additional_sub_code	EDP	Fixed field "EDP" for PUDO Deliveries

Example in additionals array:

```
{
"additional_code":"PER",
"additional_value":0,
```

```
"additional_flag":true,
"additional_text":"5500001,
"additional_sub_code":"EDP"
}
```

Example complete request:

```
{
  "client_center_code": "0000200001",
  "shipping_type_code": "C24",
  "shipping_weight_declared": 4,
  "item_count": 1,
  "sender_name": "SENDER DUMMY",
  "sender_country_code": "ES",
  "sender_postal_code": "28001",
  "sender_address": "STREET DUMMY 123",
  "sender_town": "MADRID",
  "recipient_name": "JUAN DURAN",
  "recipient_country_code": "ES",
  "recipient_postal_code": "28850",
  "recipient_town": "TORREJON DE ARDOZ",
  "recipient_address": "CALLE MARQUESAS, 16",
  "recipient_email_notify_address": "TEST@cttexpress.com",
  "recipient_phones": ["+34666666666"],
  "delivery": {
    "contact_name": "ALIMENTACION LA CHANA + JUAN DURAN"
  },
  "additionals": [
    {
      "additional_code": "PER",
      "additional_value": 0,
      "additional_flag": true,
      "additional_text": "5308370",
      "additional_sub_code": "EDP"
    }
  ]
}
```

4. Manifesting PUDO Drop Off

4.1 Overview

This section describes how to send a shipment for PUDO Drop Off (reverse logistics) using the API Rest Cloud method. It is necessary to fill in the **Additional Services** section and the **Sender Information** with the correct information to use this service.

4.2 Information Requirements

The sender information should be filled in using the following considerations:

- **Sender Name**: Real contact name of the Sender (Buyer)
- **Sender Contact Name**: Sender name (Buyer)
- **Sender Address**: Sender Address
- **Sender Zipcode**: Sender zipcode
- **Sender Country**: Sender Country
- **Sender Email**: Buyer Email (Used for notifications)
- **Sender Phone**: Buyer Phone (Used for notifications)

4.3 API Rest Implementation

Endpoint:

https://api.cttexpress.com/integrations/manifest/v1.0/shippings

4.4 Additional Services for Spain

Field	Value	Comment
additional_code	ERE	Code for reverse logistics
additional_value	0	Fixed value
additional_flag	true	Fixed value
additional_text		Empty field
additional_sub_code	RDP	Subcode for reverse logistics

Example in additionals array:

```
{
  "additional_code": "ERE",
  "additional_value": 0,
  "additional_flag": true,
  "additional_text": "",
  "additional_sub_code": "RDP"
}
```

Example complete request:

```
{
  "client_center_code": "0000200001",
  "shipping_type_code": "C24",
```

```
  "shipping_weight_declared": 4,
  "item_count": 1,
  "sender_name": "SENDER DUMMY",
  "sender_country_code": "ES",
  "sender_postal_code": "28001",
  "sender_address": "STREET DUMMY 123",
  "sender_town": "MADRID",
  "recipient_name": "JUAN DURAN",
  "recipient_country_code": "ES",
  "recipient_postal_code": "28850",
  "recipient_town": "TORREJON DE ARDOZ",
  "recipient_address": "CALLE MARQUESAS, 16",
  "recipient_email_notify_address": "test@cttexpress.com",
  "recipient_phones": ["+34666666666"],
  "delivery": {
    "contact_name": "ALIMENTACION LA CHANA + JUAN DURAN"
  },
  "additionals": [
    {
      "additional_code": "ERE",
      "additional_value": 0,
      "additional_flag": true,
      "additional_text": "",
      "additional_sub_code": "RDP"
    }
  ]
}
```

4.5 Additional Services for Portugal

Field	Value	Comment
additional_code	ERV	Code for reverse logistics
additional_value	0	Fixed value
additional_flag	true	Fixed value
additional_text		Empty field
additional_sub_code		Empty field

Example in additionals array:

```
{
  "additional_code": "ERV",
  "additional_value": 0,
```

```
  "additional_flag": true,
  "additional_text": "",
  "additional_sub_code": ""
}
```

Example complete request:

```
{
  "client_center_code": "0000200001",
  "shipping_type_code": "C24",
  "shipping_weight_declared": 4,
  "item_count": 1,
  "sender_name": "SENDER DUMMY",
  "sender_country_code": "ES",
  "sender_postal_code": "28001",
  "sender_address": "STREET DUMMY 123",
  "sender_town": "MADRID",
  "recipient_name": "JUAN DURAN",
  "recipient_country_code": "ES",
  "recipient_postal_code": "28850",
  "recipient_town": "TORREJON DE ARDOZ",
  "recipient_address": "CALLE MARQUESAS, 16",
  "recipient_email_notify_address": "test@cttexpress.com",
  "recipient_phones": ["+34666666666"],
  "delivery": {
    "contact_name": "ALIMENTACION LA CHANA + JUAN DURAN"
  },
  "additionals": [
    {
        "additional_code": "ERV",
        "additional_value": 0,
        "additional_flag": true,
        "additional_text": "",
        "additional_sub_code": ""
    }
  ]
}
```

5. Notifications

5.1 Important Notes

It is important to understand how the notifications to PUDO work in all cases, otherwise, the information can overlap the recipient, leading to a malfunction of the service.

Key Points:

- Usually, CTT will send a notification to the customer with the necessary information to drop off the parcel in a PUDO.
- If you want to create the notification on your side, you should follow the specifications depending on the country of the PUDO.
- Please indicate to the Integration team your decision regarding notifications. If you choose to send the notifications through your CTT Express account, you should disable CTT's notification to avoid confusion.
- **For Portugal**: You should always send the notification to your Client. CTT never sends the notification in this case.
- In the notification, the indicated barcodes must be clearly visible, as well as the numbering linked to the code, since the PUDO may need to enter the barcode data manually.

5.2 Direct Delivery PUDO Notifications

When the shipment has been manifested for direct spot delivery, the company's standard notifications will be sent, which are the following:

1. **Admission of the goods at CTT facilities**
    - Notification sent when the package is received at CTT facilities

2. **Put in delivery**
   - Notification sent when the package is in transit to the PUDO point

3. **Deposited in PUDO**
   - Notification sent when the package is available for pickup at the PUDO point

5.3 PUDO Drop Off Notifications

Spain Notification

When the origin is Spain, the following notification should be sent together with the manifest.

The field **shipping_code** (This code can be returned in the response or calculated by the customer based on the Spanish range assigned by CTT Integration team) returned in the response of the manifest creation should be sent to the customer in a notification in **QR**, **Code-128**, and **text format**.

0082800046388742100078

Requirements:

- QR code format
- Code-128 barcode format
- Text format (numeric code clearly visible)
- All formats must be included in the notification

Portugal Notification

The field **item_external_code** (This code can be returned in the responses or calculated by the customer based on the Portugal range assigned by CTT Integration team) returned in the response of the manifest creation should be sent to the customer in a notification in **QR**, **Code-128**, and **text format**.

DE020640039PT

Requirements:

- QR code format
- Code-128 barcode format
- Text format (numeric code clearly visible)
- All formats must be included in the notification

Important: The customer must present this notification at the PUDO point to drop off the package. Ensure all barcode formats are legible, and the numeric code is easily readable for manual entry if needed.

For additional support or questions, please contact the CTT Express Integration Team.