Get Shipping Tracking API

Version	Created by	Department
2.0	Héctor Furió	Client Integrations

Introduction to the Get Shipping Tracking API

The "Get Shipping Tracking" API allows our clients to obtain the shipping status of a package through a REST endpoint. This endpoint is designed to provide detailed information about the tracking of CTT Express shipments, enabling clients to know the events associated with the transportation of a package from its origin to its final destination.

The status inquiry endpoint is accessed to HTTP GET request, providing the shipping code. Additionally, certain fixed query parameters can be specified to define the level of detail in the response.

Below, the structure of the request, the available parameters, and the fields returned in the response are detailed. Furthermore, information about possible error responses and how to handle them is provided, ensuring an efficient and robust integration for our clients.

Connection URLs

To connect to the "Get Shipping Tracking" API, you can use the following URLs:

- **Test Endpoint**: https://api-test.cttexpress.com/integrations-info/trf/item-history-api/history/{{shippingCode}}?view=APITRACK&showItems=false
- **Production Endpoint**: https://api.cttexpress.com/integrations-info/trf/item-history-api/history/{{shippingCode}}?view=APITRACK&showItems=false

Replace {{shippingCode}} with the specific shipping code you want to query. If you need further assistance or additional information on how to use these endpoints, please let us know.

Available query params:

- view: "APITRACK" (fixed value).
- showItems: "false" (fixed value).
- Client Center Code: Provided by CTT Express

Request Example:

```
curl --location 'https://api-test.cttexpress.com/integrations/trf/item-history-
api/history/00081800828098000005 59?view=APITRACK&showItems=false' \

--header 'Authorization: Bearer Your Token Authorization' \

--data ''
```

Response

Properties Below are the fields available in the response for CTT Express tracking information.

Field	Data Type	Description
data	object	Tracking information
shipping_code	string	Shipment number
shipping_history	object	Tracking history
events	array	Shipping events
code	string	Event code
description	string	Event description. Possible values: Annex 1
type	string	Event type. Possible values: STATUS, MANAGEMENTS
event_date	string	Event date. (Format YYYY-MM-ddTHH:mm.msZ+00:00) (UTC)
detail	object	Event detail (*1)
event_longitude_gps	string	GPS longitude coordinates of the event
event_latitude_gps	string	GPS latitude coordinates of the event
event_courier_code	string	Courier code
origin_province_name	string	Origin province
destin_province_name	string	Destination province
signee_name	string	Recipient's name
delivery_comments	string	Delivery comments
incident_type_name	string	Incident name
incident_type_code	string	Incident code. Possible values: Annex 1
incident_type_desc	string	Incident description
allow_managements	string	Indicates if the shipment status allows management actions. Values: "true" or "false"
management_type	string	Types of management actions that can be performed
origin_name	string	Origin city
destin_name	string	Destination city
declared_weight	string	Weight declared by the customer at shipment registration

final_weight	string	Assessed weight. This value may change until the shipment reaches a definitive status
recipient_address	string	Recipient's address
recipient_country_code	string	Recipient's country code
recipient_name	string	Recipient's name
recipient_phones	array	Recipient's phone numbers
sender_address	string	Sender's address
sender_town	string	Sender's city
sender_country_code	string	Sender's country code
sender_name	string	Sender's name
client_code	string	Client code
item_count	int	Number of items
traffic_type_code	string	Type of traffic
gps_location	object	GPS coordinates of delivery (latitude and longitude)
error	string	Indicates if there is an error in the response

Explanation of Blocks

Status Block

The status block provides information about the different statuses of the shipment during its journey, such as "Manifested", "In Transit", "Out for Delivery", etc. Each status includes details like event date, GPS coordinates, and delivery comments, among others.

Incidents Block

The incidents block describes any issues that occurred during the shipment. These incidents, labeled as "INCT", include information such as the type of incident, a detailed description, and the corresponding code.

Solutions Block

The solutions block indicates the actions taken to resolve an incident. These actions, labeled as "INAT", describe what type of management action was performed and if the shipment status allows additional management actions.

Annex 1

The currently available types of events are STATUS, INCT (Incidents), and INAT (Solutions). STATUS shows the tracking of shipments. Some statuses, such as FAILED DELIVERY, will have linked INCIDENTS. INAT

(Solutions) are the actions taken to resolve an incident. These codes can be found in the STATUS, INCIDENTS, and MANAGEMENTS file.

Below you will find the link to download the STATUS, INCIDENTS, and MANAGEMENTS codes file. This information may change and include new codes, so it is recommended to download it regularly to have the most updated information. Download STATUS, INCIDENTS, and MANAGEMENTS codes

Below is an example of the format and content of the information.

Successful Response

201 Created: Successful handling of the request.

Response Body


```
{
  "data": {
    "shipping_code": "0008180008189700499984",
    "shipping_history": {
      "events": [
        {
          "code": "0000",
          "description": "Manifested",
          "type": "STATUS",
          "event_date": "2024-10-28T15:18:27.788+00:00",
          "detail": {
            "event_longitude_gps": "null",
            "destin_province_name": "Alicante",
            "event_courier_code": "null",
            "item_event_datetime": "2024-10-28T15:18:27.788Z[UTC]",
            "signee_id": "null",
            "origin_province_name": "Barcelona",
            "delivery_comments": "",
            "event_agency_code": "000818",
            "event_latitude_gps": "null",
            "signee_name": "null"
          }
        },
        {
          "code": "0900",
```

```
        "description": "In Transit",
        "type": "STATUS",
        "event_date": "2024-10-28T17:07:32.660+00:00",
        "detail": {
          "destin_province_name": "Alicante",
          "item_event_datetime": "2024-10-28T17:07:32.660Z[UTC]",
          "origin_province_name": "Barcelona"
        }
      },
      {
        "code": "1200",
        "description": "Destination Branch",
        "type": "STATUS",
        "event_date": "2024-10-29T05:08:40.963+00:00",
        "detail": {
          "event_longitude_gps": "null",
          "destin_province_name": "Alicante",
          "event_courier_code": "null",
          "item_event_datetime": "2024-10-29T05:08:40.963Z[UTC]",
          "signee_id": "null",
          "origin_province_name": "Barcelona",
          "event_agency_code": "000301",
          "event_latitude_gps": "null",
          "signee_name": "null"
        }
      },
      {
        "code": "1500",
        "description": "Out for Delivery",
        "type": "STATUS",
        "event_date": "2024-10-29T07:49:31.565+00:00",
        "detail": {
          "event_longitude_gps": "0.0",
          "destin_province_name": "Alicante",
```

```
            "event_courier_code": "030U0664",
            "item_event_datetime": "2024-10-29T07:49:31.565Z[UTC]",
            "signee_id": "null",
            "origin_province_name": "Barcelona",
            "event_agency_code": "000301",
            "event_latitude_gps": "0.0",
            "signee_name": "null"
          }
        },
        {
          "code": "1600",
          "description": "Failed Delivery",
          "type": "STATUS",
          "event_date": "2024-10-29T10:12:55.470+00:00",
          "detail": {
            "event_longitude_gps": "0.0",
            "delivery_comments": "",
            "event_agency_code": "000301",
            "signee_name": "",
            "External_event_text": "",
            "destin_province_name": "Alicante",
            "event_courier_code": "030U0664",
            "item_event_datetime": "2024-10-29T10:12:55.470Z[UTC]",
            "signee_id": "",
            "incident_type_name": "Recipient Not Responding",
            "incident_type_code": "2_INCT",
            "origin_province_name": "Barcelona",
            "incident_type_desc": "The recipient is not accessible at the delivery address",
            "incident_type_desc_ext_code": "The recipient is not accessible at the delivery
address",
            "event_latitude_gps": "0.0"
          }
        },
        {
          "code": "2100",
```

```
        "description": "Delivered",
        "type": "STATUS",
        "event_date": "2024-10-29T10:20:34.173+00:00",
        "detail": {
          "event_longitude_gps": "0.0",
          "destin_province_name": "Alicante",
          "event_courier_code": "030U0664",
          "item_event_datetime": "2024-10-29T10:20:34.173Z[UTC]",
          "item_event_text": "John Doe",
          "signee_id": "X12345678",
          "origin_province_name": "Barcelona",
          "delivery_comments": "--",
          "event_agency_code": "000301",
          "event_latitude_gps": "0.0",
          "signee_name": "John Doe"
        }
      }
    ]
  },
  "client_reference": "123456789",
  "reported_delivery_date": "2024-10-31",
  "committed_delivery_datetime": "2024-10-31",
  "delivery_date": "2024-10-29",
  "origin_province_name": "Barcelona",
  "destin_province_name": "San Vicente del Raspeig",
  "allow_managements": false,
  "origin_name": "Barcelona",
  "destin_name": "San Vicente del Raspeig",
  "declared_weight": 1.5,
  "final_weight": 3.0,
  "gps_location": [
    {
      "delivery_latitude_gps": 38.39093,
      "delivery_longitude_gps": -0.52087
```

```
      }
    ],
    "shipping_type_code": "48P",
    "recipient_address": "123 Main St, Apt 4B",
    "recipient_country_code": "ES",
    "recipient_name": "John Doe",
    "recipient_phones": [
      "600123456"
    ],
    "recipient_postal_code": "03690",
    "sender_address": "456 Elm St, 08030 Barcelona, Spain",
    "sender_town": "Barcelona",
    "sender_country_code": "ES",
    "sender_name": "Acme Corp",
    "sender_phones": [],
    "sender_postal_code": "08030",
    "client_center_code": "9876543210",
    "client_code": "98765",
    "item_count": 1,
    "traffic_type_code": "TRANSIT_TRFT"
  },
  "error": null
}
```


Error Responses

Status Code	Description
400	BadRequest: Incorrect arguments.
401	Unauthorized: Not authenticated or authorized to perform the action.
403	Forbidden: Action forbidden.
404	NotFound: Related data not found.
405	NotAllowed: Method not allowed.
406	NotAcceptable.

409	Conflict: Conflict with an existing shipment.
412	PreconditionFailed.
415	UnsupportedMediaType.
500	InternalServerError: Service error, please retry.
502	BadGateway.
504	GatewayTimeout.