API Shipments Tracking List by Dates

Version	Created by	Department
1.0	Héctor Furió	Client Integrations

Introduction

This document provides a detailed guide on how to use the shipment tracking API. The API allows customers to obtain up-to-date information about the status of their shipments filtered by date, including the latest status, sender and recipient details, and other relevant information.

API Endpoint

Base URL:
https://api.cttexpress.com/integrations/trf/web-tracking/v1.0/shippings

Authentication

To access the API, you need to authenticate using a Bearer token in the request header.

Authentication Header Example:

Authorization: Bearer {your_authentication_token}

Replace {your_authentication_token} with the provided token.

Input Parameters

Parameter	Required/Optional	Type	Description	Default value	Example
page_limit	Optional	Integer	Specifies the maximum number of records to return per page.	20	page_limit=50
page_offsets	Optional	Integer	Specifies the page number to retrieve.	1	page_offsets=2
mapping_table_code	Required	String	Code that identifies the mapping table to use for the query.	N/A	mapping_table_code=APITRACK
order_by	Optional	String	Defines the order in which records will be returned. Use - for descending order.	N/A	order_by=-shipping_date
client_center_code	Required	String	Unique code that identifies the client's center.	N/A	client_center_code=1234500001
shipping_date	Optional	String	Date or date range of the shipments to be retrieved. Format: YYYY-MM-DD or range.	N/A	shipping_date=2024-10-01[range]2024-10-31
incident_type_code	Optional	String	Filter to display only shipments with an incident, add only in such cases.	N/A	[not][null]

Field Description for the Web Service

Field	Type	Description	Example
shipping_code	String	Unique code assigned to the shipment.	"0002070002071234567890"
shipping_date	Date (YYYY-MM-DD)	Date the shipment was made.	"2024-10-15"
shipping_status_code	String	Code representing the current status of the shipment.	"2100"
shipping_status_datetime	DateTime (ISO 8601)	Date and time of the latest status change for the shipment.	"2024-10-16T14:30:00Z"
committed_delivery_datetime	DateTime (ISO 8601)	Committed date and time for the delivery of the shipment.	"2024-10-17T23:59:59Z"
sender_name	String	Name of the sender of the shipment.	"Empresa XYZ"
sender_address	String	Sender's address.	"Calle Principal 123"
sender_address_2	String (optional)	Additional address information for the sender.	"Oficina 5"
sender_postal_code	String	Sender's postal code.	"28001"
sender_town_name	String	Sender's town or city.	"Madrid"
sender_country_code	String	Sender's country code (ISO 3166-1 alpha-2).	"ES"
sender_email_notify_address	String (optional)	Email address for notifications to the sender.	"remitente@empresa.com"
sender_phones	List of strings	Sender's phone numbers.	["+34 910000001"]
recipient_name	String	Name of the recipient of the shipment.	"Ana Pérez"
recipient_address	String	Recipient's address.	"Avenida Secundaria 456"
recipient_address_2	String (optional)	Additional address information for the recipient.	"Piso 2, Puerta B"
recipient_postal_code	String	Recipient's postal code.	"08002"
recipient_town_name	String	Recipient's town or city.	"Barcelona"
recipient_country_code	String	Recipient's country code (ISO 3166-1 alpha-2).	"ES"
recipient_email_notify_address	String (optional)	Email address for notifications to the recipient.	"destinatario@ejemplo.com"
recipient_phones	List of strings	Recipient's phone numbers.	["+34 600000002"]
items	List of objects	Details of the items included in the shipment.	See "items" structure below.

additionals	List of objects	Additional services associated with the shipment.	See "additionals" structure below.
delivery	Object	Information about the delivery of the shipment.	See "delivery" structure below.
pickup	Object (optional)	Information about the pickup of the shipment.	See "pickup" structure below.
client_code	String	Unique code of the client.	"12345"
client_center_code	String	Code of the center associated with the client.	"1234500001"
provider_code	String	Code of the logistics service provider.	"CTTEXPRESS"
declared_shipping_type_code	String	Shipping type declared by the client.	"24H"
best_shipping_type_code	String	Best shipping type determined by the system.	"EXPRESS"
client_references	List of strings (optional)	Additional references provided by the client.	["ORDEN123456"]
incident_type_code	String (optional)	Code for the type of incident associated with the shipment, if applicable.	"INC001"
incident_type_desc	String (optional)	Description of the incident associated with the shipment, if applicable.	"Incorrect address"
manifest_datetime	DateTime (ISO 8601)	Date and time when the shipment manifest was generated.	"2024-10-15T10:00:00Z"
origin_address	String	Origin address of the shipment.	"Calle Origen 789"
origin_postal_code	String	Origin postal code.	"29001"
origin_town_name	String	City of origin.	"Málaga"
origin_country_code	String	Country code of origin (ISO 3166-1 alpha-2).	"ES"
destin_address	String	Shipment destination address.	"Calle Destino 321"
destin_postal_code	String	Destination postal code.	"41001"
destin_town_name	String	Destination city.	"Sevilla"
destin_country_code	String	Destination country code (ISO 3166-1 alpha-2).	"ES"
shipping_weight_declared	Number	Total declared weight of the shipment in kilograms.	2.5
item_count	Integer	Total number of items included in the shipment.	1
related_services	List of strings (optional)	Information about services related to the shipment, such as returns or reshipments.	See "related_services" structure below.

Items structure

Field	Type	Description	Example
item_code	String	Unique code of the item.	"00020700020712345678900 01"
item_weight_declared	Number	Declared weight of the item in kilograms.	1.5
item_length_declared	Number	Declared length of the item in centimeters.	30
item_width_declared	Number	Declared width of the item in centimeters.	20
item_height_declared	Number	Declared height of the item in centimeters.	10
item_comments	List of strings (optional)	Additional comments about the item.	"Fragile"
item_external_code	List of strings (optional)	External code associated with the item.	"EXT123456"
item_other_code	List of strings (optional)	Alternative code of the item.	"ALT987654"
item_synonym_code	List of strings (optional)	Synonym code of the item.	"SYN654321"

Additionals structure

Field	Type	Description	Example
additional_code	String	Code of the additional service.	"NEC"
additional_flag	Boolean	Indicates if the additional service is active (true or false).	true
additional_value	Number	Value associated with the additional service (if applicable).	0.0
additional_text	String (optional)	Additional text or description of the service.	"Email notification"

Delivery structure

Field	Type	Description	Example
contact_name	String	Contact name at the delivery point.	"Ana Pérez"
referral_name	String (optional)	Reference name or company at the delivery point.	"Oficina XYZ"
delivery_latitude_gps	Number (optional)	GPS latitude of the delivery point.	40.416775
delivery_longitude_gps	Number (optional)	GPS longitude of the delivery point.	-3.703790
comments	String (optional)	Additional comments about the delivery.	"Llamar al llegar"

Pickup structure

Field	Type	Description	Example
date	Date (YYYY-MM-DD)	Scheduled date for the shipment pick-up.	"2024-10-15"
time	List of objects	Available time windows for pick-up. See the structure of time below.	See "time" structure below.
comments	String (optional)	Additional comments regarding the pick-up.	"Recoger en recepción"

Time structure within pickup

Field	Type	Description	Example
min_hourminute	String	Minimum time for pick-up	"09:00"
max_hourminute	String	Maximum time for pick-up	"19:00"

Related_services structure

Field	Type	Description	Example
shipping_code	String	Related shipment code.	"0002070002070987654321"
relation_type	String	Type of relationship with the current shipment (e.g., "original_shipping").	"return"
relation_sub_type	String	Subtype of relationship (e.g., "RETURN-ON-DELIVERY").	"RETURN-ON-DELIVERY"

Example of Call:

curl --location --globoff 'https://api.cttexpress.com/integrations/trf/web-tracking/v1.0/shippings?page_limit=50&page_offsets=1&mapping_table_code=APITRACK&order_by=-shipping_date&client_center_code=1234500001&shipping_date=2024-10-01[range]2024-10-31' \

--header 'Authorization: Bearer { your_authentication_token }'

Example of Answer:


```
{
  "data": [
    {
      "shipping_code": "0002070002079876543210",
      "shipping_date": "2024-10-15",
      "shipping_status_code": "2100",
      "shipping_status_datetime": "2024-10-16T14:30:00Z",
      "committed_delivery_datetime": "2024-10-17T23:59:59Z",
      "sender_name": "Empresa ABC",
      "sender_address": "Avenida Principal 123",
      "sender_postal_code": "28001",
      "sender_country_code": "ES",
      "sender_phones": [
        "+34 910000001"
      ],
      "recipient_name": "María López",
      "recipient_address": "Calle Secundaria 456",
      "recipient_postal_code": "28002",
      "recipient_country_code": "ES",
      "recipient_phones": [
        "+34 600000002"
      ],
      "items": [
```

```
    {
        "item_code": "00020700020798765432100 01",
        "item_weight_declared": 1.5,
        "item_length_declared": 30,
        "item_width_declared": 20,
        "item_height_declared": 10
    }
],
"additionals": [
    {
        "additional_code": "NEC",
        "additional_flag": true,
        "additional_value": 0.0
    }
],
"delivery": {
    "contact_name": "María López",
    "delivery_latitude_gps": 40.416775,
    "delivery_longitude_gps": -3.703790
},
"pickup": null,
"client_code": "12345",
"client_center_code": "1234500001",
"provider_code": "CTTEXPRESS",
"declared_shipping_type_code": "24H",
"best_shipping_type_code": "EXPRESS",
"client_references": [
    "ORDEN123456"
```

```
        ]
      }
    ],
    "pagination": {
      "page_limit": 50,
      "record_count": 150,
      "page_offsets": {
        "current": 1,
        "next": 2,
        "last": 3
      }
    }
}
```