Management API

Version	Created by	Department
1.5.2	Héctor Furió	Client Integrations

Introduction

The Management API allows clients to programmatically interact with CTT Express services, providing functionalities such as modifying delivery details, managing shipments, handling returns, and more. The API is designed to integrate seamlessly with client systems, allowing flexible management of shipping and delivery processes.

With this API, users can:

- Change delivery addresses and dates.
- Initiate shipment returns or reverse logistics.
- Modify shipment elements or cancel shipments.
- Manage delivery to agencies or pick-up points.

Below are details on the available operations through the API, including request and response formats.

URL Parameters

Parameter	Type	Required	Description
client_code	string	Yes	Client code
expedition_code	string	Yes	Shipment code

Base URLs

- Testing Environment:

  https://api-test.cttexpress.com/integrations/trf/v1.0/management/v1/shippings/{client_center_code}/{shipping_code}

- Production Environment:
  https://api.cttexpress.com/integrations/trf/v1.0/management/v1/shippings/{client_center_code}/{shipping_code}

Available Operations

Action Code	Operation	Endpoint	Description
NEW_ADDRESS	Change Delivery Address	/rpc-change-delivery-address	Change the delivery address of a shipment
NEW_DATE	Change Delivery Options	/rpc-change-delivery-options	Change delivery date and other options

PUDOS	Delivery to PUDO	/rpc-change-delivery-address	Delivery to pick-up point (PUDO)
CANCEL	Cancel Shipment	/rpc-cancel	Cancel a complete shipment
STOP-ON-THE-FLY	Stop on the Fly	/rpc-stop-on-the-fly	Stop a shipment on the fly
REVERSE LOGISTICs	Resverse Logictics	/rpc-create-reverse-shipping	Once a shipment is delivered, a return can be requested through "reverse logistics"

Change Delivery Address

This method allows changes to the delivery address, delivery to PUDO, and delivery date for shipments that allow it.

Important Notes:

- Changing the delivery address and the delivery date in the same call is allowed.
- Changing the delivery address and PUDO delivery are mutually exclusive.
- PUDO delivery cannot be combined with a change in the delivery date.
- The delivery date cannot be changed more than 5 days from the current day.

Method Parameters

Parameter	Type	Required	Array	Description
new_delivery_address	object	No	No	New delivery address information
recipient_name	string	Yes	No	Recipient's name
recipient_country_code	string	Yes	No	Recipient's country code (ISO 3166-1 alpha-2)
recipient_postal_code	string	Yes	No	Recipient's postal code
recipient_address	string	Yes	No	Recipient's address
recipient_town	string	Yes	No	Recipient's city
recipient_email	string	Yes	No	Recipient's email
recipient_phones	string[]	Yes	Yes	Recipient's phone numbers
new_delivery_date	object	No	No	New delivery date information
delivery_date	string	Yes	No	Delivery date (YYYY-MM-DD)

Change Delivery Address and Date

Example Request Body:

```
{
  "new_delivery_address": {
    "recipient_name": "John Smith",
    "recipient_country_code": "US",
    "recipient_postal_code": "10001",
    "recipient_address": "123 Main St, Apt 4B",
    "recipient_town": "New York",
    "recipient_email": "john.smith@example.com",
    "recipient_phones": [
      "+34000000000"
    ]
  },
  "new_delivery_date": {
    "delivery_date": "2024-03-15"
  }
}
```

Important Note:

If the shipment is destined for PUDO, only the following values will be mandatory.

Parameter	Type	Required	Array	Description
new_delivery_in_collection_point	object	Yes	No	PUDO delivery information
organic_point_code	string	Yes	No	PUDO point code
recipient_email	string	Yes	No	Recipient's email in PUDO
recipient_phones	string[]	Yes	Yes	Recipient's phone numbers in PUDO

Change Deliver to Pudo

Example Request Body:

```
{
  "new_delivery_in_collection_point": {
    "organic_point_code": "10000123",
    "recipient_email": "john.smith@example.com",
    "recipient_phones": [
      "+34000000000"
    ]
  }
}
```

Error Codes

Error Code	Description
400	Bad request (Bad Request)
401	Unauthorized (Unauthorized)
403	Forbidden - Reverse logistics not allowed in current shipment state
404	Not found (Not Found)
406	Not Acceptable, PUDO point does not accept shipment specifications
409	Conflict - Reverse logistics already requested
410	Gone, Shipment has expired and can no longer be modified
412	Precondition Failed, Shipment state has changed since last check
422	Unprocessable Entity, Invalid delivery date (more than 5 days from current)
423	Locked, Shipment is currently being processed
429	Too Many Requests, Rate limit exceeded
500	Internal server error

502	Bad Gateway
503	Service Unavailable
504	Gateway Timeout

Change Delivery Options

Allows changing the delivery date or other options.

Method Parameters

Parameter	Type	Required	Array	Description
new_delivery_date	string	yes	No	Delivery date (YYYY-MM-DD)
contact_name	string	No	No	Contact person's name
referral_name	string	No	No	Name of person who referred
comments	string	No	No	Observations

Example Request Body: Change Delivery Date

```
{
  "new_delivery_date": "2025-02-14"
}
```

Error Codes

Error Code	Description
400	Bad request (Bad Request)
401	Unauthorized (Unauthorized)
403	Forbidden - Reverse logistics not allowed in current shipment state
404	Not found (Not Found)
409	Conflict - Reverse logistics already requested
410	Gone, Shipment has expired and can no longer be modified
412	Precondition Failed, Shipment state has changed since last check
422	Unprocessable Entity, Invalid delivery date (more than 5 days from current)
423	Locked, Shipment is currently being processed

429	Too Many Requests, Rate limit exceeded
500	Internal server error
502	Bad Gateway
503	Service Unavailable
504	Gateway Timeout

Cancel Shipment

Allows the cancellation of an entire shipment.

- **Endpoint**: /rpc-cancel
- **Response**: 204 No Content if successful.

Error Codes

Error Code	Description
400	Bad request (Bad Request)
401	Unauthorized (Unauthorized)
403	Forbidden - Reverse logistics not allowed in current shipment state
404	Not found (Not Found)
409	Conflict - Reverse logistics already requested
410	Gone, Shipment has expired and can no longer be modified
412	Precondition Failed, Shipment state has changed since last check
423	Locked, Shipment is currently being processed
500	Internal server error
502	Bad Gateway
503	Service Unavailable
504	Gateway Timeout

Reverse Logistics

Once a shipment is delivered, a return can be requested through "reverse logistics".

Endpoint: /trf/v1.0/management/v1/shippings/{clientCode}/{expeditionCode}/rpc-create-reverse-shipping

Response:

- 202 Accepted
  - **Error Codes**

Error Code	Description
400	Bad request (Bad Request)
401	Unauthorized (Unauthorized)
403	Forbidden - Reverse logistics not allowed in current shipment state
404	Not found (Not Found)
409	Conflict - Reverse logistics already requested
410	Gone, Shipment has expired and can no longer be modified
423	Locked, Shipment is currently being processed
500	Internal server error
502	Bad Gateway
503	Service Unavailable
504	Gateway Timeout

Below is a table with a grouping of states and information indicating how the flows can be implemented using different methods.

Groups

Group	Status	Description
Manifested	0000	Manifested shipment awaiting entry into CTT network
Delivered	2100	Shipment delivered
Origin	0500	Shipment picked up
In Transit and Destination	0700	Origin branch
	0900	In transit
	1000	Transit branch
	1200	Destination branch
	2400	New delivery
Out for Delivery	1500	Out for delivery
Incident	1600	Failed delivery
	1700	Shipment parked
	1800	Parked and located
	1900	Pending extraction
Final	2100	Delivered

	2200	Partial delivery
	2500	Return
	2700	Delivered to regulatory warehouse
	0400	Pick-up canceled
	3000	Canceled
PUDO	2300	Deposited
	2310	Available (deposited and ready to be picked up by recipient)

Operations in function of groups

Operation	Group	Notes
Cancel	Manifested	**Cancellation is only allowed in manifested status (0000)**
Reverse logistics	Delivered	**Reverse logistics can only be activated in delivered status (2100)**
Change delivery address	In Transit and destination + PUDO + Incident	
Change delivery date	Transit and destination + Incident	
Change to neighbor delivery	Transit and destination + PUDO + Incident + Delivery	
Delivery in PUDO		**See section on conditions for reserving at PUDO**
Return	Transit and destination + PUDO + Incident	
Stop on the fly	Transit and destination + PUDO + Incident + Delivery	

Conditions for reservations at PUDO

Reservations can only be made in the following states:

Status Code	Description
0500	Collected
0700	Delegation of origin
0900	Transit
1000	Transit Delegation
1200	Trasit Delegation

1600	Failed Delivery
1700	Parked
1800	Parked located
2400	New Delivery

- Shipment of 1 single package
- Maximum weight equal to or less than 20kg.
- Total package size maximum 160cm (60cmx40cmx60cm).