





```
PS C:\Users\Dani> node -v
v24.21.0
PS C:\Users\Dani> ionic -v
7.2.1
PS C:\Users\Dani>
```

The screenshot shows a VS Code terminal window with the command prompt. The user has run 'node -v' which returns 'v24.21.0' and 'ionic -v' which returns '7.2.1'. The terminal interface includes a sidebar with icons for Explorer, Search, and Run and Debug. A notification at the bottom right says 'You have Docker installed on your system. Do you want to install the recommended extensions from Microsoft for it?' with 'Install' and 'Show Recommendations' buttons.

Verificación en la terminal viendo el entorno de desarrollo con las versiones correctas de Node.js (v24.21.0) e Ionic CLI (7.2.1) instaladas correctamente.



```
PS C:\Users\Dani> ionic start usersApp blank --type=angular

Ionic Appflow, the mobile DevOps solution by Ionic

Continuously build, deploy, and ship apps
Focus on building apps while we automate the rest

Learn more: https://ion.link/appflow

> npm.cmd i

up to date, audited 574 packages in 1s

156 packages are looking for funding
  run `npm fund` for details

5 vulnerabilities (4 moderate, 1 critical)


To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.
npm warn install-scripts 4 packages have install scripts not yet covered by allowScripts:
npm warn install-scripts @parcel/watcher@2.6.0 (install: node-gyp rebuild)
npm warn install-scripts esbuild@0.28.2 (postinstall: node install.js)
npm warn install-scripts lnd@3.5.6 (install: node-gyp rebuild)
npm warn install-scripts msgpack-extract@3.0.4 (install: node-gyp rebuild)
npm warn install-scripts
npm warn install-scripts Run `npm install-scripts ls` to review, or `npm install-scripts approve <pkg>` to allow.
> git.exe init
Initialized empty Git repository in C:\Users\Dani\usersApp\.git\


Join the Ionic Community! ❤️
Connect with millions of developers on the Ionic Forum and get access to live events, news updates, and more.
? Create free Ionic account? (y/N)
```

The screenshot shows a VS Code terminal window where the command 'ionic start usersApp blank --type=angular' has been executed. The output displays the Ionic Appflow logo and a brief description. Below this, the command 'npm.cmd i' is run, showing the results of a package audit. The audit indicates that all packages are up to date and that there are 5 vulnerabilities (4 moderate, 1 critical). It suggests running 'npm audit fix --force' to address all issues. The terminal also shows the output of 'npm install-scripts', which lists several packages with install scripts not yet covered by allowScripts. Finally, the command 'git.exe init' is run, initializing a new Git repository in the directory 'C:\Users\Dani\usersApp\'. The terminal interface includes a sidebar with icons for Explorer, Search, and Run and Debug. A notification at the bottom right says 'You have Docker installed on your system. Do you want to install the recommended extensions from Microsoft for it?' with 'Install' and 'Show Recommendations' buttons.


Creación automática del proyecto mediante la interfaz de comandos (la de Ionic). Descarga de los paquetes base, configuración de Angular y creación del repositorio Git local en el directorio de trabajo.




Estructura inicial del proyecto en Visual Studio Code antes de los módulos personalizados, (por defecto generado por el CLI de Ionic).



Código fuente implementado. Se detalla la modularización de la aplicación. He tenido que reestructurar y arrastrar las carpetas a su ruta correcta dentro de la arquitectura de la aplicación, además de tener que crear algunas carpetas a mano desde el explorador de archivos porque no me aparecían a la izquierda.



Así se ve la aplicación en el navegador web de escritorio al ejecutar el servidor local con ionic serve en la terminal. Se carga el contenedor de datos con la interfaz limpia de la aplicación en local.



Con Inspeccionar se puede seleccionar el modo de Vista Móvil para que se cambie a formato de pantalla de móvil. Así demuestro el objetivo que era que se pudiera ver tanto en una pantalla de PC como en una pantalla de un teléfono móvil.