


Metodología E — ventana2\_pronostico

MEDELLIN — ARROZ PARA SECO (Arroz de primera) | predicción dinámica/recursiva | banda: IC 95%

$t=-0.0260$  |  $\beta.=-0.160$  ( $t=-2.28$ ) |  $\beta.=-0.066$  ( $t=-0.24$ ) |  $p_{\text{sym}}=0.726$

EG — Tipo 1 (sin cte/tend):  $p=0.100$  (no coint.) | Tipo 2 (con cte):  $p=0.100$  (no coint.) |

Tipo 3 (cte+tend):  $p=0.100$  (no coint.)




Metodología E — ventana2\_pronostico

MEDELLIN — CEBOLLA CABEZONA (Cebolla cabeza blanca) | predicción dinámica/recursiva | banda: IC 95%

$t=0.1417$  |  $\beta.=0.039$  ( $t=0.36$ ) |  $\beta.=-0.321$  ( $t=-4.42$ ) |  $p_{\text{sym}}=0.007$

EG — Tipo 1 (sin cte/tend):  $p=0.017$  (coint.) | Tipo 2 (con cte):  $p=0.100$  (no coint.) |

Tipo 3 (cte+tend):  $p=0.100$  (no coint.)




Metodología E — ventana2\_pronostico

MEDELLIN — PAPA (Papa R-12 negra) | predicción dinámica/recursiva | banda: IC 95%

$t=0.1079$  |  $\beta.=-0.705$  ( $t=-7.04$ ) |  $\beta.=-0.201$  ( $t=-2.51$ ) |  $p_{\text{sym}}=0.000$

EG — Tipo 1 (sin cte/tend):  $p=0.010$  (coint.) | Tipo 2 (con cte):  $p=0.100$  (no coint.) |

Tipo 3 (cte+tend):  $p=0.100$  (no coint.)




# Metodología E — ventana2\_pronostico

MEDELLIN — PAPA (Papa capira) | predicción dinámica/recursiva | banda: IC 95%

$t=0.1026$  |  $\beta.=-0.749$  ( $t=-7.00$ ) |  $\beta.=-0.237$  ( $t=-2.60$ ) |  $p_{\text{sym}}=0.000$

EG — Tipo 1 (sin cte/tend):  $p=0.010$  (coint.) | Tipo 2 (con cte):  $p=0.100$  (no coint.) |

Tipo 3 (cte+tend):  $p=0.100$  (no coint.)




Metodología E — ventana2\_pronostico

MEDELLIN — PAPA (Papa nevada) | predicción dinámica/recursiva | banda: IC 95%

$t=0.1107$  |  $\beta.=-0.717$  ( $t=-5.76$ ) |  $\beta.=-0.155$  ( $t=-1.90$ ) |  $p_{\text{sym}}=0.000$

EG — Tipo 1 (sin cte/tend):  $p=0.010$  (coint.) | Tipo 2 (con cte):  $p=0.100$  (no coint.) |

Tipo 3 (cte+tend):  $p=0.100$  (no coint.)



# Metodología E — ventana2\_pronostico

MEDELLIN — TOMATE (Tomate larga vida) | predicción dinámica/recursiva | banda: IC 95%

$t=-0.1316$  |  $\beta.=-0.457$  ( $t=-2.91$ ) |  $\beta.=-0.846$  ( $t=-2.45$ ) |  $p_{\text{sym}}=0.275$

EG — Tipo 1 (sin cte/tend):  $p=0.010$  (coint.) | Tipo 2 (con cte):  $p=0.100$  (no coint.) |

Tipo 3 (cte+tend):  $p=0.100$  (no coint.)

