




Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>




Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>




Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>




Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>




Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>



Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>




Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>




Hola mundo con java server faces y prime faces


Página número 13, manual 3.5 <http://primefaces.org/documentation.html>




Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>




Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>



Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>





Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>



Hola mundo con java server faces y prime faces

Página número 13, manual 3.5 <http://primefaces.org/documentation.html>



Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>


The screenshot shows the Eclipse IDE interface for Java EE development. The top window displays the code for index.xhtml:

```
<?xml version="1.0" encoding="ISO-8859-1" >
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"
      xmlns:jsf="http://java.sun.com/jsf/html"
      xmlns:ui="http://java.sun.com/jsf/facelets"
      xmlns:p="http://primefaces.org/ui">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1" />
<title>Insert title here</title>
</head>
<body>
</body>
</html>
```


The bottom window shows the Eclipse editor with the cursor positioned inside the p:accordionPanel tag. A code completion dropdown menu is open, listing various PrimeFaces components:

- <> p:accordionPanel
- <> p:ajax
- <> p:ajaxStatus
- <> p:autoComplete
- <> p:barChart
- <> p:blockUI
- <> p:breadcrumb
- <> p:bubbleChart
- <> p:button
- <> p:calendar
- <> p:captcha
- <> p:carousel


Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>




Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>




Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>



Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>



Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>



Hola mundo con java server faces y prime faces

Página número 13, manual 3.5 <http://primefaces.org/documentation.html>

The screenshot shows two instances of the Eclipse IDE interface.

Top Window: The title bar says "Java EE - http://localhost:8081/HolaMundo/ - Eclipse". The Project Explorer shows a "Servers" node with "Tomcat v7.0 Server at localhost" and a "HolaMundo" project node. The "HolaMundo" node contains "JAX-WS Web Services", "Deployment Descriptor: HolaMundo", "Java Resources", "JavaScript Resources", "build", "WebContent", "META-INF", and "WEB-INF" folders. The "WEB-INF" folder contains "lib" (with jars like "javafaces-2.1.14.jar", "javax.servlet.jar", "jstl-api-1.2.jar", "jstl-impl-1.2.jar", and "primefaces-3.5.jar"), "faces-config.xml", "web.xml", and "index.xhtml". The "HolaMundo" node also contains a "prueba" folder. The central view displays an "Estado HTTP 404 - /HolaMundo/" page with the message "El recurso requerido (/HolaMundo/) no está disponible." Below it is the "Apache Tomcat/7.0.12" status section. The bottom status bar shows "Tomcat v7.0 Server at localhost [Started, Synchronized]".

Bottom Window: The title bar says "Java EE - HolaMundo/WebContent/WEB-INF/web.xml - Eclipse". The Project Explorer shows the same structure as the top window. The central view displays the XML content of the "web.xml" file:

```
<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://java.sun.com/xml/ns/javaee" xmlns:web="http://java.sun.com/xml/ns/javaee/web">
    <display-name>HolaMundo</display-name>
    <welcome-file-list>
        <welcome-file>index.html</welcome-file>
        <welcome-file>index.htm</welcome-file>
        <welcome-file>index.jsp</welcome-file>
        <welcome-file>default.html</welcome-file>
        <welcome-file>default.htm</welcome-file>
        <welcome-file>default.jsp</welcome-file>
    </welcome-file-list>
    <servlet>
        <servlet-name>Faces Servlet</servlet-name>
        <service-class>javax.faces.webapp.FacesServlet</service-class>
        <load-on-startup>1</load-on-startup>
    </servlet>
    <servlet-mapping>
        <servlet-name>Faces Servlet</servlet-name>
        <url-pattern>*.xhtml</url-pattern>
    </servlet-mapping>
</web-app>
```

The bottom status bar shows "Tomcat v7.0 Server at localhost [Started, Synchronized]".

Hola mundo con java server faces y prime faces

Página número 13, manual 3.5 <http://primefaces.org/documentation.html>

The screenshot shows the Eclipse IDE interface with the following details:

- Project Explorer:** Shows the project structure for "HolaMundo". It includes a "Servers" node with "Tomcat v7.0 Server at localhost" and an "index.xhtml" file under "WebContent".
- Outline View:** Displays the XML structure of the "web.xml" deployment descriptor.
- Code Editor:** Shows the XML code for the welcome file list and servlet mappings.
- Properties View:** Shows the properties for the selected "welcome-file-list" element.
- Task List:** Shows a list of tasks related to the current project.
- Bottom Status Bar:** Shows the status "Tomcat v7.0 Server at localhost [Started, Synchronized]".
- System Tray:** Shows the date and time as "02:45 p.m. 25/09/2013".

```
<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://java.sun.com/xml/ns/javaee" xmlns:javaee="http://java.sun.com/xml/ns/javaee" xmlns:web="http://java.sun.com/xml/ns/javaee/web">
    <display-name>HolaMundo</display-name>
    <welcome-file-list>
        <welcome-file>index.html</welcome-file>
        <welcome-file>index.jsp</welcome-file>
        <welcome-file>default.html</welcome-file>
        <welcome-file>default.htm</welcome-file>
        <welcome-file>default.jsp</welcome-file>
    </welcome-file-list>
    <servlet>
        <servlet-name>Faces Servlet</servlet-name>
        <servlet-class>javax.faces.webapp.FacesServlet</servlet-class>
        <load-on-startup>1</load-on-startup>
    </servlet>
    <servlet-mapping>
        <service-name>Faces Servlet</service-name>
        <url-pattern>*.xhtml</url-pattern>
    </servlet-mapping>
</web-app>
```


The screenshot shows the Eclipse IDE interface with the following details:

- Project Explorer:** Shows the project structure for "HolaMundo". It includes a "Servers" node with "Tomcat v7.0 Server at localhost" and an "index.xhtml" file under "WebContent".
- Outline View:** Displays the XML structure of the "web.xml" deployment descriptor.
- Code Editor:** Shows the XML code for the welcome file list and servlet mappings.
- Properties View:** Shows the properties for the selected "welcome-file-list" element.
- Task List:** Shows a list of tasks related to the current project.
- Bottom Status Bar:** Shows the status "Tomcat v7.0 Server at localhost [Started, Synchronized]".
- System Tray:** Shows the date and time as "02:45 p.m. 25/09/2013".

```
<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://java.sun.com/xml/ns/javaee" xmlns:javaee="http://java.sun.com/xml/ns/javaee" xmlns:web="http://java.sun.com/xml/ns/javaee/web">
    <display-name>HolaMundo</display-name>
    <welcome-file-list>
        <welcome-file>index.xhtml</welcome-file>
    </welcome-file-list>
    <servlet>
        <servlet-name>Faces Servlet</servlet-name>
        <servlet-class>javax.faces.webapp.FacesServlet</servlet-class>
        <load-on-startup>1</load-on-startup>
    </servlet>
    <servlet-mapping>
        <service-name>Faces Servlet</service-name>
        <url-pattern>*.xhtml</url-pattern>
    </servlet-mapping>
</web-app>
```



The screenshot shows the Eclipse IDE interface with the following details:

- Project Explorer:** Shows the project structure for "HolaMundo". It includes a "Servers" node with "Tomcat v7.0 Server at localhost" and an "index.xhtml" file under "WebContent".
- Outline View:** Displays the XML structure of the "web.xml" deployment descriptor.
- Code Editor:** Shows the XML code for the welcome file list and servlet mappings.
- Properties View:** Shows the properties for the selected "welcome-file-list" element.
- Task List:** Shows a list of tasks related to the current project.
- Bottom Status Bar:** Shows the status "Tomcat v7.0 Server at localhost [Started, Synchronized]".
- System Tray:** Shows the date and time as "02:45 p.m. 25/09/2013".

```
<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://java.sun.com/xml/ns/javaee" xmlns:javaee="http://java.sun.com/xml/ns/javaee" xmlns:web="http://java.sun.com/xml/ns/javaee/web">
    <display-name>HolaMundo</display-name>
    <welcome-file-list>
        <welcome-file>#text</welcome-file>
    </welcome-file-list>
    <servlet>
        <servlet-name>Faces Servlet</servlet-name>
        <servlet-class>javax.faces.webapp.FacesServlet</servlet-class>
        <load-on-startup>1</load-on-startup>
    </servlet>
    <servlet-mapping>
        <service-name>Faces Servlet</service-name>
        <url-pattern>*.xhtml</url-pattern>
    </servlet-mapping>
</web-app>
```


Hola mundo con java server faces y prime faces

Página número 13, manual 3.5 <http://primefaces.org/documentation.html>




Hola mundo con java server faces y prime faces

Página número 13, manual 3.5 <http://primefaces.org/documentation.html>



Hola mundo con java server faces y prime faces
Página número 13, manual 3.5 <http://primefaces.org/documentation.html>



Hola mundo con java server faces y prime faces

Página número 13, manual 3.5 <http://primefaces.org/documentation.html>

