Departamento de
Física de la
Materia Condensada

Universidad Zaragoza

Report workbook

John Doe
John Doe University
January 2022

Contents

List of Figures

Page

List of Tables

Page

List of Equations

Page

Glossary

Glossary item 1 Glossary item 1 1

Glossary item 2 Glossary item 2 1

Declaration

I hereby declare that the work presented in this thesis is entirely my own and that I did not use any other sources and references than the listed ones. I have marked all direct or indirect statements from other sources contained therein as quotations. Neither this work nor significant parts of it were part of another examination procedure. I have not published this work in whole or in part before. The electronic copy is consistent with all submitted copies.

Zaragoza (Aragón), January 2022

Abstract

This is justified text.

1 Introduction

This is an introduction. **this is bold** *this is italic text*

This a reference[1].

This is Glossary item 1 and this is Glossary item 2.

Citation here. Footnote url here[1].

Another footnote simple[2].

Bibliography

[1] Yi Li, Tomas Polakovic, Yong-Lei Wang, Jing Xu, Sergi Lendinez, Zhizhi Zhang, Junjia Ding, Trupti Khaire, Hilal Saglam, Ralu Divan, John Pearson, Wai-Kwong Kwok, Zhili Xiao, Valentine Novosad, Axel Hoffmann, and Wei Zhang. Strong coupling between magnons and microwave photons in on-chip ferromagnet-superconductor thin-film devices. *Physical review letters*, 123:107701, September 2019.

[1] http://google.com
[2] this is a footnote

2 Another chapter

This is a chapter[1].



Figure 2.1: Prism drawing

Second page.

Footnote url here with header[3].

$$f = 28 \cdot \sqrt{(B_{DC} + (N_y - N_x) \cdot 0.86 \cdot 10^6 \cdot 4\pi \cdot 10^{-7}) \cdot (B_{DC} + (N_z - N_x) \cdot 0.86 \cdot 10^6) \cdot 4\pi \cdot 10^{-7}}$$

Equation 2.1: Theoretical Kittel equation expanded for a Permalloy thin-film for X-axe

$$f = 28 \cdot \sqrt{(B_{DC} + (N_y - N_x) \cdot 0.86 \cdot 10^6 \cdot 4\pi \cdot 10^{-7}) \cdot (B_{DC} + (N_z - N_x) \cdot 0.86 \cdot 10^6) \cdot 4\pi \cdot 10^{-7}}$$

This line is a comment in boxed formula

Equation 2.2: Theoretical Kittel equation expanded for a Permalloy thin-film for X-axe

$$f = 28 \cdot \sqrt{(B_{DC} + (N_y - N_x) \cdot 0.86 \cdot 10^6 \cdot 4\pi \cdot 10^{-7}) \cdot (B_{DC} + (N_z - N_x) \cdot 0.86 \cdot 10^6) \cdot 4\pi \cdot 10^{-7}}$$

Equation 2.3: Theoretical Kittel equation expanded for a Permalloy thin-film for X-axe

2.1 Section here

This is a new section.

Item size1 (nm)	*Item size2* (nm)
8	600
10	400
12	300

Table 2.1: Sample table



Figure 2.2: Disc sample figure

Item one (m)	*Item two* (m)	*Item three* (m)	*Item four* (m)
8	15000 × 800 × 60	7.5413550	0
10	15000 × 450 × 60	9.4630770	0
12	15000 × 350 × 60	10.368898	0

Table 2.2: Table with complex cells

[3] http://google.com

Item size (µm)	*Object* (m)	*Object width* (nm)	*Current* (mA)	*Gap @ 500nm* (nT)	*Gap @ 1µm* (nT)
15 × 0.800 × 0.06	259.07	300	1.61000×10^4	51.66902	29.08373
		400		50.82305	28.93193
		600		48.54992	28.49336
15 × 0.450 × 0.06	224.42	300	2.37000×10^4	76.05934	42.81274
		400		74.81401	42.58931
		600		71.46784	41.94378
15 × 0.350 × 0.06	229.52	300	2.64000×10^4	84.72435	47.69013
		400		83.33715	47.44119
		600		79.61009	46.72226

Table 2.3: Complex table 2

Important note: This is a nice ToDO note.



(a) Image 1 **(b)** Image 2

Figure 2.3: Set of two images

Figure 2.4: This is a single image



(a) Image 1 **(b)** Image 2

Figure 2.5: Set of two images, this reference [2] will show up in this caption but it will hide in List Of Figures

Bibliography

[1] Niobium Superconducting Nanowire, Anthony J. Annunziata, Daniel F. Santavicca, Joel D. Chudow, Luigi Frunzio, Michael J. Rooks, Aviad Frydman, and Daniel E. Prober. Single-photon detectors. *Physical review letters*, 2006.

[2] Francesco Giazotto and María José Martínez-Pérez. The josephson heat interferometer. *Nature*, 492(7429):401–405, Dec 2012.

Epilogue

This ia an epilogue.

List of Publications

[1] Fernando Luis, Pablo J. Alonso, Olivier Roubeau, Verónica Velasco, David Zueco, David Aguila, Leoní A. Barrios, and Guillem Aromí. A dissymmetric [gd_2] coordination molecular dimer hosting six addressable spin qubits, 2020.

[2] Salvatore Savasta, Omar Di Stefano, Alessio Settineri, David Zueco, Stephen Hughes, and Franco Nori. Gauge principle and gauge invariance in quantum two-level systems, 2020.