

## Pratica 2 Residencia em Tic.

Sérgio de Souza Santos

Questão 1 e 2 .

```
File Edit Selection View Go Run Terminal Help
EXPLORER
MEUPROJETO
  Introducao.txt
Introducao.txt
1 inicializando o projeto

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL GIT LENS
bash
hint: git branch -m <name>
Repositório vazio Git inicializado em /home/sergio/MeuProjeto/.git/
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git branch -M main
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git remote add origin https://github.com/sergiorock111/MeuProjeto.git
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git add .
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git commit -m "iniciando repositório"

main
EDK2: Source not indexed
```

3-questão

```
File Edit Selection View Go Run Terminal Help
EXPLORER
MEUPROJETO
  Introducao.txt
Introducao.txt
1 inicializando o projeto
2

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL GIT LENS
bash
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), 259 bytes | 259.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/sergiorock111/MeuProjeto.git
 * [new branch]    main -> main
branch 'main' set up to track 'origin/main'.
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git branch feature-navbar
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git checkout feature-navbar
Switched to branch 'feature-navbar'
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$

feature-navbar
EDK2: Source not indexed
```

The screenshot shows the Visual Studio Code interface with a terminal window open. The terminal displays the output of a `git push -u origin main` command. The output indicates that the branch 'main' is set up to track 'origin/main', and the commit is pushed successfully. The file explorer on the left shows a project named 'MEUPROJETO' with a file named 'introducao.txt'.


```
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 259 bytes | 259.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/sergiorekill1/MeuProjeto.git
 * [new branch]    main -> main
branch 'main' set up to track 'origin/main'.
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git branch feature-navbar
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git checkout feature-navbar
Switched to branch 'feature-navbar'
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git add .
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git commit -m "feature-navbar"
[feature-navbar 699a95d] feature-navbar
1 file changed, 2 insertions(+), 1 deletion(-)
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git merge feature-navbar
Updating 699a95d..699a95d
Fast-forward
 "introducao.txt" | 3 ++
1 file changed, 2 insertions(+), 1 deletion(-)
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$
```

#### 4- questão


The screenshot shows the Visual Studio Code interface with a file named `.gitignore` open in the editor. The file contains the text `secreto.txt`. The file explorer on the left shows a project named 'MEUPROJETO' with files named `introducao.txt` and `secreto.txt`.

```
.gitignore
1 secreto.txt
```

## 5- questão .







```
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git add .
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git commit -m "questao 5"
[main 3274c3d] questao 5
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 .gitignore
create mode 100644 secreto.txt
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$ git push
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 4 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (6/6), 599 bytes | 299.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/sergirock111/MeuProjeto.git
bf6269c..3274c3d main -> main
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$
```




```
376 git init
377 git branch -M main
378 git remote add origin https://github.com/sergirock111/MeuProjeto.git
379 git add .
380 git commit -m "Iniciando repositório"
381 git push
382 git push -u origin main
383 git branch feature-navbar
384 git checkout feature-navbar
385 git add .
386 git commit -m "feature-navbar"
387 git checkout main
388 git merge feature-navbar
389 clear
390 git add .
391 git commit -m "questao 5"
392 git push
393 clear
394 history
sergio@sergio-550XCJ-550XCR:~/MeuProjeto$
```


## Questao 6










questao 7







## Questão 8



The screenshot shows the Visual Studio Code interface with the Explorer sidebar on the left displaying a file named 'introducao.txt'. The main editor area shows the content of this file, which includes a list of git commit messages. The terminal at the bottom displays the output of a 'git log' command, showing the commit history in reverse chronological order. The commit messages are: 'adicionando informação sérgio', 'adicionando repo local ao remoto', 'adicionada alteracoes na branch feature-navba', and 'repo inicializado, add um arquivo'. The terminal also shows the commit hashes, author information, and dates for each commit.

```
commit 403e0ae768defe2b4a552ba5df23edda62fde77f (HEAD -> master, origin/master, origin/HEAD)
Author: ManoelPatrocinio <manoelpatrocinio99@gmail.com>
Date: Tue Aug 29 00:36:43 2023 -0300

    adicionando informação sérgio

commit bd9994ba28be35c661a5280b39134b2340a275e
Author: ManoelPatrocinio <manoelpatrocinio99@gmail.com>
Date: Mon Aug 28 23:35:58 2023 -0300

    adicionando repo local ao remoto


commit 1bf46bde6cb8d49d4467a90d6ae438df82c8a234
Author: ManoelPatrocinio <manoelpatrocinio99@gmail.com>
Date: Mon Aug 28 23:23:20 2023 -0300

    adicionada alteracoes na branch feature-navba

commit 1b46bde6cb8d49d4467a90d6ae438df82c8a234
Author: ManoelPatrocinio <manoelpatrocinio99@gmail.com>
Date: Mon Aug 28 23:23:20 2023 -0300

    repo inicializado, add um arquivo
```

## Questão 9




The screenshot shows the Visual Studio Code interface with the Explorer sidebar on the left displaying a file named 'introducao.txt'. The main editor area shows the content of this file, which includes a list of git commit messages. The terminal at the bottom displays the output of a 'git log' command, showing the commit history in reverse chronological order. The commit messages are: 'adicionando informação sérgio', 'adicionando repo local ao remoto', 'adicionada alteracoes na branch feature-navba', and 'repo inicializado, add um arquivo'. The terminal also shows the commit hashes, author information, and dates for each commit.

```
sergio@sergio-558XCJ-558XCR:~$ git add .
fatal: not a git repository (or any of the parent directories): .git
sergio@sergio-558XCJ-558XCR:~$ git status
fatal: not a git repository (or any of the parent directories): .git
sergio@sergio-558XCJ-558XCR:~$ cd Documentos
sergio@sergio-558XCJ-558XCR:~/Documentos$ ls
atividade 22.odt  atividade 2.odt  MeuProjeto  MeuProjeto_Sergio  pratica6.odt  Projetos1  'questoes 7 e 8.txt'  residencia_sala
sergio@sergio-558XCJ-558XCR:~/Documentos$ cd MeuProjeto
sergio@sergio-558XCJ-558XCR:~/Documentos/MeuProjeto$ git add .
sergio@sergio-558XCJ-558XCR:~/Documentos/MeuProjeto$ git commit -m "alteraçaoteste"
[main c53e8b4] alteraçaoteste
1 file changed, 1 insertion(+)
sergio@sergio-558XCJ-558XCR:~/Documentos/MeuProjeto$ git revert HEAD
[main 5facae8] Revert "alteraçaoteste"
1 file changed, 1 deletion(-)
sergio@sergio-558XCJ-558XCR:~/Documentos/MeuProjeto$ git revert HEAD
```



## Questao 10



The image shows a screenshot of the Visual Studio Code editor interface. The top bar indicates the file path as 'home > sergio > Documentos > MeuProjeto > Introducao.txt'. The editor window displays the following content:

```
1  inicializando o projeto
2  alteração pela branch feature-navbar
3
4  alteração teste
5  alteração versao 1.0
6
```

Below the editor, the 'TERMINAL' tab is active, showing the following commands and output:

```
sergio@sergio-558XCR:~/Documentos/MeuProjeto$ git tag -a v1.0 -m "projeto versao1"
sergio@sergio-558XCR:~/Documentos/MeuProjeto$ git tag -a v2.0 -m "projeto versao2"
sergio@sergio-558XCR:~/Documentos/MeuProjeto$
```

The status bar at the bottom right shows 'Ln 6, Col 1', 'Spaces: 4', 'UTF-8', 'LF', 'Plain Text', and a file icon.