Code Inspection Report

'Bom Dia Academia' Software Development Project

BSc in [LEI]
Academic Year 2018/2019 - 1° Semester
Software Engineering I

Group Id 83 77773, Sérgio Vaz Ribeiro, LEI-PL 78549, José Filipe Santos, LEI 78641, Elsa Teixeira, LEI

ISCTE-IUL, Instituto Universitário de Lisboa 1649-026 Lisbon Portugal

December 2018

Table of Contents

Introduction	3
Code inspection	
Code inspection checklist	(
Found defects	7
Corrective measures	7
Conclusions of the inspection processs	7

Introduction

The software consists of an aggregator of academic information from 3 channels: Facebook, Twitter and ISCTE e-mail, and is intended to be used by ISCTE students.

The following class and package diagrams, summarize the code structure of the application*.




Figure 1: Class Diagram of the project.




Figure 2: Package Diagram of the project.

^{*}For a detailed view, please see these diagrams in "ReverseEngeneering" folder at the project root.

Code inspection

Meeting date:	07/12/2018
Inspector:	Elsa Teixeira
Component name	Lisa remena
pt.iscte.esi.projeto.form/	
/ AccountManageWindow	
Component was compiled:	1/
Component was executed:	1
Component was tested without errors:	1
Testing coverage achieved:	70,6%
/LoginWindow	-7
Component was compiled:	√
Component was executed:	1
Component was tested without errors:	1
Testing coverage achieved:	69,2%
/Main:	,
Component was compiled:	√
Component was executed:	√
Component was tested without errors:	√
Testing coverage achieved:	61,1%
/MainWindow:	
Component was compiled:	√
Component was executed:	√
Component was tested without errors:	X reason: API Facebook/Twitter;
	expired tokens
Testing coverage achieved:	43,5%
/MessageDetailWindow:	,
Component was compiled:	1
Component was executed:	√
Component was tested without errors:	√
Testing coverage achieved:	73,9%
/RegisterWindow:	
Component was compiled:	1
Component was executed:	1
Component was tested without errors:	√
Testing coverage achieved:	78,6%
pt.iscte.esi.projeto.form.models/	
/FacebookAPI:	,
Component was compiled:	1 1
Component was executed:	1/
Component was tested without errors:	X

/FacebookThread: Component was compiled:	18,2%
/FacebookThread:	
Component was compiled:	
component was complica.	√
Component was executed:	√
Component was tested without errors:	√
Testing coverage achieved:	78,6%
/GmailAPI:	,
Component was compiled:	√
Component was executed:	1
Component was tested without errors:	1
Testing coverage achieved:	71,9%
/GmailThread:	
Component was compiled:	1
Component was executed:	√
Component was tested without errors:	1
Testing coverage achieved:	89,3%
/Message:	
Component was compiled:	1/
Component was executed:	1
Component was tested without errors:	1
Testing coverage achieved:	100%
/MessageComparator:	
Component was compiled:	√
Component was executed:	√
Component was tested without errors:	1
Testing coverage achieved:	0%
/StringComparator:	
Component was compiled:	1/
Component was executed:	1/
Component was tested without errors:	1/
Testing coverage achieved:	66,1%
/TwitterAPI:	
Component was compiled:	√
Component was executed:	1
Component was tested without errors:	1/
Testing coverage achieved:	22,5%
/TwitterThread:	
Component was compiled:	1
Component was executed:	1/
Component was tested without errors:	1/
Testing coverage achieved:	78,6%
resting coverage achieved.	
DBA/	

Component was executed:	√
Component was tested without errors:	√
Testing coverage achieved:	100%
/DBAWindow:	
Component was compiled:	1
Component was executed:	√
Component was tested without errors:	√
Testing coverage achieved:	79,4%
pt.iscte.esi.projeto.form.utils/	
/MainMsgList:	
Component was compiled:	√
Component was executed:	√
Component was tested without errors:	√
Testing coverage achieved:	99,2%
/XMLFileEditor:	
Component was compiled:	√
Component was executed:	√
Component was tested without errors:	√
Testing coverage achieved:	94,5%
/XMLTester:	
Component was compiled:	1
Component was executed:	√
Component was tested without errors:	√
Testing coverage achieved:	0%

Code inspection checklist

1. Variable, Attribute, and Constant Declaration Defects (VC)

- | X | Are descriptive variable and constant names used in accord with naming conventions? No.
- $| \mathbf{V} |$ Are there variables or attributes with confusingly similar names? No.
- $|\sqrt{|}|$ Is every variable and attribute correctly typed? Yes.
- $|\sqrt{|}|$ Is every variable and attribute properly initialized? Yes.
- I ✓ Could any non-local variables be made local? No.
- $| \sqrt{ } |$ Are all for-loop control variables declared in the loop header? Yes.
- $| \sqrt{ } |$ Are there literal constants that should be named constants? No.
- $| \sqrt{ } |$ Are there variables or attributes that should be constants? No.
- $| \sqrt{ } |$ Are there attributes that should be local variables? No.
- | X | Do all attributes have appropriate access modifiers (private, protect,...)? No.

2. Method Definition Defects (FD)

- Are descriptive method names used in accord with naming conventions? Yes.
- I Is every method parameter value checked before being used? Yes.
- $|\sqrt{|}|$ For every method: Does it return the correct value at every method return point? Yes.

- I √ I Do all methods have appropriate access modifiers (private, protected, public)? Yes.
- X Are there static methods that should be non-static or vice-versa? Yes.

3. Layout and Packaging Defects (LP)

- $|\sqrt{|}|$ Is a standard indentation and layout format used consistently? Yes.
- | X | For each method: Is it no more than about 60 lines long? No.
- I ✓ For each compile module: Is no more than about 600 lines long? No.

4. Modularity Defects (MO)

- Is there a low level of coupling between modules (methods and classes)? No
- Is there a high level of cohesion within each module (methods or class)? More or less. Some classes have no code connections with other classes, as we can see on UML diagram. However, is not relevant to the functionality of the application.
- $|\sqrt{|}|$ Is there repetitive code that could be replaced by a call to a method that provides the behavior of the repetitive code? No.
- $| \sqrt{ } |$ Are the Java class libraries used where and when appropriate? Yes.

Found defects

Found defect Id	Package, Class, Method, Line	Defect category	Description
1	line 22 – TwitterAPI class	, ,	Constant name without case letter.
2	line 22 – TwitterAPI class	Constant Declaration Defects (VC)	Constants should be public static final.
3	WriteFacebook() and other methods in APIDataBase class (DBA package).		Some methods could be static.
4	getMatrixElements() method on MainWindow class	Layout and Packaging Defects	More than 60 lines per method. In this method there are 63 lines, for example.
5	Package: pt.iscte.esi.projeto.form/	Modularity Defects	Some classes have no code connections with other classes, as we can see on UML diagram. However, in this case, is not relevant to the application functionality.

Corrective measures

We can suggest to the client to deliver an improved version later, with the corrections made. However, the fixes are not essential to the functionality of the application.

Conclusions of the inspection processs

Due to institutional constraints, the reception of information through facebook is compromised. Twitter and facebook tokens have expired, which compromises the application of message filters. However, the reason for this failure is not our responsibility.

The file jar is not 100% functional. As it has the XML inside it, it gives error to enter. The reason is jar file cannot modify the XML file.

Besides that, only minor code errors were detected that did not compromise the application functionality.