Penetration Testing

A brief introduction to Penetration Testing

Sergiu Terman

CVUT

June 14, 2014

▶ What is a pentest

- What is a pentest
- Terminology

- What is a pentest
- Terminology
- Penetration Test Execution Standards

- What is a pentest
- Terminology
- Penetration Test Execution Standards
- ▶ Tools & utilities

2 / 7

Penetration Test (pentest)

Attacking a computer system to find its vulnerabilities

Many times resumes to gaining access to the system

▶ Its one of the most effective ways to identify weaknesses

- ▶ Its one of the most effective ways to identify weaknesses
- ▶ A pentester has to think like a real world (black hat) cracker, so a pentest could reflect the real life behaviour of an assault

- ▶ Its one of the most effective ways to identify weaknesses
- ► A pentester has to think like a real world (black hat) cracker, so a pentest could reflect the real life behaviour of an assault

- ▶ Its one of the most effective ways to identify weaknesses
- ► A pentester has to think like a real world (black hat) cracker, so a pentest could reflect the real life behaviour of an assault
- ► He has to discover means in which a cracker might compromise the security and deliver damage to the organization

Overt pentest: (also called white box)

- Overt pentest: (also called white box)
 - ► The pentester has insider knowledge: the system, its infrastructure, etc. (used when time is limited.)

- Overt pentest: (also called white box)
 - ► The pentester has insider knowledge: the system, its infrastructure, etc. (used when time is limited.)

Covert pentest (also called black box)

- Overt pentest: (also called white box)
 - ► The pentester has insider knowledge: the system, its infrastructure, etc. (used when time is limited.)

- Covert pentest (also called black box)
 - ► The pentester has basic or no information whatsoever, except the company name

- ► Exploit
 - ► Taking advantage of a flaw within the attacked target. (i.e. SQL injection, configuration errors.)

- Exploit
 - ► Taking advantage of a flaw within the attacked target. (i.e. SQL injection, configuration errors.)
- Payload
 - ► Code to be executed on the attacked target. (i.e. and usually a reverse shell or bind shell.)

- ► Exploit
 - Taking advantage of a flaw within the attacked target. (i.e. SQL injection, configuration errors.)
- Payload
 - ► Code to be executed on the attacked target. (i.e. and usually a reverse shell or bind shell.)
- Shellcode
 - ► A piece of code to be run after exploitation, typically written in machine code, usually spawns a shell (hence the name)

► SERGIU TERMAN <3