Variables

Variables are used to store data which can be used just by calling the variable name.

In [4]:
```
num  = 10892345345348563
```

In [5]:
```
print(num)
```

```
10892345345348563
```

In [8]:
```
_n1  = 10
1N = 20      # variable names cannot start with any special character and nu

print(n1)
```

```
  File "C:\Users\BHUPEN~1\AppData\Local\Temp/ipykernel_14420/3650129820.py", li
ne 2
    1N = 20
     ^
SyntaxError: invalid syntax
```

In [10]:
```
first_name = 'Shravan'     # you cannot give any space in variable names
```

In [11]:
```
first_name
```

Out[11]:
```
'Shravan'
```

In [ ]:
```
num = 'Shravan'
```

In [13]:
```
n = 10.67

type(n)
```

Out[13]:
```
float
```

Type Casting

- technique of converting one data type into another

In [15]:
```
a = 10
f = float(a)    # type casting
```

In [16]:
```
f = 34.567
int(f)
```

Out[16]: 34

In [20]:
```
b = False
type(b)
```

Out[20]: bool

In [21]:
```
int(b)
```

Out[21]: 0

In [26]:
```
num =0
bool(num)
```

Out[26]: False

In [35]:
```
num = int(input("Enter a number : "))   # type casting
print(num*2)
```

```
Enter a number : 464
928
```

In [31]:
```
print("Hello")
```

```
Hello
```

Sequence Type

Strings

In [37]:
```
'This is a string'
```

Out[37]: 'This is a string'

In [40]:
```
"This is a string"
```

Out[40]: 'This is a string'

In [41]:
```
"""This is also a string"""
```

Out[41]: 'This is also a string'

In [43]:
```
"This is Shyam's car"
```

Out[43]: "This is Shyam's car"

In [46]:
```
print("""This is line 1
This is line 2
THis is line 3""")
```

```
This is line 1
This is line 2
THis is line 3
```

In [49]:
```
movie = "SHERSHAAH"

len(movie), type(movie)
```

Out[49]: (9, str)

In [51]:
```
movie = "SHERSHAAH"

print(len(movie))
print(type(movie))
```

```
9
<class 'str'>
```

Indexing

In [57]:
```
movie = "SHERSHAAH"
movie[8], movie[-1]   # indexing
```

Out[57]: ('H', 'H')

Slicing [start:end:step]

In [59]:
```
movie = "SHERSHAAH"

movie[0:4:1]
```

Out[59]: 'SHER'

In [60]:
```
movie[4:9:1]
```

Out[60]: 'SHAAH'

In [62]:
```
movie[4:]
```

Out[62]: 'SHAAH'

In [63]:
```
movie[0::2]
```

Out[63]: 'SESAH'

In [65]:
```
movie = "SHERSHAAH"

movie[-1::-1]
```

Out[65]: 'HAAHSREHS'

In [69]:
```
movie[::-1],movie[::1]
```

Out[69]: ('HAAHSREHS', 'SHERSHAAH')

String Methods

In [71]:
```
mystr = "pyThon is AmazinGGG"

mystr.capitalize()
```

Out[71]: 'Python is amazinggg'

In [74]:
```
mystr.upper()
```

Out[74]: 'PYTHON IS AMAZINGGG'

In [75]:
```
mystr.lower()
```

Out[75]: 'python is amazinggg'

In [76]:
```
mystr.title()
```

Out[76]: 'Python Is Amazinggg'

In [77]:
```
mystr
```

Out[77]: 'pyThon is AmazinGGG'

In [78]:
```
mystr.index('A')
```

Out[78]: 10

In [79]:
```
mystr[10]
```

Out[79]: 'A'

In [81]:
```
1 mystr.index('X')
```

```
---------------------------------------------------------------------------
ValueError                                Traceback (most recent call last)
C:\Users\BHUPEN~1\AppData\Local\Temp/ipykernel_14420/4213330218.py in <module>
----> 1 mystr.index('X')

ValueError: substring not found
```

In [82]:
```
1 mystr
```

Out[82]: 'pyThon is AmazinGGG'

In [84]:
```
1 mystr.split(" ")
```

Out[84]: ['pyThon', 'is', 'AmazinGGG']

In [85]:
```
1 mystr.split("A")
```

Out[85]: ['pyThon is ', 'mazinGGG']

In [87]:
```
1 data = mystr.split(" ")
2 print(data)
3 print(len(data))
```

```
['pyThon', 'is', 'AmazinGGG']
3
```

In [93]:
```
1 data = ["Apple","is","red"]
```

In [94]:
```
1 "----".join(data)
```

Out[94]: 'Apple----is----red'

In [95]:
```
1 f = "apple"
2 "*".join(f)
```

Out[95]: 'a*p*p*l*e'

In [96]:
```
1 # replace
2
3 "apple".replace('p','P')
```

Out[96]: 'aPPle'

In [97]:
```
1 # isalpha, isnumeric, isalnum
2
3 'Apple'.isalpha()
```

Out[97]: True

In [98]:
```
1 'Apple2'.isalpha()
```

Out[98]: False

In [101]:
```
1 "34535".isnumeric()
```

Out[101]: True

In [102]:
```
1 "apple".isalnum()
```

Out[102]: True

In [103]:
```
1 "2345".isalnum()
```

Out[103]: True

In [104]:
```
1 "2sdf345".isalnum()
```

Out[104]: True

In [105]:
```
1 "2345sads$%#".isalnum()
```

Out[105]: False

In [106]:
```
1 s = "2345sads$%#"
2 s.isalnum()
```

Out[106]: False

In [107]:
```
1 # startswith, endswith
2
3 "Apple".startswith('A')
```

Out[107]: True

In [108]:
```
1 "Apple".startswith('a')
```

Out[108]: False

In [109]:
```
1 "Apple".endswith('a')
```

Out[109]: False

In [111]:
```
1 "Apple".endswith('le')
```

Out[111]: True

In [112]:
```
1 text = "Apple is red"
2
3 text.replace('red','green')
```

Out[112]: 'Apple is green'

In [114]:
```
1 # strip,lstrip, rstrip
2
3 'Apple       '.strip()
```

Out[114]: 'Apple'

In [115]:
```
1 '  Apple       *'.strip()
```

Out[115]: 'Apple   *'

In [120]:
```
1 '  Apple   #    *'.strip("*# ")
```

Out[120]: 'Apple'

In [121]:
```
1 '  Apple   #    *'.lstrip("*# ")
```

Out[121]: 'Apple   #   *'

In [122]:
```
1 '  Apple   #    *'.rstrip("*# ")
```

Out[122]: ' Apple'

In [125]:
```
1 "ApPle*%_".strip('Aap*%_')
```

Out[125]: 'Ple'

In [126]:
```
1 "aPPLE"*3
```

Out[126]: 'aPPLEaPPLEaPPLE'

In [129]:
```
1 'aPPLE'+'DFHDFS'
```

Out[129]: 'aPPLEDFHDFS'

LIST

- []
- is a sequence of elements
- it is mutable/changeable in nature
- ordered
- indexable

In [131]:
```
a = [12,10,30,40,True,34.56]

type(a)
```

Out[131]: list

In [132]:
```
a
```

Out[132]: [12, 10, 30, 40, True, 34.56]

In [133]:
```
a[4]
```

Out[133]: True

In [134]:
```
a[4:]
```

Out[134]: [True, 34.56]

In [136]:
```
a[4] = False

print(a)
```

```
[12, 10, 30, 40, False, 34.56]
```

tuple

In [137]:
```
mtup = (24,45)
type(mtup)
```

Out[137]: tuple

In [139]:
```
mtup[1] = 50
```

```
---------------------------------------------------------------------------
TypeError                                 Traceback (most recent call last)
C:\Users\BHUPEN~1\AppData\Local\Temp/ipykernel_14420/794863364.py in <module>
----> 1 mtup[1] = 50

TypeError: 'tuple' object does not support item assignment
```

SETS: { }

In [142]:
```
mohit = {"lakshya","Arshit","Arshit",'Jatin',"Annu"}
ronit = {"Abhishek",'Arshit','Girish','Annu'}

mohit & ronit
```

Out[142]: {'Annu', 'Arshit'}

In [143]:
```
mset = {2,10,11,1,'A','b','a'}
mset
```

Out[143]: {1, 10, 11, 2, 'A', 'a', 'b'}

In [144]:
```
mset[0]
```

```
---------------------------------------------------------------------------
TypeError                                 Traceback (most recent call last)
C:\Users\BHUPEN~1\AppData\Local\Temp/ipykernel_14420/3083543654.py in <module>
----> 1 mset[0]

TypeError: 'set' object is not subscriptable
```

range()

range(start,end,step)

In [150]:
```
list(range(1,11,1))
```

Out[150]: [1, 2, 3, 4, 5, 6, 7, 8, 9, 10]

In [194]:
```
list(range(2,21,2))
```

Out[194]: [2, 4, 6, 8, 10, 12, 14, 16, 18, 20]

In [157]:
```
m = input("Enter a string : ")
m[len(m)//2]
```

```
Enter a string : sjhghfskfjbskjf
```

Out[157]: 'k'

In [158]:
```
m = input("Enter a string : ")
index = len(m)//2
m[index]
```

```
Enter a string : abcdEfghi
```

Out[158]: 'E'

In [163]:
```
m = "abcDefg"
mid_index = len(m)//2
mid = m[mid_index]
left = m[0:mid_index]
right = m[mid_index+1:]

print(right,mid,left, sep = "")
```

```
efgDabc
```

In [165]:
```
new_word = right+mid+left
print(new_word)
```

```
efgDabc
```

In [166]:
```
"This is my new string right mid left"
```

Out[166]:
```
'This is my new string right mid left'
```

In [167]:
```
"This is my new string {right} {mid} {left}"
```

Out[167]:
```
'This is my new string {right} {mid} {left}'
```

In [169]:
```
# f-string

f"This is my new string {right}{mid}{left}"
```

Out[169]:
```
'This is my new string efgDabc'
```

In [174]:
```
name = input('Aapka subh naam ? ')
print(f"Hello! {name} {2+3*4}")
```

```
Aapka subh naam ? Sam
Hello! Sam 14
```

In [175]:
```
name = input('Aapka subh naam ? ')
print("Hello!",name)
```

```
Aapka subh naam ? Sam
Hello! Sam
```

In [177]:
```
# take two integers and print the sum using f-string

a = int(input('Enter first num : '))
b = int(input('Enter the second num : '))

print(f"The sum of {a} and {b} is {a+b}")
```

```
Enter first num : 3
Enter the second num : 5
The sum of 3 and 5 is 8
```

In [179]:
```
list(range(20,1,-2))
```

Out[179]: [20, 18, 16, 14, 12, 10, 8, 6, 4, 2]

Dictionary

- unordered collection of key:value pairs
- key:values
- unique keys
- {key:value}

In [190]:
```
car = {'model':'safari','brand':'Tata','year':1990, 'year':1991}

car
```

Out[190]: {'model': 'safari', 'brand': 'Tata', 'year': 1991}

In [195]:
```
len(car)
```

Out[195]: 3

In [196]:
```
car['model']
```

Out[196]: 'safari'

In [192]:
```
car['year']
```

Out[192]: 1991

In [198]:
```
contacts = {'Rahul':[23647234,"rahul@gmail.com"],
            'Shravan':[234726748,'shravan@yahoo.com'],
            'Bali':[27934283]}
```

In [199]:
```
contacts['Rahul']
```

Out[199]: [23647234, 'rahul@gmail.com']

In [206]:
```
contacts['Rahul'][1]
```

Out[206]: 'rahul@gmail.com'

In [203]:
```
[234,'A','B'][-1]
```

Out[203]: 'B'

In [205]:
```
1 [23647234, 'rahul@gmail.com'][0]
```

Out[205]:
```
23647234
```

In [209]:
```
1 contacts['Shravan'][1] = "shravan@gmail.com"
```

In [210]:
```
1 contacts
```

Out[210]:
```
{'Rahul': [23647234, 'rahul@gmail.com'],
 'Shravan': [234726748, 'shravan@gmail.com'],
 'Bali': [27934283]}
```

In [ ]:
```
1
```