

CPU:

Architecture: x86_64
CPU(s): 80
Vendor ID: GenuineIntel
Model name: Intel(R) Xeon(R) Gold 6248 CPU @ 2.50GHz
Caches (sum of all):
L1d: 1.3 MiB (40 instances)
L1i: 1.3 MiB (40 instances)
L2: 40 MiB (40 instances)
L3: 55 MiB (2 instances)
NUMA:
NUMA node0 CPU(s): 0-19,40-59
NUMA node1 CPU(s): 20-39,60-79

Название сервера:

ProLiant XL270d Gen10

Доступные numa nodes:

available: 2 nodes (0-1)
node 0 size: 385636 MB
node 1 size: 387008 MB

Система: Ubuntu 22.04.5 LTS

The graph illustrates the dependence of the number of iterations (Y-axis, 0 to 40) on the number of nodes (X-axis, 0 to 40). Five data series are plotted:

- Вариант 1 (static)** (Blue line): Starts at approximately 2 iterations for 1 node, increases to about 17 iterations at 20 nodes, and then slightly decreases to about 14 iterations at 40 nodes.
- Вариант 2(static)** (Red line): Starts at approximately 2 iterations for 1 node, increases steadily to about 14 iterations at 40 nodes.
- Вариант 1 (dynamic)** (Yellow line): Starts at approximately 2 iterations for 1 node, increases to about 14 iterations at 20 nodes, and then continues to increase to about 20 iterations at 40 nodes.
- Вариант 2 (dynamic)** (Green line): Starts at approximately 2 iterations for 1 node, increases to about 14 iterations at 20 nodes, and then decreases to about 10 iterations at 40 nodes.
- Linear** (Orange line): Represents a linear increase from approximately 2 iterations at 1 node to 40 iterations at 40 nodes.

Number of nodes	Вариант 1 (static)	Вариант 2(static)	Вариант 1 (dynamic)	Вариант 2 (dynamic)	Linear
1	2	2	2	2	2
10	8	6	8	8	10
20	17	9	14	14	20
30	16	12	17	12	30
40	14	14	20	10	40