

Edeon — Registration Readiness Dossier

Compound: Azoxystrobin (CAS: 131860-33-8)

SMILES: C0/C=C(/C(=O)OC)c1cccc10c1cc(0c2cccc2C#N)ncn1


REGISTRATION READINESS VERDICT: NO_GO

Driver: Showstopper triggered: Aquatic hazard (CLP H400/H410/H411/H412), Acute mammalian toxicity (CLP oral), Soil persistence (EU 1107/2009) | **Confidence:** moderate

Rationale: Most sensitive endpoint: Daphnia EC50 = 0.0000 mg/L, BCF = 598 $\geq$ 500 (bioaccumulative), Not rapidly degradable (default assumption); Predicted rat oral LD50 = 43 mg/kg; Predicted soil DT50 = 1405 days, DT50 > 365 d — very persistent, likely to accumulate

Tier-1 Predictive Honeycomb

Azoxystrobin — QSAR Safety Profile



Regulatory Cut-Offs & Criteria Evaluation

Criterion / Endpoint	Status	Evidence & Details
Genotoxicity / Mutagenicity alerts (Benigni-Bossa)	WATCH	α,β -Unsaturated carbonyl (Michael acceptor) (medium): Michael addition to nucleophilic DNA bases
Endocrine disruption screening (structural)	PASS	No endocrine disruption structural alerts detected
Skin sensitization alerts (protein reactivity)	PASS	No skin sensitization alerts detected
PBT/vPvB (REACH Annex XIII)	WATCH	Soil DT50 = 1405 d > 180 d (vP); Daphnia EC50 = 0.0000 mg/L < 0.1 (T)
Groundwater concern (EU DWD 0.1 µg/L trigger)	PASS	GUS = 1.63 < 1.8 (non-leacher); GUS classification: non-leacher
Aquatic hazard (CLP H400/H410/H411/H412)	LIKELY_SHO WSTOPPER	Most sensitive endpoint: Daphnia EC50 = 0.0000 mg/L; BCF = 598 ≥ 500 (bioaccumulative); Not rapidly degradable (default assumption)
Acute mammalian toxicity (CLP oral)	LIKELY_SHO WSTOPPER	Predicted rat oral LD50 = 43 mg/kg
Soil persistence (EU 1107/2009)	LIKELY_SHO WSTOPPER	Predicted soil DT50 = 1405 days; DT50 > 365 d — very persistent, likely to accumulate

IN-SILICO SCREENING ONLY — These results are computational triage signals based on predicted endpoints and structural pattern matching. They are NOT regulatory determinations and cannot replace experimental studies or expert regulatory assessment.