General rules =>
Replace underscores with values
Capitalize first letters

MPC sheet =>

general_info/q3_province => replace underscore with spaces in values general_info/q4_district => replace underscore with spaces in values

s1_full_market_survey/q1_3_market_size => Capitalize first letters
s1_full_market_survey/q1_4_market_appearance => replace underscore
with space, capitalize first letter
s1_full_market_survey/q1_10_current_price_wheat_flour => numeric values
s1_full_market_survey/q1_10_1_current_price_rice => numeric
_uuid => Primary key

today => actual date

PDM sheet =>

general_infoq1_province => replace underscore with spaces in values general_infoq2_district => replace underscore with spaces in values s2_cash_distribution_processq2_1_do_u_think_gave_right_people => Capitalize first letter, replace_

s3_use_of_cash* columns=> replace spaces with "Unanswered" s3_use_of_cash_assistanceq3_5_14_other => Joscha will replace this column with another

FCS => decimals

Database	Variable name	Value	Value label
HEAT	rCSI_newThresho	1	High
HEAT	rCSI_newThresho	2	Medium
HEAT	rCSI_newThresho	3	No or low
PDM	rCSI_newThresho	1	High
PDM	rCSI_newThresho	2	Medium
PDM	rCSI_newThresho	3	No or low

PDM	FCS_Level	1	Poor food consumption
PDM	FCS_Level	2	Borderline food consumption
PDM	FCS_Level	3	Acceptabel food consumption
PDM	FCS_rCSI	1	Food insecure
PDM	FCS_rCSI	2	Moderately food insecure
PDM	FCS_rCSI	3	Food secure

HEAT sheet =>

S3_GEN_ASSESSq3_1_disp_categ => Joscha will provide the labels for the values of this column

S3_GEN_ASSESSq3_1_disp_categ	S3_GEN_ASSESSq3_2_1_province_o
	rigin

if the first one = "no_disp" the other's corresponding is empty (we call it N/A)

S3_GEN_ASSESSq3_4_can_go_origin_place => if empty => N/A

S3_GEN_ASSESSq3_4_1_if_no => if empty => N/A

S4_financial_ASSESSq4_5_new_debts => replace _ between numbers with

- (explicit mapping of values)

S5_FOOD_ASSESSq5_2_distance_marketkm => numerical, blanks are NULL exclude NULL in queries

S5_FOOD_ASSESSq5_2_distance_marketmin => numerical, blanks are NULL exclude NULL in queries

S6_washq6_6_latrine_type => If blanks => N/A

S7_SHELTERq7_4_if_rented_amount => numerical, blanks are NULL exclude NULL in queries

1. On left => male

Р	D	D	n	~		P	1				_					
	Р	R	p i	q												
D	D	e		2												
IVI	M		е			N										
	/	0	C	g i		- F										
	С	r +	h													
	a	t	a	۷		u										
	S	е	r	е												
	h	d	t	n												
	d i	a		t		d										
		р		0		a										
	S +	р		r i		t										
	t	r				a										
	r i	0		g		-										
	b	р		h t		J										
		r i				A										
	u t	a		р е												
	i	t		0		1										
	0	e				7										
				р 		0										
	n	n e		e		4										
		S		C		2										
		S				0										
		0				1										
		f				8										
		t														
		а				- f										
		r				0										
		g				r										
		e				-										
		t				l w										
		i				e										
		n				b										
		g														
		ی							 	 		 	 	 		

=> Column name will be provided by Joscha

Р	S	6	0											
D	3	0												
N	1 _													
	u													
	S													
	е													
	_													
	0													
	f													
	_													

	۱ ا ^۱										
	a										
	s										
	h										
	- a										
	S										
	s										
	i										
	s										
.	t										
	a										
	n										
	c										
	e										
	q										
	q 3										
.	- 4										
	4										
.	_										
	- c										
	a										
	s h										
	- i										
	m										
	p										
	r										
	0										
	v										
	e										
	d										
	- W										
	e										
	i										
	b										
	e										
	i										
	n										
	g										
	_										
	u										
	r										
.	-										

h													
h													
d													

=> will be provided by Joscha