

## Prerequisites

### To run this workshop...

You need a computer with a web browser, preferably with the latest version of Chrome / FireFox. Sequentially read and follow the instructions described in AWS Hosted Event and Work Environment Set Up

### Recommended background

It will be easier for you to run this workshop if you have:

- Experience with Deep learning models
- Familiarity with Python or other similar programming languages
- Experience with Jupyter notebooks
- Beginners level knowledge and experience with SageMaker Hosting/Inference.

### Target audience

Data Scientists, ML Engineering, ML Infrastructure, MLOps Engineers, Technical Leaders. Intended for customers working with large Generative AI models including Language, Computer vision and Multi-modal use-cases. Customers using EKS/EC2/ECS/On-prem for hosting or experience with SageMaker.

Level of expertise - 400

### Time to complete

Approximately 1 hour.

## Import of required dependencies

For this lab, we will use the following libraries:

- boto3, the AWS SDK for python
- SageMaker SDK for interacting with Amazon SageMaker. We especially want to highlight the classes 'HuggingFaceModel' and 'HuggingFace', utilizing the built-in HuggingFace integration into SageMaker SDK. These classes are used to encapsulate functionality around the model and the deployed endpoint we will use. They inherit from the generic 'Model' and 'Estimator' classes of the native SageMaker SDK, however implementing some additional functionality specific to HuggingFace and the HuggingFace model hub.
- os, a python library implementing miscellaneous operating system interfaces

```
In [2]: import boto3
import sagemaker
import sagemaker.session
import os

from sagemaker.huggingface import HuggingFace, HuggingFaceModel
```

## Setup of notebook environment

Before we begin with the actual work for finetuning and deploying the model to Amazon SageMaker, we need to setup the notebook environment respectively. This includes:

- retrieval of the execution role our SageMaker Studio domain is associated with for later usage
- retrieval of our account\_id for later usage
- retrieval of the chosen region for later usage

```
In [3]: # Retrieve SM execution role
role = sagemaker.get_execution_role()
```

```
In [4]: # Create a new STS client
sts_client = boto3.client('sts')

# Call the GetCallerIdentity operation to retrieve the account ID
response = sts_client.get_caller_identity()
account_id = response['Account']
account_id
```

```
/opt/conda/lib/python3.7/site-packages/boto3/compat.py:82: PythonDeprecationWarning: Boto3 will
no longer support Python 3.7 starting December 13, 2023. To continue receiving service updates,
bug fixes, and security updates please upgrade to Python 3.8 or later. More information can be
found here: https://aws.amazon.com/blogs/developer/python-support-policy-updates-for-aws-sdks-a
nd-tools/
warnings.warn(warning, PythonDeprecationWarning)
```

```
Out[4]: '882819251225'
```

```
In [5]: # Retrieve region
region = boto3.Session().region_name
region
```

```
Out[5]: 'us-east-1'
```

## Setup of S3 bucket for storage of training artifacts

When training a model with AWS SageMaker Training several artifacts can be written to an S3 bucket. This includes the trained model in form of a 'model.tar.gz' but also other artifacts like log files and the source code base. For this purpose, (if not already present) we create a dedicated S3 bucket.

```
In [6]: # specifying bucket name for model artifact storage
model_bucket_name = f'immersion-day-bucket-{account_id}'
model_bucket_name
```

```
Out[6]: 'immersion-day-bucket-882819251225'
```

```
In [7]: # Create S3 bucket
s3_client = boto3.client('s3', region_name=region)
location = {'LocationConstraint': region}

bucket_name = model_bucket_name

# Check if bucket already exists
bucket_exists = True
try:
    s3_client.head_bucket(Bucket=bucket_name)
except:
    bucket_exists = False

# Create bucket if it does not exist
if not bucket_exists:
    if region == 'us-east-1':
        s3_client.create_bucket(Bucket=bucket_name)
    else:
        s3_client.create_bucket(Bucket=bucket_name,
```

```
CreateBucketConfiguration=location)
print(f"Bucket '{bucket_name}' created successfully")
```

Bucket 'immersion-day-bucket-882819251225' created successfully

## Diving deep into the training code

The code artifacts required for finetuning are residing in the finetuning directory. This directory is composed as follows:

finetuning/

- finetuning.py
- requirements.txt

The "finetuning" directory contains your training script (finetuning.py) and your requirements.txt file (for installation of additional dependencies not preinstalled in the container image upon start of the training container). We will now take a closer look into the training code:

## Import of required dependencies

On top of several commodity Python libraries, for this training script we will use the following DL specific libraries:

- torch: PyTorch is a Python package that provides two high-level features: 1/Tensor computation (like NumPy) with strong GPU acceleration and 2/Deep neural networks built on a tape-based autograd system
- transformers: HuggingFace transformers provides APIs and tools to easily download and train state-of-the-art pretrained models. Transformers support framework interoperability between PyTorch, TensorFlow, and JAX.
- evaluate: HuggingFace evaluate is a library for easily evaluating machine learning models and datasets.
- datasets: HuggingFace datasets is a library for easily accessing and sharing datasets for Audio, Computer Vision, and Natural Language Processing (NLP) tasks in the context of the HuggingFace dataset hub.

## Script invocation and hyperparameter parsing

After the ephemeral training cluster has been provisioned and the respective Docker image has been pulled onto the machines, SageMaker Training starts the container which invokes the training python script 'finetuning.py' as entrypoint. Thereby it passes the defined hyperparameters as command line arguments. We will dive deeper into our hyperparameter selection at a later point.

The hyperparameters can be parsed by an 'argpars' ArgumentParser:

```
parser = argparse.ArgumentParser()

# Training parameters
parser.add_argument("--model_name_or_path", default="distilgpt2")

args = parser.parse_args()
```

## Logging

For logging we use the 'logging' library. We first setup the basic config:

```
# Setup Logging
logging.basicConfig(
    format="%(asctime)s - %(levelname)s - %(name)s - %(message)s",
    datefmt="%m/%d/%Y %H:%M:%S",
    handlers=[logging.StreamHandler(sys.stdout)],
)
```

Then we set the log level to 'INFO':

```
log_level = logging.INFO
logger.setLevel(log_level)
```

Finally we configure logging for the HuggingFace frameworks 'datasets' and 'transformers'.

```
datasets.utils.logging.set_verbosity(log_level)
transformers.utils.logging.set_verbosity(log_level)
transformers.utils.logging.enable_default_handler()
transformers.utils.logging.enable_explicit_format()
```

## Loading the dataset

We then use the 'datasets' library to load our dataset from the HuggingFace dataset hub:

```
# Downloading and loading a dataset from the hub.
raw_datasets = load_dataset(args.dataset_name)
```

In case the training script we are loading is not available with a train/test split, there is additional functionality implemented to achieve this.

In a real world scenario training data could be ingested from various data sources like S3, databases, ... .

## Preprocessing

Since we want to finetune the model on a CLM task we need to consider both NLP-related steps and CLM-related steps when it comes to data preprocessing:

For training NLP models the full text string has to be tokenized to enable the model to "digest" it as an input. Beyond access to a huge amount of open-source NLP models, the HuggingFace model hub offers also compatible tokenizers. By utilizing the 'transformers' library we are downloading a tokenizer for the revision of 'distilGPT2' which will be finetuned later on:

```
tokenizer = AutoTokenizer.from_pretrained(args.model_name_or_path, use_fast =
True, revision = args.model_revision)
```

In a similar fashion we are also loading the model artifacts from the HuggingFace model hub:

```
model = AutoModelForCausalLM.from_pretrained(args.model_name_or_path,
revision=args.model_revision, torch_dtype="auto")
```

The tokenizer is now wrapped into an object of the 'AutoTokenizer' class, while the model resides in an object of the 'AutoModelForCausalLM' class.

## Tokenization

For tokenization we define a function taking care of the actual tokenization task:

```
def tokenize_function(examples):
```

```

...

output = tokenizer(examples[text_column_name])

...

return output

```

Then we utilize it as a higher order function in a map approach on the dataset:

```

tokenized_datasets = raw_datasets.map(
    tokenize_function,
    batched=True,
    remove_columns=column_names,
    desc="Running tokenizer on dataset"
)

```

## CLM-related tasks

The utilized training task consumes token blocks of 'block\_size' (number of token a model is consuming in one forward pass. This is model specific plus bound to the instance type used for training.) and trains the model using a CLM loss (for details read [this](#)). Therefore we need to group our tokenized dataset into token blocks of 'block\_size'. We again define a function that performs the actual grouping task:

# Main data processing function that will concatenate all texts from our dataset and generate chunks of block\_size.

```

def group_texts(examples):
    # Concatenate all texts.
    concatenated_examples = {k: list(chain(*examples[k])) for k in
examples.keys()}
    total_length = len(concatenated_examples[list(examples.keys())[0]])
    # We drop the small remainder, we could add padding if the model supported
it instead of this drop, you can
    # customize this part to your needs.
    if total_length >= block_size:
        total_length = (total_length // block_size) * block_size
    # Split by chunks of max_len.
    result = {
        k: [t[i : i + block_size] for i in range(0, total_length, block_size)]
        for k, t in concatenated_examples.items()
    }
    result["labels"] = result["input_ids"].copy()
    return result

```

Then we utilize it as a higher order function in a map approach on the tokenized dataset:

```

lm_datasets = tokenized_datasets.map(
    group_texts,
    batched=True,
    desc=f"Grouping texts in chunks of {block_size}",
)

```

## Training

Since we specified that we want to run evaluations on the model to be finetuned (both stepwise during and after the training process), we need to define our evaluation metric first. Therefore we load one of various pre-implemented metrics available using HuggingFace's 'evaluate' library:

```
metric = evaluate.load("accuracy")
```

Then we define a function computing the actual metrics tied to our training job:

```
def compute_metrics(eval_preds):
    preds, labels = eval_preds
    # preds have the same shape as the labels, after the argmax(-1) has been
    # calculated
    # by preprocess_logits_for_metrics but we need to shift the labels
    labels = labels[:, 1:].reshape(-1)
    preds = preds[:, :-1].reshape(-1)
    return metric.compute(predictions=preds, references=labels)
```

The next step is configuring the actual training job. Therefore we first initialize a 'TrainingArguments' object fed with our hyperparameters plus a seed.:

```
# Specifying training_args. Going with default values for every parameter not
# explicitly specified. See documentation for more information:
# https://huggingface.co/docs/transformers/v4.27.2/en/main_classes/trainer#transformers
training_args = TrainingArguments(
    per_device_train_batch_size = int(args.per_device_train_batch_size),
    per_device_eval_batch_size=int(args.per_device_eval_batch_size),
    output_dir=args.output_dir,
    seed=42,
    disable_tqdm=False
)
```

Then we initialize the Trainer object, which will orchestrate the training and evaluation process holistically. Several artifacts defined in the flow we executed so far are passed as parameters (model, training\_args, datasets, compute\_metrics function):

```
# Initialize our Trainer
trainer = Trainer(
    model=model,
    args=training_args,
    train_dataset=train_dataset if args.do_train else None,
    eval_dataset=eval_dataset if args.do_eval else None,
    tokenizer=tokenizer,
    # Data collator will default to DataCollatorWithPadding, so we change it.
    data_collator=default_data_collator,
    compute_metrics=compute_metrics if args.do_eval and not
is_torch_tpu_available() else None,
    preprocess_logits_for_metrics=preprocess_logits_for_metrics
    if args.do_eval and not is_torch_tpu_available()
    else None,
)
```

Finally the Trainer's .train() function is invoked executing the actual training. After successful completion the model artifacts are persisted according to the 'output\_path' configuration.

```
train_result = trainer.train()
trainer.save_model() # Saves the tokenizer too for easy upload
```

## Evaluation

After successful completion of the training run, we perform a final evaluation:

```
metrics = trainer.evaluate()
```

# Hyperparameters

For the finetuning job to be conducted we specify the following hyperparameters explicitly:

- `model_name_or_path`: model id in HuggingFace ecosystem
- `dataset_name`: dataset id in HuggingFace ecosystem
- `do_train`: boolean variable indicating if training run should be executed. In our case 1.
- `do_eval`: boolean variable indicating if evaluation run should be executed. In our case 1.
- `output_dir`: directory path for storing the produced model artifacts locally within the container. We pick the default output directory of our SageMaker Training job (will be uploaded to S3 upon job success) `'/opt/ml/model'`.
- `per_device_train_batch_size`: batch size to be used when training. We choose 2.
- `per_device_eval_batch_size`: batch size to be used when evaluating. We choose 2.

The default values for the remaining configurable parameters can be found in the [Trainer](#) and [TrainingArguments](#) documentation.

## Configure the environment for model finetuning using the SageMaker HuggingFace Estimator and a AWS HuggingFace DLC

For conveniently training a model with AWS SageMaker Training we can use the Estimator class of SageMaker. Thanks to the AWS x HuggingFace partnership we can use the HuggingFace Estimator natively integrated into the SageMaker SDK, implementing some additional functionality specific to HuggingFace and the HuggingFace model hub. This enables us to finetune the model by providing the training script and some configuration parameters only, while SageMaker is taking care of all the undifferentiated heavy lifting in the background for you. In the constructor we specify the following parameters:

- `source_dir`: directory path to where the training script file is residing. In our case, this is the relative path to the 'finetuning' directory. Please note, that we've also created a 'requirements.txt' file for installing dependencies the training script requires on container-start time.
- `entry_point`: file in which the training script is implemented. Residing in the 'finetuning' directory, this is 'finetuning.py'.
- `instance_type`: EC2 instance type for executing the training job. We pick the 'ml.p3.2xlarge', an instance with 16 GB GPU acceleration (NVIDIA Tesla V100 GPU), 8 vCPUs and 61GB RAM.
- `instance_count`: size of the ephemeral training cluster. We pick a single node cluster.
- `image_uri`: The image uri of a Docker image used for training the model. We will be using one of the many ready-to-use Deep Learning Containers AWS is providing [here](#). Deep Learning Containers are Docker images that are preinstalled and tested with the latest versions of popular deep learning frameworks. Deep Learning Containers let you train models in custom ML environments quickly without building and optimizing your environments from scratch. Since we will be training a model from the HuggingFace model hub by leveraging various HuggingFace frameworks, we will use one of the HuggingFace DLCs, coming with preinstalled python 3.8, pytorch 1.10.2, transformers 4.17.0 dependencies and optimized for training in GPU-accelerated environments.

- `py_version`: version of the python runtime installed in the container. This parameter is redundant, since we have explicitly specified a container image uri.
- `hyperparameters`: hyperparameters, passed as command line arguments to the training script.
- `output_path`: S3 path for storing the artifacts produced by the training job. Therefore, we use the S3 bucket we created in the beginning.

Finally, we execute the SageMaker Training job by calling the `.fit()` function. This will take a couple of minutes.

```
In [8]: hyperparameters = {
        "model_name_or_path": 'distilgpt2',
        "dataset_name": 'tiny_shakespeare',
        "do_train": 1,
        "do_eval": 1,
        "output_dir": '/opt/ml/model',
        "per_device_train_batch_size": 2,
        "per_device_eval_batch_size": 2,
        }
```

```
In [9]: huggingface_estimator = HuggingFace(
        source_dir='finetuning',
        entry_point='finetuning.py',
        instance_type='ml.p3.2xlarge',
        instance_count=1,
        role=role,
        image_uri=f'763104351884.dkr.ecr.{region}.amazonaws.com/huggingface',
        py_version=None,
        hyperparameters = hyperparameters,
        output_path = f's3://{model_bucket_name}'
    )
```

```
In [10]: huggingface_estimator.fit()
```

Using provided s3\_resource

INFO:sagemaker:Creating training-job with name: huggingface-pytorch-training-2023-07-31-17-38-58-475



```
2023-07-31 17:38:58 Starting - Starting the training job...
2023-07-31 17:39:23 Starting - Preparing the instances for training.....
2023-07-31 17:40:58 Downloading - Downloading input data
2023-07-31 17:40:58 Training - Downloading the training image.....
2023-07-31 17:45:24 Training - Training image download completed. Training in progress....bash:
cannot set terminal process group (-1): Inappropriate ioctl for device
bash: no job control in this shell
2023-07-31 17:45:47,363 sagemaker-training-toolkit INFO      Imported framework sagemaker_pytorc
h_container.training
2023-07-31 17:45:47,389 sagemaker_pytorch_container.training INFO      Block until all host DNS
lookups succeed.
2023-07-31 17:45:47,391 sagemaker_pytorch_container.training INFO      Invoking user training sc
ript.
2023-07-31 17:45:47,619 sagemaker-training-toolkit INFO      Installing dependencies from requir
ements.txt:
/opt/conda/bin/python3.8 -m pip install -r requirements.txt
Collecting accelerate
Downloading accelerate-0.21.0-py3-none-any.whl (244 kB)
----- 244.2/244.2 kB 24.4 MB/s eta 0:00:00
Requirement already satisfied: torch>=1.3 in /opt/conda/lib/python3.8/site-packages (from -r re
quirements.txt (line 2)) (1.10.2+cu113)
Collecting datasets==2.10.1
Downloading datasets-2.10.1-py3-none-any.whl (469 kB)
----- 469.0/469.0 kB 52.3 MB/s eta 0:00:00
Requirement already satisfied: sentencepiece!=0.1.92 in /opt/conda/lib/python3.8/site-packages
(from -r requirements.txt (line 4)) (0.1.97)
Requirement already satisfied: protobuf in /opt/conda/lib/python3.8/site-packages (from -r requ
irements.txt (line 5)) (3.19.5)
Requirement already satisfied: scikit-learn in /opt/conda/lib/python3.8/site-packages (from -r
requirements.txt (line 6)) (1.1.2)
Requirement already satisfied: transformers==4.17.0 in /opt/conda/lib/python3.8/site-packages
(from -r requirements.txt (line 7)) (4.17.0)
Collecting evaluate==0.4.0
Downloading evaluate-0.4.0-py3-none-any.whl (81 kB)
----- 81.4/81.4 kB 24.1 MB/s eta 0:00:00
Requirement already satisfied: responses<0.19 in /opt/conda/lib/python3.8/site-packages (from d
atasets==2.10.1->-r requirements.txt (line 3)) (0.18.0)
Requirement already satisfied: huggingface-hub<1.0.0,>=0.2.0 in /opt/conda/lib/python3.8/site-p
ackages (from datasets==2.10.1->-r requirements.txt (line 3)) (0.10.0)
Requirement already satisfied: pyyaml>=5.1 in /opt/conda/lib/python3.8/site-packages (from data
sets==2.10.1->-r requirements.txt (line 3)) (5.4.1)
Requirement already satisfied: aiohttp in /opt/conda/lib/python3.8/site-packages (from dataset
s==2.10.1->-r requirements.txt (line 3)) (3.8.3)
Requirement already satisfied: fsspec[http]>=2021.11.1 in /opt/conda/lib/python3.8/site-package
s (from datasets==2.10.1->-r requirements.txt (line 3)) (2022.8.2)
Requirement already satisfied: packaging in /opt/conda/lib/python3.8/site-packages (from datase
ts==2.10.1->-r requirements.txt (line 3)) (21.3)
Requirement already satisfied: dill<0.3.7,>=0.3.0 in /opt/conda/lib/python3.8/site-packages (fr
om datasets==2.10.1->-r requirements.txt (line 3)) (0.3.5.1)
Requirement already satisfied: tqdm>=4.62.1 in /opt/conda/lib/python3.8/site-packages (from dat
asets==2.10.1->-r requirements.txt (line 3)) (4.64.0)
Requirement already satisfied: xxhash in /opt/conda/lib/python3.8/site-packages (from dataset
s==2.10.1->-r requirements.txt (line 3)) (3.0.0)
Requirement already satisfied: multiprocessing in /opt/conda/lib/python3.8/site-packages (from dat
asets==2.10.1->-r requirements.txt (line 3)) (0.70.13)
Requirement already satisfied: pyarrow>=6.0.0 in /opt/conda/lib/python3.8/site-packages (from d
atasets==2.10.1->-r requirements.txt (line 3)) (9.0.0)
Requirement already satisfied: pandas in /opt/conda/lib/python3.8/site-packages (from dataset
s==2.10.1->-r requirements.txt (line 3)) (1.5.0)
Requirement already satisfied: requests>=2.19.0 in /opt/conda/lib/python3.8/site-packages (from
datasets==2.10.1->-r requirements.txt (line 3)) (2.28.1)
Requirement already satisfied: numpy>=1.17 in /opt/conda/lib/python3.8/site-packages (from data
sets==2.10.1->-r requirements.txt (line 3)) (1.22.2)
Requirement already satisfied: tokenizers!=0.11.3,>=0.11.1 in /opt/conda/lib/python3.8/site-pac
kages (from transformers==4.17.0->-r requirements.txt (line 7)) (0.13.0)
Requirement already satisfied: filelock in /opt/conda/lib/python3.8/site-packages (from transfo
rmers==4.17.0->-r requirements.txt (line 7)) (3.8.0)
Requirement already satisfied: sacremoses in /opt/conda/lib/python3.8/site-packages (from trans
formers==4.17.0->-r requirements.txt (line 7)) (0.0.53)
```

```
Requirement already satisfied: regex!=2019.12.17 in /opt/conda/lib/python3.8/site-packages (from
m transformers==4.17.0->-r requirements.txt (line 7)) (2022.9.13)
Requirement already satisfied: psutil in /opt/conda/lib/python3.8/site-packages (from accelerat
e->-r requirements.txt (line 1)) (5.9.2)
Requirement already satisfied: typing-extensions in /opt/conda/lib/python3.8/site-packages (fro
m torch>=1.3->-r requirements.txt (line 2)) (4.3.0)
Requirement already satisfied: threadpoolctl>=2.0.0 in /opt/conda/lib/python3.8/site-packages
(from scikit-learn->-r requirements.txt (line 6)) (3.1.0)
Requirement already satisfied: joblib>=1.0.0 in /opt/conda/lib/python3.8/site-packages (from sc
ikit-learn->-r requirements.txt (line 6)) (1.2.0)
Requirement already satisfied: scipy>=1.3.2 in /opt/conda/lib/python3.8/site-packages (from sci
kit-learn->-r requirements.txt (line 6)) (1.9.1)
Requirement already satisfied: aiosignal>=1.1.2 in /opt/conda/lib/python3.8/site-packages (from
aiohttp->datasets==2.10.1->-r requirements.txt (line 3)) (1.2.0)
Requirement already satisfied: charset-normalizer<3.0,>=2.0 in /opt/conda/lib/python3.8/site-pa
ckages (from aiohttp->datasets==2.10.1->-r requirements.txt (line 3)) (2.0.12)
Requirement already satisfied: frozenlist>=1.1.1 in /opt/conda/lib/python3.8/site-packages (fro
m aiohttp->datasets==2.10.1->-r requirements.txt (line 3)) (1.3.1)
Requirement already satisfied: attrs>=17.3.0 in /opt/conda/lib/python3.8/site-packages (from ai
ohttp->datasets==2.10.1->-r requirements.txt (line 3)) (21.4.0)
Requirement already satisfied: yarl<2.0,>=1.0 in /opt/conda/lib/python3.8/site-packages (from a
iohttp->datasets==2.10.1->-r requirements.txt (line 3)) (1.8.1)
Requirement already satisfied: multidict<7.0,>=4.5 in /opt/conda/lib/python3.8/site-packages (f
rom aiohttp->datasets==2.10.1->-r requirements.txt (line 3)) (6.0.2)
Requirement already satisfied: async-timeout<5.0,>=4.0.0a3 in /opt/conda/lib/python3.8/site-pac
kages (from aiohttp->datasets==2.10.1->-r requirements.txt (line 3)) (4.0.2)
Requirement already satisfied: pyparsing!=3.0.5,>=2.0.2 in /opt/conda/lib/python3.8/site-packag
es (from packaging->datasets==2.10.1->-r requirements.txt (line 3)) (3.0.9)
Requirement already satisfied: idna<4,>=2.5 in /opt/conda/lib/python3.8/site-packages (from req
uests>=2.19.0->datasets==2.10.1->-r requirements.txt (line 3)) (3.3)
Requirement already satisfied: certifi>=2017.4.17 in /opt/conda/lib/python3.8/site-packages (fr
om requests>=2.19.0->datasets==2.10.1->-r requirements.txt (line 3)) (2022.9.24)
Requirement already satisfied: urllib3<1.27,>=1.21.1 in /opt/conda/lib/python3.8/site-packages
(from requests>=2.19.0->datasets==2.10.1->-r requirements.txt (line 3)) (1.26.12)
Requirement already satisfied: python-dateutil>=2.8.1 in /opt/conda/lib/python3.8/site-packages
(from pandas->datasets==2.10.1->-r requirements.txt (line 3)) (2.8.2)
Requirement already satisfied: pytz>=2020.1 in /opt/conda/lib/python3.8/site-packages (from pan
das->datasets==2.10.1->-r requirements.txt (line 3)) (2022.2.1)
Requirement already satisfied: click in /opt/conda/lib/python3.8/site-packages (from sacremoses
->transformers==4.17.0->-r requirements.txt (line 7)) (8.1.3)
Requirement already satisfied: six in /opt/conda/lib/python3.8/site-packages (from sacremoses->
transformers==4.17.0->-r requirements.txt (line 7)) (1.16.0)
Installing collected packages: accelerate, datasets, evaluate
Attempting uninstall: datasets
Found existing installation: datasets 1.18.4
Uninstalling datasets-1.18.4:
Successfully uninstalled datasets-1.18.4
Successfully installed accelerate-0.21.0 datasets-2.10.1 evaluate-0.4.0
WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behavi
our with the system package manager. It is recommended to use a virtual environment instead: ht
tps://pip.pypa.io/warnings/venv
[notice] A new release of pip available: 22.2.2 -> 23.2.1
[notice] To update, run: pip install --upgrade pip
2023-07-31 17:45:51,415 sagemaker-training-toolkit INFO      Waiting for the process to finish a
nd give a return code.
2023-07-31 17:45:51,415 sagemaker-training-toolkit INFO      Done waiting for a return code. Rec
eived 0 from exiting process.
2023-07-31 17:45:51,497 sagemaker-training-toolkit INFO      Invoking user script
Training Env:
{
  "additional_framework_parameters": {},
  "channel_input_dirs": {},
  "current_host": "algo-1",
  "current_instance_group": "homogeneousCluster",
  "current_instance_group_hosts": [
    "algo-1"
  ],
  "current_instance_type": "ml.p3.2xlarge",
  "distribution_hosts": [],
```

```

"distribution_instance_groups": [],
"framework_module": "sagemaker_pytorch_container.training:main",
"hosts": [
    "algo-1"
],
"hyperparameters": {
    "dataset_name": "tiny_shakespeare",
    "do_eval": 1,
    "do_train": 1,
    "model_name_or_path": "distilgpt2",
    "output_dir": "/opt/ml/model",
    "per_device_eval_batch_size": 2,
    "per_device_train_batch_size": 2
},
"input_config_dir": "/opt/ml/input/config",
"input_data_config": {},
"input_dir": "/opt/ml/input",
"instance_groups": [
    "homogeneousCluster"
],
"instance_groups_dict": {
    "homogeneousCluster": {
        "instance_group_name": "homogeneousCluster",
        "instance_type": "ml.p3.2xlarge",
        "hosts": [
            "algo-1"
        ]
    }
},
"is_hetero": false,
"is_master": true,
"is_modelparallel_enabled": null,
"job_name": "huggingface-pytorch-training-2023-07-31-17-38-58-475",
"log_level": 20,
"master_hostname": "algo-1",
"model_dir": "/opt/ml/model",
"module_dir": "s3://immersion-day-bucket-882819251225/huggingface-pytorch-training-2023-07-
31-17-38-58-475/source/sourcedir.tar.gz",
"module_name": "finetuning",
"network_interface_name": "eth0",
"num_cpus": 8,
"num_gpus": 1,
"output_data_dir": "/opt/ml/output/data",
"output_dir": "/opt/ml/output",
"output_intermediate_dir": "/opt/ml/output/intermediate",
"resource_config": {
    "current_host": "algo-1",
    "current_instance_type": "ml.p3.2xlarge",
    "current_group_name": "homogeneousCluster",
    "hosts": [
        "algo-1"
    ],
    "instance_groups": [
        {
            "instance_group_name": "homogeneousCluster",
            "instance_type": "ml.p3.2xlarge",
            "hosts": [
                "algo-1"
            ]
        }
    ],
    "network_interface_name": "eth0"
},
"user_entry_point": "finetuning.py"
}
Environment variables:
SM_HOSTS=["algo-1"]
SM_NETWORK_INTERFACE_NAME=eth0
SM_HPS={"dataset_name":"tiny_shakespeare","do_eval":1,"do_train":1,"model_name_or_path":"distil

```

```

gpt2", "output_dir": "/opt/ml/model", "per_device_eval_batch_size": 2, "per_device_train_batch_size": 2}
SM_USER_ENTRY_POINT=finetuning.py
SM_FRAMEWORK_PARAMS={}
SM_RESOURCE_CONFIG={"current_group_name": "homogeneousCluster", "current_host": "algo-1", "current_instance_type": "ml.p3.2xlarge", "hosts": ["algo-1"], "instance_groups": [{"hosts": ["algo-1"], "instance_group_name": "homogeneousCluster", "instance_type": "ml.p3.2xlarge"}], "network_interface_name": "eth0"}
SM_INPUT_DATA_CONFIG={}
SM_OUTPUT_DATA_DIR=/opt/ml/output/data
SM_CHANNELS=[]
SM_CURRENT_HOST=algo-1
SM_CURRENT_INSTANCE_TYPE=ml.p3.2xlarge
SM_CURRENT_INSTANCE_GROUP=homogeneousCluster
SM_CURRENT_INSTANCE_GROUP_HOSTS=["algo-1"]
SM_INSTANCE_GROUPS=["homogeneousCluster"]
SM_INSTANCE_GROUPS_DICT={"homogeneousCluster":{"hosts": ["algo-1"], "instance_group_name": "homogeneousCluster", "instance_type": "ml.p3.2xlarge"}}
SM_DISTRIBUTION_INSTANCE_GROUPS=[]
SM_IS_HETERO=false
SM_MODULE_NAME=finetuning
SM_LOG_LEVEL=20
SM_FRAMEWORK_MODULE=sagemaker_pytorch_container.training:main
SM_INPUT_DIR=/opt/ml/input
SM_INPUT_CONFIG_DIR=/opt/ml/input/config
SM_OUTPUT_DIR=/opt/ml/output
SM_NUM_CPUS=8
SM_NUM_GPUS=1
SM_MODEL_DIR=/opt/ml/model
SM_MODULE_DIR=s3://immersion-day-bucket-882819251225/huggingface-pytorch-training-2023-07-31-17-38-58-475/source/sourcedir.tar.gz
SM_TRAINING_ENV={"additional_framework_parameters": {}, "channel_input_dirs": {}, "current_host": "algo-1", "current_instance_group": "homogeneousCluster", "current_instance_group_hosts": ["algo-1"], "current_instance_type": "ml.p3.2xlarge", "distribution_hosts": [], "distribution_instance_groups": [], "framework_module": "sagemaker_pytorch_container.training:main", "hosts": ["algo-1"], "hyperparameters": {"dataset_name": "tiny_shakespeare", "do_eval": 1, "do_train": 1, "model_name_or_path": "distilgpt2", "output_dir": "/opt/ml/model", "per_device_eval_batch_size": 2, "per_device_train_batch_size": 2, "input_config_dir": "/opt/ml/input/config", "input_data_config": {}, "input_dir": "/opt/ml/input", "instance_groups": ["homogeneousCluster"], "instance_groups_dict": {"homogeneousCluster": {"hosts": ["algo-1"], "instance_group_name": "homogeneousCluster", "instance_type": "ml.p3.2xlarge"}}, "is_hetero": false, "is_master": true, "is_model_parallel_enabled": null, "job_name": "huggingface-pytorch-training-2023-07-31-17-38-58-475", "log_level": 20, "master_hostname": "algo-1", "model_dir": "/opt/ml/model", "module_dir": "s3://immersion-day-bucket-882819251225/huggingface-pytorch-training-2023-07-31-17-38-58-475/source/sourcedir.tar.gz", "module_name": "finetuning", "network_interface_name": "eth0", "num_cpus": 8, "num_gpus": 1, "output_data_dir": "/opt/ml/output/data", "output_dir": "/opt/ml/output", "output_intermediate_dir": "/opt/ml/output/intermediate", "resource_config": {"current_group_name": "homogeneousCluster", "current_host": "algo-1", "current_instance_type": "ml.p3.2xlarge", "hosts": ["algo-1"], "instance_groups": [{"hosts": ["algo-1"], "instance_group_name": "homogeneousCluster", "instance_type": "ml.p3.2xlarge"}], "network_interface_name": "eth0"}, "user_entry_point": "finetuning.py"}
SM_USER_ARGS=["--dataset_name", "tiny_shakespeare", "--do_eval", "1", "--do_train", "1", "--model_name_or_path", "distilgpt2", "--output_dir", "/opt/ml/model", "--per_device_eval_batch_size", "2", "--per_device_train_batch_size", "2"]
SM_OUTPUT_INTERMEDIATE_DIR=/opt/ml/output/intermediate
SM_HP_DATASET_NAME=tiny_shakespeare
SM_HP_DO_EVAL=1
SM_HP_DO_TRAIN=1
SM_HP_MODEL_NAME_OR_PATH=distilgpt2
SM_HP_OUTPUT_DIR=/opt/ml/model
SM_HP_PER_DEVICE_EVAL_BATCH_SIZE=2
SM_HP_PER_DEVICE_TRAIN_BATCH_SIZE=2
PYTHONPATH=/opt/ml/code:/opt/conda/bin:/opt/conda/lib/python3.8.zip:/opt/conda/lib/python3.8:/opt/conda/lib/python3.8/lib-dynload:/opt/conda/lib/python3.8/site-packages:/opt/conda/lib/python3.8/site-packages/smdebug-1.0.22b20220929-py3.8.egg:/opt/conda/lib/python3.8/site-packages/pyinstrument-3.4.2-py3.8.egg:/opt/conda/lib/python3.8/site-packages/pyinstrument_cext-0.2.4-py3.8-linux-x86_64.egg
Invoking script with the following command:
/opt/conda/bin/python3.8 finetuning.py --dataset_name tiny_shakespeare --do_eval 1 --do_train 1 --model_name_or_path distilgpt2 --output_dir /opt/ml/model --per_device_eval_batch_size 2 --per

```

```
_device_train_batch_size 2
train.py starting...
07/31/2023 17:45:56 - INFO - datasets.utils.file_utils - https://huggingface.co/datasets/tiny_shakespeare/resolve/main/tiny_shakespeare.py not found in cache or force_download set to True, downloading to /root/.cache/huggingface/datasets/downloads/tmpw82onlyf
Downloading builder script: 0%|          | 0.00/3.73k [00:00<?, ?B/s]
Downloading builder script: 100%|██████████| 3.73k/3.73k [00:00<00:00, 4.86MB/s]
07/31/2023 17:45:56 - INFO - datasets.utils.file_utils - storing https://huggingface.co/datasets/tiny_shakespeare/resolve/main/tiny_shakespeare.py in cache at /root/.cache/huggingface/datasets/downloads/43f3ce4359ea1c3db118d95df089c52b911681d4ad1723b3d94702ba6f6ce328.72b16fe4a2d35a25b07ff4bde25842eae4288e09e8060a707cd020596c19e063.py
07/31/2023 17:45:56 - INFO - datasets.utils.file_utils - creating metadata file for /root/.cache/huggingface/datasets/downloads/43f3ce4359ea1c3db118d95df089c52b911681d4ad1723b3d94702ba6f6ce328.72b16fe4a2d35a25b07ff4bde25842eae4288e09e8060a707cd020596c19e063.py
07/31/2023 17:45:56 - INFO - datasets.utils.file_utils - https://huggingface.co/datasets/tiny_shakespeare/resolve/main/dataset_infos.json not found in cache or force_download set to True, downloading to /root/.cache/huggingface/datasets/downloads/tmpa_2fz2_g
Downloading metadata: 0%|          | 0.00/1.90k [00:00<?, ?B/s]
Downloading metadata: 100%|██████████| 1.90k/1.90k [00:00<00:00, 2.57MB/s]
07/31/2023 17:45:56 - INFO - datasets.utils.file_utils - storing https://huggingface.co/datasets/tiny_shakespeare/resolve/main/dataset_infos.json in cache at /root/.cache/huggingface/datasets/downloads/fe47684d373166fcb85d6f9b08bcb4386987b78c8fc41f73960e283eddb06aa.de0c17192decaea7c4ee839ebb1e28d23e7f9e23b9ebcf45ed59f9a54f3495d
07/31/2023 17:45:56 - INFO - datasets.utils.file_utils - creating metadata file for /root/.cache/huggingface/datasets/downloads/fe47684d373166fcb85d6f9b08bcb4386987b78c8fc41f73960e283eddb06aa.de0c17192decaea7c4ee839ebb1e28d23e7f9e23b9ebcf45ed59f9a54f3495d
07/31/2023 17:45:56 - INFO - datasets.utils.file_utils - https://huggingface.co/datasets/tiny_shakespeare/resolve/main/README.md not found in cache or force_download set to True, downloading to /root/.cache/huggingface/datasets/downloads/tmp6l0p03m5
Downloading readme: 0%|          | 0.00/6.10k [00:00<?, ?B/s]
Downloading readme: 100%|██████████| 6.10k/6.10k [00:00<00:00, 5.87MB/s]
07/31/2023 17:45:56 - INFO - datasets.utils.file_utils - storing https://huggingface.co/datasets/tiny_shakespeare/resolve/main/README.md in cache at /root/.cache/huggingface/datasets/downloads/7b14ce0570dd475e39f665b85e42e4ec9c7dd0c7d16421326f975f4a801c01b2.953a74ee58b0f768125607ae856e7975d0f3e897cf217a776276f2500ff7ad96
07/31/2023 17:45:56 - INFO - datasets.utils.file_utils - creating metadata file for /root/.cache/huggingface/datasets/downloads/7b14ce0570dd475e39f665b85e42e4ec9c7dd0c7d16421326f975f4a801c01b2.953a74ee58b0f768125607ae856e7975d0f3e897cf217a776276f2500ff7ad96
07/31/2023 17:45:56 - INFO - datasets.info - Loading Dataset Infos from /root/.cache/huggingface/modules/datasets_modules/datasets/tiny_shakespeare/b5b13969f09fe8707337f6cb296314fbe06960bd9a868dca39e713e163d27b5e
07/31/2023 17:45:56 - INFO - datasets.builder - Generating dataset tiny_shakespeare (/root/.cache/huggingface/datasets/tiny_shakespeare/default/1.0.0/b5b13969f09fe8707337f6cb296314fbe06960bd9a868dca39e713e163d27b5e)
Downloading and preparing dataset tiny_shakespeare/default to /root/.cache/huggingface/datasets/tiny_shakespeare/default/1.0.0/b5b13969f09fe8707337f6cb296314fbe06960bd9a868dca39e713e163d27b5e...
07/31/2023 17:45:56 - INFO - datasets.builder - Dataset not on Hf google storage. Downloading and preparing it from source
07/31/2023 17:45:56 - INFO - datasets.utils.file_utils - https://raw.githubusercontent.com/karpathy/char-rnn/master/data/tinyshakespeare/input.txt not found in cache or force_download set to True, downloading to /root/.cache/huggingface/datasets/downloads/tmpau8kia1g
Downloading data: 0%|          | 0.00/435k [00:00<?, ?B/s]
Downloading data: 1.12MB [00:00, 51.1MB/s]
07/31/2023 17:45:56 - INFO - datasets.utils.file_utils - storing https://raw.githubusercontent.com/karpathy/char-rnn/master/data/tinyshakespeare/input.txt in cache at /root/.cache/huggingface/datasets/downloads/82880ef7df02a44e79ee0148f39275e856ed335220dc1d324a3f54852e9fec63
07/31/2023 17:45:56 - INFO - datasets.utils.file_utils - creating metadata file for /root/.cache/huggingface/datasets/downloads/82880ef7df02a44e79ee0148f39275e856ed335220dc1d324a3f54852e9fec63
07/31/2023 17:45:56 - INFO - datasets.download.download_manager - Downloading took 0.0 min
07/31/2023 17:45:56 - INFO - datasets.download.download_manager - Checksum Computation took 0.0 min
07/31/2023 17:45:56 - INFO - datasets.builder - Generating train split
Generating train split: 0%|          | 0/1 [00:00<?, ? examples/s]
07/31/2023 17:45:56 - INFO - datasets.builder - Generating validation split
Generating validation split: 0%|          | 0/1 [00:00<?, ? examples/s]
07/31/2023 17:45:56 - INFO - datasets.builder - Generating test split
Generating test split: 0%|          | 0/1 [00:00<?, ? examples/s]
```

```
07/31/2023 17:45:56 - INFO - datasets.utils.info_utils - All the splits matched successfully.
Dataset tiny_shakespeare downloaded and prepared to /root/.cache/huggingface/datasets/tiny_shakespeare/default/1.0.0/b5b13969f09fe8707337f6cb296314fbe06960bd9a868dca39e713e163d27b5e. Subsequent calls will reuse this data.
0%|          | 0/3 [00:00<?, ?it/s]
100%|████████| 3/3 [00:00<00:00, 963.47it/s]
[INFO|tokenization_auto.py:344] 2023-07-31 17:45:56,797 >> Could not locate the tokenizer configuration file, will try to use the model config instead.
[INFO|tokenization_auto.py:344] 2023-07-31 17:45:56,797 >> Could not locate the tokenizer configuration file, will try to use the model config instead.
[INFO|file_utils.py:2215] 2023-07-31 17:45:56,825 >> https://huggingface.co/distilgpt2/resolve/main/config.json not found in cache or force_download set to True, downloading to /root/.cache/huggingface/transformers/tmpk60hv9v2
[INFO|file_utils.py:2215] 2023-07-31 17:45:56,825 >> https://huggingface.co/distilgpt2/resolve/main/config.json not found in cache or force_download set to True, downloading to /root/.cache/huggingface/transformers/tmpk60hv9v2
Downloading: 0%|          | 0.00/762 [00:00<?, ?B/s]
Downloading: 100%|████████| 762/762 [00:00<00:00, 1.02MB/s]
[INFO|file_utils.py:2219] 2023-07-31 17:45:56,852 >> storing https://huggingface.co/distilgpt2/resolve/main/config.json in cache at /root/.cache/huggingface/transformers/f985248d2791fcff97732e4ee263617adec1edb5429a2b8421734c6d14e39bee.422318838d1ec4e061efb4ea29671cb2a044e244dc69229682bebd7cacc81631
[INFO|file_utils.py:2219] 2023-07-31 17:45:56,852 >> storing https://huggingface.co/distilgpt2/resolve/main/config.json in cache at /root/.cache/huggingface/transformers/f985248d2791fcff97732e4ee263617adec1edb5429a2b8421734c6d14e39bee.422318838d1ec4e061efb4ea29671cb2a044e244dc69229682bebd7cacc81631
[INFO|file_utils.py:2227] 2023-07-31 17:45:56,852 >> creating metadata file for /root/.cache/huggingface/transformers/f985248d2791fcff97732e4ee263617adec1edb5429a2b8421734c6d14e39bee.422318838d1ec4e061efb4ea29671cb2a044e244dc69229682bebd7cacc81631
[INFO|file_utils.py:2227] 2023-07-31 17:45:56,852 >> creating metadata file for /root/.cache/huggingface/transformers/f985248d2791fcff97732e4ee263617adec1edb5429a2b8421734c6d14e39bee.422318838d1ec4e061efb4ea29671cb2a044e244dc69229682bebd7cacc81631
[INFO|configuration_utils.py:648] 2023-07-31 17:45:56,853 >> loading configuration file https://huggingface.co/distilgpt2/resolve/main/config.json from cache at /root/.cache/huggingface/transformers/f985248d2791fcff97732e4ee263617adec1edb5429a2b8421734c6d14e39bee.422318838d1ec4e061efb4ea29671cb2a044e244dc69229682bebd7cacc81631
[INFO|configuration_utils.py:648] 2023-07-31 17:45:56,853 >> loading configuration file https://huggingface.co/distilgpt2/resolve/main/config.json from cache at /root/.cache/huggingface/transformers/f985248d2791fcff97732e4ee263617adec1edb5429a2b8421734c6d14e39bee.422318838d1ec4e061efb4ea29671cb2a044e244dc69229682bebd7cacc81631
[INFO|configuration_utils.py:684] 2023-07-31 17:45:56,854 >> Model config GPT2Config {
  "_name_or_path": "distilgpt2",
  "_num_labels": 1,
  "activation_function": "gelu_new",
  "architectures": [
    "GPT2LMHeadModel"
  ],
  "attn_pdrop": 0.1,
  "bos_token_id": 50256,
  "embd_pdrop": 0.1,
  "eos_token_id": 50256,
  "id2label": {
    "0": "LABEL_0"
  },
  "initializer_range": 0.02,
  "label2id": {
    "LABEL_0": 0
  },
  "layer_norm_epsilon": 1e-05,
  "model_type": "gpt2",
  "n_ctx": 1024,
  "n_embd": 768,
  "n_head": 12,
  "n_inner": null,
  "n_layer": 6,
  "n_positions": 1024,
  "reorder_and_upcast_attn": false,
  "resid_pdrop": 0.1,
  "scale_attn_by_inverse_layer_idx": false,
```



```

"scale_attn_weights": true,
"summary_activation": null,
"summary_first_dropout": 0.1,
"summary_proj_to_labels": true,
"summary_type": "cls_index",
"summary_use_proj": true,
"task_specific_params": {
    "text-generation": {
        "do_sample": true,
        "max_length": 50
    }
},
"transformers_version": "4.17.0",
"use_cache": true,
"vocab_size": 50257
}

```

[INFO|configuration\_utils.py:684] 2023-07-31 17:45:56,854 >> Model config GPT2Config {

```

    "_name_or_path": "distilgpt2",
    "_num_labels": 1,
    "activation_function": "gelu_new",
    "architectures": [
        "GPT2LMHeadModel"
    ],
    "attn_pdrop": 0.1,
    "bos_token_id": 50256,
    "embd_pdrop": 0.1,
    "eos_token_id": 50256,
    "id2label": {
        "0": "LABEL_0"
    },
    "initializer_range": 0.02,
    "label2id": {
        "LABEL_0": 0
    },
    "layer_norm_epsilon": 1e-05,
    "model_type": "gpt2",
    "n_ctx": 1024,
    "n_embd": 768,
    "n_head": 12,
    "n_inner": null,
    "n_layer": 6,
    "n_positions": 1024,
    "reorder_and_upcast_attn": false,
    "resid_pdrop": 0.1,
    "scale_attn_by_inverse_layer_idx": false,
    "scale_attn_weights": true,
    "summary_activation": null,
    "summary_first_dropout": 0.1,
    "summary_proj_to_labels": true,
    "summary_type": "cls_index",
    "summary_use_proj": true,
    "task_specific_params": {
        "text-generation": {
            "do_sample": true,
            "max_length": 50
        }
    },
    "transformers_version": "4.17.0",
    "use_cache": true,
    "vocab_size": 50257
}

```

[INFO|file\_utils.py:2215] 2023-07-31 17:45:56,926 >> <https://huggingface.co/distilgpt2/resolve/main/vocab.json> not found in cache or force\_download set to True, downloading to /root/.cache/huggingface/transformers/tmp2a2yecak

[INFO|file\_utils.py:2215] 2023-07-31 17:45:56,926 >> <https://huggingface.co/distilgpt2/resolve/main/vocab.json> not found in cache or force\_download set to True, downloading to /root/.cache/huggingface/transformers/tmp2a2yecak

Downloading: 0%| | 0.00/0.99M [00:00<?, ?B/s]

Downloading: 100%| | 0.99M/0.99M [00:00<00:00, 35.9MB/s]

```
[INFO|file_utils.py:2219] 2023-07-31 17:45:56,986 >> storing https://huggingface.co/distilgpt2/
resolve/main/vocab.json in cache at /root/.cache/huggingface/transformers/55051ac97dcc32f0a736d
21a32a4d42b0d9b90f117ca7c38e65038b04bd5c3f5.c7ed1f96aac49e745788faa77ba0a26a392643a50bb388b9c04
ff469e555241f
[INFO|file_utils.py:2219] 2023-07-31 17:45:56,986 >> storing https://huggingface.co/distilgpt2/
resolve/main/vocab.json in cache at /root/.cache/huggingface/transformers/55051ac97dcc32f0a736d
21a32a4d42b0d9b90f117ca7c38e65038b04bd5c3f5.c7ed1f96aac49e745788faa77ba0a26a392643a50bb388b9c04
ff469e555241f
[INFO|file_utils.py:2227] 2023-07-31 17:45:56,987 >> creating metadata file for /root/.cache/hu
ggingface/transformers/55051ac97dcc32f0a736d21a32a4d42b0d9b90f117ca7c38e65038b04bd5c3f5.c7ed1f9
6aac49e745788faa77ba0a26a392643a50bb388b9c04ff469e555241f
[INFO|file_utils.py:2227] 2023-07-31 17:45:56,987 >> creating metadata file for /root/.cache/hu
ggingface/transformers/55051ac97dcc32f0a736d21a32a4d42b0d9b90f117ca7c38e65038b04bd5c3f5.c7ed1f9
6aac49e745788faa77ba0a26a392643a50bb388b9c04ff469e555241f
[INFO|file_utils.py:2215] 2023-07-31 17:45:57,017 >> https://huggingface.co/distilgpt2/resolve/
main/merges.txt not found in cache or force_download set to True, downloading to /root/.cache/h
uggingface/transformers/tmp2m3wmu6l
[INFO|file_utils.py:2215] 2023-07-31 17:45:57,017 >> https://huggingface.co/distilgpt2/resolve/
main/merges.txt not found in cache or force_download set to True, downloading to /root/.cache/h
uggingface/transformers/tmp2m3wmu6l
Downloading: 0%|          | 0.00/446k [00:00<?, ?B/s]
Downloading: 100%|██████████| 446k/446k [00:00<00:00, 62.9MB/s]
[INFO|file_utils.py:2219] 2023-07-31 17:45:57,051 >> storing https://huggingface.co/distilgpt2/
resolve/main/merges.txt in cache at /root/.cache/huggingface/transformers/9dfb299b74cdf7601ba7c
d3a8073dbdac351caec0ed7ab5849b098b3c8ae3d57.5d12962c5ee615a4c803841266e9c3be9a691a924f72d395d3a
6c6c81157788b
[INFO|file_utils.py:2219] 2023-07-31 17:45:57,051 >> storing https://huggingface.co/distilgpt2/
resolve/main/merges.txt in cache at /root/.cache/huggingface/transformers/9dfb299b74cdf7601ba7c
d3a8073dbdac351caec0ed7ab5849b098b3c8ae3d57.5d12962c5ee615a4c803841266e9c3be9a691a924f72d395d3a
6c6c81157788b
[INFO|file_utils.py:2227] 2023-07-31 17:45:57,051 >> creating metadata file for /root/.cache/hu
ggingface/transformers/9dfb299b74cdf7601ba7cd3a8073dbdac351caec0ed7ab5849b098b3c8ae3d57.5d12962
c5ee615a4c803841266e9c3be9a691a924f72d395d3a6c6c81157788b
[INFO|file_utils.py:2227] 2023-07-31 17:45:57,051 >> creating metadata file for /root/.cache/hu
ggingface/transformers/9dfb299b74cdf7601ba7cd3a8073dbdac351caec0ed7ab5849b098b3c8ae3d57.5d12962
c5ee615a4c803841266e9c3be9a691a924f72d395d3a6c6c81157788b
[INFO|file_utils.py:2215] 2023-07-31 17:45:57,081 >> https://huggingface.co/distilgpt2/resolve/
main/tokenizer.json not found in cache or force_download set to True, downloading to /root/.cac
he/huggingface/transformers/tmpv7niqg3b
[INFO|file_utils.py:2215] 2023-07-31 17:45:57,081 >> https://huggingface.co/distilgpt2/resolve/
main/tokenizer.json not found in cache or force_download set to True, downloading to /root/.cac
he/huggingface/transformers/tmpv7niqg3b
Downloading: 0%|          | 0.00/1.29M [00:00<?, ?B/s]
Downloading: 100%|██████████| 1.29M/1.29M [00:00<00:00, 33.4MB/s]
[INFO|file_utils.py:2219] 2023-07-31 17:45:57,151 >> storing https://huggingface.co/distilgpt2/
resolve/main/tokenizer.json in cache at /root/.cache/huggingface/transformers/accb287b5a5396b25
97382916b6cc939fdab1366e89475a92338d3971b3d02b7.cf2d0ecb83b6df91b3dbb53f1d1e4c311578bfd3aa0e049
34215a49bf9898df0
[INFO|file_utils.py:2219] 2023-07-31 17:45:57,151 >> storing https://huggingface.co/distilgpt2/
resolve/main/tokenizer.json in cache at /root/.cache/huggingface/transformers/accb287b5a5396b25
97382916b6cc939fdab1366e89475a92338d3971b3d02b7.cf2d0ecb83b6df91b3dbb53f1d1e4c311578bfd3aa0e049
34215a49bf9898df0
[INFO|file_utils.py:2227] 2023-07-31 17:45:57,151 >> creating metadata file for /root/.cache/hu
ggingface/transformers/accb287b5a5396b2597382916b6cc939fdab1366e89475a92338d3971b3d02b7.cf2d0ec
b83b6df91b3dbb53f1d1e4c311578bfd3aa0e04934215a49bf9898df0
[INFO|file_utils.py:2227] 2023-07-31 17:45:57,151 >> creating metadata file for /root/.cache/hu
ggingface/transformers/accb287b5a5396b2597382916b6cc939fdab1366e89475a92338d3971b3d02b7.cf2d0ec
b83b6df91b3dbb53f1d1e4c311578bfd3aa0e04934215a49bf9898df0
[INFO|tokenization_utils_base.py:1786] 2023-07-31 17:45:57,235 >> loading file https://huggingf
ace.co/distilgpt2/resolve/main/vocab.json from cache at /root/.cache/huggingface/transformers/5
5051ac97dcc32f0a736d21a32a4d42b0d9b90f117ca7c38e65038b04bd5c3f5.c7ed1f96aac49e745788faa77ba0a26
a392643a50bb388b9c04ff469e555241f
[INFO|tokenization_utils_base.py:1786] 2023-07-31 17:45:57,235 >> loading file https://huggingf
ace.co/distilgpt2/resolve/main/vocab.json from cache at /root/.cache/huggingface/transformers/5
5051ac97dcc32f0a736d21a32a4d42b0d9b90f117ca7c38e65038b04bd5c3f5.c7ed1f96aac49e745788faa77ba0a26
a392643a50bb388b9c04ff469e555241f
[INFO|tokenization_utils_base.py:1786] 2023-07-31 17:45:57,235 >> loading file https://huggingf
ace.co/distilgpt2/resolve/main/merges.txt from cache at /root/.cache/huggingface/transformers/9
dfb299b74cdf7601ba7cd3a8073dbdac351caec0ed7ab5849b098b3c8ae3d57.5d12962c5ee615a4c803841266e9c3b
```



```
e9a691a924f72d395d3a6c6c81157788b
[INFO|tokenization_utils_base.py:1786] 2023-07-31 17:45:57,235 >> loading file https://huggingface.co/distilgpt2/resolve/main/tokenizer.json from cache at /root/.cache/huggingface/transformers/accb287b5a5396b2597382916b6cc939fdab1366e89475a92338d3971b3d02b7.cf2d0ecb83b6df91b3dbb53f1d1e4c311578bfd3aa0e04934215a49bf9898df0
[INFO|tokenization_utils_base.py:1786] 2023-07-31 17:45:57,235 >> loading file https://huggingface.co/distilgpt2/resolve/main/added_tokens.json from cache at None
[INFO|tokenization_utils_base.py:1786] 2023-07-31 17:45:57,235 >> loading file https://huggingface.co/distilgpt2/resolve/main/merges.txt from cache at /root/.cache/huggingface/transformers/9dfb299b74cdf7601ba7cd3a8073dbdac351caec0ed7ab5849b098b3c8ae3d57.5d12962c5ee615a4c803841266e9c3be9a691a924f72d395d3a6c6c81157788b
[INFO|tokenization_utils_base.py:1786] 2023-07-31 17:45:57,235 >> loading file https://huggingface.co/distilgpt2/resolve/main/tokenizer.json from cache at /root/.cache/huggingface/transformers/accb287b5a5396b2597382916b6cc939fdab1366e89475a92338d3971b3d02b7.cf2d0ecb83b6df91b3dbb53f1d1e4c311578bfd3aa0e04934215a49bf9898df0
[INFO|tokenization_utils_base.py:1786] 2023-07-31 17:45:57,235 >> loading file https://huggingface.co/distilgpt2/resolve/main/added_tokens.json from cache at None
[INFO|tokenization_utils_base.py:1786] 2023-07-31 17:45:57,235 >> loading file https://huggingface.co/distilgpt2/resolve/main/special_tokens_map.json from cache at None
[INFO|tokenization_utils_base.py:1786] 2023-07-31 17:45:57,235 >> loading file https://huggingface.co/distilgpt2/resolve/main/special_tokens_map.json from cache at None
[INFO|tokenization_utils_base.py:1786] 2023-07-31 17:45:57,235 >> loading file https://huggingface.co/distilgpt2/resolve/main/tokenizer_config.json from cache at None
[INFO|tokenization_utils_base.py:1786] 2023-07-31 17:45:57,235 >> loading file https://huggingface.co/distilgpt2/resolve/main/tokenizer_config.json from cache at None
[INFO|configuration_utils.py:648] 2023-07-31 17:45:57,260 >> loading configuration file https://huggingface.co/distilgpt2/resolve/main/config.json from cache at /root/.cache/huggingface/transformers/f985248d2791fcff97732e4ee263617adec1edb5429a2b8421734c6d14e39bee.422318838d1ec4e061efb4ea29671cb2a044e244dc69229682bebd7cacc81631
[INFO|configuration_utils.py:648] 2023-07-31 17:45:57,260 >> loading configuration file https://huggingface.co/distilgpt2/resolve/main/config.json from cache at /root/.cache/huggingface/transformers/f985248d2791fcff97732e4ee263617adec1edb5429a2b8421734c6d14e39bee.422318838d1ec4e061efb4ea29671cb2a044e244dc69229682bebd7cacc81631
[INFO|configuration_utils.py:684] 2023-07-31 17:45:57,261 >> Model config GPT2Config {
  "_name_or_path": "distilgpt2",
  "_num_labels": 1,
  "activation_function": "gelu_new",
  "architectures": [
    "GPT2LMHeadModel"
  ],
  "attn_pdrop": 0.1,
  "bos_token_id": 50256,
  "embd_pdrop": 0.1,
  "eos_token_id": 50256,
  "id2label": {
    "0": "LABEL_0"
  },
  "initializer_range": 0.02,
  "label2id": {
    "LABEL_0": 0
  },
  "layer_norm_epsilon": 1e-05,
  "model_type": "gpt2",
  "n_ctx": 1024,
  "n_embd": 768,
  "n_head": 12,
  "n_inner": null,
  "n_layer": 6,
  "n_positions": 1024,
  "reorder_and_upcast_attn": false,
  "resid_pdrop": 0.1,
  "scale_attn_by_inverse_layer_idx": false,
  "scale_attn_weights": true,
  "summary_activation": null,
  "summary_first_dropout": 0.1,
  "summary_proj_to_labels": true,
  "summary_type": "cls_index",
  "summary_use_proj": true,
  "task_specific_params": {
```

```

        "text-generation": {
            "do_sample": true,
            "max_length": 50
        }
    },
    "transformers_version": "4.17.0",
    "use_cache": true,
    "vocab_size": 50257
}
[INFO|configuration_utils.py:684] 2023-07-31 17:45:57,261 >> Model config GPT2Config {
    "_name_or_path": "distilgpt2",
    "_num_labels": 1,
    "activation_function": "gelu_new",
    "architectures": [
        "GPT2LMHeadModel"
    ],
    "attn_pdrop": 0.1,
    "bos_token_id": 50256,
    "embd_pdrop": 0.1,
    "eos_token_id": 50256,
    "id2label": {
        "0": "LABEL_0"
    },
    "initializer_range": 0.02,
    "label2id": {
        "LABEL_0": 0
    },
    "layer_norm_epsilon": 1e-05,
    "model_type": "gpt2",
    "n_ctx": 1024,
    "n_embd": 768,
    "n_head": 12,
    "n_inner": null,
    "n_layer": 6,
    "n_positions": 1024,
    "reorder_and_upcast_attn": false,
    "resid_pdrop": 0.1,
    "scale_attn_by_inverse_layer_idx": false,
    "scale_attn_weights": true,
    "summary_activation": null,
    "summary_first_dropout": 0.1,
    "summary_proj_to_labels": true,
    "summary_type": "cls_index",
    "summary_use_proj": true,
    "task_specific_params": {
        "text-generation": {
            "do_sample": true,
            "max_length": 50
        }
    },
    "transformers_version": "4.17.0",
    "use_cache": true,
    "vocab_size": 50257
}
[INFO|configuration_utils.py:648] 2023-07-31 17:45:57,371 >> loading configuration file https://huggingface.co/distilgpt2/resolve/main/config.json from cache at /root/.cache/huggingface/transformers/f985248d2791fcff97732e4ee263617adec1edb5429a2b8421734c6d14e39bee.422318838d1ec4e061efb4ea29671cb2a044e244dc69229682bebd7cacc81631
[INFO|configuration_utils.py:648] 2023-07-31 17:45:57,371 >> loading configuration file https://huggingface.co/distilgpt2/resolve/main/config.json from cache at /root/.cache/huggingface/transformers/f985248d2791fcff97732e4ee263617adec1edb5429a2b8421734c6d14e39bee.422318838d1ec4e061efb4ea29671cb2a044e244dc69229682bebd7cacc81631
[INFO|configuration_utils.py:684] 2023-07-31 17:45:57,372 >> Model config GPT2Config {
    "_name_or_path": "distilgpt2",
    "_num_labels": 1,
    "activation_function": "gelu_new",
    "architectures": [
        "GPT2LMHeadModel"
    ],

```

```

    "attn_pdrop": 0.1,
    "bos_token_id": 50256,
    "embd_pdrop": 0.1,
    "eos_token_id": 50256,
    "id2label": {
        "0": "LABEL_0"
    },
    "initializer_range": 0.02,
    "label2id": {
        "LABEL_0": 0
    },
    "layer_norm_epsilon": 1e-05,
    "model_type": "gpt2",
    "n_ctx": 1024,
    "n_embd": 768,
    "n_head": 12,
    "n_inner": null,
    "n_layer": 6,
    "n_positions": 1024,
    "reorder_and_upcast_attn": false,
    "resid_pdrop": 0.1,
    "scale_attn_by_inverse_layer_idx": false,
    "scale_attn_weights": true,
    "summary_activation": null,
    "summary_first_dropout": 0.1,
    "summary_proj_to_labels": true,
    "summary_type": "cls_index",
    "summary_use_proj": true,
    "task_specific_params": {
        "text-generation": {
            "do_sample": true,
            "max_length": 50
        }
    },
    "torch_dtype": "auto",
    "transformers_version": "4.17.0",
    "use_cache": true,
    "vocab_size": 50257
}
[INFO|configuration_utils.py:684] 2023-07-31 17:45:57,372 >> Model config GPT2Config {
  "_name_or_path": "distilgpt2",
  "_num_labels": 1,
  "activation_function": "gelu_new",
  "architectures": [
    "GPT2LMHeadModel"
  ],
  "attn_pdrop": 0.1,
  "bos_token_id": 50256,
  "embd_pdrop": 0.1,
  "eos_token_id": 50256,
  "id2label": {
    "0": "LABEL_0"
  },
  "initializer_range": 0.02,
  "label2id": {
    "LABEL_0": 0
  },
  "layer_norm_epsilon": 1e-05,
  "model_type": "gpt2",
  "n_ctx": 1024,
  "n_embd": 768,
  "n_head": 12,
  "n_inner": null,
  "n_layer": 6,
  "n_positions": 1024,
  "reorder_and_upcast_attn": false,
  "resid_pdrop": 0.1,
  "scale_attn_by_inverse_layer_idx": false,
  "scale_attn_weights": true,

```

```

summary_activation": null,
summary_first_dropout": 0.1,
summary_proj_to_labels": true,
summary_type": "cls_index",
summary_use_proj": true,
task_specific_params": {
    "text-generation": {
        "do_sample": true,
        "max_length": 50
    }
},
torch_dtype": "auto",
transformers_version": "4.17.0",
use_cache": true,
vocab_size": 50257
}

```

[INFO|file\_utils.py:2215] 2023-07-31 17:45:57,428 >> [https://huggingface.co/distilgpt2/resolve/main/pytorch\\_model.bin](https://huggingface.co/distilgpt2/resolve/main/pytorch_model.bin) not found in cache or force\_download set to True, downloading to /root/.cache/huggingface/transformers/tmpqvqyvacz

[INFO|file\_utils.py:2215] 2023-07-31 17:45:57,428 >> [https://huggingface.co/distilgpt2/resolve/main/pytorch\\_model.bin](https://huggingface.co/distilgpt2/resolve/main/pytorch_model.bin) not found in cache or force\_download set to True, downloading to /root/.cache/huggingface/transformers/tmpqvqyvacz

Downloading:	0%		0.00/336M [00:00<?, ?B/s]
Downloading:	2%		5.50M/336M [00:00<00:06, 57.7MB/s]
Downloading:	4%		11.8M/336M [00:00<00:05, 62.9MB/s]
Downloading:	5%		18.2M/336M [00:00<00:05, 64.8MB/s]
Downloading:	7%		24.6M/336M [00:00<00:04, 65.6MB/s]
Downloading:	9%		30.9M/336M [00:00<00:04, 65.8MB/s]
Downloading:	11%		37.2M/336M [00:00<00:04, 65.9MB/s]
Downloading:	13%		43.5M/336M [00:00<00:04, 65.7MB/s]
Downloading:	15%		49.8M/336M [00:00<00:04, 65.7MB/s]
Downloading:	17%		56.2M/336M [00:00<00:04, 66.1MB/s]
Downloading:	19%		62.6M/336M [00:01<00:04, 66.3MB/s]
Downloading:	20%		69.0M/336M [00:01<00:04, 66.6MB/s]
Downloading:	22%		75.4M/336M [00:01<00:04, 66.8MB/s]
Downloading:	24%		81.8M/336M [00:01<00:03, 66.8MB/s]
Downloading:	26%		88.1M/336M [00:01<00:03, 66.8MB/s]
Downloading:	28%		94.6M/336M [00:01<00:03, 67.0MB/s]
Downloading:	30%		101M/336M [00:01<00:03, 65.4MB/s]
Downloading:	32%		107M/336M [00:01<00:03, 66.1MB/s]
Downloading:	34%		114M/336M [00:01<00:03, 66.5MB/s]
Downloading:	36%		120M/336M [00:01<00:03, 66.7MB/s]
Downloading:	38%		127M/336M [00:02<00:03, 66.7MB/s]
Downloading:	40%		133M/336M [00:02<00:03, 66.9MB/s]
Downloading:	41%		139M/336M [00:02<00:03, 67.1MB/s]
Downloading:	43%		146M/336M [00:02<00:02, 67.3MB/s]
Downloading:	45%		152M/336M [00:02<00:02, 67.3MB/s]
Downloading:	47%		159M/336M [00:02<00:02, 66.8MB/s]
Downloading:	49%		165M/336M [00:02<00:02, 66.8MB/s]
Downloading:	51%		172M/336M [00:02<00:02, 63.7MB/s]
Downloading:	53%		178M/336M [00:02<00:02, 64.6MB/s]
Downloading:	55%		184M/336M [00:02<00:02, 65.5MB/s]
Downloading:	57%		191M/336M [00:03<00:02, 64.0MB/s]
Downloading:	58%		197M/336M [00:03<00:02, 64.3MB/s]
Downloading:	60%		203M/336M [00:03<00:02, 62.9MB/s]
Downloading:	62%		209M/336M [00:03<00:02, 62.2MB/s]
Downloading:	64%		215M/336M [00:03<00:02, 62.4MB/s]
Downloading:	66%		221M/336M [00:03<00:01, 62.2MB/s]
Downloading:	68%		227M/336M [00:03<00:01, 63.5MB/s]
Downloading:	69%		234M/336M [00:03<00:01, 64.6MB/s]
Downloading:	71%		240M/336M [00:03<00:01, 65.5MB/s]
Downloading:	73%		247M/336M [00:03<00:01, 65.9MB/s]
Downloading:	75%		253M/336M [00:04<00:01, 66.2MB/s]
Downloading:	77%		259M/336M [00:04<00:01, 66.5MB/s]
Downloading:	79%		266M/336M [00:04<00:01, 66.5MB/s]
Downloading:	81%		272M/336M [00:04<00:01, 66.7MB/s]
Downloading:	83%		278M/336M [00:04<00:00, 66.7MB/s]
Downloading:	85%		285M/336M [00:04<00:00, 65.0MB/s]
Downloading:	86%		291M/336M [00:04<00:00, 64.8MB/s]

```
Downloading: 88%|██████████| 297M/336M [00:04<00:00, 65.4MB/s]
Downloading: 90%|██████████| 304M/336M [00:04<00:00, 65.8MB/s]
Downloading: 92%|██████████| 310M/336M [00:04<00:00, 66.1MB/s]
Downloading: 94%|██████████| 317M/336M [00:05<00:00, 66.5MB/s]
Downloading: 96%|██████████| 323M/336M [00:05<00:00, 66.7MB/s]
Downloading: 98%|██████████| 329M/336M [00:05<00:00, 66.8MB/s]
Downloading: 100%|██████████| 336M/336M [00:05<00:00, 66.5MB/s]
Downloading: 100%|██████████| 336M/336M [00:05<00:00, 65.6MB/s]
[INFO|file_utils.py:2219] 2023-07-31 17:46:02,824 >> storing https://huggingface.co/distilgpt2/
resolve/main/pytorch_model.bin in cache at /root/.cache/huggingface/transformers/43a212e83e76bc
b07f45be584cf100676bdbbbe9c13f9e5c1c050049143a832f.a83d881ec4d624fd4b5826dd026e315246c48c67504f
f91c0500570e291a54ba
[INFO|file_utils.py:2219] 2023-07-31 17:46:02,824 >> storing https://huggingface.co/distilgpt2/
resolve/main/pytorch_model.bin in cache at /root/.cache/huggingface/transformers/43a212e83e76bc
b07f45be584cf100676bdbbbe9c13f9e5c1c050049143a832f.a83d881ec4d624fd4b5826dd026e315246c48c67504f
f91c0500570e291a54ba
[INFO|file_utils.py:2227] 2023-07-31 17:46:02,824 >> creating metadata file for /root/.cache/hu
ggingface/transformers/43a212e83e76bc b07f45be584cf100676bdbbbe9c13f9e5c1c050049143a832f.a83d881
ec4d624fd4b5826dd026e315246c48c67504ff91c0500570e291a54ba
[INFO|file_utils.py:2227] 2023-07-31 17:46:02,824 >> creating metadata file for /root/.cache/hu
ggingface/transformers/43a212e83e76bc b07f45be584cf100676bdbbbe9c13f9e5c1c050049143a832f.a83d881
ec4d624fd4b5826dd026e315246c48c67504ff91c0500570e291a54ba
[INFO|modeling_utils.py:1431] 2023-07-31 17:46:02,824 >> loading weights file https://huggingfa
ce.co/distilgpt2/resolve/main/pytorch_model.bin from cache at /root/.cache/huggingface/transfor
mers/43a212e83e76bc b07f45be584cf100676bdbbbe9c13f9e5c1c050049143a832f.a83d881ec4d624fd4b5826dd0
26e315246c48c67504ff91c0500570e291a54ba
[INFO|modeling_utils.py:1431] 2023-07-31 17:46:02,824 >> loading weights file https://huggingfa
ce.co/distilgpt2/resolve/main/pytorch_model.bin from cache at /root/.cache/huggingface/transfor
mers/43a212e83e76bc b07f45be584cf100676bdbbbe9c13f9e5c1c050049143a832f.a83d881ec4d624fd4b5826dd0
26e315246c48c67504ff91c0500570e291a54ba
[INFO|modeling_utils.py:563] 2023-07-31 17:46:03,032 >> Instantiating GPT2LMHeadModel model und
er default dtype torch.float32.
[INFO|modeling_utils.py:563] 2023-07-31 17:46:03,032 >> Instantiating GPT2LMHeadModel model und
er default dtype torch.float32.
[INFO|modeling_utils.py:1702] 2023-07-31 17:46:04,318 >> All model checkpoint weights were used
when initializing GPT2LMHeadModel.
[INFO|modeling_utils.py:1710] 2023-07-31 17:46:04,319 >> All the weights of GPT2LMHeadModel wer
e initialized from the model checkpoint at distilgpt2.
If your task is similar to the task the model of the checkpoint was trained on, you can already
use GPT2LMHeadModel for predictions without further training.
[INFO|modeling_utils.py:1702] 2023-07-31 17:46:04,318 >> All model checkpoint weights were used
when initializing GPT2LMHeadModel.
[INFO|modeling_utils.py:1710] 2023-07-31 17:46:04,319 >> All the weights of GPT2LMHeadModel wer
e initialized from the model checkpoint at distilgpt2.
If your task is similar to the task the model of the checkpoint was trained on, you can already
use GPT2LMHeadModel for predictions without further training.
Running tokenizer on dataset: 0%|██████████| 0/1 [00:00<?, ? examples/s]
[WARNING|tokenization_utils_base.py:3397] 2023-07-31 17:46:05,394 >> Token indices sequence len
gth is longer than the specified maximum sequence length for this model (301966 > 1024). Runnin
g this sequence through the model will result in indexing errors
[WARNING|tokenization_utils_base.py:3397] 2023-07-31 17:46:05,394 >> Token indices sequence len
gth is longer than the specified maximum sequence length for this model (301966 > 1024). Runnin
g this sequence through the model will result in indexing errors
[WARNING|finetuning.py:167] 2023-07-31 17:46:05,394 >> ^^^^^^^^^^^^^^^^^^^^^ Please ignore the warni
ng above - this long input will be chunked into smaller bits before being passed to the model.
[WARNING|finetuning.py:167] 2023-07-31 17:46:05,394 >> ^^^^^^^^^^^^^^^^^^^^^ Please ignore the warni
ng above - this long input will be chunked into smaller bits before being passed to the model.
07/31/2023 17:46:05 - INFO - datasets.arrow_dataset - Caching processed dataset at /root/.cach
e/huggingface/datasets/tiny_shakespeare/default/1.0.0/b5b13969f09fe8707337f6cb296314fbe06960bd9
a868dca39e713e163d27b5e/cache-2e39ed04bebe90d6.arrow
Running tokenizer on dataset: 100%|██████████| 1/1 [00:01<00:00, 1.13s/ examples]
Running tokenizer on dataset: 0%|██████████| 0/1 [00:00<?, ? examples/s]
07/31/2023 17:46:05 - INFO - datasets.arrow_dataset - Caching processed dataset at /root/.cach
e/huggingface/datasets/tiny_shakespeare/default/1.0.0/b5b13969f09fe8707337f6cb296314fbe06960bd9
a868dca39e713e163d27b5e/cache-3e04e2dbbb42e49e.arrow
Running tokenizer on dataset: 0%|██████████| 0/1 [00:00<?, ? examples/s]
07/31/2023 17:46:05 - INFO - datasets.arrow_dataset - Caching processed dataset at /root/.cach
e/huggingface/datasets/tiny_shakespeare/default/1.0.0/b5b13969f09fe8707337f6cb296314fbe06960bd9
a868dca39e713e163d27b5e/cache-d53a0af4fa4fa646.arrow
```






































































```

Grouping texts in chunks of 1024: 0%|          | 0/1 [00:00<?, ? examples/s]
07/31/2023 17:46:05 - INFO - datasets.arrow_dataset - Caching processed dataset at /root/.cache/huggingface/datasets/tiny_shakespeare/default/1.0.0/b5b13969f09fe8707337f6cb296314fbe06960bd9a868dca39e713e163d27b5e/cache-a754c241ca38040a.arrow
Grouping texts in chunks of 1024: 100%|██████████| 1/1 [00:00<00:00, 2.79 examples/s]
Grouping texts in chunks of 1024: 0%|          | 0/1 [00:00<?, ? examples/s]
07/31/2023 17:46:06 - INFO - datasets.arrow_dataset - Caching processed dataset at /root/.cache/huggingface/datasets/tiny_shakespeare/default/1.0.0/b5b13969f09fe8707337f6cb296314fbe06960bd9a868dca39e713e163d27b5e/cache-b7e8b76fe95aaa0f.arrow
Grouping texts in chunks of 1024: 0%|          | 0/1 [00:00<?, ? examples/s]
07/31/2023 17:46:06 - INFO - datasets.arrow_dataset - Caching processed dataset at /root/.cache/huggingface/datasets/tiny_shakespeare/default/1.0.0/b5b13969f09fe8707337f6cb296314fbe06960bd9a868dca39e713e163d27b5e/cache-52ce19414de2ed9b.arrow
Downloading builder script: 0%|          | 0.00/4.20k [00:00<?, ?B/s]
Downloading builder script: 100%|██████████| 4.20k/4.20k [00:00<00:00, 4.77MB/s]
[INFO|training_args.py:1009] 2023-07-31 17:46:06,233 >> PyTorch: setting up devices
[INFO|training_args.py:1009] 2023-07-31 17:46:06,233 >> PyTorch: setting up devices
[INFO|training_args.py:871] 2023-07-31 17:46:06,234 >> The default value for the training argument `--report_to` will change in v5 (from all installed integrations to none). In v5, you will need to use `--report_to all` to get the same behavior as now. You should start updating your code and make this info disappear :-).
[INFO|training_args.py:871] 2023-07-31 17:46:06,234 >> The default value for the training argument `--report_to` will change in v5 (from all installed integrations to none). In v5, you will need to use `--report_to all` to get the same behavior as now. You should start updating your code and make this info disappear :-).
/opt/conda/lib/python3.8/site-packages/transformers/optimization.py:306: FutureWarning: This implementation of AdamW is deprecated and will be removed in a future version. Use the PyTorch implementation torch.optim.AdamW instead, or set `no_deprecation_warning=True` to disable this warning
    warnings.warn(
[INFO|trainer.py:1279] 2023-07-31 17:46:11,121 >> ***** Running training *****
[INFO|trainer.py:1279] 2023-07-31 17:46:11,121 >> ***** Running training *****
[INFO|trainer.py:1280] 2023-07-31 17:46:11,121 >>     Num examples = 294
[INFO|trainer.py:1281] 2023-07-31 17:46:11,121 >>     Num Epochs = 3
[INFO|trainer.py:1282] 2023-07-31 17:46:11,121 >>     Instantaneous batch size per device = 2
[INFO|trainer.py:1280] 2023-07-31 17:46:11,121 >>     Num examples = 294
[INFO|trainer.py:1281] 2023-07-31 17:46:11,121 >>     Num Epochs = 3
[INFO|trainer.py:1282] 2023-07-31 17:46:11,121 >>     Instantaneous batch size per device = 2
[INFO|trainer.py:1283] 2023-07-31 17:46:11,121 >>     Total train batch size (w. parallel, distributed & accumulation) = 2
[INFO|trainer.py:1284] 2023-07-31 17:46:11,121 >>     Gradient Accumulation steps = 1
[INFO|trainer.py:1285] 2023-07-31 17:46:11,121 >>     Total optimization steps = 441
[INFO|trainer.py:1283] 2023-07-31 17:46:11,121 >>     Total train batch size (w. parallel, distributed & accumulation) = 2
[INFO|trainer.py:1284] 2023-07-31 17:46:11,121 >>     Gradient Accumulation steps = 1
[INFO|trainer.py:1285] 2023-07-31 17:46:11,121 >>     Total optimization steps = 441
0%|          | 0/441 [00:00<?, ?it/s]
[2023-07-31 17:46:11.316 algo-1:51 INFO utils.py:27] RULE_JOB_STOP_SIGNAL_FILENAME: None
[2023-07-31 17:46:11.484 algo-1:51 INFO profiler_config_parser.py:111] User has disabled profiler.
[2023-07-31 17:46:11.486 algo-1:51 INFO json_config.py:91] Creating hook from json_config at /opt/ml/input/config/debughookconfig.json.
[2023-07-31 17:46:11.486 algo-1:51 INFO hook.py:201] tensorboard_dir has not been set for the hook. SMDebug will not be exporting tensorboard summaries.
[2023-07-31 17:46:11.487 algo-1:51 INFO hook.py:254] Saving to /opt/ml/output/tensors
[2023-07-31 17:46:11.487 algo-1:51 INFO state_store.py:77] The checkpoint config file /opt/ml/input/config/checkpointconfig.json does not exist.
0%|          | 1/441 [00:01<10:38, 1.45s/it]
0%|          | 2/441 [00:01<04:58, 1.47it/s]
1%|          | 3/441 [00:01<03:09, 2.31it/s]
1%|          | 4/441 [00:01<02:18, 3.15it/s]
1%|          | 5/441 [00:02<01:50, 3.94it/s]
1%||         | 6/441 [00:02<01:33, 4.65it/s]
2%||         | 7/441 [00:02<01:22, 5.25it/s]
2%||         | 8/441 [00:02<01:15, 5.73it/s]
2%||         | 9/441 [00:02<01:10, 6.11it/s]
2%||         | 10/441 [00:02<01:07, 6.37it/s]
2%||         | 11/441 [00:02<01:05, 6.59it/s]
3%||         | 12/441 [00:02<01:03, 6.72it/s]

```






































































3%	13/441	[00:03<01:02,	6.81it/s]
3%	14/441	[00:03<01:01,	6.89it/s]
3%	15/441	[00:03<01:01,	6.95it/s]
4%	16/441	[00:03<01:00,	7.02it/s]
4%	17/441	[00:03<01:00,	7.02it/s]
4%	18/441	[00:03<00:59,	7.05it/s]
4%	19/441	[00:03<00:59,	7.05it/s]
5%	20/441	[00:04<00:59,	7.04it/s]
5%	21/441	[00:04<00:59,	7.03it/s]
5%	22/441	[00:04<00:59,	7.06it/s]
5%	23/441	[00:04<00:58,	7.09it/s]
5%	24/441	[00:04<00:58,	7.10it/s]
6%	25/441	[00:04<00:58,	7.07it/s]
6%	26/441	[00:04<00:58,	7.05it/s]
6%	27/441	[00:05<00:58,	7.04it/s]
6%	28/441	[00:05<00:58,	7.03it/s]
7%	29/441	[00:05<00:58,	7.04it/s]
7%	30/441	[00:05<00:58,	7.06it/s]
7%	31/441	[00:05<00:58,	7.06it/s]
7%	32/441	[00:05<00:58,	7.05it/s]
7%	33/441	[00:05<00:58,	7.02it/s]
8%	34/441	[00:06<00:57,	7.05it/s]
8%	35/441	[00:06<00:57,	7.08it/s]
8%	36/441	[00:06<00:57,	7.09it/s]
8%	37/441	[00:06<00:56,	7.09it/s]
9%	38/441	[00:06<00:56,	7.10it/s]
9%	39/441	[00:06<00:56,	7.10it/s]
9%	40/441	[00:06<00:56,	7.10it/s]
9%	41/441	[00:07<00:56,	7.10it/s]
10%	42/441	[00:07<00:56,	7.10it/s]
10%	43/441	[00:07<00:56,	7.11it/s]
10%	44/441	[00:07<00:55,	7.11it/s]
10%	45/441	[00:07<00:56,	7.07it/s]
10%	46/441	[00:07<00:55,	7.07it/s]
11%	47/441	[00:07<00:55,	7.08it/s]
11%	48/441	[00:08<00:55,	7.09it/s]
11%	49/441	[00:08<00:55,	7.06it/s]
11%	50/441	[00:08<00:55,	7.07it/s]
12%	51/441	[00:08<00:55,	7.08it/s]
12%	52/441	[00:08<00:54,	7.08it/s]
12%	53/441	[00:08<00:54,	7.10it/s]
12%	54/441	[00:08<00:54,	7.11it/s]
12%	55/441	[00:09<00:54,	7.10it/s]
13%	56/441	[00:09<00:54,	7.10it/s]
13%	57/441	[00:09<00:54,	7.06it/s]
13%	58/441	[00:09<00:54,	7.07it/s]
13%	59/441	[00:09<00:53,	7.09it/s]
14%	60/441	[00:09<00:53,	7.10it/s]
14%	61/441	[00:09<00:53,	7.10it/s]
14%	62/441	[00:10<00:53,	7.10it/s]
14%	63/441	[00:10<00:53,	7.06it/s]
15%	64/441	[00:10<00:53,	7.05it/s]
15%	65/441	[00:10<00:53,	7.03it/s]
15%	66/441	[00:10<00:53,	7.06it/s]
15%	67/441	[00:10<00:53,	7.04it/s]
15%	68/441	[00:10<00:53,	7.01it/s]
16%	69/441	[00:11<00:53,	7.02it/s]
16%	70/441	[00:11<00:52,	7.01it/s]
16%	71/441	[00:11<00:52,	7.04it/s]
16%	72/441	[00:11<00:52,	7.07it/s]
17%	73/441	[00:11<00:52,	7.08it/s]
17%	74/441	[00:11<00:51,	7.06it/s]
17%	75/441	[00:11<00:51,	7.07it/s]
17%	76/441	[00:12<00:51,	7.07it/s]
17%	77/441	[00:12<00:51,	7.04it/s]
18%	78/441	[00:12<00:51,	7.04it/s]
18%	79/441	[00:12<00:51,	7.06it/s]
18%	80/441	[00:12<00:51,	7.08it/s]
18%	81/441	[00:12<00:50,	7.08it/s]



19%		82/441 [00:12<00:50, 7.09it/s]
19%		83/441 [00:13<00:50, 7.10it/s]
19%		84/441 [00:13<00:50, 7.11it/s]
19%		85/441 [00:13<00:49, 7.13it/s]
20%		86/441 [00:13<00:49, 7.13it/s]
20%		87/441 [00:13<00:49, 7.13it/s]
20%		88/441 [00:13<00:49, 7.14it/s]
20%		89/441 [00:13<00:49, 7.10it/s]
20%		90/441 [00:14<00:49, 7.08it/s]
21%		91/441 [00:14<00:49, 7.10it/s]
21%		92/441 [00:14<00:49, 7.08it/s]
21%		93/441 [00:14<00:48, 7.11it/s]
21%		94/441 [00:14<00:48, 7.12it/s]
22%		95/441 [00:14<00:48, 7.14it/s]
22%		96/441 [00:14<00:48, 7.14it/s]
22%		97/441 [00:15<00:48, 7.14it/s]
22%		98/441 [00:15<00:48, 7.14it/s]
22%		99/441 [00:15<00:47, 7.15it/s]
23%		100/441 [00:15<00:47, 7.15it/s]
23%		101/441 [00:15<00:47, 7.11it/s]
23%		102/441 [00:15<00:47, 7.12it/s]
23%		103/441 [00:15<00:47, 7.13it/s]
24%		104/441 [00:15<00:47, 7.10it/s]
24%		105/441 [00:16<00:47, 7.10it/s]
24%		106/441 [00:16<00:47, 7.11it/s]
24%		107/441 [00:16<00:46, 7.12it/s]
24%		108/441 [00:16<00:46, 7.13it/s]
25%		109/441 [00:16<00:46, 7.13it/s]
25%		110/441 [00:16<00:46, 7.14it/s]
25%		111/441 [00:16<00:46, 7.13it/s]
25%		112/441 [00:17<00:46, 7.10it/s]
26%		113/441 [00:17<00:46, 7.07it/s]
26%		114/441 [00:17<00:46, 7.08it/s]
26%		115/441 [00:17<00:45, 7.10it/s]
26%		116/441 [00:17<00:45, 7.12it/s]
27%		117/441 [00:17<00:45, 7.13it/s]
27%		118/441 [00:17<00:45, 7.14it/s]
27%		119/441 [00:18<00:45, 7.13it/s]
27%		120/441 [00:18<00:45, 7.12it/s]
27%		121/441 [00:18<00:44, 7.12it/s]
28%		122/441 [00:18<00:44, 7.12it/s]
28%		123/441 [00:18<00:44, 7.13it/s]
28%		124/441 [00:18<00:44, 7.13it/s]
28%		125/441 [00:18<00:44, 7.13it/s]
29%		126/441 [00:19<00:44, 7.12it/s]
29%		127/441 [00:19<00:44, 7.12it/s]
29%		128/441 [00:19<00:43, 7.12it/s]
29%		129/441 [00:19<00:43, 7.12it/s]
29%		130/441 [00:19<00:43, 7.12it/s]
30%		131/441 [00:19<00:43, 7.09it/s]
30%		132/441 [00:19<00:43, 7.10it/s]
30%		133/441 [00:20<00:43, 7.05it/s]
30%		134/441 [00:20<00:43, 7.02it/s]
31%		135/441 [00:20<00:43, 7.04it/s]
31%		136/441 [00:20<00:43, 7.04it/s]
31%		137/441 [00:20<00:43, 7.03it/s]
31%		138/441 [00:20<00:43, 7.01it/s]
32%		139/441 [00:20<00:43, 7.00it/s]
32%		140/441 [00:21<00:42, 7.01it/s]
32%		141/441 [00:21<00:42, 7.00it/s]
32%		142/441 [00:21<00:42, 7.03it/s]
32%		143/441 [00:21<00:42, 7.04it/s]
33%		144/441 [00:21<00:42, 7.05it/s]
33%		145/441 [00:21<00:41, 7.06it/s]
33%		146/441 [00:21<00:41, 7.03it/s]
33%		147/441 [00:22<00:41, 7.00it/s]
34%		148/441 [00:22<00:41, 7.01it/s]
34%		149/441 [00:22<00:41, 7.03it/s]
34%		150/441 [00:22<00:41, 7.04it/s]



34%	<div></div>	151/441 [00:22<00:41, 7.06it/s]
34%	<div></div>	152/441 [00:22<00:41, 7.04it/s]
35%	<div></div>	153/441 [00:22<00:41, 7.02it/s]
35%	<div></div>	154/441 [00:23<00:40, 7.04it/s]
35%	<div></div>	155/441 [00:23<00:40, 7.04it/s]
35%	<div></div>	156/441 [00:23<00:40, 7.01it/s]
36%	<div></div>	157/441 [00:23<00:40, 6.99it/s]
36%	<div></div>	158/441 [00:23<00:40, 7.00it/s]
36%	<div></div>	159/441 [00:23<00:40, 6.99it/s]
36%	<div></div>	160/441 [00:23<00:40, 6.97it/s]
37%	<div></div>	161/441 [00:24<00:40, 6.98it/s]
37%	<div></div>	162/441 [00:24<00:40, 6.97it/s]
37%	<div></div>	163/441 [00:24<00:39, 7.01it/s]
37%	<div></div>	164/441 [00:24<00:39, 7.01it/s]
37%	<div></div>	165/441 [00:24<00:39, 7.00it/s]
38%	<div></div>	166/441 [00:24<00:39, 7.01it/s]
38%	<div></div>	167/441 [00:24<00:38, 7.03it/s]
38%	<div></div>	168/441 [00:25<00:38, 7.06it/s]
38%	<div></div>	169/441 [00:25<00:38, 7.07it/s]
39%	<div></div>	170/441 [00:25<00:38, 7.08it/s]
39%	<div></div>	171/441 [00:25<00:38, 7.09it/s]
39%	<div></div>	172/441 [00:25<00:37, 7.10it/s]
39%	<div></div>	173/441 [00:25<00:37, 7.07it/s]
39%	<div></div>	174/441 [00:25<00:37, 7.08it/s]
40%	<div></div>	175/441 [00:26<00:37, 7.04it/s]
40%	<div></div>	176/441 [00:26<00:37, 7.01it/s]
40%	<div></div>	177/441 [00:26<00:37, 7.01it/s]
40%	<div></div>	178/441 [00:26<00:37, 6.99it/s]
41%	<div></div>	179/441 [00:26<00:37, 7.03it/s]
41%	<div></div>	180/441 [00:26<00:37, 7.02it/s]
41%	<div></div>	181/441 [00:26<00:36, 7.05it/s]
41%	<div></div>	182/441 [00:27<00:36, 7.03it/s]
41%	<div></div>	183/441 [00:27<00:36, 7.04it/s]
42%	<div></div>	184/441 [00:27<00:36, 7.01it/s]
42%	<div></div>	185/441 [00:27<00:36, 6.98it/s]
42%	<div></div>	186/441 [00:27<00:36, 6.98it/s]
42%	<div></div>	187/441 [00:27<00:36, 6.97it/s]
43%	<div></div>	188/441 [00:27<00:36, 6.97it/s]
43%	<div></div>	189/441 [00:28<00:36, 6.97it/s]
43%	<div></div>	190/441 [00:28<00:36, 6.97it/s]
43%	<div></div>	191/441 [00:28<00:35, 6.96it/s]
44%	<div></div>	192/441 [00:28<00:35, 6.97it/s]
44%	<div></div>	193/441 [00:28<00:35, 6.97it/s]
44%	<div></div>	194/441 [00:28<00:35, 7.00it/s]
44%	<div></div>	195/441 [00:28<00:35, 6.99it/s]
44%	<div></div>	196/441 [00:29<00:35, 6.98it/s]
45%	<div></div>	197/441 [00:29<00:34, 6.98it/s]
45%	<div></div>	198/441 [00:29<00:34, 6.97it/s]
45%	<div></div>	199/441 [00:29<00:34, 6.97it/s]
45%	<div></div>	200/441 [00:29<00:34, 7.00it/s]
46%	<div></div>	201/441 [00:29<00:34, 7.00it/s]
46%	<div></div>	202/441 [00:29<00:34, 7.02it/s]
46%	<div></div>	203/441 [00:30<00:33, 7.00it/s]
46%	<div></div>	204/441 [00:30<00:33, 6.98it/s]
46%	<div></div>	205/441 [00:30<00:33, 6.97it/s]
47%	<div></div>	206/441 [00:30<00:33, 7.00it/s]
47%	<div></div>	207/441 [00:30<00:33, 7.02it/s]
47%	<div></div>	208/441 [00:30<00:33, 7.00it/s]
47%	<div></div>	209/441 [00:30<00:33, 6.99it/s]
48%	<div></div>	210/441 [00:31<00:33, 6.99it/s]
48%	<div></div>	211/441 [00:31<00:32, 7.03it/s]
48%	<div></div>	212/441 [00:31<00:32, 7.02it/s]
48%	<div></div>	213/441 [00:31<00:32, 7.00it/s]
49%	<div></div>	214/441 [00:31<00:32, 7.02it/s]
49%	<div></div>	215/441 [00:31<00:32, 7.05it/s]
49%	<div></div>	216/441 [00:31<00:31, 7.07it/s]
49%	<div></div>	217/441 [00:32<00:31, 7.07it/s]
49%	<div></div>	218/441 [00:32<00:31, 7.08it/s]
50%	<div></div>	219/441 [00:32<00:31, 7.10it/s]

50%		220/441 [00:32<00:31, 7.07it/s]
50%		221/441 [00:32<00:31, 7.08it/s]
50%		222/441 [00:32<00:30, 7.10it/s]
51%		223/441 [00:32<00:30, 7.09it/s]
51%		224/441 [00:33<00:30, 7.09it/s]
51%		225/441 [00:33<00:30, 7.09it/s]
51%		226/441 [00:33<00:30, 7.06it/s]
51%		227/441 [00:33<00:30, 7.07it/s]
52%		228/441 [00:33<00:30, 7.08it/s]
52%		229/441 [00:33<00:29, 7.09it/s]
52%		230/441 [00:33<00:29, 7.10it/s]
52%		231/441 [00:34<00:29, 7.08it/s]
53%		232/441 [00:34<00:29, 7.07it/s]
53%		233/441 [00:34<00:29, 7.04it/s]
53%		234/441 [00:34<00:29, 7.01it/s]
53%		235/441 [00:34<00:29, 7.03it/s]
54%		236/441 [00:34<00:29, 7.06it/s]
54%		237/441 [00:34<00:28, 7.07it/s]
54%		238/441 [00:35<00:28, 7.05it/s]
54%		239/441 [00:35<00:28, 7.05it/s]
54%		240/441 [00:35<00:28, 7.06it/s]
55%		241/441 [00:35<00:28, 7.04it/s]
55%		242/441 [00:35<00:28, 7.02it/s]
55%		243/441 [00:35<00:28, 7.04it/s]
55%		244/441 [00:35<00:28, 7.03it/s]
56%		245/441 [00:36<00:27, 7.04it/s]
56%		246/441 [00:36<00:27, 7.05it/s]
56%		247/441 [00:36<00:27, 7.07it/s]
56%		248/441 [00:36<00:27, 7.06it/s]
56%		249/441 [00:36<00:27, 7.02it/s]
57%		250/441 [00:36<00:27, 7.03it/s]
57%		251/441 [00:36<00:26, 7.04it/s]
57%		252/441 [00:36<00:26, 7.05it/s]
57%		253/441 [00:37<00:26, 7.05it/s]
58%		254/441 [00:37<00:26, 7.06it/s]
58%		255/441 [00:37<00:26, 7.06it/s]
58%		256/441 [00:37<00:26, 7.02it/s]
58%		257/441 [00:37<00:26, 6.99it/s]
59%		258/441 [00:37<00:26, 6.97it/s]
59%		259/441 [00:37<00:25, 7.01it/s]
59%		260/441 [00:38<00:25, 7.03it/s]
59%		261/441 [00:38<00:25, 7.04it/s]
59%		262/441 [00:38<00:25, 7.05it/s]
60%		263/441 [00:38<00:25, 7.07it/s]
60%		264/441 [00:38<00:25, 7.08it/s]
60%		265/441 [00:38<00:24, 7.08it/s]
60%		266/441 [00:38<00:24, 7.08it/s]
61%		267/441 [00:39<00:24, 7.09it/s]
61%		268/441 [00:39<00:24, 7.08it/s]
61%		269/441 [00:39<00:24, 7.08it/s]
61%		270/441 [00:39<00:24, 7.09it/s]
61%		271/441 [00:39<00:23, 7.09it/s]
62%		272/441 [00:39<00:23, 7.06it/s]
62%		273/441 [00:39<00:23, 7.07it/s]
62%		274/441 [00:40<00:23, 7.08it/s]
62%		275/441 [00:40<00:23, 7.09it/s]
63%		276/441 [00:40<00:23, 7.07it/s]
63%		277/441 [00:40<00:23, 7.02it/s]
63%		278/441 [00:40<00:23, 7.04it/s]
63%		279/441 [00:40<00:22, 7.05it/s]
63%		280/441 [00:40<00:22, 7.05it/s]
64%		281/441 [00:41<00:22, 7.07it/s]
64%		282/441 [00:41<00:22, 7.08it/s]
64%		283/441 [00:41<00:22, 7.05it/s]
64%		284/441 [00:41<00:22, 7.06it/s]
65%		285/441 [00:41<00:22, 7.07it/s]
65%		286/441 [00:41<00:21, 7.07it/s]
65%		287/441 [00:41<00:21, 7.08it/s]
65%		288/441 [00:42<00:21, 7.08it/s]

66%	<div></div>	289/441	[00:42<00:21,	7.09it/s]
66%	<div></div>	290/441	[00:42<00:21,	7.10it/s]
66%	<div></div>	291/441	[00:42<00:21,	7.10it/s]
66%	<div></div>	292/441	[00:42<00:20,	7.11it/s]
66%	<div></div>	293/441	[00:42<00:20,	7.12it/s]
67%	<div></div>	294/441	[00:42<00:20,	7.12it/s]
67%	<div></div>	295/441	[00:43<00:20,	7.11it/s]
67%	<div></div>	296/441	[00:43<00:20,	7.11it/s]
67%	<div></div>	297/441	[00:43<00:20,	7.10it/s]
68%	<div></div>	298/441	[00:43<00:20,	7.06it/s]
68%	<div></div>	299/441	[00:43<00:20,	7.08it/s]
68%	<div></div>	300/441	[00:43<00:19,	7.09it/s]
68%	<div></div>	301/441	[00:43<00:19,	7.09it/s]
68%	<div></div>	302/441	[00:44<00:19,	7.07it/s]
69%	<div></div>	303/441	[00:44<00:19,	7.08it/s]
69%	<div></div>	304/441	[00:44<00:19,	7.08it/s]
69%	<div></div>	305/441	[00:44<00:19,	7.08it/s]
69%	<div></div>	306/441	[00:44<00:19,	7.08it/s]
70%	<div></div>	307/441	[00:44<00:18,	7.08it/s]
70%	<div></div>	308/441	[00:44<00:18,	7.07it/s]
70%	<div></div>	309/441	[00:45<00:18,	7.04it/s]
70%	<div></div>	310/441	[00:45<00:18,	7.02it/s]
71%	<div></div>	311/441	[00:45<00:18,	7.01it/s]
71%	<div></div>	312/441	[00:45<00:18,	7.00it/s]
71%	<div></div>	313/441	[00:45<00:18,	7.02it/s]
71%	<div></div>	314/441	[00:45<00:18,	7.04it/s]
71%	<div></div>	315/441	[00:45<00:17,	7.06it/s]
72%	<div></div>	316/441	[00:46<00:17,	7.07it/s]
72%	<div></div>	317/441	[00:46<00:17,	7.08it/s]
72%	<div></div>	318/441	[00:46<00:17,	7.06it/s]
72%	<div></div>	319/441	[00:46<00:17,	7.07it/s]
73%	<div></div>	320/441	[00:46<00:17,	7.08it/s]
73%	<div></div>	321/441	[00:46<00:16,	7.09it/s]
73%	<div></div>	322/441	[00:46<00:16,	7.07it/s]
73%	<div></div>	323/441	[00:47<00:16,	7.08it/s]
73%	<div></div>	324/441	[00:47<00:16,	7.06it/s]
74%	<div></div>	325/441	[00:47<00:16,	7.05it/s]
74%	<div></div>	326/441	[00:47<00:16,	7.06it/s]
74%	<div></div>	327/441	[00:47<00:16,	7.05it/s]
74%	<div></div>	328/441	[00:47<00:16,	7.03it/s]
75%	<div></div>	329/441	[00:47<00:15,	7.04it/s]
75%	<div></div>	330/441	[00:48<00:15,	7.05it/s]
75%	<div></div>	331/441	[00:48<00:15,	7.02it/s]
75%	<div></div>	332/441	[00:48<00:15,	7.04it/s]
76%	<div></div>	333/441	[00:48<00:15,	7.05it/s]
76%	<div></div>	334/441	[00:48<00:15,	7.04it/s]
76%	<div></div>	335/441	[00:48<00:14,	7.07it/s]
76%	<div></div>	336/441	[00:48<00:14,	7.05it/s]
76%	<div></div>	337/441	[00:49<00:14,	7.06it/s]
77%	<div></div>	338/441	[00:49<00:14,	7.08it/s]
77%	<div></div>	339/441	[00:49<00:14,	7.06it/s]
77%	<div></div>	340/441	[00:49<00:14,	7.07it/s]
77%	<div></div>	341/441	[00:49<00:14,	7.08it/s]
78%	<div></div>	342/441	[00:49<00:13,	7.09it/s]
78%	<div></div>	343/441	[00:49<00:13,	7.10it/s]
78%	<div></div>	344/441	[00:50<00:13,	7.10it/s]
78%	<div></div>	345/441	[00:50<00:13,	7.08it/s]
78%	<div></div>	346/441	[00:50<00:13,	7.06it/s]
79%	<div></div>	347/441	[00:50<00:13,	7.06it/s]
79%	<div></div>	348/441	[00:50<00:13,	7.09it/s]
79%	<div></div>	349/441	[00:50<00:12,	7.09it/s]
79%	<div></div>	350/441	[00:50<00:12,	7.05it/s]
80%	<div></div>	351/441	[00:51<00:12,	7.06it/s]
80%	<div></div>	352/441	[00:51<00:12,	7.06it/s]
80%	<div></div>	353/441	[00:51<00:12,	7.06it/s]
80%	<div></div>	354/441	[00:51<00:12,	7.05it/s]
80%	<div></div>	355/441	[00:51<00:12,	7.06it/s]
81%	<div></div>	356/441	[00:51<00:12,	7.06it/s]
81%	<div></div>	357/441	[00:51<00:12,	6.96it/s]

81%	<div></div>	358/441	[00:52<00:11,	6.98it/s]
81%	<div></div>	359/441	[00:52<00:11,	6.95it/s]
82%	<div></div>	360/441	[00:52<00:11,	6.96it/s]
82%	<div></div>	361/441	[00:52<00:11,	6.95it/s]
82%	<div></div>	362/441	[00:52<00:11,	6.94it/s]
82%	<div></div>	363/441	[00:52<00:11,	6.95it/s]
83%	<div></div>	364/441	[00:52<00:11,	6.98it/s]
83%	<div></div>	365/441	[00:53<00:10,	7.00it/s]
83%	<div></div>	366/441	[00:53<00:10,	7.02it/s]
83%	<div></div>	367/441	[00:53<00:10,	7.04it/s]
83%	<div></div>	368/441	[00:53<00:10,	7.06it/s]
84%	<div></div>	369/441	[00:53<00:10,	7.07it/s]
84%	<div></div>	370/441	[00:53<00:10,	7.09it/s]
84%	<div></div>	371/441	[00:53<00:09,	7.09it/s]
84%	<div></div>	372/441	[00:53<00:09,	7.08it/s]
85%	<div></div>	373/441	[00:54<00:09,	7.08it/s]
85%	<div></div>	374/441	[00:54<00:09,	7.08it/s]
85%	<div></div>	375/441	[00:54<00:09,	7.07it/s]
85%	<div></div>	376/441	[00:54<00:09,	7.07it/s]
85%	<div></div>	377/441	[00:54<00:09,	7.07it/s]
86%	<div></div>	378/441	[00:54<00:08,	7.08it/s]
86%	<div></div>	379/441	[00:54<00:08,	7.08it/s]
86%	<div></div>	380/441	[00:55<00:08,	7.08it/s]
86%	<div></div>	381/441	[00:55<00:08,	7.09it/s]
87%	<div></div>	382/441	[00:55<00:08,	7.08it/s]
87%	<div></div>	383/441	[00:55<00:08,	7.09it/s]
87%	<div></div>	384/441	[00:55<00:08,	7.09it/s]
87%	<div></div>	385/441	[00:55<00:07,	7.08it/s]
88%	<div></div>	386/441	[00:55<00:07,	7.09it/s]
88%	<div></div>	387/441	[00:56<00:07,	7.10it/s]
88%	<div></div>	388/441	[00:56<00:07,	7.09it/s]
88%	<div></div>	389/441	[00:56<00:07,	7.09it/s]
88%	<div></div>	390/441	[00:56<00:07,	7.09it/s]
89%	<div></div>	391/441	[00:56<00:07,	7.09it/s]
89%	<div></div>	392/441	[00:56<00:06,	7.05it/s]
89%	<div></div>	393/441	[00:56<00:06,	7.03it/s]
89%	<div></div>	394/441	[00:57<00:06,	7.05it/s]
90%	<div></div>	395/441	[00:57<00:06,	7.06it/s]
90%	<div></div>	396/441	[00:57<00:06,	7.06it/s]
90%	<div></div>	397/441	[00:57<00:06,	7.02it/s]
90%	<div></div>	398/441	[00:57<00:06,	6.99it/s]
90%	<div></div>	399/441	[00:57<00:06,	6.97it/s]
91%	<div></div>	400/441	[00:57<00:05,	6.97it/s]
91%	<div></div>	401/441	[00:58<00:05,	6.96it/s]
91%	<div></div>	402/441	[00:58<00:05,	6.99it/s]
91%	<div></div>	403/441	[00:58<00:05,	7.03it/s]
92%	<div></div>	404/441	[00:58<00:05,	7.06it/s]
92%	<div></div>	405/441	[00:58<00:05,	7.08it/s]
92%	<div></div>	406/441	[00:58<00:04,	7.09it/s]
92%	<div></div>	407/441	[00:58<00:04,	7.09it/s]
93%	<div></div>	408/441	[00:59<00:04,	7.09it/s]
93%	<div></div>	409/441	[00:59<00:04,	7.09it/s]
93%	<div></div>	410/441	[00:59<00:04,	7.05it/s]
93%	<div></div>	411/441	[00:59<00:04,	7.06it/s]
93%	<div></div>	412/441	[00:59<00:04,	7.08it/s]
94%	<div></div>	413/441	[00:59<00:03,	7.09it/s]
94%	<div></div>	414/441	[00:59<00:03,	7.09it/s]
94%	<div></div>	415/441	[01:00<00:03,	7.09it/s]
94%	<div></div>	416/441	[01:00<00:03,	7.08it/s]
95%	<div></div>	417/441	[01:00<00:03,	7.07it/s]
95%	<div></div>	418/441	[01:00<00:03,	7.07it/s]
95%	<div></div>	419/441	[01:00<00:03,	7.07it/s]
95%	<div></div>	420/441	[01:00<00:02,	7.07it/s]
95%	<div></div>	421/441	[01:00<00:02,	7.08it/s]
96%	<div></div>	422/441	[01:01<00:02,	7.07it/s]
96%	<div></div>	423/441	[01:01<00:02,	7.05it/s]
96%	<div></div>	424/441	[01:01<00:02,	7.03it/s]
96%	<div></div>	425/441	[01:01<00:02,	7.04it/s]
97%	<div></div>	426/441	[01:01<00:02,	7.06it/s]

```

97%|██████████| 427/441 [01:01<00:01, 7.06it/s]
97%|██████████| 428/441 [01:01<00:01, 7.07it/s]
97%|██████████| 429/441 [01:02<00:01, 7.07it/s]
98%|██████████| 430/441 [01:02<00:01, 7.08it/s]
98%|██████████| 431/441 [01:02<00:01, 7.09it/s]
98%|██████████| 432/441 [01:02<00:01, 7.09it/s]
98%|██████████| 433/441 [01:02<00:01, 7.09it/s]
98%|██████████| 434/441 [01:02<00:00, 7.06it/s]
99%|██████████| 435/441 [01:02<00:00, 7.05it/s]
99%|██████████| 436/441 [01:03<00:00, 7.03it/s]
99%|██████████| 437/441 [01:03<00:00, 7.02it/s]
99%|██████████| 438/441 [01:03<00:00, 7.00it/s]
100%|██████████| 439/441 [01:03<00:00, 7.02it/s]
100%|██████████| 440/441 [01:03<00:00, 7.04it/s]
100%|██████████| 441/441 [01:03<00:00, 7.06it/s]
[INFO|trainer.py:1508] 2023-07-31 17:47:14,895 >>
Training completed. Do not forget to share your model on huggingface.co/models =)
[INFO|trainer.py:1508] 2023-07-31 17:47:14,895 >>
Training completed. Do not forget to share your model on huggingface.co/models =)
{'train_runtime': 63.7744, 'train_samples_per_second': 13.83, 'train_steps_per_second': 6.915,
 'train_loss': 3.7288090366354876, 'epoch': 3.0}
100%|██████████| 441/441 [01:03<00:00, 7.06it/s]
100%|██████████| 441/441 [01:03<00:00, 6.92it/s]
[INFO|trainer.py:2139] 2023-07-31 17:47:14,897 >> Saving model checkpoint to /opt/ml/model
[INFO|trainer.py:2139] 2023-07-31 17:47:14,897 >> Saving model checkpoint to /opt/ml/model
[INFO|configuration_utils.py:439] 2023-07-31 17:47:14,898 >> Configuration saved in /opt/ml/mod
el/config.json
[INFO|configuration_utils.py:439] 2023-07-31 17:47:14,898 >> Configuration saved in /opt/ml/mod
el/config.json
[INFO|modeling_utils.py:1084] 2023-07-31 17:47:15,602 >> Model weights saved in /opt/ml/model/p
ytorch_model.bin
[INFO|modeling_utils.py:1084] 2023-07-31 17:47:15,602 >> Model weights saved in /opt/ml/model/p
ytorch_model.bin
[INFO|tokenization_utils_base.py:2094] 2023-07-31 17:47:15,603 >> tokenizer config file saved i
n /opt/ml/model/tokenizer_config.json
[INFO|tokenization_utils_base.py:2094] 2023-07-31 17:47:15,603 >> tokenizer config file saved i
n /opt/ml/model/tokenizer_config.json
[INFO|tokenization_utils_base.py:2100] 2023-07-31 17:47:15,603 >> Special tokens file saved in
/opt/ml/model/special_tokens_map.json
[INFO|tokenization_utils_base.py:2100] 2023-07-31 17:47:15,603 >> Special tokens file saved in
/opt/ml/model/special_tokens_map.json
***** train metrics *****
epoch = 3.0
train_loss = 3.7288
train_runtime = 0:01:03.77
train_samples = 294
train_samples_per_second = 13.83
train_steps_per_second = 6.915
07/31/2023 17:47:15 - INFO - __main__ - *** Evaluate ***
[INFO|trainer.py:2389] 2023-07-31 17:47:15,714 >> ***** Running Evaluation *****
[INFO|trainer.py:2389] 2023-07-31 17:47:15,714 >> ***** Running Evaluation *****
[INFO|trainer.py:2391] 2023-07-31 17:47:15,714 >> Num examples = 17
[INFO|trainer.py:2394] 2023-07-31 17:47:15,714 >> Batch size = 2
[INFO|trainer.py:2391] 2023-07-31 17:47:15,714 >> Num examples = 17
[INFO|trainer.py:2394] 2023-07-31 17:47:15,714 >> Batch size = 2
0%|          | 0/9 [00:00<?, ?it/s]
44%|██████    | 4/9 [00:00<00:00, 28.65it/s]
78%|██████████| 7/9 [00:00<00:00, 24.26it/s]
100%|██████████| 9/9 [00:00<00:00, 20.56it/s]
***** eval metrics *****
epoch = 3.0
eval_accuracy = 0.3779
eval_loss = 3.4596
eval_runtime = 0:00:00.48
eval_samples = 17
eval_samples_per_second = 34.944
eval_steps_per_second = 18.5
perplexity = 31.8058
2023-07-31 17:47:16,784 sagemaker-training-toolkit INFO      Waiting for the process to finish a

```

```

nd give a return code.
2023-07-31 17:47:16,784 sagemaker-training-toolkit INFO Done waiting for a return code. Received 0 from exiting process.
2023-07-31 17:47:16,784 sagemaker-training-toolkit INFO Reporting training SUCCESS

2023-07-31 17:47:25 Uploading - Uploading generated training model
2023-07-31 17:47:56 Completed - Training job completed
Training seconds: 433
Billable seconds: 433

```

## Model deployment

Now we want to deploy both the original 'distilGPT2' model and our finetuned 'shakespeare-distilGPT2' model. Therefore we first retrieve the S3 path to the model artifact archive of our finetuned model:

```

In [11]: latest_job_name = huggingface_estimator.latest_training_job.job_name
latest_job_name

```

```

Out[11]: 'huggingface-pytorch-training-2023-07-31-17-38-58-475'

```

```

In [12]: def get_s3_artifact_path(training_job_name):
# Get the ModelArtifacts object for the training job
sagemaker_session = sagemaker.Session()

training_job = sagemaker_session.describe_training_job(training_job_name)

model_artifacts = training_job['ModelArtifacts']

# Retrieve the S3 path to the model artifact
s3_path = model_artifacts['S3ModelArtifacts']
return s3_path

```

```

In [13]: s3_path = get_s3_artifact_path(latest_job_name)
s3_path

```

```

Out[13]: 's3://immersion-day-bucket-882819251225/huggingface-pytorch-training-2023-07-31-17-38-58-475/output/model.tar.gz'

```

Then we deploy the model to a 'ml.g4dn.xlarge' instance using the HuggingFaceModel class:

```

In [14]: # create Hugging Face Model Class
huggingface_model_finetuned = HuggingFaceModel(
    image_uri=f'763104351884.dkr.ecr.{region}.amazonaws.com/huggingface-pytorch-inference:1.10.
    model_data=s3_path ,
    role=role
)

```

```

In [15]: predictor_finetuned = huggingface_model_finetuned.deploy(
    initial_instance_count=1, # number of instances
    instance_type='ml.g4dn.xlarge',
    endpoint_name='sm-endpoint-distilgpt2-shakespeare-immersion-day',
)

```

```

INFO:sagemaker:Creating model with name: huggingface-pytorch-inference-2023-07-31-17-51-52-141
INFO:sagemaker:Creating endpoint-config with name sm-endpoint-distilgpt2-shakespeare-immersion-day
INFO:sagemaker:Creating endpoint with name sm-endpoint-distilgpt2-shakespeare-immersion-day
-----!

```

We also deploy the original model to a 'ml.g4dn.xlarge' instance. Therefore we use a cool feature built-in into the SageMaker SDK - we can define a model to be deployed directly from the HuggingFace model hub together with the model task to be performed directly as environment variables when creating a HuggingFaceModel, SageMaker Inference handles the rest:

```
In [16]: hub = {
    'HF_MODEL_ID': 'distilgpt2', # model_id from hf.co/models
    'HF_TASK': 'text-generation' # NLP task you want to use for predictions
}

# create Hugging Face Model Class
huggingface_model_plain = HuggingFaceModel(
    env=hub, # configuration for loading model fr
    role=role, # IAM role with permissions to creat
    image_uri=f'763104351884.dkr.ecr.{region}.amazonaws.com/huggingface-pytorch-inference:1.10.2
)
```

```
In [17]: predictor_plain = huggingface_model_plain.deploy(
    initial_instance_count=1, # number of instances
    instance_type='ml.g4dn.xlarge',
    endpoint_name='sm-endpoint-distilgpt2-immersion-day',
)
```

```
INFO:sagemaker:Creating model with name: huggingface-pytorch-inference-2023-07-31-18-01-40-069
INFO:sagemaker:Creating endpoint-config with name sm-endpoint-distilgpt2-immersion-day
INFO:sagemaker:Creating endpoint with name sm-endpoint-distilgpt2-immersion-day
-----!
```

## Inference

Having the two endpoints available, we can experiment and observe the impact the finetuning has in terms of performance of the text-generation task.

```
In [18]: predictor_finetuned.predict({"inputs": "The meaning of life",
    "parameters": {
        "min_length": 50,
        "max_length": 100
    }})[0]['generated_text']
```

```
Out[18]: "The meaning of life:\n\nTo those whose eyes aught:\nIn my youth, when the sky's aflame,\nIn a golden hour when it's a flame\nWho will know what man can say of it.\n\nTUTUSCALUS:\nI am but what you do\nAnd what you do, I am your son:\n\nThe world's greatest father\nIs the most powerful father, the most powerful father, the most powerful of my soul\n"
```

```
In [19]: predictor_plain.predict({"inputs": "The meaning of life",
    "parameters": {
        "min_length": 50,
        "max_length": 100
    }})[0]['generated_text']
```

```
Out[19]: 'The meaning of life is that there could have been such a thing.\u202aThere would be different kinds of life without a man, but the nature of the universe was simple as that.\u202aThe question is which kind of life can exist? It is the nature of life, and that is what we are talking about.'
```

## Cleanup

Finally, we clean up all resources not needed anymore since we pledge for the responsible use of compute resources. In this case this is the created endpoint together with the respective endpoint configuration.

```
In [ ]: predictor_finetuned.delete_endpoint(delete_endpoint_config=True)
```

```
In [ ]: predictor_plain.delete_endpoint(delete_endpoint_config=True)
```

```
In [ ]:
```