

Alumno: Sergio Luguís Pita

Docker

1. Crea un Dockerfile que partiendo de una imagen PHP genera una imagen que:
 - Copia una aplicación en PHP a un directorio del contenedor. Esta aplicación se debe copiar directamente desde un directorio del anfitrión. Para facilitar las cosas, debe de ser una aplicación sencilla que no emplee bases de datos (ya que si no también habría que instalar un MySQL).

Prerrequisitos: Crear el Dockerfile y un index.php

```
usuario@pps:~/apartado1$ cat Dockerfile
# Apartado 1: Imagen basada en PHP oficial (incluye Apache)
FROM php:8.2-apache

# Copiar la aplicación PHP desde el directorio local 'app/' al directorio web del contenedor
COPY app/ /var/www/html/

# Exponer el puerto 80
EXPOSE 80
usuario@pps:~/apartado1$ cat app/index.php
<?php
$fecha = date('d/m/Y H:i:s');
?>
<!DOCTYPE html>
<html lang="es">
<head>
    <meta charset="UTF-8">
    <title>Práctica DevSecOps</title>
    <style>
        body { font-family: Arial, sans-serif; max-width: 600px; margin: 80px auto; text-align: center; }
        h1 { color: #2c3e50; }
        .info { background: #ecf0f1; padding: 20px; border-radius: 8px; }
    </style>
</head>
<body>
    <h1>🐳 Contenedor Docker funcionando</h1>
    <div class="info">
        <p><strong>Fecha y hora del servidor:</strong> <?= $fecha ?></p>
        <p><strong>Hostname:</strong> <?= gethostname() ?></p>
        <p><strong>PHP versión:</strong> <?= phpversion() ?></p>
    </div>
</body>
</html>
```

Crear imagen de contenedor:

```
docker build -t mipractica-php .
```

```

690692 4 -rw-rw-r-- 1 usuario usuario 234 may 20 17:08 Dockerfile
usuario@pps:~/apartado1$ docker build -t mipractica-php .
[+] Building 11.8s (7/7) FINISHED                                docker:default
=> [internal] load build definition from Dockerfile              0.0s
=> => transferring dockerfile: 273B                             0.0s
=> [internal] load metadata for docker.io/library/php:8.2-apache 1.0s
=> [internal] load .dockerignore                                0.0s
=> => transferring context: 2B                                    0.0s
=> [internal] load build context                                0.0s
=> => transferring context: 765B                                  0.0s
=> [1/2] FROM docker.io/library/php:8.2-apache@sha256:1e4b16ee1ee0b9c228889c3815957812cd 10.5s
=> => resolve docker.io/library/php:8.2-apache@sha256:1e4b16ee1ee0b9c228889c3815957812cd1 0.0s
=> => sha256:bc7a503572236c4f5fa40a83e6e8a53eb71d502909d6c4d5641b93e34a72 3.82kB / 3.82kB 0.0s
=> => sha256:487e971560f0056dc9521874e757ab1114f0ea303f54e70f2a5bca1a 117.84MB / 117.84MB 3.9s
=> => sha256:3ae148b09f88b41d3c986f497571f0ca74fddd2d56ab9fc90603e54e8e 11.93kB / 11.93kB 0.0s
=> => sha256:1e4b16ee1ee0b9c228889c3815957812cd1951379ce39e367fc4c72ffb 10.35kB / 10.35kB 0.0s
=> => sha256:5b4d6ff92fc4e14e911b7753c954fac965d48c40fe1075758d284148cc 29.78MB / 29.78MB 1.2s
=> => sha256:34eb7071422ecd73d7df21a7467f66fcd3bb19f4dbc9328eaa86026a7e781f57 225B / 225B 0.3s
=> => sha256:5cd80f85f90e7677b1345e07c60dc5e1da24abc7847b2caf62356638e849f25b 226B / 226B 0.5s
=> => sha256:f82bf7789d7ed61ec9e65d8692b087b0f8af7eabbca524375c958ca66313 4.23MB / 4.23MB 1.0s
=> => sha256:d067a15f7ac10dbce34216e5c0ca2b275ede97675081157c6e42b8d0c87805e5 435B / 435B 1.1s
=> => sha256:bc3476edda7999ef33bfbb9f621ed871892ed96223ef0a8b4649f54f0fab69b 488B / 488B 1.3s
=> => extracting sha256:5b4d6ff92fc4e14e911b7753c954fac965d48c40fe1075758d284148ccace970 2.2s
=> => sha256:72950e9a0ba87c0c7e2c0895309ac3e71eeefc79339e2798eb43a5ca163 12.33MB / 12.33MB 2.1s
=> => sha256:e4885b58575c91f8adb1c29f0557959fb195a5cf63174e2430877af9840c5211 488B / 488B 1.4s
=> => sha256:e694c55ba5aba821149fc8bc67d1f1ae38892d2150bac0980a069ceda8 11.46MB / 11.46MB 2.2s
=> => sha256:1b4118522fd52eb7cc95ebae8f530b3a1b98113192ebc61ee973cd05b961 2.46kB / 2.46kB 2.2s
=> => sha256:ffe6fb3632696203fc5956e86e27974f859e091fad8d64099427e088d029e85f 249B / 249B 2.4s
=> => sha256:9a2c3b28bcf76a00fef150b921dec858040778b7e7d56366d765286d0408608e 255B / 255B 2.4s
=> => sha256:7596c9d2949eaf0ba880fc8fe74c069e95caae1f670ff2b8e6a9668923c611ca 892B / 892B 2.5s
=> => sha256:4f4fb700ef54461cfa02571ae0db9a0dc1e0cdb5577484a6d75e68dc38e8acc1 32B / 32B 2.6s
=> => extracting sha256:34eb7071422ecd73d7df21a7467f66fcd3bb19f4dbc9328eaa86026a7e781f57 0.0s
=> => extracting sha256:487e971560f0056dc9521874e757ab1114f0ea303f54e70f2a5bca1a6e53fc39 5.1s

```

Crear y arrancar el contenedor

```
docker run -d --name contenedor-php -p 8080:80 mipractica-php
```

```

usuario@pps:~/apartado1$ docker run -d --name contenedor-php -p 8080:80 mipractica-php
822e41a22e25912902ae0e6131dac484c394ecc516d11fec9343071adadef917

```

Docker: 822e41a22e25912902ae0e6131dac484c394ecc516d11fec9343071adadef917

```

usuario@pps:~/apartado1$ docker images
REPOSITORY          TAG          IMAGE ID          CREATED          SIZE
mipractica-php      latest      f097b6f0ccfc     10 minutes ago  499MB
gcr.io/k8s-minikube/kicbase  v0.0.36    866c1fe4e3f2     3 years ago    1.11GB
hello-world         latest     feb5d9fea6a5     4 years ago    13.3kB

```

Verificar que funciona

```

usuario@pps:~/apartado1$ curl http://localhost:8080
<!DOCTYPE html>
<html lang="es">
<head>
  <meta charset="UTF-8">
  <title>Práctica DevSecOps</title>
  <style>
    body { font-family: Arial, sans-serif; max-width: 600px; margin: 80px auto; text-align: center; }
    h1 { color: #2c3e50; }
    .info { background: #ecf0f1; padding: 20px; border-radius: 8px; }
  </style>
</head>
<body>
  <h1><img alt="Docker whale logo" data-bbox="158 225 178 240"/> Contenedor Docker funcionando</h1>
  <div class="info">
    <p><strong>Fecha y hora del servidor:</strong> 20/05/2026 15:17:19</p>
    <p><strong>Hostname:</strong> 822e41a22e25</p>
    <p><strong>PHP versión:</strong> 8.2.31</p>
  </div>
</body>
</html>

```



Parar y borrar el contenedor

```

docker stop contenedor-php
docker rm contenedor-php

```

2. Crea un Dockerfile que partiendo de una imagen Ubuntu genera una imagen que:

- Instala Apache, de forma que se exponga el puerto 80.
- Instala PHP.
- Copia una aplicación web en PHP al directorio de Apache que expone las páginas web. Esta aplicación se debe descargar automáticamente mediante algún comando como

git clone o curl . Para facilitar las cosas, debe de ser una aplicación sencilla que no emplee bases de datos (ya que si no también habría que instalar un MySQL).

Crear dockerfile

```
usuario@pps:~/apartado2$ cat Dockerfile
# Apartado 2: Imagen basada en Ubuntu con Apache + PHP
FROM ubuntu:22.04

# Evitar preguntas interactivas durante la instalación
ENV DEBIAN_FRONTEND=noninteractive

# Actualizar repositorios e instalar Apache, PHP y git
RUN apt-get update && apt-get install -y \
    apache2 \
    php \
    libapache2-mod-php \
    git \
    && apt-get clean \
    && rm -rf /var/lib/apt/lists/*

# Descargar la aplicación PHP desde GitHub con git clone
# (Usamos como ejemplo un repositorio público sencillo sin base de datos)
RUN rm -rf /var/www/html/* && \
    git clone https://github.com/banago/simple-php-website.git /var/www/html/

# Ajustar permisos
RUN chown -R www-data:www-data /var/www/html/

# Exponer el puerto 80
EXPOSE 80

# Arrancar Apache en primer plano (necesario para que el contenedor no se detenga)
CMD ["apache2ctl", "-D", "FOREGROUND"]
```

Construir la imagen del Dockerfile

```
docker build -t practica2-apachephp .
```

```
usuario@pps:~/apartado2$ docker build -t practica2-apachephp .
[+] Building 61.3s (8/8) FINISHED                                docker:default
=> [internal] load build definition from Dockerfile              0.1s
=> => transferring dockerfile: 887B                             0.0s
=> [internal] load metadata for docker.io/library/ubuntu:22.04 1.7s
=> [internal] load .dockerignore                                0.1s
=> => transferring context: 2B                                    0.0s
=> [1/4] FROM docker.io/library/ubuntu:22.04@sha256:4f838adc7181d9039ac795a7d0aba05a9bd9e 2.4s
=> => resolve docker.io/library/ubuntu:22.04@sha256:4f838adc7181d9039ac795a7d0aba05a9bd9e 0.1s
=> => sha256:ce941a2a18bbb922e434d6d6d2b31e571a5c3826eaf6ada0a41dcc905bd2d906 424B / 424B 0.0s
=> => sha256:86f1a8d7b38e7a014c249cf2ca573c8ff7ce3cca128c5c06dcee75881372 2.05kB / 2.05kB 0.0s
=> => sha256:40d16f30db405106ef8074779bdf41f012465c2a785bbeaa2eab9f2081 29.74MB / 29.74MB 0.8s
=> => sha256:4f838adc7181d9039ac795a7d0aba05a9bd9ecd480d294483169c5def983 6.69kB / 6.69kB 0.0s
=> => extracting sha256:40d16f30db405106ef8074779bdf41f012465c2a785bbeaa2eab9f2081099b47 1.4s
=> [2/4] RUN apt-get update && apt-get install -y apache2 php libapache2-mod 53.9s
=> [3/4] RUN rm -rf /var/www/html/* && git clone https://github.com/banago/simple-php 1.2s
=> [4/4] RUN chown -R www-data:www-data /var/www/html/          0.6s
=> exporting to image                                           1.1s
=> => exporting layers                                           1.0s
=> => writing image sha256:f8d60240bb1aafd0fae15faa61a299e86b2ca8a4559d3d399186a0675e98a9 0.0s
=> => naming to docker.io/library/practica2-apachephp          0.0s
usuario@pps:~/apartado2$ cat Dockerfile
```

Crear y arrancar el contenedor

```
docker run -d --name contenedor-apachephp -p 8081:80 practica2-apachephp
```

```
usuario@pps:~/apartado2$ docker run -d --name contenedor-apachephp -p 8081:80 practica2-apachephp  
3277eccc67dea99e28155bebbc965eb3991ad8e78a95e2a5350efc792e6e7af2
```

Verificar que funciona



3. Crea un contenedor para cada una de esas imágenes y verifica que funciona. Para y borra dicho contenedor.

```
usuario@pps:~/apartado1$ docker ps -a
CONTAINER ID   IMAGE                                COMMAND                                  CREATED        STATUS      PORTS
f43b2ff3111e   mipractica-php                      "docker-php-entrypoi..."             6 seconds ago   Up         0.0.0.0:8080->80/tcp, [::]:8080->80/tcp
3277eccc67de   practica2-apachehttpd              "apache2ctl -D FOREG..."             6 minutes ago   Up         0.0.0.0:8081->80/tcp, [::]:8081->80/tcp
c202b1e20669   gcr.io/k8s-minikube/kicbase:v0.0.36 "/usr/local/bin/entr..."             3 years ago     Exited(130) 3 years ago
49ee9f6f1f3d   hello-world                         "/hello"                                3 years ago     Exited(0) 3 years ago
usuario@pps:~/apartado1$ docker ps
CONTAINER ID   IMAGE                                COMMAND                                  CREATED        STATUS      PORTS
f43b2ff3111e   mipractica-php                      "docker-php-entrypoi..."             15 seconds ago   Up 15 seconds   0.0.0.0:8080->80/tcp, [::]:8080->80/tcp
3277eccc67de   practica2-apachehttpd              "apache2ctl -D FOREG..."             6 minutes ago   Up 6 minutes   0.0.0.0:8081->80/tcp, [::]:8081->80/tcp
usuario@pps:~/apartado1$ docker images
REPOSITORY          TAG       IMAGE ID       CREATED        SIZE
practica2-apachehttpd   latest    f8d60240bb1a   8 minutes ago   233MB
mipractica-php         latest    f097b6f0ccfc   29 minutes ago   499MB
gcr.io/k8s-minikube/kicbase   v0.0.36   866c1fe4e3f2   3 years ago     1.11GB
hello-world           latest    feb5d9fea6a5   4 years ago     13.3kB
usuario@pps:~/apartado1$
```

La creación de los docker y como estan corriendo está ya en el apartado 1 y 2.

4. Emplea un comando para lanzar 20 contenedores de la segunda imagen, cada uno mapeado en un puerto distinto del anfitrión. Cuando veas que funcionan, para y borra dichos contenedores.

Creo el .yaml para Docker-compose


```
usuario@pps:~/apartado2$ cat docker-compose.yml
version: '3.8'

services:
  web-0:
    build: ./apartado2
    image: practica2-apachephp
    ports:
      - "9000:80"

  web-1:
    image: practica2-apachephp
    ports:
      - "9001:80"

  web-2:
    image: practica2-apachephp
    ports:
      - "9002:80"

  web-3:
    image: practica2-apachephp
    ports:
      - "9003:80"

  web-4:
    image: practica2-apachephp
    ports:
      - "9004:80"

  web-5:
    image: practica2-apachephp
    ports:
      - "9005:80"

  web-6:
    image: practica2-apachephp
    ports:
      - "9006:80"

  web-7:
    image: practica2-apachephp
    ports:
      - "9007:80"
```

```
# Lanzar los 20 contenedores de golpe
docker compose up -d
```

```
# Ver que están todos corriendo
docker compose ps
```

```
# Parar todos los contenedores
```

```
docker compose stop
```

```
# Parar y borrar todos los contenedores
```

```
docker compose down
```

Lanzar los contenedores

```
usuario@pps:~/apartado2$ docker compose up -d
WARN[0000] /home/usuario/apartado2/docker-compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
[+] Running 21/21
✓ Network apartado2_default Created 0.1s
✓ Container apartado2-web-4-1 Started 4.0s
✓ Container apartado2-web-10-1 Started 4.5s
✓ Container apartado2-web-6-1 Started 4.1s
✓ Container apartado2-web-11-1 Started 3.5s
✓ Container apartado2-web-13-1 Started 2.6s
✓ Container apartado2-web-8-1 Started 4.0s
✓ Container apartado2-web-14-1 Started 3.9s
✓ Container apartado2-web-9-1 Started 3.4s
✓ Container apartado2-web-17-1 Started 3.8s
✓ Container apartado2-web-7-1 Started 2.6s
✓ Container apartado2-web-12-1 Started 4.1s
✓ Container apartado2-web-18-1 Started 4.5s
✓ Container apartado2-web-1-1 Started 4.1s
✓ Container apartado2-web-0-1 Started 4.3s
✓ Container apartado2-web-2-1 Started 3.9s
✓ Container apartado2-web-5-1 Started 3.5s
✓ Container apartado2-web-16-1 Started 3.2s
✓ Container apartado2-web-3-1 Started 3.1s
✓ Container apartado2-web-15-1 Started 3.7s
✓ Container apartado2-web-19-1 Started 4.5s
```

Ver que los contenedores están corriendo

```
usuario@pps:~/apartado2$ docker compose ps
WARN[0000] /home/usuario/apartado2/docker-compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
NAME                IMAGE                COMMAND                SERVICE    CREATED        STATUS        PORTS
apartado2-web-0-1   practica2-apachehp  "apache2ctl -D FOREG..." web-0      2 minutes ago  Up 2 minutes  0.0.0.0:9000->80/tcp, [::]:9000->80/tcp
apartado2-web-1-1   practica2-apachehp  "apache2ctl -D FOREG..." web-1      2 minutes ago  Up 2 minutes  0.0.0.0:9001->80/tcp, [::]:9001->80/tcp
apartado2-web-10-1  practica2-apachehp  "apache2ctl -D FOREG..." web-10     2 minutes ago  Up 2 minutes  0.0.0.0:9010->80/tcp, [::]:9010->80/tcp
apartado2-web-11-1  practica2-apachehp  "apache2ctl -D FOREG..." web-11     2 minutes ago  Up 2 minutes  0.0.0.0:9011->80/tcp, [::]:9011->80/tcp
apartado2-web-12-1  practica2-apachehp  "apache2ctl -D FOREG..." web-12     2 minutes ago  Up 2 minutes  0.0.0.0:9012->80/tcp, [::]:9012->80/tcp
apartado2-web-13-1  practica2-apachehp  "apache2ctl -D FOREG..." web-13     2 minutes ago  Up 2 minutes  0.0.0.0:9013->80/tcp, [::]:9013->80/tcp
apartado2-web-14-1  practica2-apachehp  "apache2ctl -D FOREG..." web-14     2 minutes ago  Up 2 minutes  0.0.0.0:9014->80/tcp, [::]:9014->80/tcp
apartado2-web-15-1  practica2-apachehp  "apache2ctl -D FOREG..." web-15     2 minutes ago  Up 2 minutes  0.0.0.0:9015->80/tcp, [::]:9015->80/tcp
apartado2-web-16-1  practica2-apachehp  "apache2ctl -D FOREG..." web-16     2 minutes ago  Up 2 minutes  0.0.0.0:9016->80/tcp, [::]:9016->80/tcp
apartado2-web-17-1  practica2-apachehp  "apache2ctl -D FOREG..." web-17     2 minutes ago  Up 2 minutes  0.0.0.0:9017->80/tcp, [::]:9017->80/tcp
apartado2-web-18-1  practica2-apachehp  "apache2ctl -D FOREG..." web-18     2 minutes ago  Up 2 minutes  0.0.0.0:9018->80/tcp, [::]:9018->80/tcp
apartado2-web-19-1  practica2-apachehp  "apache2ctl -D FOREG..." web-19     2 minutes ago  Up 2 minutes  0.0.0.0:9019->80/tcp, [::]:9019->80/tcp
apartado2-web-2-1   practica2-apachehp  "apache2ctl -D FOREG..." web-2      2 minutes ago  Up 2 minutes  0.0.0.0:9002->80/tcp, [::]:9002->80/tcp
apartado2-web-3-1   practica2-apachehp  "apache2ctl -D FOREG..." web-3      2 minutes ago  Up 2 minutes  0.0.0.0:9003->80/tcp, [::]:9003->80/tcp
apartado2-web-4-1   practica2-apachehp  "apache2ctl -D FOREG..." web-4      2 minutes ago  Up 2 minutes  0.0.0.0:9004->80/tcp, [::]:9004->80/tcp
apartado2-web-5-1   practica2-apachehp  "apache2ctl -D FOREG..." web-5      2 minutes ago  Up 2 minutes  0.0.0.0:9005->80/tcp, [::]:9005->80/tcp
apartado2-web-6-1   practica2-apachehp  "apache2ctl -D FOREG..." web-6      2 minutes ago  Up 2 minutes  0.0.0.0:9006->80/tcp, [::]:9006->80/tcp
apartado2-web-7-1   practica2-apachehp  "apache2ctl -D FOREG..." web-7      2 minutes ago  Up 2 minutes  0.0.0.0:9007->80/tcp, [::]:9007->80/tcp
apartado2-web-8-1   practica2-apachehp  "apache2ctl -D FOREG..." web-8      2 minutes ago  Up 2 minutes  0.0.0.0:9008->80/tcp, [::]:9008->80/tcp
apartado2-web-9-1   practica2-apachehp  "apache2ctl -D FOREG..." web-9      2 minutes ago  Up 2 minutes  0.0.0.0:9009->80/tcp, [::]:9009->80/tcp
usuario@pps:~/apartado2$
```



Parar todos los contenedores

```
usuario@pps:~/apartado2$ docker compose stop
WARN[0000] /home/usuario/apartado2/docker-compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
[+] Stopping 20/20
✓ Container apartado2-web-19-1 Stopped 13.6s
✓ Container apartado2-web-18-1 Stopped 14.0s
✓ Container apartado2-web-9-1 Stopped 13.9s
✓ Container apartado2-web-17-1 Stopped 13.4s
✓ Container apartado2-web-12-1 Stopped 12.6s
✓ Container apartado2-web-4-1 Stopped 13.6s
✓ Container apartado2-web-14-1 Stopped 13.4s
✓ Container apartado2-web-1-1 Stopped 13.3s
✓ Container apartado2-web-2-1 Stopped 11.4s
✓ Container apartado2-web-10-1 Stopped 12.2s
✓ Container apartado2-web-6-1 Stopped 14.0s
✓ Container apartado2-web-11-1 Stopped 13.6s
✓ Container apartado2-web-16-1 Stopped 13.8s
✓ Container apartado2-web-0-1 Stopped 12.8s
✓ Container apartado2-web-3-1 Stopped 14.0s
✓ Container apartado2-web-8-1 Stopped 13.0s
✓ Container apartado2-web-13-1 Stopped 13.3s
✓ Container apartado2-web-5-1 Stopped 12.8s
✓ Container apartado2-web-15-1 Stopped 13.2s
✓ Container apartado2-web-7-1 Stopped 11.2s
```

Parar y borrar todos los contenedores

```
usuario@pps:~/apartado2$ docker compose down
WARN[0000] /home/usuario/apartado2/docker-compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
[+] Running 21/21
✓ Container apartado2-web-3-1 Removed 0.0s
✓ Container apartado2-web-6-1 Removed 0.0s
✓ Container apartado2-web-1-1 Removed 0.0s
✓ Container apartado2-web-15-1 Removed 0.0s
✓ Container apartado2-web-12-1 Removed 0.0s
✓ Container apartado2-web-10-1 Removed 0.0s
✓ Container apartado2-web-9-1 Removed 0.0s
✓ Container apartado2-web-2-1 Removed 0.0s
✓ Container apartado2-web-19-1 Removed 0.0s
✓ Container apartado2-web-5-1 Removed 0.0s
✓ Container apartado2-web-8-1 Removed 0.0s
✓ Container apartado2-web-13-1 Removed 0.0s
✓ Container apartado2-web-18-1 Removed 0.0s
✓ Container apartado2-web-4-1 Removed 0.0s
✓ Container apartado2-web-0-1 Removed 0.0s
✓ Container apartado2-web-16-1 Removed 0.0s
✓ Container apartado2-web-7-1 Removed 0.0s
✓ Container apartado2-web-17-1 Removed 0.0s
✓ Container apartado2-web-14-1 Removed 0.0s
✓ Container apartado2-web-11-1 Removed 0.0s
✓ Network apartado2_default Removed 0.1s
usuario@pps:~/apartado2$
```

Prueba de que funciona correctamente



Simple PHP Website

[Home](#) | [About Us](#) | [Products](#) | [Contact](#)

Home

This is **home** page. Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.

It is a long established fact that a reader will be distracted by the readable content of a page when looking at its layout. The point of using Lorem Ipsum is that it has a more-or-less normal distribution of letters, as opposed to using 'Content here, content here', making it look like readable English. Many desktop publishing packages and web page editors now use Lorem Ipsum as their default model text, and a search for 'lorem ipsum' will uncover many web sites still in their infancy. Various versions have evolved over the years, sometimes by accident, sometimes on purpose (injected humour and the like).