

HLA	Best Regime	ρ (mean)	SE	Sig. Better	Total Compared
A0101	Non-PT HLA 30L	0.636	0.030	7/7	7
A0201	PT epitope 30L	0.566	0.018	7/7	7
A0202	PT epitope 30L	0.884	0.011	7/7	7
A0205	Non-PT epitope 30L	0.797	0.057	7/7	7
A0206	Non-PT HLA 0L	nan	nan	0/7	7
A0207	PT HLA 30L	0.698	0.122	7/7	7
A0211	Non-PT epitope 30L	0.713	0.086	7/7	7
A0212	Non-PT HLA 30L	0.718	0.066	7/7	7
A0216	Non-PT epitope 30L	0.640	0.114	7/7	7
A0217	PT epitope 30L	0.733	0.084	7/7	7
A0219	PT epitope 30L	0.811	0.038	7/7	7
A0301	PT epitope 30L	0.615	0.022	7/7	7
A1101	PT HLA 30L	0.826	0.016	7/7	7
A2402	PT epitope 30L	0.350	0.044	7/7	7
A2403	PT epitope 30L	0.849	0.022	7/7	7
A2501	Non-PT epitope 30L	0.743	0.081	7/7	7
A2601	Non-PT HLA 30L	0.696	0.089	7/7	7
A2602	PT epitope 30L	0.650	0.104	7/7	7
A2603	Non-PT epitope 30L	0.706	0.111	5/5	5
A3001	Non-PT HLA 30L	0.699	0.122	7/7	7
A3101	Non-PT HLA 30L	0.803	0.088	7/7	7
A3201	Non-PT HLA 0L	nan	nan	0/7	7
A3207	PT HLA 30L	0.582	0.259	7/7	7
A3301	PT HLA 30L	0.712	0.129	7/7	7
A6601	Non-PT HLA 0L	0.063	0.463	0/7	7
A6801	PT HLA 30L	0.626	0.065	6/7	7
A6802	Non-PT HLA 0L	nan	nan	0/7	7
A6812	Non-PT HLA 0L	nan	nan	0/5	5
A6901	Non-PT HLA 30L	0.766	0.031	7/7	7
A8001	PT epitope 30L	0.661	0.099	7/7	7
B0702	PT epitope 30L	0.650	0.032	7/7	7
B0801	PT epitope 30L	0.448	0.069	7/7	7
B0802	PT epitope 30L	0.893	0.042	7/7	7
B1402	Non-PT epitope 30L	0.614	0.180	7/7	7
B1501	Non-PT epitope 30L	0.721	0.070	7/7	7
B1502	PT epitope 30L	0.402	0.180	7/7	7
B1503	PT epitope 30L	0.498	0.118	7/7	7
B1509	Non-PT epitope 0L	0.584	0.133	7/7	7
B1517	PT epitope 30L	0.620	0.053	7/7	7
B1542	PT HLA 0L	0.264	0.169	3/7	7
B1801	PT epitope 30L	0.763	0.080	6/7	7
B2701	Non-PT HLA 0L	0.692	0.301	1/7	7
B2702	Non-PT HLA 0L	nan	nan	0/7	7
B2703	Non-PT HLA 0L	nan	nan	0/7	7
B2704	PT HLA 30L	0.353	0.307	5/7	7
B2706	PT HLA 0L	0.388	0.368	6/7	7
B2720	PT epitope 30L	0.704	0.246	6/7	7
B3501	Non-PT HLA 0L	nan	nan	0/5	5
B3801	PT epitope 30L	0.626	0.115	7/7	7
B3901	Non-PT epitope 30L	0.417	0.137	7/7	7
B3906	Non-PT epitope 30L	0.447	0.143	5/5	5
B4001	PT epitope 0L	0.203	0.378	6/7	7
B4002	PT epitope 30L	0.666	0.062	5/5	5
B4013	PT epitope 30L	0.401	0.341	7/7	7
B4402	Non-PT HLA 30L	0.528	0.042	7/7	7
B4403	Non-PT HLA 30L	0.624	0.115	7/7	7
B4501	PT epitope 30L	0.796	0.043	7/7	7
B4601	PT epitope 30L	0.827	0.033	7/7	7
B4801	PT epitope 30L	0.850	0.031	7/7	7
B5101	PT epitope 30L	0.775	0.089	7/7	7
B5301	PT epitope 30L	0.740	0.040	7/7	7
B5401	PT epitope 30L	0.742	0.045	7/7	7
B5701	PT epitope 30L	0.680	0.143	5/5	5
B5801	PT HLA 30L	0.832	0.019	7/7	7
B7301	Non-PT epitope 30L	0.432	0.185	7/7	7
B8301	Non-PT epitope 30L	0.794	0.038	7/7	7
C0303	Non-PT epitope 30L	0.358	0.211	5/7	7
C0401	PT epitope 30L	0.469	0.140	7/7	7
C0501	Non-PT epitope 30L	0.750	0.120	7/7	7
C0602	PT epitope 30L	0.621	0.110	7/7	7
C0701	Non-PT HLA 0L	nan	nan	0/7	7
C0702	Non-PT epitope 30L	0.804	0.072	7/7	7
C0802	PT HLA 0L	0.340	0.271	6/7	7
C1203	Non-PT epitope 30L	0.394	0.164	7/7	7
C1402	PT epitope 30L	0.656	0.082	7/7	7
C1502	PT epitope 30L	0.564	0.119	7/7	7