THE 2026 CYBERSECURITY CRISIS

AUTONOMOUS AI AGENTS ARE ATTACKING PRODUCTION AT MACHINE SPEED.

THE PROBLEM: ASYMMETRIC RECONNAISSANCE

$10.5T THREAT


Autonomous threat actors, automated botnets, and rogue LLM agents probe SSH, REST APIs, and MCP endpoints 24/7. Traditional honeypots are static and passive, leaving human SecOps teams with a **4.2-hour average Mean Time to Investigate (MTTI)**.

THE SOLUTION: CLINE SENTINEL

REAL-TIME AI SOC

Deceptive decoy sensors lure adversaries into safe virtual emulators. **Cline AI acts as an unattended Tier-3 Security Analyst**, correlating telemetry, classifying intent, and generating one-click remediation in **under 30 seconds**.

100%	< 30s	3-Tier
CONTAINMENT ISOLATION	FORENSIC ANALYSIS SLA	RISK & AI SCORING



AUTONOMOUS DECEPTION GRID

IDENTIFY AGENTIC ATTACKS & ISOLATE IN SANDBOXES.

1 Agentic Probing & Schema Discovery Detection

Specialized decoys detect structured discovery requests targeting `/.well-known/agent.json`, MCP (Model Context Protocol) schemas, and automated AI client user-agents (LangChain, AutoGPT).

2 Transparent Honeypot Sandbox Isolation


When an agentic bot or automated attacker is recognized, traffic is seamlessly contained inside safe, synthetic virtual decoy environments without alerting the attacker.

3 Live Adversary Behavioral Observation

The platform traps the adversary's tool executions, prompt-injection attempts, and reconnaissance scripts in memory, logging rich telemetry for forensic analysis.

4 Zero Host or Production Access

Decoys provide non-functional simulations of databases, terminal shells, and credential vaults. Malicious instructions cannot execute on the host system.



TIER-3 AI SECURITY ANALYST

FORENSIC REASONING, ZERO-DAY CHECKS & AUTOMATED FIX.

1 Unattended Plan-Mode (-p) Sandbox

Telemetry is passed to local Cline CLI in read-only plan mode. Prompt-injection defenses tag telemetry as untrusted evidence, preventing LLM compromise.

2 3-Pillar Forensic Breakdown


For every suspicious event, Cline delivers: (1) **What the attack is about**, (2) **What it tries to do** (attacker intent), and (3) **How to fix it** (remediation checklist).

3 Daily Zero-Day Exploit Checks & Maintenance

Automated routines scan for newly published CVEs, zero-day signatures (e.g. RegreSSHion), and propose proactive configuration hardening patches.

4 One-Click Immediate Remediation

Generates ready-to-execute perimeter firewall commands (`iptables -A INPUT -s <IP> -j DROP`) and configuration fixes with 1-click clipboard copy.



ATTACK SIMULATION MATRIX


SIMULATE ATTACKS ON ALL SURFACES & SELF-TEST.

1 — Network Ports & Protocol Attacks
Simulates rapid SSH dictionary brute-force spraying against port 2222, connection floods, and protocol reconnaissance to verify rate-limiting controls.

2 — Server OS & Shell Privilege Escalation
Injects exploitation attempts (`cat /etc/shadow`, `wget dropper.sh`, `chmod +x`) to validate immediate threat classification and detection.

3 — Web Application & Config Leak Scanning
Probes sensitive administrative paths (`/admin`, `/.env`, `/config.json`) on port 8088 to verify WAF filtering and directory traversal alerts.

4 — Continuous Automated Penetration Testing
Pluggable architecture allowing automated red-team suites and CI/CD security test pipelines to execute continuous self-testing against honeypot decoys.



OPERATIONS & INCIDENT RESPONSE

REAL-TIME ALERTS, KEYSTROKE REPLAY & TRACTION.

Real-Time Email Alerts (Composio)

Dispatches instant email alerts via Gmail for Critical and High incidents requiring investigation, with hourly and daily digests.

CRT Keystroke Session Replay

Interactive terminal player reconstructs attacker commands and terminal outputs step-by-step with 1x, 2x, 5x speed scrubbing.

Parallel.ai Threat Intelligence

Automatic enrichment mapping attacks against MITRE ATT&CK techniques (T1110, T1595, T1059) and CVE intelligence.

Functional Radar & Interactive Triage

360° radar with clickable incident blips locking on to live targets with full forensic review and analyst note logging.

OPEN SOURCE SECURITY FOR THE AGENTIC ERA

Built with modern architecture: React 18, TypeScript, Vite, Tailwind CSS, FastAPI, PostgreSQL 16, and Cline CLI. Single supervisor command startup.

