


## 6. MECHANICAL SPECIFICATIONS

### 6.1 Configuration

NOTE: All of the dimensions, weights and angles below are reference values.

Dimensions (net)	494 mm (W) x 486 mm (H) x 520 mm (D) 19.4" (W) x 19.1" (H) x 20.5" (D) *Both tilt and swivel angle at 0°
Weight (net)	approx. 36.0 kg (79.4 lbs)
Tilt Angle	Up: 10° Down: 4°
Swivel Angle	Right: 45° Left: 45°
Outline drawing	Refer to the below.




### 6.2 Packing specifications

NOTE: All of the dimensions and weight below are reference values.

Packing dimensions	619 mm (W) x 630 mm (H) x 678 mm (D) 24.4" (W) x 24.8" (H) x 26.7" (D)
Packing weight	approx. 42.0 kg (95.6 lbs.)
Stack limit	3 units (Maximum)
Packing drawing	Refer to page 24

### 6.3 Connector Specifications


#### (1) D-Sub mini 15 pin



Pin No.	Separate Sync	Composite Sync	Sync on Green
1	Red	Red	Red
2	Green	Green	Green Composite sync
3	Blue	Blue	Blue
4	Ground	Ground	Ground
5			
6	R Ground	R Ground	R Ground
7	G Ground	G Ground	G Ground
8	B Ground	B Ground	B Ground
9			
10	Ground (Shorted)	Ground (Shorted)	Ground (Shorted)
11			
12	Data	Data	Data
13	H. Sync	Composite Sync	
14	V. Sync		
15	Clock	Clock	Clock
Shell	Ground	Ground	Ground

**(2) BNC Connectors**

Analog Video input connector. Standard signal is Analog 0.7 Vp-p (75Ω)



Input Signal \ connector	H.SYNC (H/V SYNC)	V.SYNC	GREEN	RED	BLUE
Separate Sync	H.Sync	V.Sync	GREEN	RED	BLUE
Composite Sync	H/V composite Sync		GREEN	RED	BLUE
Sync on Green			GREEN Composite Sync	RED	BLUE

**(3) USB Ports**

No.	Signal	
1	VCC	Cable power
2	- Data	Serial Data
3	+ Data	Serial Data
4	Ground	Cable Ground

**6.4 Accessories**

Cables	<ul style="list-style-type: none"> <li>* Power cord</li> <li>* Signal cable (MD-C87C or MD-C87 (BLACK))</li> <li>* EIZO USB cable (MD-C93)</li> </ul>
Others	<ul style="list-style-type: none"> <li>* Setup Guide</li> <li>* Screen Manager quick reference</li> <li>* EIZO CRT utility disk (for Windows, Macintosh)...CD-ROM</li> <li>* User's manual (for -KR and -TR only)</li> <li>* Limited Warranty (exclude -ES)</li> </ul>

## 6.5 Accessory Cables

### (1)Power Cord

Refer to the 25 page.

### (2)Signal Cable

VGA Signal Cable (DDC support)

Connector	(To monitor) D-Sub mini 15 pin (To computer) D-Sub mini 15 pin
Name	MD-C87C or MD-C87(BLACK))
Length	1.8 m

### (3)EIZO USB Cable

Connector	(To monitor) Series B (To computer) Series A
Name	MD-C93
Length	1.8 m

## 6.6 Materials

		Materials
Cabinet	Front panel Back Cover	PPHOX
Tilt Base	Tilt Bowl Tilt Base	PS
Packing Case		AB-Flute K280x120xK220x120xK220