SimLess: Simulate Serverless Workflows and Their Twins and Siblings in Federated Faas

Sashko Ristov, Mika Hautz, Christian Hollaus universität ; Radu Prodan universität




Research Problem

- Costly simulation parameter setup in federated Function-as-a-Service (FaaS)
- Lack of Function Choreography (FC) simulation models in federated FaaS
- Existing serverfull workflow simulation model not applicable to FCs


SimLess Contributions


- Semi self-configurable simulation of FCs in federated FaaS
- Novel FC-agnostic simulation model with 90.25% accuracy
- 77.23 % lower costs for simulation parameter setup



SimLess FC SIMULATION MODEL










SimLess Parameter Setup


Goal	Cont.	AWS	IBM	Google
	EU_1	AF	IF	GB
Learn	US_1	AV	IW	GV
	AP_1	AT	IT	GT
	EU_2	AL	IL	GL
Validate	US_2	AC	ID	GI
	AP_2	AS	IS	GH






SimLess System Architecture







ACKNOWLEDGMENTS

- Land Tirol, under contract F.35499;
- European High-Performance Computing Joint Undertaking, under grant agreement 951745 (FF4EuroHPC project and CardioHPC experiment);
- European Union, under grant agreements 101016835 (Horizon 2020 Data-Cloud project) and 101093202 (Horizon Europe Graph-Massivizer project).

CONCLUSION AND FUTURE WORK

Validation Self-configurable parameters defined by the SimLess FC simulation model are providerdependent and FC-agnostic.

Novelty SimLess is the first FC simulation framework that models important overheads, including provider-specific (i.e., \overline{SO} , \overline{FO}) and region-specific (i.e., \overline{NO} , \overline{AO}).

Evaluation Running FCs with a low concurrency of 20 functions in a single region is sufficient to simulate a highly concurrent FC with 2,500 functions with 77.23 % lower costs.

Future work Model ET as sum of download, compute, and upload time; Model deployment time. Multi objective FC scheduling with dynamic storage selection and deployment;