

TripSheet / FleetQuix — Production Manual Testing Guide

Version	1.0
Date	September 7, 2026
Environment	Production UAT
Production URL	https://tripsheet.187.124.55.20.sslip.io/
Staging URL (optional pre-check)	https://staging.tripsheet.187.124.55.20.sslip.io/

Purpose: Step-by-step manual test script to verify **every major feature** on production before client sign-off. Each test case has a unique ID, steps, expected result, and pass/fail checkbox.

Related docs:

- [PRD-IMPLEMENTATION-STATUS-REPORT.md](#) — what is built vs remaining
- [TESTING-GUIDES-INDEX.md](#) — chapter-specific deep dives
- Chapter guides: RBAC · Multi-tenant · Auth · MDM · Drivers · Enterprise features

Table of contents

1. [Before you start](#)
 2. [Test data & accounts](#)
 3. [How to record results](#)
 4. [Recommended test order](#)
 5. [Section A — Platform health & super admin](#)
 6. [Section B — Authentication & security](#)
 7. [Section C — Company setup & administration](#)
 8. [Section D — Users, roles & RBAC](#)
 9. [Section E — Master data \(MDM\)](#)
 10. [Section F — Assets & fleet registry](#)
 11. [Section G — Driver management & onboarding](#)
 12. [Section H — Dispatch & load management](#)
 13. [Section I — Tracking & map](#)
 14. [Section J — eManifest & cross-border](#)
 15. [Section K — Fleet operations \(maintenance\)](#)
 16. [Section L — Trip sheets](#)
 17. [Section M — Messages & communications](#)
 18. [Section N — Compliance & audit](#)
 19. [Section O — Reports & analytics](#)
 20. [Section P — Accounting & settlements](#)
 21. [Section Q — Driver portal](#)
 22. [Section R — Staff personas & permissions](#)
 23. [Section S — UI, responsive & regression](#)
 24. [Section T — Known limitations \(do not fail\)](#)
 25. [Sign-off sheet](#)
-

1. Before you start

1.1 Production pre-flight checklist

Complete **before** running test cases. All must pass.

#	Check	Pass
PF-01	Production URL loads login page (no 502/503)	☐
PF-02	GET /health on gateway returns OK (browser or curl)	☐
PF-03	Super admin can log in (admin@tripsheet.io)	☐
PF-04	At least one company exists with tenant DB status active	☐
PF-05	Test company has Professional or Enterprise plan (Accounting tab visible)	☐
PF-06	Browser: Chrome or Edge (latest); clear cache if stale UI after deploy	☐
PF-07	Tester has notepad/spreadsheet for recording TC IDs and defects	☐
PF-08	Optional: run same suite on staging first if production was just deployed	☐

Health check (optional):

```
curl -s https://tripsheet.187.124.55.20.sslip.io/api/health
```

1.2 After a fresh production reset

If `./deploy/scripts/reset-fresh.sh --production` was run:

1. Log in as super admin
2. Create a new test company (or restore seed data)
3. Wait for tenant DB status **active** (refresh Companies tab)
4. Log in as company owner and complete Sections C → G before dispatch tests

1.3 Defect reporting template

When a test fails, record:

Field	Value
Test ID	e.g. TC-DISP-003
Environment	Production
Role used	e.g. Company owner
Steps to reproduce	...
Expected	...
Actual	...
Screenshot	attach

Severity	Blocker / Major / Minor
----------	-------------------------

2. Test data & accounts

2.1 Platform accounts

Role	Email	Password	Home route
Super admin	admin@tripsheet.io	admin123	/admin/companies
Company owner (MKX)	admin@mkx.ca	mkx123	/app/dashboard
Driver (MKX)	divyam@mkx.ca	driver123	/driver/sheets

If MKX does not exist after a fresh reset, create a company via super admin and use the owner account created during provisioning.

2.2 Accounts to create during testing

Create these via **Company** → **Users** (Section D) and reuse in later sections:

Persona	Suggested email	Role	Used in
Dispatcher	dispatcher@testco.local	Dispatcher	Section R
Accountant	accountant@testco.local	Accountant	Section R, P
HR manager	hr@testco.local	HR Manager	Section G
New driver (invite)	newdriver@testco.local	(via invite)	Section G

2.3 Sample data values (reuse across tests)

Entity	Sample value
Broker	Test Broker Inc
Customer	Acme Shipper
Location	Toronto, ON → Chicago, IL
Commodity	General Freight
Truck unit	TRK-101
Trailer unit	TRL-201
Load customer rate	2500
Load carrier cost	1800
Trip sheet expense	45.00 fuel

3. How to record results

- Mark **Pass** ☐ → ☒ when expected result is fully met
- Mark **Fail** and log defect (Section 1.3)
- Mark **Skip** with reason if blocked by earlier failure
- Mark **N/A** for known limitations (Section T)

Summary counters (fill at end):

Section	Total TCs	Pass	Fail	Skip
A — Super admin	8			
B — Auth	14			
C — Company	22			
D — Users/RBAC	10			
E — MDM	18			
F — Assets	8			
G — Drivers	20			
H — Dispatch	16			
I — Track	5			
J — eManifest	6			
K — Fleet ops	8			
L — Trip sheets	6			
M — Messages	6			
N — Compliance	7			
O — Reports	8			
P — Accounting	12			
Q — Driver portal	14			
R — Staff/RBAC	8			
S — UI/regression	10			
TOTAL	~188			

4. Recommended test order

Dependencies — run in this order on production:

Pre-flight (PF-01-08)

- A Super admin (create/verify company)
- B Auth (login flows)
- C Company setup (profile, branding, plan)
- D Users & roles
- E Master data
- F Assets (trucks, trailers)
- G Drivers (invite → onboard → approve)
- H Dispatch (assign load)
- I Track (in-transit)
- J eManifest (if cross-border)
- K Fleet ops
- L Trip sheets (driver + admin)
- M Messages
- N Compliance & audit
- O Reports
- P Accounting
- Q Driver portal (full pass)
- R Staff personas
- S UI/regression

Section A — Platform health & super admin

Login as: admin@tripsheet.io / admin123

Route: /admin/companies

ID	Test case	Steps	Expected result	Pass
TC-SA-001	Companies tab loads	Open production URL → login as super admin	Redirect to /admin/companies; company list visible	☐
TC-SA-002	Company card details	Expand or view an existing company card	Shows slug, plan name, tenant DB name, status	☐
TC-SA-003	Tenant status active	Check test company tenant row	Status = active (not pending/failed)	☐
TC-SA-004	Create company validation	Click + New Company → submit empty form	Validation errors; no company created	☐
TC-SA-005	Create test company	Fill name, slug, plan (Professional) → Create	Success toast; new card appears; tenant DB provisioning starts	☐
TC-SA-006	Change company plan	On a company card → change plan dropdown	Plan updates; toast confirms	☐

TC-SA-007	Tenant ops tab	Click Tenant ops tab	Summary table: tenant count, disk, connections, errors	☐
TC-SA-008	Schema migrate-all	Tenant ops → run schema migrate (if button available) or verify no tenants in error state	Completes without error; failed tenants show structured issue alert	☐

Section B — Authentication & security

B.1 Login & session

ID	Test case	Steps	Expected result	Pass
TC-AUTH-001	Login page	Go to /login (logged out)	Sign in heading, email, password, Continue button	☐
TC-AUTH-002	Empty form	Leave fields blank	Continue disabled	☐
TC-AUTH-003	Invalid credentials	bad@example.com / wrongpass → Continue	Error: invalid email or password	☐
TC-AUTH-004	Super admin login	admin@tripsheet.io / admin123	Redirect /admin/companies	☐
TC-AUTH-005	Company owner login	admin@mkx.ca / mkx123	Redirect /app/dashboard	☐
TC-AUTH-006	Driver login	divyam@mkx.ca / driver123	Redirect /driver/sheets	☐
TC-AUTH-007	Logout	Login as owner → logout	Returns to /login; back button does not restore session	☐
TC-AUTH-008	Session refresh	Login as owner → F5 refresh	Still on /app/dashboard; sidebar visible	☐
TC-AUTH-009	Route guard	Logged out → open /app/dashboard	Redirect to /login	☐
TC-AUTH-010	Role guard	Login as driver → open /admin/companies	Redirect to /driver/...	☐

B.2 Password recovery

ID	Test case	Steps	Expected result	Pass
TC-AUTH-011	Forgot password page	/forgot-password → enter owner email → Send	Success message (reset link sent or account exists)	☐
TC-AUTH-012	Reset password (if link available)	Use reset link from email/logs → set new password → login	Old password fails; new password works	☐

B.3 MFA (optional — if enabled on test company)

ID	Test case	Steps	Expected result	Pass
TC-AUTH-013	MFA enroll	Company → Security → require MFA → user enrolls TOTP	QR/setup flow; recovery codes shown	☐
TC-AUTH-014	MFA login	Logout → login with MFA user	Prompt for TOTP code before dashboard	☐

Section C — Company setup & administration

Login as: company owner (`admin@mkx.ca`)

Route: `/app/company`

C.1 Company sub-tabs navigation

ID	Test case	Steps	Expected result	Pass
TC-CO-001	Company tab loads	<code>/app/company</code>	Sub-tabs: Profile, Users, Roles, Settings, Branches, Master data, etc.	☐
TC-CO-002	All sub-tabs clickable	Click each sub-tab	No blank screen or JS error	☐

C.2 Profile & settings

ID	Test case	Steps	Expected result	Pass
TC-CO-003	Save company profile	Profile → edit name/tagline/address → Save	Toast "Profile saved"; persists after refresh	☐
TC-CO-004	Settings packs	Settings → toggle dispatch options (e.g. driver acceptance) → Save	Settings saved; reload shows same values	☐

TC-CO-005	Branch CRUD	Branches → add branch name/code → Save	Branch appears in list	☐
TC-CO-006	Department CRUD	Departments → add department → Save	Department appears in list	☐

C.3 Branding & documents

ID	Test case	Steps	Expected result	Pass
TC-CO-007	Branding save	Branding → set accent color → Save	Saved; print trip sheet later uses accent (TC-L-004)	☐
TC-CO-008	Company document vault	Documents → upload PDF → list	File appears; delete removes it	☐

C.4 API keys & security

ID	Test case	Steps	Expected result	Pass
TC-CO-009	Create API key	API Keys → Create → copy secret	Key shown once; appears in list	☐
TC-CO-010	Revoke API key	Revoke created key	Key marked revoked/inactive	☐
TC-CO-011	Security policy	Security → change min password length → Save	Policy saved	☐
TC-CO-012	Login history	Security → scroll login history	Recent login events listed	☐
TC-CO-013	Security events	Security → security events list	Events visible after login/actions	☐

C.5 Notifications & plan

ID	Test case	Steps	Expected result	Pass
TC-CO-014	Notification rules	Alerts → toggle doc expiry rule	Toggle persists after refresh	☐
TC-CO-015	Plan panel	Plan → view entitlements	Shows plan name, max drivers, feature flags	☐
TC-CO-016	Accounting entitlement	Starter plan company (if available)	Accounting tab hidden; Professional shows tab	☐

Section D — Users, roles & RBAC

Route: `/app/company` → **Users** or **Roles** sub-tabs, or `/app/users`

ID	Test case	Steps	Expected result	Pass
TC-UR-001	Users list	Open Users sub-tab	Staff users listed with roles	☐
TC-UR-002	Invite staff user	Users → invite dispatcher email + role → send	Invite created; link copyable	☐
TC-UR-003	Complete staff invite	Open invite link in incognito → set password → login	User active; lands on /workspace placeholder	☐
TC-UR-004	Custom role create	Roles → create role from dispatcher base → add/remove permission	Role saved in list	☐
TC-UR-005	Assign custom role	Invite user with custom role	User JWT has only granted permissions	☐
TC-UR-006	Suspend user	Suspend a test staff user	User cannot login	☐
TC-UR-007	Unlock user	Unlock suspended user	User can login again	☐
TC-UR-008	Devices / sessions	Users → view sessions (if UI available)	Active sessions listed	☐
TC-UR-009	Remote revoke session	Revoke a session	That session invalidated	☐
TC-UR-010	Owner full access	Login as owner → all sidebar tabs	All permitted tabs visible per role	☐

Section E — Master data (MDM)

Route: /app/company → **Master data** sub-tab

Test each master data kind. For each: **Add** → **verify in list** → **use in dispatch/accounting picker** → **refresh persists**.

ID	Kind	Steps	Expected result	Pass
TC-MDM-001	Locations	Add location (name, city, region)	Appears in dispatch origin/destination pickers	☐

TC-MDM-002	Brokers	Add broker	Appears in dispatch broker select	☐
TC-MDM-003	Customers	Add customer	Available for invoices (Section P)	☐
TC-MDM-004	Consignees	Add consignee	Saved in list	☐
TC-MDM-005	Carriers (subcontract)	Add carrier	Appears in dispatch carrier select	☐
TC-MDM-006	Commodities	Add commodity	Appears in dispatch commodity select	☐
TC-MDM-007	Warehouses	Add warehouse	Saved in list	☐
TC-MDM-008	Ports of entry	View seeded ports	ACE/ACI/PAPS/PARS flags visible	☐
TC-MDM-009	Vendors	Add maintenance vendor	Available in Fleet Ops	☐
TC-MDM-010	Fuel stations	Add fuel station	Saved in list	☐
TC-MDM-011	Cost centers	Add cost center	Saved in list	☐
TC-MDM-012	Payroll categories	Add category	Saved in list	☐
TC-MDM-013	Reference data	Add reference entry	Saved in list	☐
TC-MDM-014	Inactive broker blocked	Set broker inactive → open dispatch picker	Inactive broker not selectable	☐
TC-MDM-015	CSV export brokers	Import/Export → export brokers CSV	File downloads	☐
TC-MDM-016	CSV import brokers	Import sample CSV dry-run then import	Rows appear in broker list	☐
TC-MDM-017	Duplicate suggestion	Add broker with similar name	Duplicate warning/suggestion shown	☐
TC-MDM-018	Merge (if UI)	Merge duplicate location/broker	Survivor record kept; audit logged	☐

Section F — Assets & fleet registry

Route: `/app/assets`

ID	Test case	Steps	Expected result	Pass
TC-AST-001	Add truck	Assets → add truck unit, VIN, plate	Truck appears in list and dispatch truck picker	☐
TC-AST-002	Add trailer	Add trailer unit	Appears in dispatch trailer picker	☐
TC-AST-003	Expiry dates	Set insurance/plate expiry (one past date)	Saved on asset record	☐
TC-AST-004	Out of service	Set truck status Out of Service	Dispatch truck picker blocks or shows reason	☐
TC-AST-005	Edit asset	Change unit number → save	Persists after refresh	☐
TC-AST-006	Equipment type (non-truck)	Add equipment unit if UI available	Listed under assets	☐
TC-AST-007	Asset search/filter	Search by unit number	Filters list correctly	☐
TC-AST-008	Delete/deactivate	Deactivate an asset	No longer assignable on new dispatch	☐

Section G — Driver management & onboarding

Route: `/app/drivers`

G.1 Invite & onboarding

ID	Test case	Steps	Expected result	Pass
TC-DRV-001	Create driver invite	Drivers → invite flow → copy link	Invite link generated; pending invite in list	☐
TC-DRV-002	SMS invite (optional)	Enter phone → send SMS invite	Success toast; SMS in Reports log (simulated if no Twilio)	☐
TC-DRV-003	Complete onboarding	Incognito → open invite link → set password, profile, docs	Onboarding wizard completes	☐
TC-DRV-004	Upload required docs	Upload license, abstract, medical	Docs show uploaded status	☐
TC-DRV-005	Sign contract (driver)	Onboarding → sign contract checkbox	Contract marked signed by driver	☐

TC-DRV-006	Pending HR status	After onboarding	Driver status Pending HR Review	☐
TC-DRV-007	Admin approve	Owner → driver profile → Approve	Status Active ; dispatch-ready true	☐
TC-DRV-008	Admin countersign contract	Driver profile → contract → admin sign	Both signatures recorded	☐
TC-DRV-009	Wage terms	Set pay type (per mile), rate, unit on contract	Saved; visible on driver contract tab	☐
TC-DRV-010	Revoke invite	Pending invite → Revoke	Link invalid on open	☐
TC-DRV-011	Regenerate invite	Regenerate → new link	Old link dead; new link works	☐

G.2 Driver profile & lifecycle

ID	Test case	Steps	Expected result	Pass
TC-DRV-012	Driver search	Drivers tab → search by name/email	Filters correctly	☐
TC-DRV-013	Qualifications	Profile → add/update medical expiry	Saved on qualification record	☐
TC-DRV-014	Expired medical blocks dispatch	Set medical expired → try assign load	Dispatch blocked with reason	☐
TC-DRV-015	Availability	Profile → set availability (e.g. unavailable)	Dispatch picker filters or warns	☐
TC-DRV-016	Equipment assignment	Assign truck A → then truck B	History shows A closed, B active	☐
TC-DRV-017	Safety event	Add safety event on profile	Appears in safety tab/list	☐
TC-DRV-018	Training record	Add training record	Appears in training list	☐
TC-DRV-019	Performance stats	Open performance tab	Miles / deliveries / on-time % shown	☐
TC-DRV-020	Suspend driver	Suspend active driver	Cannot login; not dispatch-ready	☐

Section H — Dispatch & load management

Route: /app/dispatch

ID	Test case	Steps	Expected result	Pass
TC-DISP-001	Dispatch tab loads	Open Dispatch	Load list and + Assign Load visible	☐
TC-DISP-002	Empty validation	Open assign form → save empty	Field validation errors	☐
TC-DISP-003	Assign load (happy path)	Select dispatch-ready driver, truck, trailer, origin, destination, times	Load created; appears in list as Assigned	☐
TC-DISP-004	Load economics	Add customer rate 2500, carrier cost 1800, FSC 150, detention 2h @ 75, miles 1200	Card shows Rev / Cost / Margin ≈ 1050	☐
TC-DISP-005	Multi-stop	Add Stop 1 (e.g. Regina, SK)	Stop visible on load card	☐
TC-DISP-006	Broker & commodity	Select MDM broker and commodity	Saved on load; names display on card	☐
TC-DISP-007	Compliance block	Try driver without license/abstract/medical	Create blocked with clear message	☐
TC-DISP-008	OOS truck block	Assign Out-of-Service truck	Blocked with reason	☐
TC-DISP-009	Cross-border	Enable cross-border → select port of entry	ACE/ACI/PAPS/PARS populated	☐
TC-DISP-010	Edit load	Edit rates on existing load → save	Updates persist; margin recalculates	☐
TC-DISP-011	Status → In transit	Change Assigned → In transit	Status updates; track tab shows active	☐
TC-DISP-012	Status → Delivered	In transit → Delivered	Status delivered; actual delivery set	☐

TC-DISP-013	Invalid transition	Try Assigned → Delivered directly	Blocked or prevented	☐
TC-DISP-014	Cancel load	Cancel an assigned load	Status cancelled	☐
TC-DISP-015	Upload dispatch doc	Attach BOL/POD on load or driver docs	Doc typed and linked	☐
TC-DISP-016	Load comments	Add comment on load (Messages section)	Comment persists (see TC-MSG-003)	☐

Section I — Tracking & map

Route: /app/track

ID	Test case	Steps	Expected result	Pass
TC-TRK-001	Track tab loads	Open Track with in-transit load	Map and load list visible	☐
TC-TRK-002	Select load on map	Click in-transit load	Details panel: speed, last update, ETA	☐
TC-TRK-003	Simulated movement	Wait ~10s on in-transit load	Position/speed updates (simulated)	☐
TC-TRK-004	Delivered not tracked	Select delivered load	No movement simulation	☐
TC-TRK-005	Navigate from dispatch	Dispatch → Track action on load	Opens track focused on that load	☐

Section J — eManifest & cross-border

Route: /app/emanifest

ID	Test case	Steps	Expected result	Pass
TC-EM-001	eManifest tab loads	Open eManifest	Manifest list / create UI visible	☐
TC-EM-002	Create manifest	Create manifest linked to cross-border load	Manifest row created	☐
TC-EM-003	Port customs flags	Select port on manifest	ACE/ACI/PAPS/PARS fields populated	☐

TC-EM-004	Simulated filing	Submit/file manifest	Status changes (simulated — not live CBSA)	☐
TC-EM-005	Accepted countdown	Manifest accepted state	Countdown/timer UI if applicable	☐
TC-EM-006	Carrier profile	Company settings / eManifest carrier codes	SCAC/DOT/CBSA codes saved	☐

Section K — Fleet operations (maintenance)

Route: `/app/fleet`

ID	Test case	Steps	Expected result	Pass
TC-FLT-001	Maintenance tab	Fleet Ops → maintenance	Form: asset, type PM/Repair, title, cost, date	☐
TC-FLT-002	Add maintenance record	Save PM for truck	Row in list; persists after refresh	☐
TC-FLT-003	DVIR tab	Switch to DVIR → add inspection	Driver + asset + Satisfactory/Defects saved	☐
TC-FLT-004	Expiry tab	Open expiry with past-due asset	Expired asset listed	☐
TC-FLT-005	Maintenance vendor	Select vendor from MDM on maintenance	Vendor linked	☐
TC-FLT-006	Audit on maintenance	After create → Compliance audit	<code>maintenance.create</code> event logged	☐
TC-FLT-007	Edit maintenance	Edit title/cost	Updates persist	☐
TC-FLT-008	Reports integration	After maintenance → Reports analytics	Maintenance by truck reflects spend	☐

Section L — Trip sheets

Routes: `/app/sheets` (admin), `/driver/sheets` (driver)

ID	Test case	Steps	Expected result	Pass
TC-SHT-001	Admin sheets tab	Open Sheets as owner	Trip sheet list visible	☐
TC-SHT-002	Driver creates sheet	Login driver → Sheets → new sheet + expenses	Sheet saved with expense lines	☐

TC-SHT-003	Admin views driver sheet	Owner → Sheets → open driver sheet	Expenses visible	☐
TC-SHT-004	Print preview	Print preview on sheet	Formatted sheet; branding accent if set (TC-CO-007)	☐
TC-SHT-005	Edit sheet	Driver edits draft sheet	Changes persist	☐
TC-SHT-006	Settlement link	Sheet expenses appear in settlement preview (Section P)	Expense total matches	☐

Section M — Messages & communications

Route: /app/messages

ID	Test case	Steps	Expected result	Pass
TC-MSG-001	Messages tab loads	Open Messages	Thread list / compose UI	☐
TC-MSG-002	Send driver message	Select driver → Driver thread → send	Message appears in list	☐
TC-MSG-003	Load comment	Select load → add comment	Comment listed on load	☐
TC-MSG-004	Internal thread	Send internal message	Appears in internal thread	☐
TC-MSG-005	Manual SMS	Customer/manual SMS → phone + body → send	Success; logged under Reports → Recent SMS	☐
TC-MSG-006	Persist after refresh	Refresh page	Messages/comments still visible	☐

Section N — Compliance & audit

Route: /app/compliance

ID	Test case	Steps	Expected result	Pass
TC-CMP-001	Compliance tab loads	Open Compliance	Document artifacts + audit sections	☐

TC-CMP-002	Compliance artifacts	After uploading BOL/POD (TC-DISP-015)	Artifacts listed with type + driver	☐
TC-CMP-003	Expiring docs list	Docs with near expiry	Shown in compliance expiring section	☐
TC-CMP-004	Send expiry SMS	Send expiry SMS (admin needs phone)	Toast success; SMS log entry; audit event	☐
TC-CMP-005	Audit log	Perform audited action → Compliance → Audit	Event with action, user, timestamp	☐
TC-CMP-006	Audit refresh	Click Refresh on audit log	Latest events loaded	☐
TC-CMP-007	RBAC deny logged	Accountant attempts forbidden action (Section R)	rbac.deny in audit if applicable	☐

Section O — Reports & analytics

Route: /app/reports

ID	Test case	Steps	Expected result	Pass
TC-RPT-001	Reports tab loads	Open Reports	Summary cards + analytics sections	☐
TC-RPT-002	Gross margin	After load with economics (TC-DISP-004)	Margin card > 0	☐
TC-RPT-003	CPM / fuel spend	With trip fuel expenses	Fuel spend reflects data	☐
TC-RPT-004	Driver pay	With settlements	Driver pay metric updates	☐
TC-RPT-005	OTP %	Deliver load with ETA vs actual	OTP percentage shown	☐
TC-RPT-006	AR unpaid	Create unpaid invoice (Section P)	AR unpaid card > 0	☐
TC-RPT-007	Revenue by lane	View lane breakdown	Origin/destination lanes listed	☐
TC-RPT-008	Recent SMS log	After TC-MSG-005	SMS entry in Recent SMS section	☐

Section P — Accounting & settlements

Route: /app/accounting

Requires: Professional or Enterprise plan

ID	Test case	Steps	Expected result	Pass
TC-ACC-001	Accounting tab visible	Owner on Professional plan	Accounting tab in sidebar	☐
TC-ACC-002	Starter plan gate	Login to Starter company (if exists)	Accounting tab hidden	☐
TC-ACC-003	Seed COA	Billing → Seed default accounts	Account list populated	☐
TC-ACC-004	Create invoice	Customer + amount + optional load → Create	Invoice status sent; in list	☐
TC-ACC-005	Create bill	Vendor + amount → Create	Bill in AP list	☐
TC-ACC-006	Customer payment	Record payment against invoice	Invoice amountPaid increases; status toward paid	☐
TC-ACC-007	Vendor payment	Record payment against bill	Bill balance reduced	☐
TC-ACC-008	Invoice aging	Reports → invoice aging	Unpaid invoice appears in bucket	☐
TC-ACC-009	New settlement	Select driver + date range with trip sheet expenses	Preview lines shown	☐
TC-ACC-010	Settlement workflow	Create draft → Approve → Mark paid	Status flow draft → approved → paid	☐
TC-ACC-011	Wage info line	Driver with contract pay type	Informational wage line in preview (auto-pay N/A)	☐
TC-ACC-012	Delete draft settlement	Delete draft settlement	Removed from list	☐

Section Q — Driver portal

Login as: divyam@mkx.ca / driver123 (or newly onboarded driver)

Route: /driver/sheets

ID	Test case	Steps	Expected result	Pass
TC-DP-001	Driver redirect	Login as driver	Lands on /driver/sheets	☐
TC-DP-002	All driver tabs	Click Sheets, My Docs, Contract, My Load	Each tab loads without error	☐
TC-DP-003	Sheets tab	View/create trip sheet	Same as TC-SHT-002	☐

TC-DP-004	My Docs upload	Upload typed document (PDF/image)	Upload succeeds; appears in list	☐
TC-DP-005	Doc type validation	Upload wrong file type if restricted	Error message shown	☐
TC-DP-006	Contract tab	View contract terms	Pay type, rate, terms visible	☐
TC-DP-007	Sign contract	Sign if not signed	signedByDriver true	☐
TC-DP-008	My Load tab	With assigned load	Current load details shown	☐
TC-DP-009	Load status display	After dispatch status changes	Driver sees updated status	☐
TC-DP-010	Settlements summary	View payroll/settlements on dashboard	Pending/paid counts shown	☐
TC-DP-011	Equipment info	View assigned truck/trailer	Assignment visible	☐
TC-DP-012	Logout	Logout	Returns to login	☐
TC-DP-013	Blocked from admin	Navigate to /app/dashboard	Redirect to driver portal	☐
TC-DP-014	Mobile viewport	Resize to phone width (~390px)	Layout usable; nav accessible	☐

Section R — Staff personas & permissions

Create dispatcher and accountant accounts in Section D first.

ID	Test case	Steps	Expected result	Pass
TC-ST-001	Dispatcher login	Login as dispatcher	Lands on /workspace — "Workspace coming next"	☐
TC-ST-002	Accountant login	Login as accountant	Same placeholder (expected until staff UI ships)	☐
TC-ST-003	Dispatcher API scope	Dispatcher token via API or UI action if exposed	Has dispatch permissions; not payroll admin	☐
TC-ST-004	Accountant read loads	Accountant views loads (if any UI)	Read OK	☐
TC-ST-005	Accountant edit dispatch denied	Accountant tries PATCH load (API or UI)	403 Forbidden	☐

TC-ST-006	Driver self-scope	Driver API/list loads	Only own loads visible	☐
TC-ST-007	Custom role enforcement	User with trimmed custom role	UI/API respects missing permissions	☐
TC-ST-008	Suspended company	Super admin suspends tenant → user login	403 / login denied	☐

Section S — UI, responsive & regression

ID	Test case	Steps	Expected result	Pass
TC-UI-001	All owner sidebar tabs	Login owner → click each tab	All 14 tabs load (Accounting if entitled)	☐
TC-UI-002	Theme toggle	Toggle dark/light theme	Theme persists on navigation	☐
TC-UI-003	Service health banner	If API down briefly	Banner shows; recovers when API up	☐
TC-UI-004	Invalid invite token	<code>/invite?invite=invalid</code>	Error message; no crash	☐
TC-UI-005	Unknown route	<code>/not-a-route</code>	Sensible 404 or redirect	☐
TC-UI-006	Root URL	<code>/</code> logged out	Redirect to login	☐
TC-UI-007	Browser back	Login → navigate tabs → back	No auth loop or blank page	☐
TC-UI-008	Dashboard widgets	<code>/app/dashboard</code>	Stats cards load; no NaN	☐
TC-UI-009	Concurrent sessions	Same user two browsers	Both work until session revoke	☐
TC-UI-010	Post-deploy cache	Hard refresh after deploy	Latest UI (not stale bundle)	☐

Section T — Known limitations (do not fail)

These are **documented gaps** — mark **N/A** or note "expected limitation":

Item	Expected behavior
OCR	No auto-extract from uploaded docs
Load board	No DAT/Truckstop/external booking

GPS/ELD	Simulated tracking only
Push notifications	Not implemented
Staff workspace UI	Placeholder page for dispatcher/accountant/etc.
Driver accept dispatch	Setting exists; no Accept button on driver portal
Trip statuses	4 states only (not full PRD 8-state flow)
Auto payroll	Wage preview informational; settlements manual
eManifest	Simulated filing — not live CBSA
SMS/Email	Simulated unless Twilio/SMTP configured on server
Native mobile app	Responsive web only
Full GL journal	COA seed only; no double-entry UI

Sign-off sheet

Test execution summary

Field	Value
Environment	Production — https://tripsheet.187.124.55.20.sslip.io/
Test period	From: _____ To: _____
Build / deploy tag	_____
Total test cases	~188
Passed	_____
Failed	_____
Blocked	_____

Defects summary

Severity	Count	Ticket refs
Blocker		
Major		
Minor		

Approval

Role	Name	Signature	Date
QA / Tester			

Engineering lead			
Product owner			
Client representative			

Recommendation

- ☐ **Approve for production use** — all P0 tests pass
- ☐ **Approve with known limitations** — Section T items accepted
- ☐ **Not approved** — blockers listed above must be resolved