```
Router>en
Router#conf t
Enter configuration commands, one per line.  End with CNTL/Z.
Router(config)#int range gig 0/0-1
Router(config-if-range)#no shutdown
Router(config-if-range)#
%LINK-5-CHANGED: Interface GigabitEthernet0/0, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface GigabitEthernet0/0, changed state to
up
%LINK-5-CHANGED: Interface GigabitEthernet0/1, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface GigabitEthernet0/1, changed state to
up
Router(config-if-range)#exit
Router(config)#int gig 0/0
Router(config-if)#ip address 192.168.40.1 255.255.255.128
Router(config-if)#in gig 0/1
Router(config-if)#ip address 192.168.40.128 255.255.255.128
Bad mask /25 for address 192.168.40.128
Router(config-if)#ip address 192.168.40.129 255.255.255.128
Router(config-if)#exit
Router(config)#exit
Router#
%SYS-5-CONFIG_I: Configured from console by console
Router#sh ip int b
Router#sh ip int brief
Interface           IP-Address     OK? Method Status          Protocol
GigabitEthernet0/0    192.168.40.1   YES manual up              up
GigabitEthernet0/1    192.168.40.129  YES manual up              up
Vlan1             unassigned     YES unset  administratively down down
Router#conf t
Enter configuration commands, one per line.  End with CNTL/Z.
Router(config)#
Router(config)#
Router(config)#end
Router#copy running-config startup-config
Destination filename [startup-config]?
Building configuration...
[OK]
Router#
%SYS-5-CONFIG_I: Configured from console by console
?Bad filename
%Error parsing filename (Bad file number)
Router#
```