A Super Cool Study - Take 2

John J. Curtin^{aff-1}

^{aff-1}Department of Psychology, University of Wisconsin-Madison

Author note

Correspondence concerning this article should be addressed to .

Abstract

This study found some pretty cool results that have both high impact and important clinical implications. For example ...

Keywords: Substance use disordersPrecision mental health

Introduction

You can write your text using markdown.

- Top level section headings use ## because # is reserved for the manuscript title.
- APA (and other?) formats support ##, ###, and #### at least.

Sub-heading - level 3

This is the ### level

Sub-heading - level 4

This is the #### level

Sub-heading - level 5. This is the ##### level

Symbols and Equations

You can use quarto inline or display math equations as needed. Quarto provides details on the use of these equations.

For example x and y are two variables. And here is an important formula:

$$p(x) = \frac{e^{-\lambda}\lambda^x}{x!}$$

Citations & References

We can use cite relevant research in multiple formats. The two most common are:

- [1] concluded something.
- These are the conclusions[1].

Article references are stored in a .bib file using betterbibtex (BBT) format. We create these references in Zotero collections.

Although we don't do this regularly I think, if needed you can reference figures elsewhere using the @ symbol. Here is a reference to Figure 1

Methods

This is the methods section.

Results

Results include

- Markdown text
- Figures from data
- Figures from images (maybe included table images)
- Analysis output (i.e. statistics)

We demonstrate each (other than markdown text, which you should know!) below

Data Figures

Figures are also generally created in separate notebooks and embedded into your manuscript.




Figure 1: A Basic Barplot Figure

Figures from images

Images from figures can be included using the standard code to insert image files. These images should generally be saved in the image folder at the root of the study template by convention. The quarto website provides additional details



Figure 2: ARC Logo

Tables

We create tables using the kableExtra package. You can embed a table from a notebook in the same way you do a figure:

	Group 1		Group 2		Group 3
	mpg	cyl	disp	hp	drat
Mazda RX4	21.0	6	160.0	110	3.90
Mazda RX4 Wag	21.0	6	160.0	110	3.90
Datsun 710	22.8	4	108.0	93	3.85
Hornet 4 Drive	21.4	6	258.0	110	3.08
Hornet Sportabout	18.7	8	360.0	175	3.15
Valiant	18.1	6	225.0	105	2.76
Duster 360	14.3	8	360.0	245	3.21
Merc 240D	24.4	4	146.7	62	3.69
Merc 230	22.8	4	140.8	95	3.92
Merc 280	19.2	6	167.6	123	3.92

Table 1: Table 1. A table.

Alternatively, you can use kableExtra::save_kable() in your notebook to output a .png file, which can then be linked as any image is linked. In the notebook you will see specifications for high-resolution output.

Table 1: Table as Image

	mpgo	yl disp	hpdrat	wt	qsec	vsa	mge	arca	arb
Mazda RX4	21.0	6160.03	1103.902.	.6201	16.46	0	1	4	4
Mazda RX4 Wag	21.0	6160.01	1103.902.	.875	17.02	0	1	4	4
Datsun 710	22.8	4108.0	933.852.	.3201	18.61	1	1	4	1
Hornet 4 Drive	21.4	6258.03	1103.083.	.215	19.44	1	0	3	1
Hornet Sportabout	18.7	8360.03	1753.153.	.440	17.02	0	0	3	2
Valiant	18.1	6225.03	1052.763.	4602	20.22	1	0	3	1
Duster 360	14.3	8360.02	2453.213.	.570:	15.84	0	0	3	4
Merc 240D	24.4	4146.7	623.693.	.1902	20.00	1	0	4	2
Merc 230	22.8	4140.8	953.923.	.1502	22.90	1	0	4	2
Merc 280	19.2	6167.63	1233.923.	.440	18.30	1	0	4	4
Merc 280C	17.8	6167.63	1233.923.	.440	18.90	1	0	4	4
Merc 450SE	16.4	8275.83	1803.074.	.070	17.40	0	0	3	3
Merc 450SL	17.3	8275.83	1803.073.	.730	17.60	0	0	3	3
Merc 450SLC	15.2	8275.83	1803.073.	.780	18.00	0	0	3	3
Cadillac Fleetwood	10.4	8472.02	2052.935.	.250	17.98	0	0	3	4
Lincoln Continenta	110.4	8460.02	2153.005.	4241	17.82	0	0	3	4
Chrysler Imperial	14.7	8440.02	2303.235.	.345	17.42	0	0	3	4
Fiat 128	32.4	4 78.7	664.082	.2001	19.47	1	1	4	1
Honda Civic	30.4	4 75.7	524.931.	.615	18.52	1	1	4	2
Toyota Corolla	33.9	4 71.1	654.221.	.835	19.90	1	1	4	1
Toyota Corona	21.5	4120.1	973.702.	.4652	20.01	1	0	3	1
Dodge Challenger	15.5	8318.03	1502.763.	.520	16.87	0	0	3	2
AMC Javelin	15.2	8304.03	1503.153.	.435	17.30	0	0	3	2
Camaro Z28	13.3	8350.02	2453.733.	.840	15.41	0	0	3	4
Pontiac Firebird	19.2	8400.01	1753.083.	.845	17.05	0	0	3	2
Fiat X1-9	27.3	4 79.0	664.081.	.935	18.90	1	1	4	1
Porsche 914-2	26.0	4120.3	914.432.	.1401	16.70	0	1	5	2
Lotus Europa	30.4	4 95.13	1133.771.	.513:	16.90	1	1	5	2
Ford Pantera L	15.8	8351.02	2644.223.	.170	14.50	0	1	5	4
Ferrari Dino	19.7	6145.03	1753.622.	.770:	15.50	0	1	5	6
Maserati Bora	15.0	8301.03	3353.543.	.570:	14.60	0	1	5	8
Volvo 142E	21.4	4121.01	1094.112.	.780	18.60	1	1	4	2

Alternatively, this is an example of a simple table that is hard-coded using markdown table format. We don't recommend this for tables built from data. Tables values should come directly from data so they don't need to be typed in and will update if your data change. However, you may have other uses for simple tables where this method is helpful.

Table 2: Recent historic eruptions on La Palma

Name	Year		
Current	2021		
Teneguía	1971		
Nambroque	1949		
El Charco	1712		
Volcán San Antonio	1677		
Volcán San Martin	1646		
Tajuya near El Paso	1585		
Montaña Quemada	1492		

Analysis Results

To add results that are not figures or tables, you will need to open the objects you saved from these analyses. See lm.qmd as an example. Generally you will open csv files that contain tidied results. For example

A significant effect of speed was observed ($\beta = 3.9$, t = 9.46, p = 0.000).

NOTES:

- We should write a function that works with tidied coeffs tables and takes the row, column, and number of decimal places to make this code simpler.
- This table doesnt contain df. Need to add that to table when saving in lm

Discussion

References

Bibliography

[1] D. E. Knuth, "Literate Programming", *Comput. J.*, vol. 27, no. 2, p. 97, May 1984, doi: 10.1093/comjnl/27.2.97.