## Results

### Participant Characteristics

#### **Model Performance**

We optimized each statistical algorithm by tuning hyperparameter values and fitting models across several feature set combinations (i.e., active or passive, and type of feature engineering). Each model configuration was fit using a grouped 1x10 resampling method. Table 1 shows the best performing model (i.e., highest balanced accuracy) for each statistical algorithm. Figure 1 shows the model's performance in each held out fold.




Figure 1. Model performance in each held out fold during model selection.

To reduce the effects of optimization bias on our model evaluation of predictive performance, we refit the top performing model 100 times (grouped 10x10 resampling). We then averaged across performance estimates to get a balanced accuracy value with low variance. Since we did not have an independent held out test set we were not able to completely remove optimization bias. So, we performed a model comparison to assess our model's performance compared to a null model with no signal. A Bayesian correlated t-test revealed a posterior probability that the balanced accuracy of our model was above the Region of Practical Equivalence (ROPE) is .999 (Figure 2). This suggests there is a meaningful difference between our model and a null model.




Figure 2. Model comparison of best model and null model.

Figure 3 shows our model predictions for each individual participant. These predictions are predicted probabilities of a lapse. Each observation was held out 10 times and the figure shows the averaged probability across these 10 predictions. Actual lapses, are depicted in red.

	1.004		>	3	4	4		٠	10	
	0.75		luć.		號	á			nois.	i i
	0.00	200	V	Ħ	1	# 15 m	Ž,	N		
	1.00	16	16		10	20	-	- 0	26	×
	0.76	-11-1	-10		ž.	dia	dia.	ehi		
	0.00		党			*	1		Ħ	H
	1.00	20"	26	20	30	.34	,	33	34	w
	0.76		11	į		adi	Jak	. 16	i.i	į.
	0.00			1	7		iii iii		香	
	1.00	38	30	-60		40	_	ø	48	-
	0.75	esii.	, in	21		ė.	撤	i	Š	
	0.26			N	7		75	9	3	H
	1.00	10	63	6s	66	68		а	64	
	6.76	256		2		4	-500	edi	11	13
	0.26	200	No.	Ĭ,	i i	1	100	17	275	977
	1.00	66	7s	ж	77	76	-	80	81	10
	6.76	7	ź.	100		100		5.1	أعد	
	0.36		P.	1/2	100	H			E.	Ñ.
	1.00	M	м	м		80	-	41	64	er .
	6.76		A STATES		ni.	à-	N	i j	,	į.
	0.36		17	ij.	5	1	Ņ.	Š	PÀ.	199
	1.00	66	80	100	100	130	110	116	107	111
	0.76	ó		166		•6.	10	à	.536	v ii.
	0.25	100		77	HE.	4	W	-	76, :	N.
	1.00	119	121	126	130	131	13a	OL	the .	w
de the et Lays e	0.76		G.E.	200	1	į.				No.
Pedalend	0.25	200		Ti.	74	Ü,	Table .	1	Ø,	37
	1.00	138	130	160	140	150		158	161	10
	0.76	ďr.	1	di.	No.	2 1	验	Ś	. 16	S.
	0.26+	100	Also No.	K	3		À			S,
	1.00	145	166	167	160	129	179	OL	св	09
	0.75	-	2	12.21	-bi		iĝ.	412	τ.	isa.
	0.36		100	8	ř	9t.	100	R	F	器
	1.00	180	100	ran .	186	102		180	190	
	0.70	- 403	1	11	54	701	id.	- Per	123	A
	0.36	900	10	755	ş		議	1	19,5	Ä
	1.00	180	190	196	197	200	201	268	306	367
	0.70	120	4	1.03	e di	100	W	1	2	12.7
	0.36	94	7	Ti.	鵐	100	V.	M	*	
	100	206	200	261	212	243	214	215	218	221
	0.76		100	dis.	-	Ma		1,74%	į.	i.
	0.35		3		ě	79.7		¥	16.	0
	1.00	200	200	204	206	200	201	210	234	296
	0.00		1			i.i		į.	2.5g	
	0.35		45	/P	要	T.	7.02	À	iği.	W
	0.70	258	240	267	262	263	248	268	30	205
	0.00	- ME	100	á	i Ma		A. A	i i	islit	.256
	0.36	255	i Tigli		N.	1953 1859	M	58	嘅	機
	1.00	269	362	263	264	265	268	270	iacini si	awini a
	0.00			11.5		<u>\$</u>	38	5,9		
	0.364	edi.	7195	39	To the same		197	15		
		acirc si	auditi zi	auditi za	auditi 2	saciri de Sady, Nov	arcini de	winiz-	4	

1.00- 0.30- 0.00- 0.00-		
0.75 - 0.75 - 0.96 - 0.36 - 0.06 -	Samuel Albertan	
0.95 0.95 0.05 0.05 0.05	medial Medial	Marin Company
1.00- 0.76- 0.00- 0.00-		Triplesport
0.70 - 0.70 - 0.90 - 0.30 -	Agricological and grain control	e inthe spatial season
0.00- 0.00- 0.00- 0.00-		N
1.00- 0.76- 0.00-	Marie Salatini de Salatini de Colonia de Col	tage for
0.70 0.70 0.90 0.30	ANTAGRA (ASAMA)	and the state of t
1.00- 0.75- 0.00- 0.00-	representation of the state of	
1.00 0.70 0.00 0.00	and the second second second	
0.00 0.70 0.00 0.00	- State of the sta	GNACAS
1.00- 0.76- 0.00-		708y2452
1.00 0.76 0.00 0.00	Agric Mandage of Paris — Agric and grand grand	Jan Bar Star Par
1.00- 0.70- 0.90- 0.31-		September 2
1.00- 0.76- 0.00-		Marketing Ar
1.00 0.76 0.00 0.00		N Standard Market
000- 070- 090- 030-	Kindy Milly Silverton	
100-	State the tage discontinue of the	Noted
100-	to refer to the second	Andread the local
000- 000- 000- 000-		N
100-	ю и	gante triple and a
100-		
0.36- 0.00- 0.00- 0.00-		The state of the state of
100-	- II	- Conductive Character
0.05 0.00 1.00 0.70	79 00	
100		
031-	08 136	S. M. P. S. alectope
100-	20 19	
036- 000- 036-		198
0.33		Transfer of the
		10
0.36- 0.36- 0.36- 0.36- 0.36- 0.36-	100 100 100 100 100 100 100 100 100 100	- Principle proper
1.00- 0.00- 0.00- 0.00- 0.00- 0.00- 0.00- 0.00- 0.00- 0.00-		- Principle proper
1.00- 0.00- 0.00- 0.00- 0.00- 0.00- 0.00- 0.00- 0.00- 0.00- 0.00- 0.00- 0.00- 0.00- 0.00- 0.00- 0.00-	W W W W W W W W W W W W W W W W W W W	
100- 030- 030- 030- 030- 030- 030- 030-		
100- 030- 030- 030- 030- 030- 030- 030-		
100 - 034 - 035 - 036 -		00
100- 038- 038- 038- 038- 038- 038- 038- 0		
100 - 034 - 036 -		
100- 030- 030- 030- 030- 030- 030- 030-		
1000 - 10		
100- 030- 030- 030- 030- 030- 030- 030-		
100-000-000-000-000-000-000-000-000-000		
100-000-000-000-000-000-000-000-000-000		
100-000-000-000-000-000-000-000-000-000		
100-000-000-000-000-000-000-000-000-000		
100-000-000-000-000-000-000-000-000-000		
100-000-000-000-000-000-000-000-000-000		
100-000-000-000-000-000-000-000-000-000		
100-000-000-000-000-000-000-000-000-000		
100-000-000-000-000-000-000-000-000-000		
100-000-000-000-000-000-000-000-000-000		

 $\{ width = 100\% \}$ 

Figure 3. Predicted probabilities of lapse for each participant. A grouped 10x10 resampling method was used to obtain these probabilities. Known lapses are in red. The red dashed line represents the threshold for classifying a probability as a lapse (i.e., everything above the line was predicted to be a lapse).

## Context Comparison

# **Top Predictors**