Dokumentacija

LP SERVIS

LAZAR PELANOVIĆ 8/21

Sadržaj

Uvod
Korišćeni programski i markup jezici:
Funkcionalnosti:
Template:
Organizacija:
Mapa sajta
Kodovi posebnih stranica I generalne funkcionalnosti
Funkcionalnosti za ispis sadržaja u zavisnosti od stranice
Funkcija koja dohvata json fajl I vraća niz objekata za dalje korišćenje
Funkcija koja poziva potrebne funkcije u zavisnosti od učitane stranice
Provera prijave na newsletter u footeru
Index.html
Funkcija za ispis sekcije 1
Funkcija za ispis sekcije 2
Funkcija za dinamički ispis slajdera dohvatanjem slika proizvoda koji su na akciji
Products.html
Ispis diva sa proizvodima
Ispis grupa checkboxova za filtriranje
Funkcija za ispis dropdown liste, generalna
Funkcija za obradu cene i dodavanje valute
Funkcije za postavljanje i dohvatanje vrednosti u local storage
Funkcija za pretragu proizvoda po nazivu
Funkcija za sortiranje po ceni i nazivu u opadajućem i rastućem poretku
Funckije za filtriranje po kategorijama; proizvođaču, grafičkim karticama i procesorima
Contact.html
Funkcija za proveru podataka iz forme sa obradom grešaka
Funkcija za ispis kratkog sadržaja
About.html

C	Cart.html	3
	Funkcije za prikaz korpe	3
	Funkcije za dodavanje, brisanje I brojanje proizvoda u korpi	3
	Funkcije za povećavanje I smanjivanje broja proizvoda u korpi I refresh korpe	3
	Pravljenje alert diva kada se nešto doda u korpu	3
Kon	npletni kodovi	3
Ir	ndex.html	3
Р	roducts.html	3
C	Contact.html	3
Д	outhor.html	3
C	Cart.html	3
S	tyle.scss	3
Ν	Лain.js	3

Uvod

	· ∨ / ·		1	1	
K	Orisceni	programs	kun	narkiin	TEATCH.
1.	ULISCCIII	programs	$I \times I = I + I$	IUIKUP	TCZICI.

- HTML5
- CSS3
 - Sass
 - o Bootstrap 5.3
- JavaScript
 - o jQuery

Funkcionalnosti:

Ideja sajta je prodaja i servisiranje laptop uređaja.

Fokus sajta je na prodaji proizvoda.

Index.html je kratak opis usluga

Products.html je lista proizvoda sa mogućnosti filtriranja, sortiranja i pretrage

Contact.html je stranica sa formom za tikete korisnika

About.html je stanica o autoru

Cart.html je pregled svih proizvoda koji su stavljeni u korpu sa stranic products.html


Template:

Template nije korišćen iz drugih izvora.

Organizacija:

Svakoj stranici se može pristupiti iz navigacionog menija klikom na link.

Sa svake stranice klikom na portfolio link u footeru može se pristupiti portfolio sajtu



index.html



portfolio/index.html

```
▼<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
 ▼<url>
     <loc>https://sescika.github.io/lpservis/index.html</loc>
     <lastmod> 2023-03-06 </lastmod>
     <changefreq>daily</changefreq>
     <priority> 1 </priority>
   </url>
 ▼<url>
     <loc>https://sescika.github.io/lpservis/products.html</loc>
     <lastmod> 2023-03-06 </lastmod>
     <changefreq>weekly</changefreq>
     <priority> 0.95 </priority>
   </url>
 ▼<url>
     <loc>https://sescika.github.io/lpservis/contact.html</loc>
     <lastmod> 2023-03-06 </lastmod>
     <changefreq>monthly</changefreq>
     <priority> 0.5 </priority>
   </url>
 ▼<url>
     <loc>https://sescika.github.io/lpservis/author.html</loc>
     <lastmod> 2023-03-06 </lastmod>
     <changefreq>monthly</changefreq>
     <priority> 0.5 </priority>
   </url>
 ▼<url>
     <loc>https://sescika.github.io/lpservis/cart.html</loc>
     <lastmod> 2023-03-06 </lastmod>
     <changefreq>monthly</changefreq>
     <priority> 0.5 </priority>
   </url>
 </urlset>
```

Kodovi posebnih stranica I generalne funkcionalnosti

Funkcionalnosti za ispis sadržaja u zavisnosti od stranice

Funkcija koja dohvata json fajl I vraća niz objekata za dalje korišćenje

```
function ajaxCallback(fajl, result){
   $.ajax({
     url: 'assets/data/' + fajl,
     method: "get",
     dataType: "json",
     success: result,
     error: function(jqXHR, exception){
       var msg = '';
       if (jqXHR.status === 0) {
       msg = 'Not connected.\n Verify Network.';
       } else if (jqXHR.status == 404) {
       msg = 'Requested page not found. [404]';
       } else if (jqXHR.status == 500) {
       msg = 'Internal Server Error [500].';
       } else if (exception === 'parsererror') {
       msg = 'Requested JSON parse failed.';
       } else if (exception === 'timeout') {
       msg = 'Time out error.';
       } else if (exception === 'abort') {
       msg = 'Ajax request aborted.';
       } else {
       msg = 'Uncaught Error.\n' + jqXHR.responseText;
       alert(msg);
    })
```

Funkcija koja poziva potrebne funkcije u zavisnosti od učitane stranice

```
var url = window.location.pathname;
url = url.substring(url.lastIndexOf('/'));
window.onload = function (){
    brProizvodaUkorpi();
    if(url == "/" || url == "/index.html") {
        ajaxCallback('proizvodi.json', function(result) {
        ispisDijagnostika();
    }
}
```

```
ispisSlider(result);
           ispisPodrska();
       })
   if(url == "/products.html") {
       ajaxCallback('sort-opcije.json', function(result) {
           ispisDDl(result, "ddlSort", "ddlSortDiv", 'sort');
       });
       ajaxCallback('proizvodi.json', function(result) {
           ispisProizvoda(result);
           lsSet('proizvodi', result);
       });
       ajaxCallback('proizvodjaci.json', function(result) {
           ispisGrupeFilterCheckboxova(result, "Proizvođači:",
'filterProizvodjaci", "input-proizvodjaci");
           lsSet('proizvodjaci', result);
       });
           ajaxCallback('proizvodjaci-procesori.json', function(result) {
           ispisGrupeFilterCheckboxova(result, "Procesor:", "filterProcesori",
'input-procesori")
           lsSet('proizvodjaciProcesora', result);
       });
       ajaxCallback('proizvodjaci-graficke.json', function(result) {
           ispisGrupeFilterCheckboxova(result, "Grafička kartica:",
'filterGraficke", "input-graficke");
           lsSet('proizvodjaciGraficke', result);
       });
       $(document).on('change', '#ddlSort', onPromena);
       $(document).on('change', '#tbSearch', onPromena);
       $(document).on('change', '.form-check-input', onPromena);
       $(document).on('click', '#btnSearch', onPromena);
       $(document).on('click', '#btnClearSearch', clearTb );
   if(url == "/contact.html") {
       ispisKontakt();
       ajaxCallback('dostupni-gradovi.json', function(result) {
           ispisDDl(result, "ddlGradovi", "ddlGradoviDiv", 'gradovi');
       });
       ajaxCallback('proizvodjaci.json', function(result) {
           ispisDDl(result, "ddlProizvodjaci", "ddlProizvodjaciDiv",
proizvodjaci');
       });
       let btnSubmitForma = document.getElementById("btnFormaSubmit");
```


```
btnSubmitForma.addEventListener("click", proveraForme);
    if(url == "/cart.html") {
        ispisKorpe();
        $(document).on('click', ".btnSmanji", smanji);
        $(document).on('click', ".btnPovecaj", povecaj);
        $(document).on('click', "#btnOsveziKorpu", osveziKorpu);
var url = window.location.pathname;
url = url.substring(url.lastIndexOf('/'));
window.onload = function (){
    brProizvodaUkorpi();
    if(url == "/" || url == "/index.html") {
        ajaxCallback('proizvodi.json', function(result) {
            ispisDijagnostika();
            ispisSlider(result);
            ispisPodrska();
        })
    if(url == "/products.html") {
        ajaxCallback('sort-opcije.json', function(result) {
            ispisDDl(result, "ddlSort", "ddlSortDiv", 'sort');
        });
        ajaxCallback('proizvodi.json', function(result) {
            ispisProizvoda(result);
            lsSet('proizvodi', result);
        ajaxCallback('proizvodjaci.json', function(result) {
            ispisGrupeFilterCheckboxova(result, "Proizvođači:",
'filterProizvodjaci", "input-proizvodjaci");
            lsSet('proizvodjaci', result);
        });
            ajaxCallback('proizvodjaci-procesori.json', function(result) {
            ispisGrupeFilterCheckboxova(result, "Procesor:", "filterProcesori",
'input-procesori")
            lsSet('proizvodjaciProcesora', result);
        });
        ajaxCallback('proizvodjaci-graficke.json', function(result) {
            ispisGrupeFilterCheckboxova(result, "Grafička kartica:",
 'filterGraficke", "input-graficke");
```

```
lsSet('proizvodjaciGraficke', result);
      });
      $(document).on('change', '#ddlSort', onPromena);
      $(document).on('change', '#tbSearch', onPromena);
      $(document).on('change', '.form-check-input', onPromena);
      $(document).on('click', '#btnSearch', onPromena);
      $(document).on('click', '#btnClearSearch', clearTb );
  if(url == "/contact.html") {
      ispisKontakt();
      ajaxCallback('dostupni-gradovi.json', function(result) {
           ispisDDl(result, "ddlGradovi", "ddlGradoviDiv", 'gradovi');
      });
       ajaxCallback('proizvodjaci.json', function(result) {
           ispisDDl(result, "ddlProizvodjaci", "ddlProizvodjaciDiv",
proizvodjaci');
      });
      let btnSubmitForma = document.getElementById("btnFormaSubmit");
       btnSubmitForma.addEventListener("click", proveraForme);
  if(url == "/cart.html") {
      ispisKorpe();
      $(document).on('click', ".btnSmanji", smanji);
      $(document).on('click', ".btnPovecaj", povecaj);
      $(document).on('click', "#btnOsveziKorpu", osveziKorpu);
```

Provera prijave na newsletter u footeru

```
function ispitajEmail(vrednostMaila, spanZaIspisGreske) {
    let emailRegex = /^[a-zA-Z0-9.!#$%&'*+/=?^_`{|}~~]+@[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+)*$/;
    if(!emailRegex.test(vrednostMaila)) {
        spanZaIspisGreske.innerHTML = "Pogresan format emaila. primer:
    petar.petrovic@gmail.com";
    } else {
        spanZaIspisGreske.classList.remove("text-danger");
        spanZaIspisGreske.classList.add("text-success");
        spanZaIspisGreske.innerHTML = "email poslat!";
    }
}
let btnPrijavaNl = document.getElementById("btnPrijavaNl");
btnPrijavaNl.addEventListener("click", function() {
    let nlEmailValue = document.getElementById("tbEmailNl").value;
    let spanErr = document.getElementById("emailNlErr");
    ispitajEmail(nlEmailValue, spanErr);
});
```

Index.html





Besplatna dijagnostika kvara

Dijagnostika traje 1 radni sat od kada donesete vaš laptop kod nas.



Besplatna tehnička podrška

Od početka ove godine smo unapredili tehničku podriku za sve laptop uredaje 24 časa. Ukoliko imate bilo kakvih pitanja u vezi vakeg liptopa Apple HP Asus Acer Lenovo ili nekog drugog proizvodača pozovite nale laptop tehničare za pomoć.

Naši tehničari rešavaju sve sofivenske i hardverske probleme:

Osim uruspredjene tehničke službe unapredili smo i brzu hitmu službu koji radi 24 časa. Ukoliko vam se laptop polovari u toku noći a želite terustnu pogravku valeg urudaja pozovite naklu Hitmu službu. Naši tehničari ce doći pova kračunari zakopilo odmah popravulu. Uteliko nisu u mogučnosti da za krašto vreme reše problem daju vam drugi ispravan laptop dok je vali u servisu.

Kontakt forma





Funkcija za ispis sekcije 1

```
function ispisDijagnostika() {
    let html = `<div class="row">
                   <div class="col-12 col-lg-6">
                       <img src="assets/img/index-serviser.jpg" alt="laptop"</pre>
serviser" class="img-fluid" />
                   </div>
                   <div class="col-12 col-lg-6">
                       <h3>Besplatna dijagnostika kvara</h3>
                       <hr />
                       Dijagnostika kvara za sve modele laptopova je
Besplatna.
                       Dijagnostika traje 1 radni sat od kada donesete vaš
laptop kod nas.
                       Dijagnostiku rade visokokvalifikovani laptop tehničari
sa velikim iskustom u popravci laptop uredjaja i propratne opreme.
                       Naša dijagnostika je temeljna i precizna, dijagnostika
se radi sa najsavremenijim dijagnostičkim alatima za popravku laptopova kao i
najsavremenijim elektronskim.
                   </div>
               </div>`;
   document.getElementById("tehnicar").innerHTML = html;
```

Funkcija za ispis sekcije 2

```
function ispisPodrska() {
   let html = `<div class="row">
                  <div class="col-12 col-lg-6 mb-3">
                      <h3>Besplatna tehnička podrška</h3>
                      Od početka ove godine smo unapredili tehničku podršku
za sve laptop uredjaje 24 časa. Ukoliko imate bilo kakvih pitanja u vezi vašeg
laptopa Apple HP Asus Acer Lenovo ili nekog drugog proizvođača pozovite naše
laptop tehničare za pomoć.
                      Naši tehničari rešavaju sve softverske i hardverske
probleme:
                      <l
                         Ne možete da se povežet na internet.
                         Laptop se pali ali nema sliku na ekranu.
                         Na laptopu nema zvuka.
                         Laptop se pali ali pišti nekoliko puta.
                         ...
                      Osim unapredjene tehničke službe unapredili smo i brzu
hitnu službu koji radi 24 časa. Ukoliko vam se laptop pokvari u toku noći a
```

```
function nizProizvodaNaAkciji(nizProizvoda) {
    let nizAkcija = [];

    for(let p of nizProizvoda) {
        if(p.akcija) {
            nizAkcija.push(p);
        }
    }

    return nizAkcija;
}

function ispisSlider(nizProizvoda) {
    let nizProizvodaAkcija = nizProizvodaNaAkciji(nizProizvoda);

    let html = `
        <h3 class='text-center text-warning py-2'>Pogledajte neke od proizvoda na akciji</h3>
        <hr />
        <div id="carousel" class="carousel slide" data-bs-ride="carousel">
              <div class="carousel-inner">
              <div class="carousel-item active">
```


```
<a href="products.html"><img</pre>
src="${nizProizvodaAkcija[0].slika.src}" class="d-block w-100"
alt="${nizProizvodaAkcija[0].slika.alt}"></a>
                <div class="carousel-caption d-none d-md-block text-dark">
                     <h5>${nizProizvodaAkcija[0].nazivProizvoda}</h5>
                </div>
            </div>`;
    for(let i = 1; i <= nizProizvodaAkcija.length - 1; i++) {</pre>
        html +=
        <div class="carousel-item">
            <a href="products.html"><img src="${nizProizvodaAkcija[i].slika.src}"</pre>
class="d-block w-100" alt="${nizProizvodaAkcija[i].slika.alt}"></a>
            <div class="carousel-caption d-none d-md-block text-dark">
                <hr />
                <h5>${nizProizvodaAkcija[i].nazivProizvoda}</h5>
            </div>
        </div>`;
    html += `</div>
                <button class="carousel-control-prev" type="button" data-bs-</pre>
target="#carousel" data-bs-slide="prev">
                     <span class="carousel-control-prev-icon" aria-</pre>
hidden="true"></span>
                     <span class="visually-hidden">Previous</span>
                </button>
                <button class="carousel-control-next" type="button" data-bs-</pre>
target="#carousel" data-bs-slide="next">
                     <span class="carousel-control-next-icon" aria-</pre>
hidden="true"></span>
                     <span class="visually-hidden">Next</span>
                </button>
            </div>`;
    document.getElementById("autoCarousel").innerHTML = html;
```

Funkcija za dinamički ispis slajdera dohvatanjem slika proizvoda koji su na akciji

```
function nizProizvodaNaAkciji(nizProizvoda) {
   let nizAkcija = [];
   for(let p of nizProizvoda) {
```

```
if(p.akcija) {
            nizAkcija.push(p);
    return nizAkcija;
function ispisSlider(nizProizvoda) {
    let nizProizvodaAkcija = nizProizvodaNaAkciji(nizProizvoda);
    let html = `
    <h3 class='text-center text-warning py-2'>Pogledajte neke od proizvoda na
akciji</h3>
    <hr />
    <div id="carousel" class="carousel slide" data-bs-ride="carousel">
        <div class="carousel-inner">
            <div class="carousel-item active">
                <a href="products.html"><img</pre>
src="${nizProizvodaAkcija[0].slika.src}" class="d-block w-100"
alt="${nizProizvodaAkcija[0].slika.alt}"></a>
                <div class="carousel-caption d-none d-md-block text-dark">
                     <h5>${nizProizvodaAkcija[0].nazivProizvoda}</h5>
                </div>
            </div>`;
    for(let i = 1; i <= nizProizvodaAkcija.length - 1; i++) {</pre>
        html += `
        <div class="carousel-item">
            <a href="products.html"><img src="${nizProizvodaAkcija[i].slika.src}"</pre>
class="d-block w-100" alt="${nizProizvodaAkcija[i].slika.alt}"></a>
            <div class="carousel-caption d-none d-md-block text-dark">
                <h5>${nizProizvodaAkcija[i].nazivProizvoda}</h5>
            </div>
        </div>`;
    html += `</div>
                <button class="carousel-control-prev" type="button" data-bs-</pre>
target="#carousel" data-bs-slide="prev">
                    <span class="carousel-control-prev-icon" aria-</pre>
hidden="true"></span>
                    <span class="visually-hidden">Previous</span>
```

Products.html



```
function ispisProizvoda(nizProizvoda) {
       let html = `<div class='row d-flex justify-content-around'>`;
       nizProizvoda = filterProcesori(nizProizvoda);
       nizProizvoda = filterGraficke(nizProizvoda);
       nizProizvoda = filterProizvodjaci(nizProizvoda);
       nizProizvoda = sortProizvodi(nizProizvoda);
       nizProizvoda = searchProizvodi(nizProizvoda);
       let br = 1;
       for(let p of nizProizvoda) {
           html += `<div class='card product bg-light my-3 col-12 col-lg-4'>
                       <img src=${p.slika.src} class='card-img-top'</pre>
alt=${p.slika.alt} />`
                       if(p.akcija) {
                           html += `<span class="position-absolute p-2 m-2 top-0</pre>
end-0 badge rounded bg-danger">Akcija</span>`
                       html += `
                           <div class='card-body'>
                               <h5 class='card-title'>${p.nazivProizvoda}</h5>
                               <hr />
                           <div class='price'>`
                               if(p.cena.staraCena === 0) {
                                   html += ` `
                               } else {
                                   html += `
staraCena'>Stara cena: ${obradaCene(p.cena.staraCena)}``
                               html += `
trenutnaCena'>${obradaCene(p.cena.trenutnaCena)}
                           </div>
                           <div class="add-to-cart">
                               <button onclick="addToCart(${br})" class="btn</pre>
btn-secondary btn-addtocart"><i class="fa fa-shopping-cart"></i> Dodaj u
korpu</button>
                           </div>
                       </div>
                   </div>
           br++;
       html += '</div>'
       document.getElementById("products").innerHTML = html;
```

Ispis grupa checkboxova za filtriranje

Funkcija za ispis dropdown liste, generalna

Funkcija za obradu cene i dodavanje valute

```
function obradaCene(x) {
   var parts = x.toString().split(".");
   parts[0]=parts[0].replace(/\B(?=(\d{3})+(?!\d))/g,".");
   return parts.join(",") + " RSD";
}
```

Funkcije za postavljanje i dohvatanje vrednosti u local storage

```
function lsSet(naziv, vrednost){
    localStorage.setItem(naziv, JSON.stringify(vrednost));
}

function lsGet(naziv){
    return JSON.parse(localStorage.getItem(naziv));
}
```


Funkcija za pretragu proizvoda po nazivu


```
function sortProizvodi(nizProizvoda){
    let sortiraniNiz = [];
    let izbor = $("#ddlSort").val();
    if(izbor == "0"){
        sortiraniNiz = nizProizvoda;
   else{
        sortiraniNiz = nizProizvoda.sort(function(a, b){
            if(izbor == "cena-asc"){
                return a.cena.trenutnaCena - b.cena.trenutnaCena;
            if(izbor == "cena-desc"){
                return b.cena.trenutnaCena - a.cena.trenutnaCena;
            if(izbor == "naziv-asc"){
                if(a.nazivProizvoda < b.nazivProizvoda){</pre>
                    return -1;
                else if(a.nazivProizvoda > b.nazivProizvoda){
                    return 1;
                else{
                    return 0;
            if(izbor == "naziv-desc"){
                if(a.nazivProizvoda > b.nazivProizvoda){
                    return -1;
                else if(a.nazivProizvoda < b.nazivProizvoda){</pre>
                    return 1;
                else{
                    return 0;
        })
    return sortiraniNiz;
```

Funckije za filtriranje po kategorijama; proizvođaču, grafičkim karticama i procesorima

```
function filterGraficke(nizProizvoda) {
    let cekiraniProizvodjaciGrafickih = [];
    for (let i = 0; i < $(".input-graficke:checked").length; i++)</pre>
    cekiraniProizvodjaciGrafickih.push(parseInt($(".input-
graficke:checked")[i].value))
    if (cekiraniProizvodjaciGrafickih.length != 0)
        return nizProizvoda.filter((x) =>
cekiraniProizvodjaciGrafickih.includes(x.specifikacije.grafickaKartica.proizvodja
cGrafickeKarticeId));
    return nizProizvoda;
function filterProcesori(nizProizvoda) {
    let cekiraniProizvodjaciProcesora = [];
    for (let i = 0; i < $(".input-procesori:checked").length; i++)</pre>
    cekiraniProizvodjaciProcesora.push(parseInt($(".input-
procesori:checked")[i].value))
    if (cekiraniProizvodjaciProcesora.length != 0)
        return nizProizvoda.filter((x) =>
cekiraniProizvodjaciProcesora.includes(x.specifikacije.procesor.proizvodjacProces
oraId));
    return nizProizvoda;
function filterProizvodjaci(nizProizvoda) {
    let cekiraniProizvodjaci = [];
    for (let i = 0; i < $(".input-proizvodjaci:checked").length; i++)</pre>
    cekiraniProizvodjaci.push(parseInt($(".input-
proizvodjaci:checked")[i].value))
    if (cekiraniProizvodjaci.length != 0)
        return nizProizvoda.filter((x) =>
cekiraniProizvodjaci.includes(x.proizvodjacId));
    return nizProizvoda;
```

Contact.html





Funkcija za proveru podataka iz forme sa obradom grešaka

```
function proveraForme(e) {
   e.preventDefault();
    let greske = [];
    let formaUser = $("#tbUser").val();
    let formaEmail = $("#tbUserEmail").val();
    let formaDdlGradovi = $("#ddlGradovi").val();
   let formaDdlProizvodjaci = $("#ddlProizvodjaci").val();
    let formaTextArea = $("#taOpis").val();
    let formaCb = document.getElementById("cbTos").checked;
    let tbUserErrorSpan = document.getElementById("tbEmailError");
    let tbEmailErrorSpan = document.getElementById("tbUserError");
    let ddlGradoviErrorSpan = document.getElementById("ddlGradoviError");
    let ddlProizvodjaciErrorSpan =
document.getElementById("ddlProizvodjaciError");
    let textAreaErrorSpan = document.getElementById("taError");
    let cbPromocijeErrorSPan = document.getElementById("cbTosError");
    let uspesnoPoslato = document.getElementById("uspesnoPoslato");
```


```
let userRegex = /^(?=.{8,20}$)(?![_.])(?!.*[_.]{2})[a-zA-Z0-9._]+(?<![_.])$/;</pre>
    let emailRegex = /^[a-zA-Z0-9.!#$%&'*+/=?^_`{|}~-]+@[a-zA-Z0-9-]+(?:\.[a-zA-
Z0-9-]+)*$/;
    if(!userRegex.test(formaUser)) {
        tbUserErrorSpan.classList.add("text-danger");
        tbUserErrorSpan.innerHTML = "Pogrešno korisničko ime.";
        greske.push("greska user");
    } else {
        tbUserErrorSpan.innerHTML = "";
    if(!emailRegex.test(formaEmail)) {
        tbEmailErrorSpan.classList.add("text-danger");
        tbEmailErrorSpan.innerHTML = "Pogrešan email.";
        greske.push("greska email");
    } else {
        tbEmailErrorSpan.innerHTML = "";
    }
    if(formaDdlGradovi == 0) {
        ddlGradoviErrorSpan.classList.add("text-danger");
        ddlGradoviErrorSpan.innerHTML = "Izaberite grad.";
        greske.push("greska gradovi");
    } else {
        ddlGradoviErrorSpan.innerHTML = "";
    }
    if(formaDdlProizvodjaci == 0) {
        ddlProizvodjaciErrorSpan.classList.add("text-danger");
        ddlProizvodjaciErrorSpan.innerHTML = "Izaberite grad.";
        greske.push("greska proizvodjaci");
    } else {
        ddlProizvodjaciErrorSpan.innerHTML = "";
    }
    if(formaTextArea.length < 15) {</pre>
        textAreaErrorSpan.classList.add("text-danger");
        textAreaErrorSpan.innerHTML = "Dajte malo detaljniji opis.";
        greske.push("greska ta");
    } else {
        textAreaErrorSpan.innerHTML = "";
```


```
if(!formaCb) {
    cbPromocijeErrorSPan.classList.add("text-danger");
    cbPromocijeErrorSPan.innerHTML = "Morate se složiti sa uslovima
korišćenja";
    greske.push("greska cb");
} else {
    cbPromocijeErrorSPan.innerHTML = "";
}


if(greske.length == 0) {
    uspesnoPoslato.classList.add("text-success", "fs-3");
    uspesnoPoslato.innerHTML = "Tiket poslat.";
}
```

Funkcija za ispis kratkog sadržaja

About.html







Funkcije za prikaz korpe

```
function ispisPrazneKorpe() {
    html =
```

```
<h3 class='my-5 text-center'>Nema proizvoda u korpi.</h3>
         </div>`;
   document.getElementById("korpaTabela").innerHTML = html;
   document.getElementById("divfinalno").innerHTML = "";
   document.getElementById("divfinalno").classList.remove('bg-light', 'border');
function ispisKorpe() {
   let proizvodiIzKorpe = lsGet('korpa');
   let proizvodi = lsGet('proizvodi');
   let html = "";
   let br = brProizvodaUkorpi();
   if(br == 0 || proizvodiIzKorpe == null) {
      localStorage.removeItem("korpa");
      ispisPrazneKorpe();
   else {
      html = `
      <thead class="table-header text-light bg-dark text-center">

            Naziv Proizvoda
            Cena
            Količina
            Končna cena

         </thead>
      `;
      let ukupno = 0;
      for(let proizvod of proizvodi) {
         for(let p of proizvodiIzKorpe) {
            if(proizvod.id == p.id) {
               html+= ` 
                         >
                            <img class="img-fluid slika-korpa"</pre>
src="${proizvod.slika.src}" alt="${proizvod.slika.alt}" />
                         id="cenaKomad${p.id}">${obradaCene(proizvod.cena.trenutnaCena)}
```

```
<div class="cartKolicina">
                                    <button id="smanji${p.id}"</pre>
onclick="smanji(${p.id})" data-id="${p.id}" class='btn btn-secondary btnSmanji'>-
</button>
                                        <input type='text'</pre>
name='korpaProizvodKolicina${p.id}' class='btn btn-secondary'
id='korpaProizvodKolicina${p.id}' disabled='disabled' size='1'
value='${p.kolicina}' />
                                    <button id="povecaj${p.id}"</pre>
onclick="povecaj(${p.id})" data-id="${p.id}" class='btn btn-secondary
btnPovecaj'>+</button>
                                 </div>
                             id="ukupnaCena${p.id}">${obradaCene(proizvod.cena.trenutnaCena *
<div class="cartIzbaci">
                                 <button onclick="izbrisiProizvod(${p.id})"</pre>
class="btn btn-danger btnIzbaciIzKorpe">Izbaci</button>
                             </div>
                             `;
                         ukupno += proizvod.cena.trenutnaCena * p.kolicina;
                         ispisDivFinalnaCena(ukupno);
                          console.log(ukupno);
           }
       html += `
       `;
       document.getElementById("korpaTabela").innerHTML = html;
   }
function ispisDivFinalnaCena(cena) {
       document.getElementById("divfinalno").classList.remove("d-none");
       let html = `
       <h2>Ukupna cena:</h2>
```

```
<span id="cenaTotal" class='fs-3 fw-bold'>${obradaCene(cena)}</span>
<button id="btnPoruci" class="btn btn-success">Poručite</button> `;

document.getElementById("divfinalno").innerHTML = html;
}
```

Funkcije za dodavanje, brisanje I brojanje proizvoda u korpi

```
let proizvodiUnutarKorpe = [];
function addToCart(id, brojStavki) {
    if (brojStavki == undefined)
        brojStavki = 1;
    if (!localStorage.getItem("korpa")) {
        dodajPrviProizvod(id);
        brProizvodaUkorpi();
    else {
        let korpa = lsGet("korpa");
        let xd = korpa.find(x => x.id == id)
        if (!xd) {
            dodajNoviProizvod(id);
            brProizvodaUkorpi();
        else {
            daLiJeUKorpi(id);
    function dodajPrviProizvod(idProduct) {
        let zaKorpu = ({
            id: idProduct,
            kolicina: brojStavki
        })
        proizvodiUnutarKorpe.push(zaKorpu);
        alert("Proizvod dodat u korpu.", "success");
        lsSet("korpa", proizvodiUnutarKorpe);
        brProizvodaUkorpi();
    function dodajNoviProizvod(idProduct) {
        let zaKorpu = ({
            id: idProduct,
            kolicina: brojStavki
        })
        let korpa = lsGet("korpa");
```

```
korpa.push(zaKorpu);
        brProizvodaUkorpi();
        alert("Proizvod dodat u korpu.", "success");
        lsSet("korpa", korpa);
    function daLiJeUKorpi(idProduct) {
        let korpa = lsGet("korpa");
        let xd = korpa.find(x => x.id == idProduct);
        korpa.forEach(p => {
            if(p.id == xd.id) {
                alert("Proizvod je vec u korpi.", "danger");
       })
function izbrisiProizvod(id) {
    let proizvodi = lsGet('korpa');
    let filtrirani = proizvodi.filter(p => p.id != id);
    lsSet('korpa', filtrirani);
    brProizvodaUkorpi();
    ispisKorpe();
function brProizvodaUkorpi() {
    let korpa = lsGet("korpa");
    if(korpa == null) {
        document.getElementById("cartItemsCounter").innerHTML = 0;
        return 0;
    else {
        let br=0;
        korpa.forEach(p => {
            br++;
        })
        document.getElementById("cartItemsCounter").innerHTML = br;
        return br;
```

}

Funkcije za povećavanje I smanjivanje broja proizvoda u korpi I refresh korpe

```
function povecaj(id) {
    let proizvodi = lsGet('korpa');
    for(let p of proizvodi) {
        if(p.id == id) {
            p.kolicina++;
            lsSet('korpa', proizvodi);
    ispisKorpe();
function smanji(id) {
    let proizvodi = lsGet("korpa");
    for(let p of proizvodi) {
        if(p.id == id) {
            if(p.kolicina <= 1)</pre>
                p.kolicina == 1;
            else {
                p.kolicina--;
                lsSet('korpa', proizvodi);
    ispisKorpe();
function osveziKorpu() {
    ispisKorpe();
```

Pravljenje alert diva kada se nešto doda u korpu

```
const alertPlaceholder = document.getElementById('liveAlertPlaceholder');

const alert = (message, type) => {
   const wrapper = document.createElement('div')
   wrapper.innerHTML = [
```

Kompletni kodovi

Index.html

```
<!DOCTYPE html>
<html lang="sr">
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="description" content="Prodaja i servisiranje laptopova." />
    <meta name="keywords" content="laptop, servis, laptopovi, servisiranje" />
    <meta name="author" content="Lazar Pelanovic" />
    <!-- favicon -->
    <link rel="shortcut icon" href="assets/img/favicon.ico" type="image/x-icon"</pre>
    <link rel="icon" href="assets/img/favicon.ico" type="image/x-icon" />
    <!-- Bootstrap -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-</pre>
alpha1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
GLhlTQ8iRABdZL1603oVMWSktQ0p6b7In1Zl3/Jr59b6EGGoI1aFkw7cmDA6j6gD"
crossorigin="anonymous" />
    <link rel="stylesheet" type="text/css" href="assets/css/style.min.css" />
    <title>LP servis - Home</title>
    <script src="https://kit.fontawesome.com/20e4f2537d.js"</pre>
crossorigin="anonymous"></script>
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.3/jquery.min.js"></script>
</head>
<body>
```

```
<header class="bg-dark">
        <nav class="navbar navbar-expand-lg navbar-dark wrapper">
            <div class="container-fluid">
                <a class="navbar-brand" href="index.html">LP servis </a>
                <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
                    <span class="navbar-toggler-icon" id="brproizvoda"></span>
                </button>
                <div class="collapse navbar-collapse" id="navbarNav">
                </div>
            </div>
        </nav>
    </header>
    <section id="cover">
    </section>
    <section id="tehnicar" class="container-fluid wrapper my-5 border p-3 rounded</pre>
bg-light">
    </section>
    <section id="slider" class="container-fluid wrapper my-5 border p-3 rounded">
        <div class="row d-flex justify-content-center align-items-center">
            <div id="autoCarousel" class="col-12 col-md-9 col-lg-6 bg-light</pre>
rounded my-3 border">
            </div>
        </div>
    </section>
    <section id="podrska" class="container-fluid wrapper my-5 border p-3 rounded</pre>
bg-light">
    </section>
    <footer class="text-light bg-dark">
        <div class="container wrapper">
            <div class="row align-items-center py-3">
                <div class="col-lg-3 col-12">
                  <label for="tbEmailNl" class="col-form-label">Prijavite se na
naš newsletter:</label>
```

```
</div>
                 <div class="col-lg-3 col-12 container">
                     <div class="row">
                         <div class="col d-flex">
                              <input type="email" id="tbEmailNl" name="tbEmailNl"</pre>
class="form-control" placeholder="petar.petrovic@gmail.com"/>
                             <button class="btn btn-success"</pre>
id="btnPrijavaNl">Prijava</button></div>
                     </div>
                     <div class="row">
                         <div class="col"><span id="emailNlErr" class="text-</pre>
danger"></span></div>
                     </div>
                 </div>
                 <div class="col-lg-3 col-6" id="footerNavbar">
                 </div>
                 <div class="col-lg-3 col-6" id="footerLinks">
                 </div>
            </div>
            <div class="row py-3">
                 <div class="col-12 d-flex justify-content-center align-items-</pre>
center">
                     <h4>Lazar Pelanović 2023 &copy;</h4>
                 </div>
            </div>
        </div>
    </footer>
    <script src="assets/js/main.min.js" type="text/javascript"></script></script></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-</pre>
alpha1/dist/js/bootstrap.bundle.min.js" integrity="sha384-
w76AqPfDkMBDXo30jS1Sgez6pr3x5MlQ1ZAGC+nuZB+EYdgRZgiwxhTBTkF7CXvN"
crossorigin="anonymous"></script>
</body>
</html>
```

Products.html

```
<!DOCTYPE html>
<html lang="sr">
<head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="description" content="lp Proizvodi." />
    <meta name="keywords" content="laptop, prodaja, akcija, racunari" />
    <meta name="author" content="Lazar Pelanovic" />
    <!-- favicon -->
    <link rel="shortcut icon" href="assets/img/favicon.ico" type="image/x-icon"</pre>
    <link rel="icon" href="assets/img/favicon.ico" type="image/x-icon" />
    <!-- Bootstrap -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-</pre>
alpha1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
GLhlTQ8iRABdZL16O3oVMWSktQOp6b7In1Zl3/Jr59b6EGGoI1aFkw7cmDA6j6gD"
crossorigin="anonymous" />
    <link rel="stylesheet" type="text/css" href="assets/css/style.min.css" />
    <title>LP servis - Proizvodi</title>
    <!-- font awesome -->
    <script src="https://kit.fontawesome.com/20e4f2537d.js"</pre>
crossorigin="anonymous"></script>
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.3/jquery.min.js"></script>
</head>
<body>
    <header class="bg-dark">
        <nav class="navbar navbar-expand-lg navbar-dark wrapper">
            <div class="container-fluid">
                <a class="navbar-brand" href="index.html">LP servis </a>
                <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
                    <span class="navbar-toggler-icon"></span>
```

```
</button>
                <div class="collapse navbar-collapse" id="navbarNav">
                </div>
            </div>
        </nav>
    </header>
    <section>
        <div class="container-fluid wrapper my-3">
            <div class="row border rounded p-3 d-flex justify-content-between"</pre>
id="searchRow">
                <div class="col-lg-3 col-12 my-3 my-lg-0">
                    <div class="input-group">
                         <input class='form-control' type="text" name="tbSearch"</pre>
id="tbSearch" placeholder="Pretraga" />
                         <button type="button" class="btn btn-secondary"</pre>
id="btnSearch"><i class="fa-solid fa-magnifying-glass"></i></button>
                         <button type="button" class="btn btn-primary"</pre>
id="btnClearSearch"><i class="fa-solid fa-xmark"></i></button>
                    </div>
                </div>
                <div class="col-lg-3 col-12" id="ddlSortDiv">
                </div>
            </div>
            <div class="row">
                <div id="filters" class="px-0 my-3 col-lg-2 col-12">
                <div id="products" class="col-lg-10 col-12 container-fluid">
            </div>
        </div>
    </section>
    <div class="position-relative">
        <div class="position-fixed bottom-0 rounded end-0"</pre>
id="liveAlertPlaceholder"></div>
    </div>
    <footer class="text-light bg-dark">
        <div class="container wrapper">
            <div class="row align-items-center py-3">
                <div class="col-lg-3 col-12">
                  <label for="tbEmailNl" class="col-form-label">Prijavite se na
naš newsletter:</label>
                </div>
```

```
<div class="col-lg-3 col-12 container">
                    <div class="row">
                         <div class="col d-flex">
                             <input type="email" id="tbEmailN1" name="tbEmailN1"</pre>
class="form-control" placeholder="petar.petrovic@gmail.com"/>
                             <button class="btn btn-success"</pre>
id="btnPrijavaNl">Prijava</button></div>
                    </div>
                     <div class="row">
                        <div class="col"><span id="emailNlErr" class="text-</pre>
danger"></span></div>
                     </div>
                </div>
                <div class="col-lg-3 col-6" id="footerNavbar">
                </div>
                <div class="col-lg-3 col-6" id="footerLinks">
                </div>
            </div>
            <div class="row py-3">
                <div class="col-12 d-flex justify-content-center align-items-</pre>
center">
                     <h4>Lazar Pelanović 2023 &copy;</h4>
                </div>
            </div>
        </div>
    </footer>
    <script src="assets/js/main.min.js" type="text/javascript"></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-</pre>
alpha1/dist/js/bootstrap.bundle.min.js" integrity="sha384-
w76AqPfDkMBDXo30jS1Sgez6pr3x5MlQ1ZAGC+nuZB+EYdgRZgiwxhTBTkF7CXvN"
crossorigin="anonymous"></script>
</body>
</html>
```

Contact.html

```
<!DOCTYPE html>
<html lang="sr">
<head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="description" content="lp customer ticket" />
    <meta name="keywords" content="laptop, kontakt" />
    <meta name="author" content="Lazar Pelanovic" />
    <!-- favicon -->
    <link rel="shortcut icon" href="assets/img/favicon.ico" type="image/x-icon"</pre>
    <link rel="icon" href="assets/img/favicon.ico" type="image/x-icon" />
    <!-- Bootstrap -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-</pre>
alpha1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
GLhlTQ8iRABdZL16O3oVMWSktQOp6b7In1Zl3/Jr59b6EGGoI1aFkw7cmDA6j6gD"
crossorigin="anonymous" />
    <link rel="stylesheet" type="text/css" href="assets/css/style.min.css" />
    <title>LP servis - Tiketi</title>
    <!-- font awesome -->
    <script src="https://kit.fontawesome.com/20e4f2537d.js"</pre>
crossorigin="anonymous"></script>
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.3/jquery.min.js"></script>
</head>
<body>
    <header class="bg-dark">
        <nav class="navbar navbar-expand-lg navbar-dark wrapper">
            <div class="container-fluid">
                <a class="navbar-brand" href="index.html">LP servis </a>
                <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
```

```
<div class="collapse navbar-collapse" id="navbarNav">
                </div>
            </div>
        </nav>
    </header>
    <section>
        <div id="contact" class="container-fluid wrapper my-5 fakeHeight">
            <div class="row">
                <div class="col-12 col-lg-6 rounded bg-secondary-subtle mb-3 mb-</pre>
lg-0">
                    <div id="contactinfo" class="p-4">
                     </div>
                </div>
                <div class="col-12 col-lg-6 d-flex justify-content-center align-</pre>
items-center">
                    <div id="forma" class=" p-4 bg-dark rounded text-light w-</pre>
100">
                         <h3>Forma za prijavu</h3>
                         <form action="#">
                             <div class="form-group">
                                 <label class="form-label" for="tbUser">Korisničko
ime:</label>
                                 <input class='form-control' type="text"</pre>
name="tbUser" id="tbUser" placeholder="username"/>
                             </div>
                             <span id="tbUserError"></span>
                             <div class="form-group">
                                 <label class="form-label"</pre>
for="tbUserEmail">Email:</label>
                                 <input class='form-control' type="text"</pre>
name="tbUserEmail" id="tbUserEmail" placeholder="email"/>
                             </div>
                             <span id="tbEmailError"></span>
                             <div class="form-group" id="ddlGradoviDiv">
                                 <label class="form-label"</pre>
for="ddlGradovi">Gradovi: </label>
                             <span id="ddlGradoviError"></span>
                             <div class="form-group" id="ddlProizvodjaciDiv">
```

```
<label class="form-label"</pre>
for="ddlProizvodjaci">Proizvodjač laptopa:</label>
                             </div>
                             <span id="ddlProizvodjaciError"></span>
                             <div class="form-group">
                                 <label for="taOpis">Opis: </label>
                                 <textarea class="form-control" placeholder="Opis
problema..." id="taOpis"></textarea>
                             <span id="taError"></span>
                             <div class="form-group mt-3">
                                 <input class='form-check-input' type="checkbox"</pre>
name="cbTos" id="cbTos" />
                                 <label class="form-label" for="cbTos">Saglasan
sam sa <a href="https://www.google.com/" class="text-warning"</pre>
target="_blank">uslovima korišćenja</a></label>
                             </div>
                             <span id="cbTosError"></span>
                             <div class="d-flex justify-content-center mt-4">
                                 <button id="btnFormaSubmit" class="btn btn-</pre>
success">Pošaljite</button>
                             </div>
                             <span id="uspesnoPoslato"></span>
                         </form>
                    </div>
                </div>
            </div>
        </div>
    </section>
    <footer class="text-light bg-dark">
        <div class="container wrapper">
            <div class="row align-items-center py-3">
                <div class="col-lg-3 col-12">
                  <label for="tbEmailNl" class="col-form-label">Prijavite se na
naš newsletter:</label>
                <div class="col-lg-3 col-12 container">
                    <div class="row">
                        <div class="col d-flex">
```

```
<input type="email" id="tbEmailN1" name="tbEmailN1"</pre>
class="form-control" placeholder="petar.petrovic@gmail.com"/>
                             <button class="btn btn-success"</pre>
id="btnPrijavaNl">Prijava</button></div>
                    </div>
                     <div class="row">
                         <div class="col"><span id="emailNlErr" class="text-</pre>
danger"></span></div>
                     </div>
                </div>
                <div class="col-lg-3 col-6" id="footerNavbar">
                </div>
                <div class="col-lg-3 col-6" id="footerLinks">
            </div>
            <div class="row py-3">
                <div class="col-12 d-flex justify-content-center align-items-</pre>
center">
                     <h4>Lazar Pelanović 2023 &copy;</h4>
                </div>
            </div>
        </div>
    </footer>
    <script src="assets/js/main.min.js" type="text/javascript"></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-</pre>
alpha1/dist/js/bootstrap.bundle.min.js" integrity="sha384-
w76AqPfDkMBDXo30jS1Sgez6pr3x5MlQ1ZAGC+nuZB+EYdgRZgiwxhTBTkF7CXvN"
crossorigin="anonymous"></script>
</body>
</html>
```

Author html

```
<!DOCTYPE html>
<html lang="sr">
<head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="description" content="lp o autoru" />
    <meta name="keywords" content="laptop, autor, lazar, pelanovic" />
    <meta name="author" content="Lazar Pelanovic" />
    <!-- favicon -->
    <link rel="shortcut icon" href="assets/img/favicon.ico" type="image/x-icon"</pre>
    <link rel="icon" href="assets/img/favicon.ico" type="image/x-icon" />
    <!-- Bootstrap -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-</pre>
alpha1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
GLhlTQ8iRABdZL16O3oVMWSktQOp6b7In1Zl3/Jr59b6EGGoI1aFkw7cmDA6j6gD"
crossorigin="anonymous" />
    <link rel="stylesheet" type="text/css" href="assets/css/style.min.css" />
    <title>LP servis - 0 Autoru</title>
    <!-- font awesome -->
    <script src="https://kit.fontawesome.com/20e4f2537d.js"</pre>
crossorigin="anonymous"></script>
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.3/jquery.min.js"></script>
</head>
<body>
    <header class="bg-dark">
        <nav class="navbar navbar-expand-lg navbar-dark wrapper">
            <div class="container-fluid">
                <a class="navbar-brand" href="index.html">LP servis </a>
                <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
                    <span class="navbar-toggler-icon"></span>
```

```
</button>
               <div class="collapse navbar-collapse" id="navbarNav">
               </div>
           </div>
       </nav>
    </header>
    <section class="fakeHeight">
        <div id="autor" class="wrapper my-5 container border rounded p-5 bg-dark</pre>
text-light">
           <div class="row my-3">
               <h3 class="text-center">0 autoru</h3>
           </div>
           <div class="row border rounded m-3 p-3">
               <div class="col-lg-4 col-12">
                   <div id="authorimg">
                       <figure>
                           <img class='img-fluid rounded'</pre>
src="assets/img/jasmall.jpg" alt="author" />
                           <figcaption>Lazar Pelanović 8/21</figcaption>
                       </figure>
                   </div>
               </div>
               <div class="col-lg-4 col-12">
                   <div>
                   <h4>0 meni</h4>
                   <l
                       Student na Visokoj ICT
                       Web programiranje
                   </div>
               </div>
               <div class="col-lg-4 col-12">
                   <div>
                   <h4>Neki od radova:</h4>
                   <l
                       <a href="https://sescika.github.io/hoxo/index.html"</pre>
target="_blank">Hoxo</a>
                       <a href="https://sescika.github.io/portfolio/"</a>
target="_blank">Portfolio</a>
                       <a
href="https://sescika.github.io/teahouse/index.html"
target="_blank">Teahouse</a>
```

```
</div>
                </div>
            </div>
        </div>
    </section>
    <footer class="text-light bg-dark">
        <div class="container wrapper">
            <div class="row align-items-center py-3">
                 <div class="col-lg-3 col-12">
                   <label for="tbEmailNl" class="col-form-label">Prijavite se na
naš newsletter:</label>
                </div>
                <div class="col-lg-3 col-12 container">
                     <div class="row">
                         <div class="col d-flex">
                             <input type="email" id="tbEmailN1" name="tbEmailN1"</pre>
class="form-control" placeholder="petar.petrovic@gmail.com"/>
                             <button class="btn btn-success"</pre>
id="btnPrijavaNl">Prijava</button></div>
                     </div>
                     <div class="row">
                         <div class="col"><span id="emailNlErr" class="text-</pre>
danger"></span></div>
                     </div>
                </div>
                <div class="col-lg-3 col-6" id="footerNavbar">
                </div>
                <div class="col-lg-3 col-6" id="footerLinks">
            </div>
            <div class="row py-3">
                <div class="col-12 d-flex justify-content-center align-items-</pre>
center">
                     <h4>Lazar Pelanović 2023 &copy;</h4>
                </div>
            </div>
        </div>
    </footer>
    <script src="assets/js/main.min.js" type="text/javascript"></script></script></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-</pre>
alpha1/dist/js/bootstrap.bundle.min.js" integrity="sha384-
w76AqPfDkMBDXo30jS1Sgez6pr3x5MlQ1ZAGC+nuZB+EYdgRZgiwxhTBTkF7CXvN"
crossorigin="anonymous"></script>
```

</body>

Cart.html

```
<!DOCTYPE html>
<html lang="sr">
<head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="description" content="lp korpa" />
    <meta name="author" content="Lazar Pelanovic" />
    <!-- favicon -->
    <link rel="shortcut icon" href="assets/img/favicon.ico" type="image/x-icon"</pre>
    <link rel="icon" href="assets/img/favicon.ico" type="image/x-icon" />
    <!-- Bootstrap -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-</pre>
alpha1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
GLhlTQ8iRABdZL16O3oVMWSktQOp6b7In1Zl3/Jr59b6EGGoI1aFkw7cmDA6j6gD"
crossorigin="anonymous" />
    <link rel="stylesheet" type="text/css" href="assets/css/style.min.css" />
    <title>LP servis - Korpa</title>
    <!-- font awesome -->
    <script src="https://kit.fontawesome.com/20e4f2537d.js"</pre>
crossorigin="anonymous"></script>
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.3/jquery.min.js"></script>
</head>
<body>
    <header class="bg-dark">
        <nav class="navbar navbar-expand-lg navbar-dark wrapper">
            <div class="container-fluid">
                <a class="navbar-brand" href="index.html">LP servis </a>
                <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
```

```
<div class="collapse navbar-collapse" id="navbarNav">
                </div>
            </div>
        </nav>
    </header>
    <section>
        <div id="cart" class="container-fluid wrapper fakeHeight">
            <div class="row text-center my-4">
                <h3>Vaša korpa:</h3>
            </div>
            <div class="row d-flex justify-content-between mb-3">
                <a href="products.html" class="p-2 btn btn-secondary"</pre>
id="btnNazad">Nazad na kupovinu</a>
                <button id="btnOsveziKorpu" class="p-2 btn btn-success">Osveži
korpu</button>
            </div>
            <div class="row">
                <div id="korpaTabela" class="col p-0">
                </div>
            </div>
            <div class="row">
                <div class="col-md-6 d-none d-md-block">
                </div>
                <div id="divfinalno" class="col-12 col-md-6 d-flex justify-</pre>
content-between border p-3 rounded bg-light align-items-center my-3">
                </div>
            </div>
        </div>
    </section>
    <footer class="text-light bg-dark">
        <div class="container wrapper">
            <div class="row align-items-center py-3">
                <div class="col-lg-3 col-12">
                  <label for="tbEmailNl" class="col-form-label">Prijavite se na
naš newsletter:</label>
                <div class="col-lg-3 col-12 container">
                    <div class="row">
                       <div class="col d-flex">
```

```
<input type="email" id="tbEmailN1" name="tbEmailN1"</pre>
class="form-control" placeholder="petar.petrovic@gmail.com"/>
                             <button class="btn btn-success"</pre>
id="btnPrijavaNl">Prijava</button></div>
                    </div>
                     <div class="row">
                         <div class="col"><span id="emailNlErr" class="text-</pre>
danger"></span></div>
                     </div>
                </div>
                <div class="col-lg-3 col-6" id="footerNavbar">
                </div>
                <div class="col-lg-3 col-6" id="footerLinks">
            </div>
            <div class="row py-3">
                <div class="col-12 d-flex justify-content-center align-items-</pre>
center">
                     <h4>Lazar Pelanović 2023 &copy;</h4>
                </div>
            </div>
        </div>
    </footer>
    <script src="assets/js/main.min.js" type="text/javascript"></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-</pre>
alpha1/dist/js/bootstrap.bundle.min.js" integrity="sha384-
w76AqPfDkMBDXo30jS1Sgez6pr3x5MlQ1ZAGC+nuZB+EYdgRZgiwxhTBTkF7CXvN"
crossorigin="anonymous"></script>
</body>
</html>
```

Style.scss

```
margin: 0px;
    padding: 0px;
.wrapper {
   margin: 0px auto;
    width: 85%;
a {
    text-decoration: none;
    color: #fff;
#btnOsveziKorpu {
    width: 120px;
#btnNazad {
    width: 120px;
.fakeHeight {
   min-height: 75vh;
header {
   nav {
        a.navbar-brand{
            font-size: 28px;
        .collapse {
                   font-size: 16px;
```

```
section {
#products {
    .row {
        .product {
            width: 18rem;
            .card-body {
                h5 {
                    font-size: 16px;
                .price {
                    p.staraCena{
                        font-size: 12px;
                    p.trenutnaCena {
                        font-size: 20px;
#cover {
   background-image: url('../img/cover.jpg');
   min-height: 500px;
    background-attachment: fixed;
    background-position: center;
    background-repeat: no-repeat;
    background-size: cover;
.slika-korpa {
    width: 135px;
```

```
//#region general
var url = window.location.pathname;
url = url.substring(url.lastIndexOf('/'));
window.onload = function (){
   brProizvodaUkorpi();
    if(url == "/" || url == "/index.html") {
        ajaxCallback('proizvodi.json', function(result) {
            ispisDijagnostika();
            ispisSlider(result);
            ispisPodrska();
        })
    if(url == "/products.html") {
        ajaxCallback('sort-opcije.json', function(result) {
            ispisDDl(result, "ddlSort", "ddlSortDiv", 'sort');
        });
        ajaxCallback('proizvodi.json', function(result) {
            ispisProizvoda(result);
            lsSet('proizvodi', result);
        });
        ajaxCallback('proizvodjaci.json', function(result) {
            ispisGrupeFilterCheckboxova(result, "Proizvođači:",
'filterProizvodjaci", "input-proizvodjaci");
            lsSet('proizvodjaci', result);
        });
            ajaxCallback('proizvodjaci-procesori.json', function(result) {
            ispisGrupeFilterCheckboxova(result, "Procesor:", "filterProcesori",
"input-procesori")
            lsSet('proizvodjaciProcesora', result);
        ajaxCallback('proizvodjaci-graficke.json', function(result) {
            ispisGrupeFilterCheckboxova(result, "Grafička kartica:",
"filterGraficke", "input-graficke");
            lsSet('proizvodjaciGraficke', result);
        });
       $(document).on('change', '#ddlSort', onPromena);
        $(document).on('change', '#tbSearch', onPromena);
       $(document).on('change', '.form-check-input', onPromena);
        $(document).on('click', '#btnSearch', onPromena);
        $(document).on('click', '#btnClearSearch', clearTb );
    if(url == "/contact.html") {
```

```
ispisKontakt();
        ajaxCallback('dostupni-gradovi.json', function(result) {
            ispisDDl(result, "ddlGradovi", "ddlGradoviDiv", 'gradovi');
       });
       ajaxCallback('proizvodjaci.json', function(result) {
            ispisDDl(result, "ddlProizvodjaci", "ddlProizvodjaciDiv",
proizvodjaci');
       });
        let btnSubmitForma = document.getElementById("btnFormaSubmit");
        btnSubmitForma.addEventListener("click", proveraForme);
   if(url == "/cart.html") {
       ispisKorpe();
       $(document).on('click', ".btnSmanji", smanji);
       $(document).on('click', ".btnPovecaj", povecaj);
       $(document).on('click', "#btnOsveziKorpu", osveziKorpu);
function ajaxCallback(fajl, result){
   $.ajax({
     url: 'assets/data/' + fajl,
     method: "get",
     dataType: "json",
     success: result,
     error: function(jqXHR, exception){
       var msg = '';
       if (jqXHR.status === 0) {
       msg = 'Not connected.\n Verify Network.';
       } else if (jqXHR.status == 404) {
       msg = 'Requested page not found. [404]';
       } else if (jqXHR.status == 500) {
       msg = 'Internal Server Error [500].';
       } else if (exception === 'parsererror') {
       msg = 'Requested JSON parse failed.';
       } else if (exception === 'timeout') {
       msg = 'Time out error.';
       } else if (exception === 'abort') {
       msg = 'Ajax request aborted.';
       } else {
       msg = 'Uncaught Error.\n' + jqXHR.responseText;
```

```
alert(msg);
   })
//#region ispis navigacije
const navNizHref = ['index.html', 'products.html', 'contact.html',
'author.html'];
const navNizTitle = ['Početna', 'Proizvodi', 'Pošaljite tiket', 'Autor'];
const footerKlaseIkonice = ['fa-solid fa-sitemap', 'fa-regular fa-file','fa-
brands fa-instagram', 'fa-regular fa-user'];
const footerTitles = ['Sitemap', 'Dokumentacija', 'Instagram', 'Portfolio'];
const footerHref = ['sitemap.xml', 'documentation.pdf',
'https://www.instagram.com', 'https://sescika.github.io/portfolio/']
let nav = document.getElementById("navbarNav");
let navfooter = document.getElementById("footerNavbar");
let navFooterIcons = document.getElementById("footerLinks");
function prikazNav(navArrHref, navArrTitle, elementToAdd, gde) {
   let html = "";
   html += "";
   if(gde === "nav" ) {
       for(let item in navArrHref) {
           html +=`
                      <a class="nav-link"</pre>
href="${navArrHref[item]}">${navArrTitle[item]}</a>
                   `;
       html += ` <a href='cart.html' class='btn border text-light ms-0 ms-lg-</pre>
3'>
                      <i class='fa-solid fa-cart-shopping'></i></i>
                      <span id='cartItemsCounter'></span>
                   </a>
               if (gde === "footer") {
       for(let item in navArrHref) {
           html +=`
```

```
<a class="nav-link"
href="${navArrHref[item]}">${navArrTitle[item]}</a>
                   `;
       html += ""
   elementToAdd.innerHTML = html;
function prikazIkonice(ikoniceKlase, ikoniceTitle, navArrHref, elementToAdd) {
   let html = "";
   html += "";
   for(let item in ikoniceKlase) {
       html +=`
                   <a class="nav-link" href="${navArrHref[item]}"</pre>
target="_blank"><i class='${ikoniceKlase[item]}'></i> ${ikoniceTitle[item]}</a>
               `;
   html += ""
   elementToAdd.innerHTML = html;
prikazNav(navNizHref, navNizTitle, nav, "nav");
prikazNav(navNizHref, navNizTitle, navfooter, "footer");
prikazIkonice(footerKlaseIkonice, footerTitles, footerHref, navFooterIcons);
//#endregion
//#endregion
//#region index
function ispisDijagnostika() {
   let html = `<div class="row">
                   <div class="col-12 col-lg-6">
                       <img src="assets/img/index-serviser.jpg" alt="laptop"</pre>
serviser" class="img-fluid" />
                   </div>
                   <div class="col-12 col-lg-6">
                       <h3>Besplatna dijagnostika kvara</h3>
                       <hr />
                       Dijagnostika kvara za sve modele laptopova je
Besplatna.
```

```
Dijagnostika traje 1 radni sat od kada donesete vaš
laptop kod nas.
                       Dijagnostiku rade visokokvalifikovani laptop tehničari
sa velikim iskustom u popravci laptop uredjaja i propratne opreme.
                       Naša dijagnostika je temeljna i precizna, dijagnostika
se radi sa najsavremenijim dijagnostičkim alatima za popravku laptopova kao i
najsavremenijim elektronskim.
                   </div>
               </div>`;
   document.getElementById("tehnicar").innerHTML = html;
function ispisPodrska() {
    let html = `<div class="row">
                   <div class="col-12 col-lg-6 mb-3">
                       <h3>Besplatna tehnička podrška</h3>
                       <hr>>
                       Od početka ove godine smo unapredili tehničku podršku
za sve laptop uredjaje 24 časa. Ukoliko imate bilo kakvih pitanja u vezi vašeg
laptopa Apple HP Asus Acer Lenovo ili nekog drugog proizvođača pozovite naše
laptop tehničare za pomoć.
                       Naši tehničari rešavaju sve softverske i hardverske
probleme:
                       <l
                           Ne možete da se povežet na internet.
                          Laptop se pali ali nema sliku na ekranu.
                           Na laptopu nema zvuka.
                           Laptop se pali ali pišti nekoliko puta.
                           ...
                       Osim unapredjene tehničke službe unapredili smo i brzu
hitnu službu koji radi 24 časa. Ukoliko vam se laptop pokvari u toku noći a
želite trenutnu popravku vašeg uredjaja pozovite našu Hitnu službu. Naši
tehničari ce doći po vaš računar i započinju odmah popravku. Ukoliko nisu u
mogućnosti da za kratko vreme reše problem daju vam drugi ispravan laptop dok je
vaš u servisu.
                       <a class="btn btn-secondary" href="contact.html">Kontakt
forma</a>
                   </div>
                   <div class="col-12 col-lg-6">
                       <img src="assets/img/index-support.jpg" alt="laptop"</pre>
serviser" class="img-fluid" />
                   </div>
               </div>`;
```

```
document.getElementById("podrska").innerHTML = html;
function nizProizvodaNaAkciji(nizProizvoda) {
    let nizAkcija = [];
    for(let p of nizProizvoda) {
        if(p.akcija) {
            nizAkcija.push(p);
    return nizAkcija;
function ispisSlider(nizProizvoda) {
    let nizProizvodaAkcija = nizProizvodaNaAkciji(nizProizvoda);
    let html = `
    <h3 class='text-center text-warning py-2'>Pogledajte neke od proizvoda na
akciji</h3>
    <hr />
    <div id="carousel" class="carousel slide" data-bs-ride="carousel">
        <div class="carousel-inner">
            <div class="carousel-item active">
                <a href="products.html"><img</pre>
src="${nizProizvodaAkcija[0].slika.src}" class="d-block w-100"
alt="${nizProizvodaAkcija[0].slika.alt}"></a>
                <div class="carousel-caption d-none d-md-block text-dark">
                    <hr />
                    <h5>${nizProizvodaAkcija[0].nazivProizvoda}</h5>
                </div>
            </div>`;
    for(let i = 1; i <= nizProizvodaAkcija.length - 1; i++) {</pre>
        html += `
        <div class="carousel-item">
            <a href="products.html"><img src="${nizProizvodaAkcija[i].slika.src}"</pre>
class="d-block w-100" alt="${nizProizvodaAkcija[i].slika.alt}"></a>
            <div class="carousel-caption d-none d-md-block text-dark">
                <hr />
                <h5>${nizProizvodaAkcija[i].nazivProizvoda}</h5>
            </div>
        </div>`;
```

```
html += `</div>
                <button class="carousel-control-prev" type="button" data-bs-</pre>
target="#carousel" data-bs-slide="prev">
                    <span class="carousel-control-prev-icon" aria-</pre>
hidden="true"></span>
                    <span class="visually-hidden">Previous</span>
                </button>
                <button class="carousel-control-next" type="button" data-bs-</pre>
target="#carousel" data-bs-slide="next">
                    <span class="carousel-control-next-icon" aria-</pre>
hidden="true"></span>
                    <span class="visually-hidden">Next</span>
                </button>
            </div>`;
    document.getElementById("autoCarousel").innerHTML = html;
//#endregion
//#region prodcurts
function onPromena(){
    let proizvodi = lsGet("proizvodi");
    ispisProizvoda(proizvodi);
function ispisProizvoda(nizProizvoda) {
    let html = `<div class='row d-flex justify-content-around'>`;
    nizProizvoda = filterProcesori(nizProizvoda);
    nizProizvoda = filterGraficke(nizProizvoda);
    nizProizvoda = filterProizvodjaci(nizProizvoda);
    nizProizvoda = sortProizvodi(nizProizvoda);
    nizProizvoda = searchProizvodi(nizProizvoda);
    let br = 1;
    for(let p of nizProizvoda) {
        html += `<div class='card product bg-light my-3 col-12 col-lg-4'>
                    <img src=${p.slika.src} class='card-img-top'</pre>
alt=${p.slika.alt} />`
                    if(p.akcija) {
                         html += `<span class="position-absolute p-2 m-2 top-0</pre>
end-0 badge rounded bg-danger">Akcija</span>`
                    html +=
```

```
<div class='card-body'>
                           <h5 class='card-title'>${p.nazivProizvoda}</h5>
                           <hr />
                       <div class='price'>`
                           if(p.cena.staraCena === 0) {
                               html += ` `
                               html += `
staraCena'>Stara cena: ${obradaCene(p.cena.staraCena)}``
                           html += `
trenutnaCena'>${obradaCene(p.cena.trenutnaCena)}
                       </div>
                       <div class="add-to-cart">
                           <button onclick="addToCart(${br})" class="btn btn-</pre>
secondary btn-addtocart"><i class="fa fa-shopping-cart"></i> Dodaj u
korpu</button>
                       </div>
                   </div>
               </div>
       br++;
   html += '</div>'
    document.getElementById("products").innerHTML = html;
function ispisGrupeFilterCheckboxova(nizSaOpcijama, nazivFiltera, idFiltera,
klasaFiltera) {
    html = `<div class='aside border rounded p-2 mb-3' id='${idFiltera}'>
               <h5 class='aside-title'>${nazivFiltera}</h5>
   let br=1;
   for(let opcija of nizSaOpcijama) {
   html += `<div class='mb-2'>
               <input class="form-check-input mt-0 ${klasaFiltera}"</pre>
type="checkbox" value='${br}' id='${idFiltera+br}' />
               <label for='${idFiltera+br}'>${opcija.imeProizvodjaca}</label>
               </div>`;
   br++;
html += "</div>";
```

```
document.getElementById("filters").innerHTML += html;
function ispisDDl(nizOpcija, idListe, idDiv, tip){
    let html = `
                    <select class="form-select" id="${idListe}">
                         <option value="0">Izaberite opciju</option>`;
                    for(let opcija of nizOpcija){
                        if(tip == "sort"){
                            html += `<option</pre>
value="${opcija.vrednost}">${opcija.naziv}</option>`
                        if(tip == "gradovi") {
                            html += `<option
value="${opcija.id}">${opcija.imeGrada}</option>`
                        if(tip == "proizvodjaci") {
                            html += `<option</pre>
value="${opcija.id}">${opcija.imeProizvodjaca}</option>`
                html += `</select>
    document.querySelector(`#${idDiv}`).innerHTML += html;
function obradaCene(x) {
    var parts = x.toString().split(".");
    parts[0]=parts[0].replace(/\B(?=(\d{3})+(?!\d))/g,".");
    return parts.join(",") + " RSD";
function lsSet(naziv, vrednost){
    localStorage.setItem(naziv, JSON.stringify(vrednost));
function lsGet(naziv){
    return JSON.parse(localStorage.getItem(naziv));
//#region filter funkcije
```

```
function sortProizvodi(nizProizvoda){
    let sortiraniNiz = [];
    let izbor = $("#ddlSort").val();
    if(izbor == "0"){
        sortiraniNiz = nizProizvoda;
    else{
        sortiraniNiz = nizProizvoda.sort(function(a, b){
            if(izbor == "cena-asc"){
                return a.cena.trenutnaCena - b.cena.trenutnaCena;
            if(izbor == "cena-desc"){
                return b.cena.trenutnaCena - a.cena.trenutnaCena;
            if(izbor == "naziv-asc"){
                if(a.nazivProizvoda < b.nazivProizvoda){</pre>
                    return -1;
                else if(a.nazivProizvoda > b.nazivProizvoda){
                    return 1;
                else{
                    return 0;
            if(izbor == "naziv-desc"){
                if(a.nazivProizvoda > b.nazivProizvoda){
                    return -1;
                else if(a.nazivProizvoda < b.nazivProizvoda){</pre>
                    return 1;
                }
                else{
                    return 0;
        })
    return sortiraniNiz;
function searchProizvodi(nizProizvoda) {
    let unetiTekst = $("#tbSearch").val();
    return nizProizvoda.filter(x => {
```

```
(x.nazivProizvoda.toLowerCase().indexOf(unetiTekst.toLowerCase().trim()) != -1)
            return x;
    })
function clearTb() {
    let nizProizvoda = lsGet("proizvodi");
    document.getElementById("tbSearch").value = "";
    ispisProizvoda(nizProizvoda);
function filterGraficke(nizProizvoda) {
    let cekiraniProizvodjaciGrafickih = [];
    for (let i = 0; i < $(".input-graficke:checked").length; i++)</pre>
    cekiraniProizvodjaciGrafickih.push(parseInt($(".input-
graficke:checked")[i].value))
    if (cekiraniProizvodjaciGrafickih.length != 0)
        return nizProizvoda.filter((x) =>
cekiraniProizvodjaciGrafickih.includes(x.specifikacije.grafickaKartica.proizvodja
cGrafickeKarticeId));
    return nizProizvoda;
function filterProcesori(nizProizvoda) {
    let cekiraniProizvodjaciProcesora = [];
    for (let i = 0; i < $(".input-procesori:checked").length; i++)</pre>
    cekiraniProizvodjaciProcesora.push(parseInt($(".input-
procesori:checked")[i].value))
    if (cekiraniProizvodjaciProcesora.length != 0)
        return nizProizvoda.filter((x) =>
cekiraniProizvodjaciProcesora.includes(x.specifikacije.procesor.proizvodjacProces
oraId));
    return nizProizvoda;
function filterProizvodjaci(nizProizvoda) {
    let cekiraniProizvodjaci = [];
    for (let i = 0; i < $(".input-proizvodjaci:checked").length; i++)</pre>
    cekiraniProizvodjaci.push(parseInt($(".input-
proizvodjaci:checked")[i].value))
    if (cekiraniProizvodjaci.length != 0)
        return nizProizvoda.filter((x) =>
cekiraniProizvodjaci.includes(x.proizvodjacId));
    return nizProizvoda;
```

```
//#endregion
//#endregion
//#region cart
const alertPlaceholder = document.getElementById('liveAlertPlaceholder');
const alert = (message, type) => {
  const wrapper = document.createElement('div')
 wrapper.innerHTML = [
    `<div class="alert alert-${type} alert-dismissible" role="alert">`,
       <div>${message}</div>`,
       <button type="button" class="btn-close" data-bs-dismiss="alert" aria-</pre>
label="Close"></button>',
   '</div>'
 ].join('')
 alertPlaceholder.append(wrapper);
function ispisPrazneKorpe() {
   html = 
           <div>
               <h3 class='my-5 text-center'>Nema proizvoda u korpi.</h3>
           </div>`;
   document.getElementById("korpaTabela").innerHTML = html;
   document.getElementById("divfinalno").innerHTML = "";
   document.getElementById("divfinalno").classList.remove('bg-light', 'border');
function ispisKorpe() {
   let proizvodiIzKorpe = lsGet('korpa');
   let proizvodi = lsGet('proizvodi');
   let html = "";
   let br = brProizvodaUkorpi();
   if(br == 0 || proizvodiIzKorpe == null) {
       localStorage.removeItem("korpa");
       ispisPrazneKorpe();
   else {
       html = `
       <thead class="table-header text-light bg-dark text-center">
```

```
            Naziv Proizvoda
            Cena
            Količina
            Končna cena

         </thead>
      `;
      let ukupno = 0;
      for(let proizvod of proizvodi) {
         for(let p of proizvodiIzKorpe) {
            if(proizvod.id == p.id) {
               html+= ` 
                         <img class="img-fluid slika-korpa"</pre>
src="${proizvod.slika.src}" alt="${proizvod.slika.alt}" />
                         <td class="align-middle text-
center">${proizvod.nazivProizvoda}
                         <div class="cartKolicina">
                               <button id="smanji${p.id}"</pre>
onclick="smanji(${p.id})" data-id="${p.id}" class='btn btn-secondary btnSmanji'>-
</button>
                                  <input type='text'</pre>
name='korpaProizvodKolicina${p.id}' class='btn btn-secondary'
id='korpaProizvodKolicina${p.id}' disabled='disabled' size='1'
value='${p.kolicina}' />
                               <button id="povecaj${p.id}"</pre>
onclick="povecaj(${p.id})" data-id="${p.id}" class='btn btn-secondary
btnPovecaj'>+</button>
                            </div>
                         id="ukupnaCena${p.id}">${obradaCene(proizvod.cena.trenutnaCena *
<div class="cartIzbaci">
                            <button onclick="izbrisiProizvod(${p.id})"</pre>
class="btn btn-danger btnIzbaciIzKorpe">Izbaci</button>
                         </div>
```

```
`;
                           ukupno += proizvod.cena.trenutnaCena * p.kolicina;
                           ispisDivFinalnaCena(ukupno);
                           console.log(ukupno);
            }
       html += `
        `;
        document.getElementById("korpaTabela").innerHTML = html;
function ispisDivFinalnaCena(cena) {
        document.getElementById("divfinalno").classList.remove("d-none");
        let html = `
        <h2>Ukupna cena:</h2>
        <span id="cenaTotal" class='fs-3 fw-bold'>${obradaCene(cena)}</span>
        <button id="btnPoruci" class="btn btn-success">Poručite</button> `;
        document.getElementById("divfinalno").innerHTML = html;
let proizvodiUnutarKorpe = [];
function addToCart(id, brojStavki) {
    if (brojStavki == undefined)
       brojStavki = 1;
    if (!localStorage.getItem("korpa")) {
        dodajPrviProizvod(id);
       brProizvodaUkorpi();
   else {
       let korpa = lsGet("korpa");
       let xd = korpa.find(x => x.id == id)
       if (!xd) {
           dodajNoviProizvod(id);
```

```
brProizvodaUkorpi();
        else {
            daLiJeUKorpi(id);
    }
    function dodajPrviProizvod(idProduct) {
        let zaKorpu = ({
            id: idProduct,
            kolicina: brojStavki
        })
        proizvodiUnutarKorpe.push(zaKorpu);
        alert("Proizvod dodat u korpu.", "success");
        lsSet("korpa", proizvodiUnutarKorpe);
       brProizvodaUkorpi();
    function dodajNoviProizvod(idProduct) {
        let zaKorpu = ({
            id: idProduct,
            kolicina: brojStavki
        })
        let korpa = lsGet("korpa");
        korpa.push(zaKorpu);
        brProizvodaUkorpi();
        alert("Proizvod dodat u korpu.", "success");
        lsSet("korpa", korpa);
    function daLiJeUKorpi(idProduct) {
        let korpa = lsGet("korpa");
        let xd = korpa.find(x => x.id == idProduct);
        korpa.forEach(p => {
            if(p.id == xd.id) {
                alert("Proizvod je vec u korpi.", "danger");
            }
        })
function izbrisiProizvod(id) {
    let proizvodi = lsGet('korpa');
    let filtrirani = proizvodi.filter(p => p.id != id);
```

```
lsSet('korpa', filtrirani);
    brProizvodaUkorpi();
    ispisKorpe();
function brProizvodaUkorpi() {
    let korpa = lsGet("korpa");
    if(korpa == null) {
        document.getElementById("cartItemsCounter").innerHTML = 0;
        return 0;
    else {
        let br=0;
        korpa.forEach(p => {
            br++;
        })
        document.getElementById("cartItemsCounter").innerHTML = br;
        return br;
function povecaj(id) {
    let proizvodi = lsGet('korpa');
    for(let p of proizvodi) {
        if(p.id == id) {
            p.kolicina++;
            lsSet('korpa', proizvodi);
    ispisKorpe();
function smanji(id) {
    let proizvodi = lsGet("korpa");
    for(let p of proizvodi) {
       if(p.id == id) {
```

```
if(p.kolicina <= 1)</pre>
                p.kolicina == 1;
            else {
                p.kolicina--;
                lsSet('korpa', proizvodi);
    ispisKorpe();
function osveziKorpu() {
    ispisKorpe();
//#endregion
//#region contact
function ispisKontakt() {
    let html = `
                <h3>Dobrodošli na stranicu za slanje tiketa.</h3>
                Ovo je stranica gde možete poslati informacije o
Vašem uređaju i proveriti dostupnost naših usluga po gradovima `;
    document.getElementById("contactinfo").innerHTML = html;
//#region ispitivanje elemenata forme
function proveraForme(e) {
    e.preventDefault();
    let greske = [];
    let formaUser = $("#tbUser").val();
    let formaEmail = $("#tbUserEmail").val();
    let formaDdlGradovi = $("#ddlGradovi").val();
    let formaDdlProizvodjaci = $("#ddlProizvodjaci").val();
    let formaTextArea = $("#taOpis").val();
    let formaCb = document.getElementById("cbTos").checked;
```

```
let tbUserErrorSpan = document.getElementById("tbEmailError");
    let tbEmailErrorSpan = document.getElementById("tbUserError");
    let ddlGradoviErrorSpan = document.getElementById("ddlGradoviError");
    let ddlProizvodjaciErrorSpan =
document.getElementById("ddlProizvodjaciError");
    let textAreaErrorSpan = document.getElementById("taError");
    let cbPromocijeErrorSPan = document.getElementById("cbTosError");
    let uspesnoPoslato = document.getElementById("uspesnoPoslato");
    let userRegex = /^(?=.{8,20}$)(?![_.])(?!.*[_.]{2})[a-zA-Z0-9._]+(?<![_.])$/;
    let emailRegex = /^[a-zA-Z0-9.!#$%&'*+/=?^_`{|}~-]+@[a-zA-Z0-9-]+(?:\.[a-zA-
Z0-9-]+)*$/;
    if(!userRegex.test(formaUser)) {
        tbUserErrorSpan.classList.add("text-danger");
        tbUserErrorSpan.innerHTML = "Pogrešno korisničko ime.";
        greske.push("greska user");
    } else {
        tbUserErrorSpan.innerHTML = "";
    if(!emailRegex.test(formaEmail)) {
        tbEmailErrorSpan.classList.add("text-danger");
        tbEmailErrorSpan.innerHTML = "Pogrešan email.";
        greske.push("greska email");
    } else {
        tbEmailErrorSpan.innerHTML = "";
    if(formaDdlGradovi == 0) {
        ddlGradoviErrorSpan.classList.add("text-danger");
        ddlGradoviErrorSpan.innerHTML = "Izaberite grad.";
        greske.push("greska gradovi");
    } else {
        ddlGradoviErrorSpan.innerHTML = "";
    if(formaDdlProizvodjaci == 0) {
        ddlProizvodjaciErrorSpan.classList.add("text-danger");
        ddlProizvodjaciErrorSpan.innerHTML = "Izaberite grad.";
        greske.push("greska proizvodjaci");
    } else {
        ddlProizvodjaciErrorSpan.innerHTML = "";
```

```
if(formaTextArea.length < 15) {</pre>
        textAreaErrorSpan.classList.add("text-danger");
        textAreaErrorSpan.innerHTML = "Dajte malo detaljniji opis.";
        greske.push("greska ta");
    } else {
        textAreaErrorSpan.innerHTML = "";
    if(!formaCb) {
        cbPromocijeErrorSPan.classList.add("text-danger");
        cbPromocijeErrorSPan.innerHTML = "Morate se složiti sa uslovima
korišćenja";
        greske.push("greska cb");
    } else {
        cbPromocijeErrorSPan.innerHTML = "";
    if(greske.length == 0) {
        uspesnoPoslato.classList.add("text-success", "fs-3");
        uspesnoPoslato.innerHTML = "Tiket poslat.";
    }
function ispitajEmail(vrednostMaila, spanZaIspisGreske) {
    let emailRegex = /^[a-zA-Z0-9.!#$%&'*+/=?^_`{|}~-]+@[a-zA-Z0-9-]+(?:\.[a-zA-
Z0-9-]+)*$/;
    if(!emailRegex.test(vrednostMaila)) {
        spanZaIspisGreske.innerHTML = "Pogresan format emaila. primer:
petar.petrovic@gmail.com";
    } else {
        spanZaIspisGreske.classList.remove("text-danger");
        spanZaIspisGreske.classList.add("text-success");
        spanZaIspisGreske.innerHTML = "email poslat!";
let btnPrijavaNl = document.getElementById("btnPrijavaNl");
btnPrijavaNl.addEventListener("click", function() {
```

```
let nlEmailValue = document.getElementById("tbEmailN1").value;
let spanErr = document.getElementById("emailNlErr");
ispitajEmail(nlEmailValue, spanErr);
});
//#endregion
//#endregion
```