# Lpstore

Lazar Pelanović 8/21

PROJEKAT IZ PREDMETA WEB PROGRAMIRANJE PRAKTIKUM PHP,

LAZAR PELANOVIĆ 8/21

| vod                          | 6  |
|------------------------------|----|
| Korišćeni programski jezici: | 6  |
| Funkcionalnosti              | 6  |
| Template                     | 6  |
| Organizacija                 | 6  |
| Organizacija foldera         | 7  |
| aza podataka                 | 8  |
| ike sajtova I opis           | 10 |
| Home                         | 10 |
| Proizvodi                    | 10 |
| Registracija                 | 11 |
| Kontakt                      | 12 |
| Admin                        | 12 |
| Lista proizvoda              | 12 |
| Unos proizvoda               | 13 |
| Tiketi                       |    |
| Log                          | 15 |
| Porudzbine                   |    |
| Autor                        |    |
| Profil                       | 17 |
| Korpa                        | 17 |
| Login                        |    |
| olderi sa kodovima           |    |
| Config                       |    |
| Connection.php               |    |
| Config.php                   |    |
| .env                         |    |
| Data                         |    |
|                              | 21 |
|                              |    |

| Models                    | 21  |
|---------------------------|-----|
| Brisanje-proizvoda.php    | 21  |
| Dohvati-filtere.php       | 23  |
| Dohvati-porudzbine.php    | 24  |
| Dohvati-profil.php        | 26  |
| Dohvati-proizvode.php     | 27  |
| Dohvati-tikete.php        | 30  |
| Edit-profil.php           | 31  |
| Edit.php                  | 35  |
| Functions.php             | 40  |
| Logovanje.php             | 85  |
| Obrada-kontakt            | 87  |
| Obrada-registracija.php   | 90  |
| Obrada-unos-proizvoda.php | 94  |
| Unos-porudzbine.php       | 98  |
| Utilities.php             | 100 |
| Uploads                   | 100 |
| Views                     | 100 |
| Fixed                     | 100 |
| Footer.php                | 100 |
| Head.php                  | 101 |
| Nav-admin.php             | 103 |
| Nav.php                   | 105 |
| Pages                     | 105 |
| 404.php                   | 105 |
| Admin.php                 | 106 |
| Autor.php                 | 108 |
| Home.php                  | 110 |
| Kontakt php               | 112 |

| Korpa.php             | 117 |
|-----------------------|-----|
| Log.php               | 118 |
| Login.php             | 121 |
| Logout.php            | 123 |
| Prikaz-porudzbine.php | 123 |
| Profil.php            | 125 |
| Proizvodi.php         | 126 |
| Registracija.php      | 128 |
| Tiketi.php            | 130 |
| Unos-proizvoda.php    | 132 |
| Index.php             | 137 |
| Assets                | 140 |
| img                   | 140 |
| CSS                   | 140 |
| js                    | 140 |
| Main.js               | 140 |
|                       | 203 |

#### Uvod

#### Korišćeni programski jezici:

- HTML5
- CSS3
  - o Bootstrap 5.3
- JavaScript
- PHP

#### Funkcionalnosti

Ideja sajta je servis I prodaja laptopova.

Sajtu se može pristupiti sa I bez logovanja. Svaki korisnik može napraviti nalog I menjati profilnu sliku istog.

Administrator može menjati, brisati I dodavati proizvode, kao I videti tikete, porudžbine I log celog sajta.


#### **Template**

Template nije korišćen iz drugih izvora.


#### Organizacija

Svakoj stranici se može pristupiti iz navigacije u zavisnosti od nivoa pristupa.

#### Organizacija foldera




## Baza podataka



## Slike sajtova I opis


#### Home

Početna stranica sajta.




#### Proizvodi

Stranica sa proizvodima. Omogućeno je filtriranje, paginacija I pretraga proizovda po nazivu.




## Registracija

Stranica za registraciju korisnika.



#### Kontakt


Stranica za kontakt ulogovanih korisnika. Slanje tiketa administratoru.



#### Admin


#### Lista proizvoda

Stranica za unos, editovanje I brisanje proizvoda. Dostupna samo administratorima.



#### Unos proizvoda


#### Unos novih proizvoda





#### Tiketi


Prikaz poslatih tiketa korisnika.



Lazar Pelanović ©

#### Log

Kompletan prikaz log fajla, statistika o logovanjima I klikovima u poslednja 24h I procenat poseta stranica.



#### Porudzbine


#### Prikaz porudzbina korisnika





#### Autor


Stranica o autoru



Lazar Pelanović © Dolumentacija


#### Profil

Profil korisnika. Moze se promeniti profilna slika.



## Korpa

Korpa sa proizvodima. Klikom na dugme se upisuje porudzbina.





## Login

Stranica za prijavu registrovanih naloga.



### Folderi sa kodovima

#### Config

```
Connection.php
<?php
    <?php
include "config.php";
try {
   $conn = new PDO("mysql:host=" . SERVER . ";dbname=" . DATABASE .
"; charset=utf8", USERNAME, PASSWORD);
    $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
} catch (PDOException $ex) {
   echo $ex->getMessage();
```

#### Config.php

```
<?php
```

```
define("envPath",__DIR__."/.env");
define("SERVER", env("SERVER"));
define("DATABASE", env("DATABASE"));
define("USERNAME", env("USERNAME"));
define("PASSWORD", env("PASSWORD"));
function env($marker){
   $niz = file(envPath);
    $trazenaVrednost = "";
    foreach($niz as $red){
        $red = trim($red);
        list($identifikator, $vrednost) = explode("=", $red);
        if($identifikator == $marker){
            $trazenaVrednost = $vrednost;
            break;
```

```
return $trazenaVrednost;
?>
.env
SERVER=localhost
DATABASE=proizvodi
USERNAME=root
PASSWORD=
Data
Log.txt
Models
Brisanje-proizvoda.php
<?php
   header("content-type: application/json");
```

```
if(isset($_POST['id'])) {
    include '../config/connection.php';
    include "functions.php";
    $statusCode = 404;
    $response = "";
    $id = $_POST['id'];
    $proizvod = dohvatiProizvod($id);
    $rez = obrisiProizvod($id);
    if($rez) {
        $response = ["poruka" => "Uspešno obrisan proizvod."];
        $statusCode = 200;
    } else {
        $response = ["poruka" => "Greška prilikom brisanja proizvoda."];
        $statusCode = 500;
```

```
echo json_encode($response);
http_response_code($statusCode);

} else {
    $statusCode = 422;
    $response = ['poruka'=>'Identifikator je neophodan za brisanje.'];

http_response_code(422);
    echo json_encode($response);
}
```

#### Dohvati-filtere.php

```
<?php
```

```
session_start();
include "../config/connection.php";
include "functions.php";
header("Content-Type: application/json");
if($_SERVER["REQUEST_METHOD"] == "GET") {
```

```
$graficke = dohvatiSvePodatke("graficke_proizvodjaci");
                $procesori = dohvatiSvePodatke("procesor_proizvodjaci");
                $proizvodjaci = dohvatiSvePodatke("proizvodjaci");
                $response = [
                        "proizvodjaciGraficke" => $graficke,
                        "proizvodjaciProcesori" => $procesori,
                        "proizvodjaci" => $proizvodjaci
                echo json_encode($response);
        } else {
               redirect("../proizvodi.php");
?>
```

#### Dohvati-porudzbine.php

```
<?php
header("content-type: application/json");
session_start():</pre>
```

```
if ($_SERVER['REQUEST_METHOD'] == 'GET') {
   include '../config/connection.php';
   include "functions.php";
   $user = $_SESSION['korisnik']->username;
    $response = [];
    $poruzbine = dovhatiPorudzbine();
    $response = [
        'porudzbine' => $poruzbine,
        'user' => $user
   echo json_encode($response);
} else {
   header("Location: ../index.php?page=home");
```

#### Dohvati-profil.php

```
<?php
        include "../config/connection.php";
        include "functions.php";
        include "utilities.php";
        header("Content-Type: application/json");
        if($_SERVER["REQUEST_METHOD"] == "GET" && isset($_GET['id']) &&
$_SESSION['korisnik']->id == $_GET['id']) {
                $profil = dohvatiProfil($_GET['id']);
                $response = ['profil' => $profil];
                echo json_encode($response);
        } else {
```

\$response = ['poruka' => "Došlo je do greške."];

```
echo json_encode($response);
               redirect("../404.php");
?>
Dohvati-proizvode.php
<?php
include "../config/connection.php";
include "functions.php";
header("Content-Type: application/json");
if ($_SERVER["REQUEST_METHOD"] == "GET" && isset($_GET['id'])) {
        $proizvod = dohvatiProizvod($_GET['id']);
        $proizvodjaci = dohvatiSvePodatke("proizvodjaci");
        $graficke = dohvatiSvePodatke("graficke_specifikacije");
        $procesori = dohvatiSvePodatke("procesor_specifikacije");
        $response = [
```

```
"proizvod" => $proizvod,
                "proizvodjaci" => $proizvodjaci,
                "graficke" => $graficke,
                "procesori" => $procesori
        echo json_encode($response);
} else if ($_SERVER["REQUEST_METHOD"] == "GET" &&
(isset($_GET['nazivProizvod']))) {
        $nazivProizvod = $_GET['nazivProizvod'];
        $proizvodi = searchProizvode($nazivProizvod);
        echo json_encode($proizvodi);
} else if ($_SERVER["REQUEST_METHOD"] == "GET" && (isset($_GET['strana']))) {
        $proizvodi = dohvatiSveProizvodePaginacija($_GET['strana']);
        echo json_encode($proizvodi);
```

```
} else if ($_SERVER["REQUEST_METHOD"] == "GET" && (isset($_GET['filteri']))) {
        if (isset($_GET['filteri']['arrValueGraficke'])) {
                $arrIdGraficke = $_GET['filteri']['arrValueGraficke'];
        } else {
                $arrIdGraficke = [];
        if (isset($_GET['filteri']['arrValueProcesori'])) {
                $arrIdProcesori = $_GET['filteri']['arrValueProcesori'];
        } else {
                $arrIdProcesori = [];
        if (isset($_GET['filteri']['arrValueProizvodjaci'])) {
                $arrIdProizvodjaci = $_GET['filteri']['arrValueProizvodjaci'];
        } else {
                $arrIdProizvodjaci = [];
```

```
$proizvodi = filterProizvoda($arrIdGraficke, $arrIdProcesori,
$arrIdProizvodjaci);

echo json_encode($proizvodi);
} else if ($_SERVER["REQUEST_METHOD"] == "GET") {

echo json_encode(dohvatiSveProizvodePaginacija(1));
}
```

#### Dohvati-tikete.php

```
include "../config/connection.php";

if($_SERVER['REQUEST_METHOD'] == "GET") {
    global $conn;
    $upit = "SELECT * FROM tiketi t

    JOIN status_tiket st ON t.statusId = st.statusId

    JOIN users u ON t.korisnikId = u.id";

$iskaz = $conn->prepare($upit);
```

```
$iskaz->execute();
                $rezultat = $iskaz->fetchAll();
               header("Content-Type: application/json");
                echo json_encode($rezultat);
?>
Edit-profil.php
<?php
   header("Content-type: application/json");
   if($_SERVER['REQUEST_METHOD'] == 'POST'){
        include "utilities.php";
       include "../config/connection.php";
        include "functions.php";
        $userId = $_POST['userId'];
        $slikaId = $_POST['idSlike'];
```

```
$nizGresaka = [];
        $odgovor = "";
        $statusniKod = "";
        if(isset($_FILES['slika'])) {
            $faj1 = $_FILES['slika'];
            $nazivFajla = $fajl['name'];
            $tmpFajl = $fajl['tmp_name'];
            $velicinaFajla = $fajl['size'];
            $tipFajla = $fajl['type'];
            $greskeFajl = $fajl['error'];
            $dozvoljeniTipovi = ["image/png", "image/jpeg", "image/jpg"];
            if(!in_array($tipFajla, $dozvoljeniTipovi)){
                $nizGresaka[] = "Greška prilikom upload-a fajla. Dozvoljeni
tipovi: jpg, jpeg, png.";
```

```
if($velicinaFajla > 400000){
                $nizGresaka[] = "Greška prilikom upload-a fajla. Dozvoljeno je
....KB, MB";
            $noviNazivFajla = time(). "_" . $_SESSION['korisnik']->username .
"_pfp_" .$nazivFajla;
            $putanja = "../uploads/" . $noviNazivFajla;
            $profil = dohvatiProfil($userId);
            if($slikaId != "1") {
                unlink($profil->file_location);
            if(move_uploaded_file($tmpFajl, $putanja)){
                unosProfilneSlike($putanja, $noviNazivFajla);
                $slika = dohvatiUploadovanuPfp();
                $slika = $slika->userFileId;
                $edit = editProfila($userId, $slika);
```

```
if($edit) {
        $profil = dohvatiProfil($userId);
        $response = [
                "profil" => $profil,
                "poruka" => "Uspešno promenjena slika."
        $statusniKod = 200;
   } else {
        $response = ["poruka" => "Greška prilikom editovanja profila."];
        $statusniKod = 500;
else{
    $response = ["poruka" => "Greska."];
    $statusniKod = 422;
echo json_encode($response);
```

```
http_response_code($statusniKod);
   else{
       http response code(404);
?>
Edit.php
<?php
    header("Content-type: application/json");
    if($_SERVER['REQUEST_METHOD'] == 'POST'){
        include "utilities.php";
        include "../config/connection.php";
        include "functions.php";
        $proizvodId = $_POST['proizvodId'];
        $nazivProizvoda = $_POST['nazivProizvoda'];
        $proizvodjacId = $_POST['proizvodjacId'];
        $cenaProizvoda = $_POST['cenaProizvoda'];
        $graficka = $_POST['grafickaId'];
```

```
$procesor = $_POST['procesorId'];
$storage = $_POST['storage'];
$dijagonala = $_POST['dijagonala'];
$nizGresaka = [];
$odgovor = "";
$statusniKod = "";
if(count($nizGresaka) == 0){
    if(isset($_FILES['slika'])) {
       $fajl = $_FILES['slika'];
       $nazivFajla = $fajl['name'];
       $tmpFajl = $fajl['tmp_name'];
       $velicinaFajla = $fajl['size'];
       $tipFajla = $fajl['type'];
       $greskeFajl = $fajl['error'];
       $dozvoljeniTipovi = ["image/png", "image/jpeg", "image/jpg"];
```

```
if(!in_array($tipFajla, $dozvoljeniTipovi)){
                    $nizGresaka[] = "Greška prilikom upload-a fajla. Dozvoljeni
tipovi: jpg, jpeg, png.";
                if($velicinaFajla > 400000){
                    $nizGresaka[] = "Greška prilikom upload-a fajla. Dozvoljeno
je ....KB, MB";
                $noviNazivFajla = time(). "_" . $_SESSION['korisnik']->username .
"_" .$nazivFajla;
                $putanja = "../uploads/" . $noviNazivFajla;
                $proizvod = dohvatiProizvod($proizvodId);
                // unlink($proizvod->lokacija);
                if(move_uploaded_file($tmpFajl, $putanja)){
                    unosSlike($putanja, $noviNazivFajla);
                    $slika = dohvatiUploadovanuSliku();
                    $slika = $slika->slikaId;
```

```
$edit =
                    editProizvoda($proizvodId, $proizvodjacId, $nazivProizvoda,
$cenaProizvoda, $procesor, $graficka, $storage, $dijagonala, $slika);
            } else {
                $edit = editProizvoda($proizvodId, $proizvodjacId,
$nazivProizvoda, $cenaProizvoda, $procesor, $graficka, $storage, $dijagonala);
           if($edit) {
                $proizvod = dohvatiProizvod($proizvodId);
                $proizvodjaci = dohvatiSvePodatke("proizvodjaci");
                $graficke = dohvatiSvePodatke("graficke_specifikacije");
                $procesori = dohvatiSvePodatke("procesor specifikacije");
                $response = [
                        "poruka" => "Uspešno izmenjen proizvod",
                        "proizvod" => $proizvod,
                        "proizvodjaci" => $proizvodjaci,
                        "graficke" => $graficke,
                        "procesori" => $procesori
```

```
$statusniKod = 200;
           } else {
               $response = ["poruka" => "Greška prilikom editovanja
proizvoda."];
                $statusniKod = 500;
       else{
           $response = ["poruka" => $nizGresaka];
           $statusniKod = 422;
       echo json_encode($response);
        http_response_code($statusniKod);
   else{
       http_response_code(404);
?>
```

## Functions.php

```
<?php
```

```
function registracija($username, $password, $email)
   global $conn;
    $upit = "INSERT INTO users(username, password, email) VALUES(:username,
:password, :email)";
    $iskaz = $conn->prepare($upit);
   $iskaz->bindParam(":username", $username);
    $iskaz->bindParam(":password", $password);
    $iskaz->bindParam(":email", $email);
    $rez = $iskaz->execute();
   return $rez;
```

```
function proveraUser($username)
   global $conn;
    $upit = "SELECT username FROM users WHERE username = :username";
   $iskaz = $conn->prepare($upit);
   $iskaz->bindParam(":username", $username);
    $iskaz->execute();
   $rez = $iskaz->fetchAll();
   return $rez;
function proveraEmail($email)
   global $conn;
    $upit = "SELECT email FROM users WHERE email = :email";
```

```
$iskaz = $conn->prepare($upit);
    $iskaz->bindParam(":email", $email);
   $iskaz->execute();
   $rez = $iskaz->fetchAll();
   return $rez;
function logovanje($username, $password)
   global $conn;
    $upit = "SELECT * FROM users u JOIN roles r
                 ON u.roleId = r.roleId
                 WHERE u.username = :username AND u.password = :pass";
```

```
$iskaz = $conn->prepare($upit);
   $iskaz->bindParam(":username", $username);
   $iskaz->bindParam(":pass", $password);
    $iskaz->execute();
   $rez = $iskaz->fetch();
   return $rez;
function updateLastLoginUser($id)
   global $conn;
   $upit = "UPDATE users SET poslednjeLogovanje = CURRENT_TIMESTAMP WHERE id =
:id";
   $iskaz = $conn->prepare($upit);
```

```
$iskaz->bindParam(":id", $id);
   $rez = $iskaz->execute();
  return $rez;
function ispisNavMenija()
  global $conn;
   $upit1 = "SELECT * FROM navigacija WHERE nivoPristupa IN('1') ORDER BY
redosled";
   $upit2 = "SELECT * FROM navigacija WHERE nivoPristupa IN('1', '2') ORDER BY
redosled";
   $upit3 = "SELECT * FROM navigacija WHERE nivoPristupa IN('1', '2', '3') ORDER
BY redosled";
   //ispis
   $html = "";
```

```
if (!isset($_SESSION['korisnik'])) {
       $iskaz = $conn->prepare($upit1);
       $iskaz->execute();
       $rez = $iskaz->fetchAll();
       foreach ($rez as $r) {
           $html .= "
                              <a href='?page=" . $r->nav_page . "' class='nav-
link'>" . $r->naziv . "</a>
                          ";
   } else if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']->roleId ==
1) {
       $iskaz = $conn->prepare($upit2);
       $iskaz->execute();
       $rez = $iskaz->fetchAll();
       foreach ($rez as $r) {
           if ($r->naziv == "Logovanje") {
               continue;
```

```
if ($r->naziv == "Profil") {
              $html .= "
                      <a href='?page=" . $r->nav_page . "&id=" .
$_SESSION['korisnik']->id . "' class='nav-link text-success'>" .
$_SESSION['korisnik']->username . "(" . $_SESSION['korisnik']->nazivRole . ")" .
"</a>
                      ";
          } else {
              $html .= "
                      <a href='?page=" . $r->nav_page . "' class='nav-link'>" .
$r->naziv . "</a>
                             ";
   } else if (isset($ SESSION['korisnik']) && $ SESSION['korisnik']->roleId ==
2) {
       $iskaz = $conn->prepare($upit3);
       $iskaz->execute();
       $rez = $iskaz->fetchAll();
       foreach ($rez as $r) {
          if ($r->naziv == "Logovanje") {
              continue;
```

```
if ($r->naziv == "Profil") {
             $html .= "
                    <a href='?page=" . $r->nav_page . "&id=" .
$_SESSION['korisnik']->id . "' class='nav-link text-danger'>" .
$_SESSION['korisnik']->username . "(" . $_SESSION['korisnik']->nazivRole . ")" .
"</a>
                    ";
          } else {
             $html .= "
                    <a href='?page=" . $r->nav_page . "' class='nav-link'>" .
$r->naziv . "</a>
                           ";
   $html .= "";
   return $html;
```

function dohvatiSvePodatke(\$nazivTabele)

```
global $conn;
    $upit = "SELECT * FROM $nazivTabele";
   $iskaz = $conn->prepare($upit);
   $iskaz->execute();
   $rezultat = $iskaz->fetchAll();
   return $rezultat;
function unosProizvoda($proizvodjacId, $nazivProizvod, $trenutnaCena,
$procesorId, $grafickaId, $storage, $dijagonala, $imgId)
   global $conn;
    $upit = "INSERT INTO proizvodi(proizvodjacId, nazivProizvod, trenutnaCena,
procesorId, grafickaId, ssd, dijagonala, slikaId)
                VALUES(:proizvodjacId, :nazivProizvod, :cena, :procesorId,
:grafickaId, :ssd, :dijagonala, :slikaId)";
```

```
$iskaz = $conn->prepare($upit);
    $iskaz->bindParam(":proizvodjacId", $proizvodjacId);
    $iskaz->bindParam(":nazivProizvod", $nazivProizvod);
    $iskaz->bindParam(":cena", $trenutnaCena);
    $iskaz->bindParam(":procesorId", $procesorId);
    $iskaz->bindParam(":grafickaId", $grafickaId);
    $iskaz->bindParam(":ssd", $storage);
    $iskaz->bindParam(":dijagonala", $dijagonala);
    $iskaz->bindParam(":slikaId", $imgId);
    $rez = $iskaz->execute();
   return $rez;
function dohvatiUploadovanuSliku()
    global $conn;
```

```
$upit = "SELECT slikaId FROM slike
                WHERE slikaId = (
                 SELECT MAX(slikaId) FROM slike)";
    $iskaz = $conn->prepare($upit);
    $iskaz->execute();;
   $rez = $iskaz->fetch();
   return $rez;
function unosSlike($putanaja, $naziv)
   global $conn;
   $upit = "INSERT INTO slike(nazivSlika, lokacija) VALUES(:naziv, :lokacija)";
    $iskaz = $conn->prepare($upit);
    $iskaz->bindParam(":naziv", $naziv);
```

```
$iskaz->bindParam(":lokacija", $putanaja);
    $rez = $iskaz->execute();
   return $rez;
function dohvatiProizvod($id)
   global $conn;
    $upit = "SELECT * FROM proizvodi p
        JOIN slike s ON p.slikaId = s.slikaId
        JOIN proizvodjaci pr ON p.proizvodjacId = pr.proizvodjacId
        JOIN procesor_specifikacije ps ON p.procesorId =
ps.procesoriSpecifikacijeId
        JOIN graficke_specifikacije gs ON p.grafickaId =
gs.grafickeSpecifikacijaId
       WHERE p.proizvodId = :id";
    $iskaz = $conn->prepare($upit);
    $iskaz->bindParam(":id", $id);
    $iskaz->execute();
```

```
$rezultat = $iskaz->fetch();
   return $rezultat;
function dohvatiSveProizvode()
   global $conn;
    $upit = "SELECT * FROM proizvodi p
        JOIN slike s ON p.slikaId = s.slikaId
        JOIN proizvodjaci pr ON p.proizvodjacId = pr.proizvodjacId
        JOIN procesor_specifikacije ps ON p.procesorId =
ps.procesoriSpecifikacijeId
        JOIN graficke_specifikacije gs ON p.grafickaId =
gs.grafickeSpecifikacijaId
        ORDER BY p.proizvodId ";
    $iskaz = $conn->prepare($upit);
    $iskaz->execute();
    $rezultat = $iskaz->fetchAll();
```

```
return $rezultat;
function dohvatiSveProizvodePaginacija($stranica)
   global $conn;
   $perPage = 6;
   $firstPage = ($stranica - 1) * $perPage;
   $upit = "SELECT * FROM proizvodi p
        JOIN slike s ON p.slikaId = s.slikaId
        JOIN proizvodjaci pr ON p.proizvodjacId = pr.proizvodjacId
        JOIN procesor_specifikacije ps ON p.procesorId =
ps.procesoriSpecifikacijeId
        JOIN graficke_specifikacije gs ON p.grafickaId =
gs.grafickeSpecifikacijaId
        ORDER BY p.proizvodId
        LIMIT $firstPage, $perPage";
   $iskaz = $conn->prepare($upit);
   $iskaz->execute();
   $rezultat = $iskaz->fetchAll();
```

```
return $rezultat;
function brojStranicaPaginacija($poStranici)
   global $conn;
    $upit = "SELECT * FROM proizvodi";
    $iskaz = $conn->prepare($upit);
    $iskaz->execute();
    $rezultat = $iskaz->fetchAll();
   return ceil(count($rezultat) / $poStranici);
function dohvatiSlikuId($id)
   global $conn;
```

```
$upit = "SELECT p.slikaId FROM proizvodi p
                 JOIN slike s ON p.slikaId = s.slikaId
                 WHERE p.proizvodId = :proizvodId";
    $iskaz = $conn->prepare($upit);
    $iskaz->bindParam(":proizvodId", $id);
    $iskaz->execute();
   $rez = $iskaz->fetchAll();
   return $rez;
function dohvatiUploadovanuPfp()
   global $conn;
    $upit = "SELECT userFileId FROM user_files
                 WHERE userFileId = (
                 SELECT MAX(userFileId) FROM user_files)";
```

```
$iskaz = $conn->prepare($upit);
   $iskaz->execute();;
   $rez = $iskaz->fetch();
   return $rez;
function editProizvoda($proizvodId, $proizvodjacId, $nazivProizvod,
$trenutnaCena, $procesorId, $grafickaId, $storage, $dijagonala, $imgId = 0)
   global $conn;
    $upit = "UPDATE proizvodi SET proizvodjacId = :proizvodjacId, nazivProizvod =
:nazivProizvod, trenutnaCena = :trenutnaCena, procesorId = :procesorId,
grafickaId = :grafickaId, ssd = :ssd, dijagonala = :dijagonala";
   if ($imgId != 0) {
       $upit .= ", slikaId = :slikaId ";
    } else {
        $slika = dohvatiSlikuId($proizvodId);
        $slika = $slika[0]->slikaId;
        $upit .= ", slikaId = $slika ";
```

```
$upit .= " WHERE proizvodId = $proizvodId";
$iskaz = $conn->prepare($upit);
$iskaz->bindParam(":proizvodjacId", $proizvodjacId);
$iskaz->bindParam(":nazivProizvod", $nazivProizvod);
$iskaz->bindParam(":trenutnaCena", $trenutnaCena);
$iskaz->bindParam(":procesorId", $procesorId);
$iskaz->bindParam(":grafickaId", $grafickaId);
$iskaz->bindParam(":ssd", $storage);
$iskaz->bindParam(":dijagonala", $dijagonala);
if ($imgId != 0) {
    $iskaz->bindParam("slikaId", $imgId);
$rez = $iskaz->execute();
return $rez;
```

```
function unosTiketa($korisnikId, $opisProblema, $proizvodjacLaptopa)
   global $conn;
    $upit = "INSERT INTO tiketi(korisnikId, opisProblema, proizvodjacLaptopa,
datumSlanjaTiketa) VALUES(:korisnikId, :opisProblema, :proizvodjacLaptopa,
CURRENT_TIMESTAMP)";
    $iskaz = $conn->prepare($upit);
    $iskaz->bindParam(":korisnikId", $korisnikId);
    $iskaz->bindParam(":opisProblema", $opisProblema);
    $iskaz->bindParam(":proizvodjacLaptopa", $proizvodjacLaptopa);
    $rezultat = $iskaz->execute();
   return $rezultat;
```

```
function dohvatiProfil($id)
   global $conn;
    $upit = "SELECT * FROM users u
                 JOIN user_files uf ON u.profileImgId = uf.userFileId
                 JOIN roles r ON u.roleId = r.roleId
                WHERE u.id = :id";
    $iskaz = $conn->prepare($upit);
   $iskaz->bindParam(":id", $id);
    $iskaz->execute();
   $rez = $iskaz->fetch();
  return $rez;
function obrisiProizvod($id)
```

```
global $conn;
    $upit = 'DELETE FROM proizvodi WHERE proizvodId = :id';
   $iskaz = $conn->prepare($upit);
   $iskaz->bindParam(":id", $id);
   $rez = $iskaz->execute();
  return $rez;
function obrisiTiket($id)
   global $conn;
   $upit = 'DELETE FROM proizvodi WHERE proizvodId = :id';
```

```
$iskaz = $conn->prepare($upit);
    $iskaz->bindParam(":id", $id);
   $rez = $iskaz->execute();
   return $rez;
function editProfila($id, $imgId)
   global $conn;
    $upit = "UPDATE users SET profileImgId = :imgId WHERE id = :id";
    $iskaz = $conn->prepare($upit);
    $iskaz->bindParam(":imgId", $imgId);
    $iskaz->bindParam(":id", $id);
```

```
$rez = $iskaz->execute();
   return $rez;
function unosProfilneSlike($putanaja, $naziv)
   global $conn;
    $upit = "INSERT INTO user_files(file_location, file_name) VALUES(:putanja,
:naziv)";
    $iskaz = $conn->prepare($upit);
   $iskaz->bindParam(":putanja", $putanaja);
   $iskaz->bindParam(":naziv", $naziv);
   $rez = $iskaz->execute();
   return $rez;
```

```
function searchProizvode($nazivProizvod)
   global $conn;
   $upit = "SELECT * FROM proizvodi p
       JOIN slike s ON p.slikaId = s.slikaId
       JOIN proizvodjaci pr ON p.proizvodjacId = pr.proizvodjacId
        JOIN procesor_specifikacije ps ON p.procesorId =
ps.procesoriSpecifikacijeId
       JOIN graficke_specifikacije gs ON p.grafickaId =
gs.grafickeSpecifikacijaId
       WHERE LOWER(p.nazivProizvod) LIKE LOWER('%" . $nazivProizvod . "%')";
   $iskaz = $conn->prepare($upit);
   $iskaz->execute();
   $rezultat = $iskaz->fetchAll();
```

```
return $rezultat;
function upisLogFajl($akcija, $uspeh = 0)
    if (isset($_SESSION['korisnik'])) {
         $korisnik = $_SESSION['korisnik']->username;
    } else {
        $korisnik = "null";
    $stranica = $_GET['page'];
    $datumVreme = time();
    $ip = $_SERVER['REMOTE_ADDR'];
    if ($akcija == "view") {
$formatZaUpis = $datumVreme . "__" . $ip . "__" . $stranica . "__" .
$akcija . "__" . $korisnik . "__" . "1" . "\n";
```

```
$fajl = fopen("data/log.txt", 'a');
        $upis = fwrite($fajl, $formatZaUpis);
       if ($upis) {
            $zatvaranje = fclose($faj1);
           if ($zatvaranje) {
               return true;
   if ($akcija = "login") {
       $stranica = "login";
        $formatZaUpisl = $datumVreme . "__" . $ip . "__" . $stranica . "__" .
$akcija . "__" . $korisnik . "__" . $uspeh . "\n";
        $fajl = fopen("../data/log.txt", 'a');
        $upis = fwrite($fajl, $formatZaUpisl);
       if ($upis) {
```

```
$zatvaranje = fclose($fajl);
             if ($zatvaranje) {
                  return true;
    if ($akcija = "logout") {
        $stranica = "logout";
$formatZaUpis1 = $datumVreme . "__" . $ip . "__" . $stranica . "__" .
$akcija . "__" . $korisnik . "__" . $uspeh . "\n";
         $fajl = fopen("../../data/log.txt", 'a');
         $upis = fwrite($fajl, $formatZaUpisl);
        if ($upis) {
             $zatvaranje = fclose($fajl);
             if ($zatvaranje) {
                 return true;
```

```
function prikazLogFajla($poslednjihXSati)
   $logFajl = fopen("data/log.txt", "r");
   $podaciIzFajla = fread($logFajl, filesize("data/log.txt"));
   $podaciIzFajla = trim($podaciIzFajla);
   $niz = explode("\n", $podaciIzFajla);
   $now = time();
   $past = strtotime("-$poslednjihXSati day");
   $html = "";
   foreach ($niz as $value) {
       list($datum, $ipAdd, $page, $akcija, $user, $uspeh) = explode("__",
$value);
       if ($datum >= $past && $datum <= $now) {</pre>
           $html .= "
                   " . $user . "
                   " . $page . "
                   " . $akcija . "(" . $uspeh . ")" . "
                   " . date("D, d.m.Y. H:i:s", $datum) . "
```

```
"
             ";
   return $html;
function prikazUlogovanihKorisnika($poslednjihXSati)
   $logFajl = fopen("data/log.txt", "r");
   $podaciIzFajla = fread($logFajl, filesize("data/log.txt"));
   $podaciIzFajla = trim($podaciIzFajla);
   $niz = explode("\n", $podaciIzFajla);
   $now = time();
   $past = strtotime("-$poslednjihXSati day");
   $html = "
overflow-x-auto'>
   <thead class='table-header text-light bg-dark'>
```

```
Korisnik
         Akcija
        Vreme
        Ip
      </thead>
   ";
  foreach ($niz as $value) {
      list($datum, $ipAdd, $page, $akcija, $user, $uspeh) = explode("__",
$value);
     if ($datum >= $past && $datum <= $now && $akcija == "login") {</pre>
         $html .= "
               " . $user . "
               " . $akcija . "(" . $uspeh . ")" . "
               " . date("D, d.m.Y. H:i:s", $datum) . "
               " . $ipAdd . "
            ";
  $html .= "";
```

```
return $html;
function prikazStatistike()
   $logFajl = fopen("data/log.txt", "r");
    $podaciIzFajla = fread($logFajl, filesize("data/log.txt"));
    $podaciIzFajla = trim($podaciIzFajla);
    $niz = explode("\n", $podaciIzFajla);
    $brHome = 0;
    $brProizvodi = 0;
    $brRegistracija = 0;
    $brKontakt = 0;
    $brAutor = 0;
    $brLogin = 0;
    $brKorpa = 0;
    $brProfil = 0;
    $brOstaleStranice = 0;
    $brUkupno = 0;
```

```
foreach ($niz as $n) {
    list($datum, $ipAdd, $page, $akcija, $user, $uspeh) = explode("__", $n);
    $brUkupno++;
   if ($page == "home") {
        $brHome++;
    } else if ($page == "proizvodi") {
        $brProizvodi++;
    } else if ($page == "registracija") {
        $brRegistracija++;
    } else if ($page == "kontakt") {
        $brKontakt++;
    } else if ($page == "autor") {
        $brAutor++;
    } else if ($page == "profil") {
        $brProfil++;
    } else if ($page == "login") {
        $brLogin++;
    } else if ($page == "korpa") {
        $brKorpa++;
   } else {
       $brOstaleStranice++;
```

```
//$brukupno - $ostale
   $percHome = round(($brHome / ($brUkupno - $brOstaleStranice)) * 100);
   $percProizvodi = round(($brProizvodi / ($brUkupno - $brOstaleStranice)) *
100);
   $percRegistracija = round(($brRegistracija / ($brUkupno - $brOstaleStranice))
* 100);
   $percLogin = round(($brLogin / ($brUkupno - $brOstaleStranice)) * 100);
   $percKontakt = round(($brKontakt / ($brUkupno - $brOstaleStranice)) * 100);
   $percAutor = round(($brAutor / ($brUkupno - $brOstaleStranice)) * 100);
   $percProfil = round(($brProfil / ($brUkupno - $brOstaleStranice)) * 100);
   $percKorpa = round(($brKorpa / ($brUkupno - $brOstaleStranice)) * 100);
   $html = "
   <thead class='table-header text-light bg-dark'>
          Home
              Proizvodi
```

```
Registracja
      Kontakt
      Profil
      Autor
      Login
      Korpa
    </thead>
  $percHome %
      $percProizvodi %
      $percRegistracija %
      $percKontakt %
      $percProfil %
      $percAutor %
      $percLogin %
      $percKorpa %
    ";
```

return \$html;

```
}
```

```
function prikazStatistikeKlikNaStranice($poslednjihXSati) {
    $now = time();
    $past = strtotime("-$poslednjihXSati day");
   $logFajl = fopen("data/log.txt", "r");
    $podaciIzFajla = fread($logFajl, filesize("data/log.txt"));
    $podaciIzFajla = trim($podaciIzFajla);
    $niz = explode("\n", $podaciIzFajla);
    $brHome = 0;
    $brProizvodi = 0;
    $brRegistracija = 0;
    $brKontakt = 0;
    $brAutor = 0;
    $brLogin = 0;
    $brKorpa = 0;
    $brProfil = 0;
```

\$brOstaleStranice = 0;

```
foreach ($niz as $n) {
   list($datum, $ipAdd, $page, $akcija, $user, $uspeh) = explode("__", $n);
    $brUkupno++;
   if($akcija == "view") {
       if ($page == "home") {
            $brHome++;
        } else if ($page == "proizvodi") {
            $brProizvodi++;
        } else if ($page == "registracija") {
            $brRegistracija++;
        } else if ($page == "kontakt") {
            $brKontakt++;
        } else if ($page == "autor") {
            $brAutor++;
        } else if ($page == "profil") {
            $brProfil++;
        } else if ($page == "login") {
            $brLogin++;
        } else if ($page == "korpa") {
            $brKorpa++;
```

\$brUkupno = 0;

} else {

```
$brOstaleStranice++;
$html = "
<thead class='table-header text-light bg-dark'>
   Home
     Proizvodi
     Registracja
     Kontakt
     Profil
     Autor
     Login
     Korpa
   </thead>
  $brHome
     $brProizvodi
     $brRegistracija
```

```
$brKontakt
             $brProfil
             $brAutor
             $brLogin
             $brKorpa
         ";
   return $html;
function filterProizvoda($nizGraficke = [], $nizProcesori = [], $nizProizvodjaci
= []) {
   global $conn;
   // var_dump($nizGraficke);
   // var_dump($nizProcesori);
   // var_dump($nizProizvodjaci);
   $upit = "SELECT * FROM proizvodi p
```

```
JOIN slike s ON p.slikaId = s.slikaId
        JOIN proizvodjaci pr ON p.proizvodjacId = pr.proizvodjacId
        JOIN procesor_specifikacije ps ON p.procesorId =
ps.procesoriSpecifikacijeId
        JOIN graficke_specifikacije gs ON p.grafickaId =
gs.grafickeSpecifikacijaId
        WHERE ";
    if($nizGraficke != []) {
        if(!str_contains($upit, "IN(")) {
            $upit .= "gs.proizvodjacGrafickeId IN(";
            for($i = 0; $i < count($nizGraficke); $i++) {</pre>
                if($i < count($nizGraficke) - 1) {</pre>
                    $upit .= $nizGraficke[$i] . ",";
                } else {
                    $upit .= $nizGraficke[$i];
        } else {
            $upit .= " AND gs.proizvodjacGrafickeId IN(";
            for($i = 0; $i < count($nizGraficke); $i++) {</pre>
                if($i < count($nizGraficke) - 1) {</pre>
                    $upit .= $nizGraficke[$i] . ",";
                } else {
```

```
$upit .= $nizGraficke[$i];
    $upit .= ")";
if($nizProcesori != []) {
    if(!str_contains($upit, "IN(")) {
        $upit .= "ps.proizvodjacProcesoraId IN(";
        for($i = 0; $i < count($nizProcesori); $i++) {</pre>
            if($i < count($nizProcesori) - 1) {</pre>
                $upit .= $nizProcesori[$i] . ",";
            } else {
                $upit .= $nizProcesori[$i];
    } else {
        $upit .= " AND ps.proizvodjacProcesoraId IN(";
        for($i = 0; $i < count($nizProcesori); $i++) {</pre>
            if($i < count($nizProcesori) - 1) {</pre>
```

```
$upit .= $nizProcesori[$i] . ",";
            } else {
                $upit .= $nizProcesori[$i];
    $upit .= ")";
if($nizProizvodjaci != []) {
    if(!str_contains($upit, "IN(")) {
        $upit .= "p.proizvodjacId IN(";
        for($i = 0; $i < count($nizProizvodjaci); $i++) {</pre>
            if($i < count($nizProizvodjaci) - 1) {</pre>
                $upit .= $nizProizvodjaci[$i] . ",";
            } else {
                $upit .= $nizProizvodjaci[$i];
    } else {
        $upit .= " AND p.proizvodjacId IN(";
```

```
for($i = 0; $i < count($nizProizvodjaci); $i++) {</pre>
            if($i < count($nizProizvodjaci) - 1) {</pre>
                $upit .= $nizProizvodjaci[$i] . ",";
            } else {
                $upit .= $nizProizvodjaci[$i];
   $upit .= ")";
//var_dump($upit);
$iskaz = $conn->prepare($upit);
$iskaz->execute();
$rezultat = $iskaz->fetchAll();
```

```
return $rezultat;
function dohvatiPorudzbinaId()
   global $conn;
   $upit = "SELECT porudzbinaId FROM porudzbine
            WHERE porudzbinaId = (
            SELECT MAX(porudzbinaId) FROM porudzbine)";
   $iskaz = $conn->prepare($upit);
   $iskaz->execute();
   $rez = $iskaz->fetch();
   return $rez;
```

```
function unosPorudzbine($ukupnaCena, $userId, $proizvodiId = [], $kolicina = [])
   global $conn;
   $upit = "INSERT INTO porudzbine(ukupnaCena, userId) VALUES(:ukupnaCena,
:userId)";
   $conn->beginTransaction();
    $iskaz = $conn->prepare($upit);
    $iskaz->bindParam(":ukupnaCena", $ukupnaCena);
    $iskaz->bindParam(":userId", $userId);
    $iskaz->execute();
    $porudzbinaId = dohvatiPorudzbinaId();
    $porudzbinaId = $porudzbinaId->porudzbinaId;
    $upit2 = "INSERT INTO porudzbine_proizvodi(porudzbinaId, proizvodId,
kolicinaProizvoda) VALUES";
```

```
for ($i = 0; $i < count($proizvodiId); $i++) {</pre>
       if ($i != count($proizvodiId) - 1) {
           $upit2 .= "(" . $porudzbinaId . ", " . $proizvodiId[$i] . ", " .
$kolicina[$i] . "),";
       } else {
           $upit2 .= "(" . $porudzbinaId . ", " . $proizvodiId[$i] . ", " .
$kolicina[$i] . ")";
    $iskaz2 = $conn->prepare($upit2);
    $iskaz2->execute();
   return $conn->commit();
function dovhatiPorudzbine()
   global $conn;
```

```
$upit = "SELECT * FROM porudzbine p
            JOIN porudzbine_proizvodi pp ON p.porudzbinaId = pp.porudzbinaId
             JOIN proizvodi pr ON pp.proizvodId = pr.proizvodId
    $iskaz = $conn->prepare($upit);
    $iskaz->execute();
   $rez = $iskaz->fetchAll();
   return $rez;
Logovanje.php
<?php
if (isset($_POST['btnLogovanje'])) {
   include "../config/connection.php";
    include "functions.php";
    include "utilities.php";
```

```
try {
    $username = $_POST['tbUserL'];
    $lozinka = $_POST['tbPasswordL'];
    $ulogovanKorisnik = logovanje($username, md5($lozinka));
    if (!isset($_SESSION['korisnik'])) {
        if ($ulogovanKorisnik) {
            //set session
            $_SESSION['korisnik'] = $ulogovanKorisnik;
            $id = $ulogovanKorisnik->id;
            upisLogFajl("login", 1);
            //update last login
            updateLastLoginUser($id);
            if ($ulogovanKorisnik->nazivRole == "korisnik") {
                redirect("../index.php?page=home");
            if ($ulogovanKorisnik->nazivRole == "admin") {
                redirect("../index.php?page=admin");
        } else {
```

```
upisLogFajl("login", 0);
               $_SESSION['greska-logovanje'] = "Greška prilikom logovanja.";
               redirect($_SERVER['HTTP_REFERER']);
        } else {
           $_SESSION['vec-ulogovan'] = "Već ste ulogovani";
           redirect("../logovanje.php");
    } catch (PDOException $exception) {
       http_response_code(500);
       echo $exception->getMessage();
} else {
   header("Location: ../index.php");
Obrada-kontakt
<?php
    header("Content-type: application/json");
    if($_SERVER['REQUEST_METHOD'] == 'POST'){
       include "utilities.php";
```

```
include "../config/connection.php";
include "functions.php";
$response = "";
$statusniKod = "";
$nizGresaka = [];
if(isset($_SESSION['korisnik'])) {
   if(isset($_SESSION['korisnik']->email)) {
        $formaEmail = $_SESSION['korisnik']->email;
    } else {
        $formaEmail = $_POST['formaEmail'];
    $korisnikId = $_SESSION['korisnik']->id;
    $formaDdlProizvodjaci = $_POST['formaDdlProizvodjaci'];
    $formaTextArea = $_POST['formaTextArea'];
    if(!filter_var($formaEmail, FILTER_VALIDATE_EMAIL)) {
        $nizGresaka = "Pogrešan format emaila";
```

```
if(strlen($formaTextArea) < 15) {</pre>
                $nizGresaka = "Kratak opis.";
            if($formaDdlProizvodjaci == 0) {
                $nizGresaka = "Izaberite proizvodjača.";
            if(count($nizGresaka) == 0) {
                $uspeh = unosTiketa($korisnikId, $formaTextArea,
$formaDdlProizvodjaci);
                if($uspeh) {
                    $response = ['poruka' => "Uspešno unet tiket."];
                    $statusniKod = 200;
                } else {
                    $response = ['poruka' => $nizGresaka];
                    $statusniKod = 500;
            } else {
```

```
$response = ["poruka" => $nizGresaka];
                $statusniKod = 422;
        } else {
           $response = ['poruka' => "Ulogujte se da bi ste poslali tiket."];
           $statusniKod = 401;
        echo json_encode($response);
       http_response_code($statusniKod);
   else{
        http_response_code(404);
?>
```

# Obrada-registracija.php

```
<?php

session_start();

header("Content-type: application/json");</pre>
```

```
if($_SERVER['REQUEST_METHOD'] == 'POST'){
        include "utilities.php";
        include "../config/connection.php";
        include "functions.php";
        $username = $_POST['tbUserR'];
        $password = $_POST['tbPasswordR'];
        $email = $_POST['tbUserEmailR'];
        $userRegex = "/^(?=.{8,20}$)(?![_.])(?!.*[_.]{2})[a-zA-Z0-
9._]+(?<![_.])$/";
        $passRegex = "/^(?=.*[A-Za-z])(?=.*\d)(?=.*[@$!%*#?&])[A-Za-
z\d@$!%*#?&]{8,}$/";
        \text{semailRegex} = \text{"}^\wedge \text{w} + ([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3}) + $/\text{"};
        $response = "";
        $statusniKod = "";
        $nizGresaka = [];
```

```
//regex provere
if(!preg_match($userRegex, $username)) {
    $nizGresaka[] = "Greška username";
if(!preg_match($passRegex, $password)) {
   $nizGresaka[] = "Greška password";
if(!preg_match($emailRegex, $email)) {
    $nizGresaka[] = "Greška email";
//provera da li već postoje user i email
$isExistsUser = proveraUser($username);
$isExistsEmail = proveraEmail($email);
if($isExistsUser) {
```

```
$nizGresaka[] = "Username već postoji u bazi.";
if($isExistsEmail) {
    $nizGresaka[] = "Email već postoji u bazi.";
if(count($nizGresaka) == 0) {
    registracija($username, md5($password), $email);
    $response = ["poruka" => "Uspešna registracija"];
    $statusniKod = 200;
} else {
    $response = ["poruka" => $nizGresaka];
    $statusniKod = 422;
echo json_encode($response);
http_response_code($statusniKod);
```

```
else{
       http_response_code(404);
?>
Obrada-unos-proizvoda.php
<?php
   header("Content-type: application/json");
   if($_SERVER['REQUEST_METHOD'] == 'POST'){
       include "utilities.php";
       include "../config/connection.php";
       include "functions.php";
       $nazivProizvoda = $_POST['nazivProizvoda'];
        $proizvodjacId = $_POST['proizvodjacId'];
```

\$cenaProizvoda = \$\_POST['cenaProizvoda'];

\$graficka = \$\_POST['grafickaId'];

```
$procesor = $_POST['procesorId'];
        $storage = $_POST['storage'];
        $dijagonala = $_POST['dijagonala'];
        $faj1 = $_FILES['slika'];
        $nazivFajla = $fajl['name'];
        $tmpFajl = $fajl['tmp_name'];
        $velicinaFajla = $fajl['size'];
        $tipFajla = $fajl['type'];
        $greskeFajl = $fajl['error'];
        $nizGresaka = [];
        $odgovor = "";
        $statusniKod = "";
        $dozvoljeniTipovi = ["image/png", "image/jpeg", "image/jpg"];
        if(!in_array($tipFajla, $dozvoljeniTipovi)){
            $nizGresaka[] = "Greška prilikom upload-a fajla. Dozvoljeni tipovi:
jpg, jpeg, png.";
```

```
if($velicinaFajla > 400000){
           $nizGresaka[] = "Greška prilikom upload-a fajla. Dozvoljeno je
....KB, MB";
       if(count($nizGresaka) == 0){
           $noviNazivFajla = time(). "_" . $_SESSION['korisnik']->username . "_"
.$nazivFajla;
           $putanja = "../uploads/" . $noviNazivFajla;
           if(move_uploaded_file($tmpFajl, $putanja)){
               $unosSlike = unosSlike($putanja, $noviNazivFajla);
               if($unosSlike) {
                    $idUploadovaneSlike = dohvatiUploadovanuSliku();
```

```
$unosProizvoda = unosProizvoda($proizvodjacId,
$nazivProizvoda, $cenaProizvoda, $procesor, $graficka, $storage, $dijagonala,
$idUploadovaneSlike->slikaId);
                    if($unosProizvoda){
                        $odgovor = ["poruka" => "Uspešno unet proizvod ."];
                        $statusniKod = 201;
                    else{
                        $odgovor = ["poruka" => "Greška prilikom unosa."];
                        $statusniKod = 500;
                } else {
                    $odgovor = ["poruka" => "Greška prilikom uploadovanja
slike."];
                    $statusniKod = 500;
        else{
            $odgovor = ["poruka" => $nizGresaka];
            $statusniKod = 422;
```

```
echo json_encode($odgovor);

http_response_code($statusniKod);

}
else{
   http_response_code(404);
}
```

### Unos-porudzbine.php

```
$response = [];
   $statusniKod = "";
    $rez = unosPorudzbine($konacnaCena, $userId, $arrIdProizvoda,
$arrKolicinaProizvoda);
    if($rez) {
        $response = ["poruka" => "Uspešno uneta porudžbina."];
        $statusniKod = 201;
    } else {
        $response = ["poruka" => "Došlo je do greške pri unosu."];
        $statusniKod = 500;
   echo json_encode($response);
   http_response_code($statusniKod);
} else {
```

```
header("Location: ../index.php?page=home");
}

!>

Utilities.php
<?php
function redirect($url) {</pre>
```

header("Location: " . \$url);

# Uploads

?>

Views

Fixed

#### Footer.php

```
<div class="col-12 d-flex justify-content-center align-items-</pre>
center">
                         <h2>Lazar Pelanović &copy;</h2>
                     </div>
                     <div class="col-12 d-flex justify-content-center align-items-</pre>
center">
                           <a href="dokumentacija.pdf" class='nav-link'</pre>
target="_bank"> Dokumentacija</a>
                     </div>
                </div>
            </div>
        </footer>
        <script src="assets/js/main.js"></script>
    </body>
</html>
Head.php
<!DOCTYPE html>
<html lang="sr">
    <head>
        <meta charset="UTF-8" />
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0" />
        <meta name="description" content="Prodaja i servisiranje laptopova." />
        <meta name="keywords" content="laptop, servis, laptopovi, servisiranje"</pre>
/>
        <meta name="author" content="Lazar Pelanovic" />
        <meta http-equiv="refresh" content="3000;url=logout.php" />
        <!-- favicon -->
        <link rel="apple-touch-icon" sizes="180x180" href="assets/img/apple-</pre>
touch-icon.png">
        <link rel="icon" type="image/png" sizes="32x32" href="assets/img/favicon-</pre>
32x32.png">
        <link rel="icon" type="image/png" sizes="16x16" href="assets/img/favicon-</pre>
16x16.png">
        <link rel="manifest" href="assets/img/site.webmanifest">
        <!-- Bootstrap -->
        <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-</pre>
alpha1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
GLhlTQ8iRABdZLl603oVMWSktQ0p6b7In1Zl3/Jr59b6EGGoIlaFkw7cmDA6j6gD"
crossorigin="anonymous" />
        <!-- css -->
        <link rel="stylesheet" type="text/css" href="assets/css/style.css" />
```

```
<title>LP servis/prodaja </title>
        <!-- font awesome -->
        <script src="https://kit.fontawesome.com/20e4f2537d.js"</pre>
crossorigin="anonymous"></script>
        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.3/jquery.min.js"></script>
</head>
<?php
?>
Nav-admin.php
<nav class="navbar navbar-expand-lg navbar-dark my-3 ms-auto bg-dark">
    <div class="container-fluid">
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"</pre>
data-bs-target="#navbarNav1" aria-controls="navbarNav1" aria-expanded="false"
aria-label="Toggle navigation">
            <span class="navbar-toggler-icon" id="brproizvoda"></span>
        </button>
```

```
<div class="collapse navbar-collapse" id="navbarNav1">
         <a href="index.php?page=admin" class="nav-</pre>
link">Adminpanel</a>
            class="nav-item">
               <a href="index.php?page=unos-proizvoda" class="nav-link">Unos
proizvoda</a>
            <a href="index.php?page=tiketi" class="nav-link">Tiketi</a>
            class="nav-item">
               <a href="index.php?page=log" class="nav-link">Log</a>
            <a href="index.php?page=porudzbine" class="nav-</pre>
link">Porudzbine</a>
            </div>
   </div>
```

```
</nav>
```

#### Nav.php

<h1>404</h1>

```
<header class="bg-dark">
    <nav class="navbar navbar-expand-lg navbar-dark wrapper ms-auto">
        <div class="container-fluid">
            <a class="navbar-brand" href="index.php?page=home">LP servis </a>
            <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon" id="brproizvoda"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
                <?= ispisNavMenija() ?>
            </div>
        </div>
    </nav>
</header>
Pages
404.php
```

```
<br />
<h2>Page not found.</h2>
Admin.php
<?php
if (!isset($_SESSION['korisnik']) && !($_SESSION['korisnik']->roleId == 2)) {
   redirect("404.php");
   die;
?>
<div class="container-fluid my-3 fakeHeight">
   <div class="row">
       <div class="col-12">
           <div id="zaPoruke">
           </div>
           <?php include "views/fixed/nav-admin.php"; ?>
```

```
</div>
    </div>
    <div class="row">
        <div class="col-12">
            <div id="tabelaProizvoda">
            </div>
        </div>
    </div>
</div>
<!-- modal -->
<div class="modal fade" id="exampleModal" tabindex="-1" role="dialog" aria-</pre>
labelledby="exampleModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Edit</h5>
                <button type="button" id="modalClose" class="close" data-</pre>
dismiss="modal" aria-label="Close">
```

```
<span aria-hidden="true">&times;</span>
               </button>
           </div>
           <div class="modal-body">
           </div>
           <div class="modal-footer">
               <button type="button" class="btn btn-secondary closeButton" data-</pre>
dismiss="modal">Close</button>
               <button type="button" class="btn btn-primary"</pre>
id="sacuvajPromene">Save changes</button>
           </div>
       </div>
   </div>
</div>
Autor.php
<section class="fakeHeight">
   <div id="autor" class="wrapper my-5 container border rounded p-5 bg-dark</pre>
text-light">
       <div class="row my-3">
           <h3 class="text-center">0 autoru</h3>
```

```
</div>
        <div class="row border rounded m-3 p-3">
           <div class="col-lg-4 col-12">
               <div id="authorimg">
                   <figure>
                       <img class='img-fluid rounded'</pre>
src="assets/img/jasmall.jpg" alt="author" />
                       <figcaption>Lazar Pelanović 8/21</figcaption>
                   </figure>
               </div>
           </div>
           <div class="col-lg-4 col-12">
               <div>
                   <h4>0 meni</h4>
                   <l
                       Student na Visokoj ICT
                       Web programiranje
                   </div>
           </div>
           <div class="col-lg-4 col-12">
               <div>
                   <h4>Neki od radova:</h4>
                   <l
```

```
<a class="text-danger"</li>
href="https://sescika.github.io/hoxo/index.html" target="_blank">Hoxo</a>
                       <a class="text-danger"</li>
href="https://sescika.github.io/portfolio/" target="_blank">Portfolio</a>
                       <a class="text-danger"</li>
href="https://sescika.github.io/teahouse/index.html"
target="_blank">Teahouse</a>
                   </div>
           </div>
        </div>
    </div>
</section>
Home.php
<section id="cover">
</section>
<section id="tehnicar" class="container-fluid wrapper my-5 border p-3 rounded bg-</pre>
light">
   <div class="row">
        <div class="col-12 col-lg-6 mb-3">
           <h3>Besplatna tehnička podrška</h3>
```

<hr>>

Od početka ove godine smo unapredili tehničku podršku za sve laptop uredjaje 24 časa. Ukoliko imate bilo kakvih pitanja u vezi vašeg laptopa Apple HP Asus Acer Lenovo ili nekog drugog proizvođača pozovite naše laptop tehničare za pomoć.

```
Naši tehničari rešavaju sve softverske i hardverske probleme:

\li>Ne možete da se povežet na internet.
\li>Laptop se pali ali nema sliku na ekranu.
\li>Na laptopu nema zvuka.
\li>Laptop se pali ali pišti nekoliko puta.
\li>...
```

Osim unapredjene tehničke službe unapredili smo i brzu hitnu službu koji radi 24 časa. Ukoliko vam se laptop pokvari u toku noći a želite trenutnu popravku vašeg uredjaja pozovite našu Hitnu službu. Naši tehničari ce doći po vaš računar i započinju odmah popravku. Ukoliko nisu u mogućnosti da za kratko vreme reše problem daju vam drugi ispravan laptop dok je vaš u servisu.

```
<section id="podrska" class="container-fluid wrapper my-5 border p-3 rounded bg-</pre>
light">
    <div class="row">
        <div class="col-12 col-lg-6">
            <img src="assets/img/index-serviser.jpg" alt="laptop serviser"</pre>
class="img-fluid" />
       </div>
        <div class="col-12 col-lg-6">
            <h3>Besplatna dijagnostika kvara</h3>
           <hr />
            Dijagnostika kvara za sve modele laptopova je Besplatna.
           Dijagnostika traje 1 radni sat od kada donesete vaš laptop kod
nas.
            Dijagnostiku rade visokokvalifikovani laptop tehničari sa velikim
iskustom u popravci laptop uredjaja i propratne opreme.
           Naša dijagnostika je temeljna i precizna, dijagnostika se radi sa
najsavremenijim dijagnostičkim alatima za popravku laptopova kao i
najsavremenijim elektronskim.
        </div>
    </div>
</section>
Kontakt.php
<?php
```

```
if (!isset($_SESSION['korisnik'])) {
   redirect("404.php");
   die;
function ispisDDL($ddlId)
   global $conn;
    $upit = "SELECT * FROM proizvodjaci";
   $rez = $conn->query($upit);
   $html = "<select name='" . $ddlId . "'id='" . $ddlId . "' class='form-</pre>
select'>
                            <option value='0'>Izaberite proizvođača</option>";
   foreach ($rez as $r) {
       html = "coption value='" . $r->proizvodjacId . "'>" . $r-
>nazivProizvodjac . "</option>";
```

```
$html .= "</select>";
   return $html;
?>
<section>
   <div id="contact" class="container-fluid wrapper my-5 fakeHeight">
       <div class="row">
           <div class="col-12">
               </div>
       </div>
       <div class="row">
           <div class="col-12 col-lg-6 rounded bg-secondary-subtle mb-3 mb-lg-</pre>
0">
               <div id="contactinfo" class="p-4">
                   <h3>Dobrodošli na stranicu za slanje tiketa. (Morate biti
ulogovani)</h3>
                   <hr />
```

```
Ovo je stranica gde možete poslati
informacije o Vašem uređaju.
                    <hr />
                </div>
            </div>
            <div class="col-12 col-lg-6 d-flex justify-content-center align-</pre>
items-center">
                <div id="forma" class=" p-4 bg-dark rounded text-light w-100">
                    <h3>Forma za prijavu</h3>
                    <form id="formaKontakt" name="formaKontakt"</pre>
action="logic/obrada-kontakt.php" method="post">
                        <div class="form-group">
                            <label class="form-label"</pre>
for="tbUserEmail">Email:</label>
                            <?php
                            if (isset($_SESSION['korisnik'])) :
                                $emailUlogovanogKorisnika =
$_SESSION['korisnik']->email;
                            ?>
                                <input class='form-control' type="text"</pre>
name="tbUserEmail" id="tbUserEmail" value="<?= $emailUlogovanogKorisnika ?>" />
```

```
<?php
                             elseif (!isset($_SESSION['korisnik'])) :
                             ?>
                                 <input class='form-control' type="text"</pre>
name="tbUserEmail" id="tbUserEmail" placeholder="email" />
                             <?php
                             endif;
                             ?>
                         </div>
                         <span id="tbEmailError"></span>
                         <div class="form-group" id="ddlProizvodjaciDiv">
                             <label class="form-label"</pre>
for="ddlProizvodjaci">Proizvodjač laptopa:</label>
                             <?= ispisDDL("ddlProizvodjaci"); ?>
                         </div>
                         <span id="ddlProizvodjaciError"></span>
                         <div class="form-group">
                             <label for="taOpis">Opis: </label>
                             <textarea rows="15" class="form-control"</pre>
placeholder="Opis problema..." name="taOpis" id="taOpis"></textarea>
                         </div>
```

```
<span id="taError"></span>
                        <div class="d-flex justify-content-center mt-4">
                            <input class="btn btn-success" type="submit"</pre>
value="Pošaljite" name="btnSubmitKontakt" id="btnSubmitKontakt" />
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>
</section>
Korpa.php
<?php
if (!isset($_SESSION['korisnik'])) {
   redirect("404.php");
   die;
?>
```

```
<div class="container fakeHeight my-3">
   <div class="row">
       </div>
   <div class="row">
       <div class="col-12" id="korpa">
       </div>
   </div>
</div>
Log.php
<?php
if (!isset($_SESSION['korisnik']) && $_SESSION['korisnik']->nazivRole != "admin")
   redirect("404.php");
   die;
?>
<div class="container-fluid my-3 fakeHeight">
   <div class="row">
```

```
<div class="col-12">
       <?php include "views/fixed/nav-admin.php"; ?>
   </div>
</div>
<div class="row">
   <div class="col-12">
       <h2 class="text-center">Statistika:</h2>
       (prikaz oduvek %)
       <?= prikazStatistike(1); ?>
   </div>
</div>
<div class="row">
   <div class="col-12">
       <h2 class="text-center">Statistika (pristup po stranicama):</h2>
       (prikaz poslednja 24h)
       <?= prikazStatistikeKlikNaStranice(1); ?>
   </div>
</div>
<div class="row">
   <div class="col-12">
       <h2 class="text-center">Ulogovani korisnici:</h2>
       (prikaz poslednja 24h)
       <?= prikazUlogovanihKorisnika(1); ?>
```

```
</div>
   </div>
   <div class="row">
      <div class="col-12">
      <h2 class='text-center'>Log fajl:</h2>
      (prikaz poslednja 24h)
         <table class="table table-striped d-block d-lg-table border overflow-
x-auto ">
            <thead class="table-header text-light bg-dark">
               Korisnik
                  Stranica
                  Akcija (uspeh)
                  Datum
                  Ip Address
               </thead>
            <?= prikazLogFajla(1, "view") ?>
            </div>
   </div>
</div>
```

## Login.php

```
<section>
   <div id="login" class="container-fluid wrapper my-5 fakeHeight">
       <div class="row justify-content-center">
          <div class="col-12 col-1g-6">
              <?php
              if (isset($_SESSION['greska-logovanje'])) :
              ?>
                 <?= $_SESSION['greska-</pre>
logovanje']; ?>
              <?php
                 unset($_SESSION['greska-logovanje']);
              endif;
              ?>
              <?php
              if (isset($_SESSION['vec-ulogovan'])) :
              ?>
                 <?= $_SESSION['vec-ulogovan'];</pre>
?>
              <?php
                 unset($_SESSION['vec-ulogovan']);
              endif;
              ?>
```

<div id="formaLogin" class=" p-4 bg-dark rounded text-light ">

```
<h3>Logovanje:</h3>
                     <form action="models/logovanje.php" method="post">
                         <div class="form-group">
                             <label class="form-label" for="tbUserL">Korisničko
ime:</label>
                             <input class='form-control' type="text"</pre>
name="tbUserL" id="tbUserL" />
                         </div>
                         <span id="tbUserErrorL"></span>
                         <div class="form-group">
                             <label class="form-label"</pre>
for="tbPasswordL">Lozinka:</label>
                             <input class='form-control' type="password"</pre>
name="tbPasswordL" id="tbPasswordL" />
                         </div>
                         <span id="tbPasswordError:"></span>
                         <div class="d-flex justify-content-center mt-4">
                             <input class="btn btn-success" type="submit"</pre>
name="btnLogovanje" value="Log in" id="btnLogovanje" />
                         </div>
                     </form>
                </div>
```

```
</div>
       </div>
   </div>
</section>
Logout.php
<?php
   if(isset($_SESSION['korisnik'])) {
       redirect("index.php?page=login");
   } else {
       redirect("index.php?page=login");
       $_SESSION['nije-ulogovan'] = "Niste ulogovani.";
?>
Prikaz-porudzbine.php
```

<?php

```
if (!isset($_SESSION['korisnik']) && $_SESSION['korisnik']->nazivRole != "admin")
   redirect("404.php");
   die;
?>
<div class="container-fluid my-3 fakeHeight">
    <div class="row">
        <div class="col-12">
            <?php include "views/fixed/nav-admin.php"; ?>
        </div>
    </div>
    <div class="row">
        <div class="col-12">
            <div id="tabelaPorudzbina">
```

```
</div>
        </div>
   </div>
</div>
Profil.php
<?php
if (!isset($_SESSION['korisnik'])) {
   redirect("404.php");
   die;
?>
<div id="prikazProfila" class="wrapper fakeHeight my-3 p-3">
    <div class="container-fluid">
        <div class="row">
            <div id="alertsProfil"></div>
        </div>
        <div class="row">
            <div class="col-12">
                <div id="prikazProfil" class="border rounded ">
```

```
</div>
            </div>
        </div>
    </div>
</div>
Proizvodi.php
<div class='container-fluid my-3 wrapper fakeHeight'>
    <div class="row">
        <div class="col-12 col-1g-6">
            <div id='searchBar'>
                <div class="input-group mb-3">
                    <input type="text" id='tbSearchProizvod'</pre>
name='tbSearchProizvod' class="form-control" placeholder="Pretraga" aria-
label="Pretraga" aria-describedby="basic-addon2">
                    <div class="input-group-append">
                        <button id='btnSearchProizvodi' class="btn btn-outline-</pre>
secondary" type="button"><i class="fa-solid fa-magnifying-glass"></i></button>
                    </div>
                </div>
            </div>
        </div>
        <div id="pagination" class="col-12 col-lg-6">
            <?php
            $poStranici = 6;
```

```
$brojStranica = brojStranicaPaginacija($poStranici);
            for ($i = 1; $i <= $brojStranica; $i++) :</pre>
            ?>
                <button class="btn btn-primary btnPaginacija" data-strana="<?=</pre>
$i; ?>"><?= $i; ?></button>
            <?php
            endfor;
            ?>
        </div>
    </div>
    <div class='row'>
        <div class="col-12 col-lg-2">
            <div id="filteriP">
            </div>
        </div>
        <div class="col-12 col-lg-10">
            <div class="container" id="proizvodiP">
            </div>
        </div>
    </div>
</div>
```

```
<div class="position-relative">
    <div class="position-fixed bottom-0 rounded end-0"</pre>
id="liveAlertPlaceholder"></div>
</div>
Registracija.php
<section>
    <div id="registracija" class="container-fluid wrapper my-5 fakeHeight">
        <div class="row justify-content-center">
           <div class="col-12 col-lg-6">
               <div id="forma" class=" p-4 bg-dark rounded text-light w-100">
                   <h3>Forma za registraciju</h3>
                   <form name="formaRegistracija" id="formaRegistracija">
                       <div class="form-group">
                           <label class="form-label" for="tbUserR">Korisničko
ime:</label>
                           <input class='form-control' type="text"</pre>
name="tbUserR" id="tbUserR" placeholder="username" />
                       </div>
                       <span id="tbUserErrorR"></span>
                       <div class="form-group">
```

```
<label class="form-label"</pre>
for="tbPasswordR">Lozinka:</label>
                             <input class='form-control' type="password"</pre>
name="tbPasswordR" id="tbPasswordR" placeholder="*****" />
                         </div>
                         <span id="tbPasswordErrorR"></span>
                         <div class="form-group">
                             <label class="form-label" for="tbRePasswordR">Ponovo
unesite lozinku:</label>
                             <input class='form-control' type="password"</pre>
name="tbRePasswordR" id="tbRePasswordR" placeholder="*****" />
                         </div>
                         <span id="tbRePasswordErrorR"></span>
                         <div class="form-group">
                             <label class="form-label"</pre>
for="tbUserEmailR">Email:</label>
                             <input class='form-control' type="text"</pre>
name="tbUserEmailR" id="tbUserEmailR" placeholder="korisnik@gmail.com" />
                         </div>
                         <span id="tbEmailErrorR"></span>
                         <div class="d-flex justify-content-center mt-4">
                             <input class="btn btn-success" type="submit"</pre>
name="btnSubmitRegistracija" value="Registracija" id="btnSubmitRegistracija" />
```

```
</div>
                    </form>
                    <?php
                    if (isset($_SESSION['salji-mail'])) :
                    ?>
                        <a href="logic/aktivacija.php" class="btn btn-</pre>
success">Link za aktivaciju</a>
                    <?php
                        unset($_SESSION['salji-mail']);
                    endif;
                    ?>
                </div>
            </div>
        </div>
    </div>
</section>
Tiketi.php
<?php
if (!isset($_SESSION['korisnik']) && $_SESSION['korisnik']->nazivRole != "admin")
```

```
redirect("404.php");
   die;
?>
<div class="container-fluid my-3 fakeHeight">
    <div class="row">
        <div class="col-12">
           <?php include "views/fixed/nav-admin.php"; ?>
        </div>
   </div>
    <div class="row">
       <div class="col-12">
            <div id="tabelaTiketa">
           </div>
       </div>
    </div>
```

```
</div>
```

## Unos-proizvoda.php

```
<?php
```

```
if (!isset($_SESSION['korisnik']) && $_SESSION['korisnik']->nazivRole != "admin")
   redirect("404.php");
   die;
$proizvodjaci = dohvatiSvePodatke("proizvodjaci");
$procesori = dohvatiSvePodatke("procesor_specifikacije");
$proizvodjaciProcesori = dohvatiSvePodatke("procesor_proizvodjaci");
$graficke = dohvatiSvePodatke("graficke_specifikacije");
$proizvodjaciGraficke = dohvatiSvePodatke("graficke_proizvodjaci");
?>
<div class="container-fluid my-3 fakeHeight">
    <div class="row">
        <div class="col-12">
            <?php include "views/fixed/nav-admin.php"; ?>
        </div>
```

```
</div>
   <div class="row">
       <div class="col-12">
           <div id="formaUnos">
               <form id="formaUnosProizvoda">
                   <div class="container">
                       <div class="row">
                           <div class="col-12 col-1g-6">
                              <div class="mb-3">
                                  <label for="tbNaziv">Naziv proizvoda:</label>
                                  <input type="text" name="tbNaziv"</pre>
id="tbNaziv" class="form-control" />
                                  </div>
                           </div>
                           <div class="col-12 col-1g-6">
                              <div class="mb-3">
                                  <label
for="ddlProizvodjaci">Proizvodjač:</label>
                                  <select name="ddlProizvodjaci"</pre>
id="ddlProizvodjaci" class="form-select">
                                      <option value="0">Izaberite</option>
```

```
<?php
                                         foreach ($proizvodjaci as $pr) :
                                         ?>
                                             <option value="<?= $pr->proizvodjacId
?>"><?= $pr->nazivProizvodjac ?></option>
                                         <?php
                                         endforeach;
                                         ?>
                                     </select>
                                 </div>
                             </div>
                        </div>
                        <div class="row">
                             <div class="col-12 col-1g-6">
                                 <div class="mb-3">
                                     <label for="tbCena">Cena proizvoda:</label>
                                     <input type="number" name="tbCena"</pre>
id="tbCena" class="form-control" />
                                 </div>
                             </div>
                             <div class="col-12 col-1g-6">
                                 <div class="mb-3">
                                     <label for="slika">Slika:</label>
                                     <input type="file" name="slika" id="slika"</pre>
class="form-control" />
```

```
</div>
                             </div>
                        </div>
                        <div class="row">
                             <div class="col-12 col-1g-6">
                                 <div class="mb-3">
                                     <label
for="ddlNazivGraficke">Grafička:</label>
                                     <select name="ddlNazivGraficke"</pre>
id="ddlNazivGraficke" class="form-select">
                                         <option value="0">Izaberite</option>
                                         <?php
                                         foreach ($graficke as $pr) :
                                         ?>
                                             <option value="<?= $pr-</pre>
>grafickeSpecifikacijaId ?>"><?= $pr->nazivGraficke ?></option>
                                         <?php
                                         endforeach;
                                         ?>
                                     </select>
                                 </div>
                             </div>
                             <div class="col-12 col-1g-6">
```

```
<div class="mb-3">
                                     <label
for="ddlNazivProcesora">Procesor:</label>
                                     <select name="ddlNazivProcesora"</pre>
id="ddlNazivProcesora" class="form-select">
                                         <option value="0">Izaberite</option>
                                         <?php
                                         foreach ($procesori as $pr) :
                                         ?>
                                             <option value="<?= $pr-</pre>
>procesoriSpecifikacijeId ?>"><?= $pr->nazivProcesora ?></option>
                                         <?php
                                         endforeach;
                                         ?>
                                     </select>
                                 </div>
                             </div>
                        </div>
                        <div class="row">
                             <div class="col-12 col-1g-6">
                                 <div class="mb-3">
                                     <label for="tbStorage">Storage (GB):</label>
```

```
<input class="form-control" type="number"</pre>
name="tbStorage" id="tbStorage" />
                                 </div>
                             </div>
                             <div class="col-12 col-1g-6">
                                 <div class="mb-3">
                                     <label for="tbDijagonala">Dijagonala:</label>
                                     <input class="form-control" type="number"</pre>
name="tbDijagonala" id="tbDijagonala" step="0.01" />
                                 </div>
                             </div>
                         </div>
                         <button type="button" class="btn btn-success form-control</pre>
p-2" name="unosProizvoda" id="unosProizvoda">Unos proizvoda</button>
                     </div>
                </form>
            </div>
        </div>
    </div>
</div>
Index.php
<?php
include "config/connection.php";
```

```
include "models/functions.php";
include "models/utilities.php";
include "views/fixed/head.php";
upisLogFajl("view");
include "views/fixed/nav.php";
if (isset($_GET['page'])) {
    switch ($_GET['page']) {
        case 'home':
            include "views/pages/home.php";
            break;
        case 'proizvodi':
            include "views/pages/proizvodi.php";
            break;
        case 'registracija':
            include "views/pages/registracija.php";
            break;
        case 'kontakt':
            include "views/pages/kontakt.php";
            break;
        case 'autor':
            include "views/pages/autor.php";
            break;
        case 'profil':
```

```
include "views/pages/profil.php";
   break;
case 'korpa':
   include "views/pages/korpa.php";
   break;
case 'admin':
   include "views/pages/admin.php";
   break;
case 'unos-proizvoda':
   include "views/pages/unos-proizvoda.php";
   break;
case 'tiketi':
    include "views/pages/tiketi.php";
   break;
case 'log':
    include "views/pages/log.php";
   break;
case 'porudzbine':
    include "views/pages/prikaz-porudzbina.php";
   break;
case 'login':
    include "views/pages/login.php";
   break;
```

```
case 'logout':
            include "views/pages/logout.php";
            break;
} else {
    header("Location: index.php?page=home");
include "views/fixed/footer.php";
Assets
img
CSS
js
Main.js
const urlSearchParams = new URLSearchParams(window.location.search);
const params = Object.fromEntries(urlSearchParams.entries());
window.onload = function () {
  if (params.page == "registracija") {
```

```
function proveraRegistracija(e) {
 e.preventDefault();
 let greske = [];
 let regUser = $("#tbUserR").val();
 let regPass = $("#tbPasswordR").val();
 let regRePass = $("#tbRePasswordR").val();
 let regEmail = $("#tbUserEmailR").val();
 let regUserError = document.getElementById("tbUserErrorR");
 let regPassError = document.getElementById("tbPasswordErrorR");
 let regRePassError = document.getElementById("tbRePasswordErrorR");
 let regEmailError = document.getElementById("tbEmailErrorR");
 let userRegex =
   /^(?=.{8,20}$)(?![_.])(?!.*[_.]{2})[a-zA-Z0-9._]+(?<![_.])$/;
 let passRegex =
   /^(?=.*[A-Za-z])(?=.*d)(?=.*[@$!%*#?&])[A-Za-zd@$!%*#?&]{8,}$/;
 let emailRegex = /^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/;
 if (!userRegex.test(regUser)) {
```

```
regUserError.classList.add("text-danger");
        regUserError.innerHTML =
          "Pogrešno korisničko ime. Mora da sadrži barem 8 karaktera.";
        greske.push("greska user");
      } else {
       regUserError.innerHTML = "";
      if (!passRegex.test(regPass)) {
        regPassError.classList.add("text-danger");
        regPassError.innerHTML =
          "Nevalidna lozinka. Mora da sadrži barem 8 karaktera, minimum jedno
slovo, jedan broj i jedan specijalni karatker";
        greske.push("greska password");
      } else {
        regPassError.innerHTML = "";
      if (!(regPass === regRePass)) {
        regRePassError.classList.add("text-danger");
        regRePassError.innerHTML = "Lozinke se ne poklapaju";
        greske.push("greska re password");
      } else if (regRePass === "") {
```

```
regRePassError.classList.add("text-danger");
 regRePassError.innerHTML = "Ponovo unesite lozinku ";
  greske.push("greska re password 1");
} else {
 regRePassError.innerHTML = "";
if (!emailRegex.test(regEmail)) {
  regEmailError.classList.add("text-danger");
  regEmailError.innerHTML = "Pogrešan format. pr: peraperic@gmail.com";
 greske.push("greska user");
} else {
 regEmailError.innerHTML = "";
if (greske.length == 0) {
 data = {
   tbUserR: regUser,
   tbPasswordR: regPass,
   tbUserEmailR: regEmail,
```

```
"obrada-registracija.php",
      "POST",
      data,
      "0",
      function (result) {
       if (result) {
          document.getElementById("registracijaPoruke").innerHTML =
            result.poruka;
          document.getElementById("registracijaPoruke").className = "";
          document
            .getElementById("registracijaPoruke")
            .classList.add("alert-success", "alert", "p-3", "rounded");
          document.getElementById("formaRegistracija").reset();
document
  .getElementById("formaRegistracija")
  .addEventListener("submit", proveraRegistracija);
```

```
if (params.page == "kontakt") {
 function proveraKontakt(e) {
    e.preventDefault();
    let greske = [];
    let formaEmail = $("#tbUserEmail").val();
    let formaDdlProizvodjaciVal = $("#ddlProizvodjaci").val();
    let formaDdlProizvodjaci =
      document.getElementById("ddlProizvodjaci").options[
        document.getElementById("ddlProizvodjaci").selectedIndex
      ].text;
    let formaTextArea = $("#taOpis").val();
    let tbEmailErrorSpan = document.getElementById("tbEmailError");
    let ddlProizvodjaciErrorSpan = document.getElementById(
      "ddlProizvodjaciError"
    let textAreaErrorSpan = document.getElementById("taError");
```

```
let emailRegex =
 \  \  /^[a-zA-Z0-9.!\#$\%'*+/=?^_`{|}~-]+@[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+)*$/;
if (!emailRegex.test(formaEmail)) {
  tbEmailErrorSpan.classList.add("text-danger");
  tbEmailErrorSpan.innerHTML = "Pogrešan email.";
  greske.push("greska email");
} else {
  tbEmailErrorSpan.innerHTML = "";
if (formaDdlProizvodjaciVal == 0) {
  ddlProizvodjaciErrorSpan.classList.add("text-danger");
  ddlProizvodjaciErrorSpan.innerHTML = "Izaberite proizvođača.";
  greske.push("greska proizvodjaci");
} else {
  ddlProizvodjaciErrorSpan.innerHTML = "";
if (formaTextArea.length < 15) {</pre>
  textAreaErrorSpan.classList.add("text-danger");
  textAreaErrorSpan.innerHTML = "Dajte malo detaljniji opis.";
```

```
greske.push("greska ta");
} else {
 textAreaErrorSpan.innerHTML = "";
if (greske.length == 0) {
 data = {
    formaEmail: formaEmail,
    formaDdlProizvodjaci: formaDdlProizvodjaci,
    formaTextArea: formaTextArea,
    "obrada-kontakt.php",
    "POST",
    data,
    "0",
    function (result) {
      document.getElementById("kontaktPoruke").innerHTML = result.poruka;
      document.getElementById("formaRegistracija").reset();
      document
        .getElementById("kontaktPoruke")
```

```
.classList.add("alert-success", "alert", "p-3", "rounded");
          if (!result) {
            document
              .getElementById("kontaktPoruke")
              .classList.add("alert-danger", "alert", "p-3", "rounded");
 document
    .querySelector("#formaKontakt")
    .addEventListener("submit", proveraKontakt);
if (params.page == "admin") {
 $(document).on("click", ".btn-edit", prikazModalaSaPodacima);
 $(document).on("click", ".btn-delete", brisanjeProizvoda);
  $(document).on("click", "#sacuvajPromene", editProizvod);
  document
    .getElementById("modalClose")
    .addEventListener("click", prikazProizvoda);
```

```
document
    .querySelector(".closeButton")
    .addEventListener("click", prikazProizvoda);
if (params.page == "unos-proizvoda") {
 document
    .getElementById("unosProizvoda")
    .addEventListener("click", unosProizvoda);
if (params.page == "tiketi") {
if (params.page == "porudzbine") {
 ajaxCallback("dohvati-porudzbine.php", "GET", 0, "0", function (result) {
    ispisPorudzbina(result);
if (params.page == "profil") {
 $(document).on("click", "#btnSaveProfil", editProfil);
if (params.page == "proizvodi") {
  ajaxCallback("dohvati-proizvode.php", "GET", 0, "0", function (result) {
```

```
lsSet("proizvodi", result);
ajaxCallback("dohvati-filtere.php", "GET", 0, "0", function (result) {
 ispisFiltera(result);
prikazProizvodaP(1);
document
  .getElementById("btnSearchProizvodi")
  .addEventListener("click", pretragaProizvoda);
document
  .getElementById("tbSearchProizvod")
  .addEventListener("input", pretragaProizvoda);
$(document).on("input", ".form-check-input", filtriranjeProizvoda);
$(".btnPaginacija").on("click", function () {
  let strana = $(this).attr("data-strana");
  let data;
  data = {
  strana: strana,
```

```
"dohvati-proizvode.php",
        "GET",
        data,
        "0",
        function (result) {
         ispisProizvodaP(result);
 if (params.page == "korpa") {
   $(document).on("click", "#btnPoruci", unosPorudzbine);
function unosPorudzbine() {
 let arrIdProizvoda = document.querySelectorAll(".idProizvod");
 let arrKolicinaProizvoda = document.querySelectorAll(".kolicinaProizvod");
```

```
let arrValueIdProizvoda = [];
let arrValueKolicinaProizvoda = [];
let valueKonacnaCena = document.querySelector("#cenaUkupnoKorpa ").value;
arrIdProizvoda.forEach((p) => {
 arrValueIdProizvoda.push(p.value);
arrKolicinaProizvoda.forEach((p) => {
  arrValueKolicinaProizvoda.push(p.value);
let data = {};
data = {
  arrValueIdProizvoda: arrValueIdProizvoda,
  arrValueKolicinaProizvoda: arrValueKolicinaProizvoda,
  valueKonacnaCena: valueKonacnaCena,
```

```
// data.append("arrValueIdProizvoda", arrValueIdProizvoda);
 // data.append("arrValueKolicinaProizvoda", arrValueKolicinaProizvoda);
 // data.append("valueKonacnaCena", valueKonacnaCena);
  ajaxCallback("unos-porudzbine.php", "POST", data, "0", function (result) {
   document.getElementById("korpaPoruke").innerHTML = result.poruka;
   document
     .getElementById("korpaPoruke")
     .classList.add("alert", "alert-success");
   isprazniKorpu();
function ispisPorudzbina(data) {
 let porudzbine = data.porudzbine;
 let username = data.user;
 let html = `
        <table class="table table-striped align-center d-block d-lg-table border
overflow-x-auto">
           <thead class="table-header text-light bg-dark">
               Porudzbina Id
```

```
Korisnik
        Proizvod
        Kolicina
      </thead>
      `;
porudzbine.forEach((d) => {
 html += `
   ${d.porudzbinaId}
      ${username}
      ${d.nazivProizvod}
      ${d.kolicinaProizvoda}
      `;
```

```
html += ``;
 document.getElementById("tabelaPorudzbina").innerHTML = html;
function lsSet(key, value) {
 localStorage.setItem(key, JSON.stringify(value));
function lsGet(key) {
 return JSON.parse(localStorage.getItem(key));
function isprazniKorpu() {
  localStorage.removeItem("korpa");
const alertPlaceholder = document.getElementById("liveAlertPlaceholder");
```

```
const alert = (message, type) => {
 const wrapper = document.createElement("div");
 wrapper.innerHTML = [
   `<div class="alert alert-${type} alert-dismissible" role="alert">`,
   ` <div>${message}</div>`,
       <button type="button" class="btn-close" data-bs-dismiss="alert" aria-</pre>
label="Close"></button>',
   "</div>",
  ].join("");
 alertPlaceholder.append(wrapper);
function dodajuKorpu(id) {
 if (!lsGet("korpa")) {
 } else {
   let korpa = lsGet("korpa");
   let isKorpi = korpa.find((x) => x.id == id);
   if (!isKorpi) {
    } else {
      alert("Proizvod je već u korpi.", "danger");
```

```
function dodajPrvi(id) {
 let data = {
   id: id,
   kolicina: 1,
 let zaKorpu = [];
 zaKorpu.push(data);
 lsSet("korpa", zaKorpu);
 alert("Proizvod dodat u korpu.", "success");
function dodajNovi(id) {
 let trenutnoKorpa = lsGet("korpa");
 let data = {
   id: id,
   kolicina: 1,
 trenutnoKorpa.push(data);
  lsSet("korpa", trenutnoKorpa);
```

```
alert("Proizvod dodat u korpu.", "success");
function ukloniItemIzKorpe(id) {
 let proizvodi = lsGet("korpa");
 let filtrirani = proizvodi.filter((p) => p.id != id);
 lsSet("korpa", filtrirani);
 if (filtrirani.length == 0) {
 } else {
function povecajKolicinuProizvodaUKorpi(id) {
 let korpa = lsGet("korpa");
 korpa.forEach((p) => {
   if (p.id == id) {
```

```
p.kolicina++;
     lsSet("korpa", korpa);
function smanjiKolicinuProizvodaUKorpi(id) {
 let korpa = lsGet("korpa");
 korpa.forEach((p) => {
   if (p.id == id) {
     if (p.kolicina === 1) {
      p.kolicina = 1;
     } else {
       p.kolicina--;
       lsSet("korpa", korpa);
```

```
function prikazKorpe() {
 let items = lsGet("korpa");
 let proizvodi = lsGet("proizvodi");
 if (!items || items.length == 0) {
 } else {
   html = 
   <table class="table table-striped d-block d-lg-table border overflow-x-auto
      <thead class="table-header text-light bg-dark">
          Rb proizvoda
             Naziv Proizvoda
             Cena
             Količina
             Končna cena
```

```
</thead>
       `;
   let rb = 1;
   let ukupno = 0;
   items.forEach((p) => {
     proizvodi.forEach((pr) => {
       if (p.id == pr.proizvodId) {
         html += `
           ${rb}
             <input type='hidden' class='idProizvod' name='idProizvod${rb}'</pre>
value="${
           p.id
         }" />
             ${pr.nazivProizvod}
             <input type='hidden' name='nazivProizvod' value="${</pre>
               pr.nazivProizvod
             }" />
             ${obradaCene(pr.trenutnaCena)}
             <input type='hidden' class='cenaProizvod' name='cenaProizvod${rb}'</pre>
value="${Number(
           pr.trenutnaCena
         )}" />
```

```
>
               <button onclick='smanjiKolicinuProizvodaUKorpi(${</pre>
                p.id
               })' class='btn btnMinus border'>-</button>
                 ${p.kolicina}
                 <input type='hidden' class='kolicinaProizvod'</pre>
name='kolicinaProizvod${rb}' value="${
           p.kolicina
         }" />
               <button onclick='povecajKolicinuProizvodaUKorpi(${</pre>
                p.id
               })' class='btn btnPlus border'>+</button>
             ${obradaCene(
               p.kolicina * pr.trenutnaCena
             )}
             <input type='hidden' name='ukupnoCenaRed${rb}' value="${Number(</pre>
           p.kolicina * pr.trenutnaCena
         )}" />
             td><button class='btn btn-danger' onclick="ukloniItemIzKorpe(${
              p.id
             })">Izbaci</button>
           ` ;
```

```
ukupno += p.kolicina * pr.trenutnaCena;
     rb++;
   html += `
     <div class='row d-flex justify-content-end'>
       <div id="divfinalno" class="col-12 col-md-6 col-lg-3 border p-3 rounded</pre>
bg-light my-3 ">
         <h2>Ukupno:</h2>
         <span class='fw-bold fs-4'>${obradaCene(ukupno)}</span>
         <input id="cenaUkupnoKorpa" type='hidden' name='cenaUkupno'</pre>
value='${Number(
           ukupno
         )}' />
         <button class='btn btn-secondary' id="btnPoruci">Poručite</button>
        </div>
     </div>
```

```
document.getElementById("korpa").innerHTML = html;
function prikazPrazneKorpe() {
 let html = `<h2 class='alert alert-light'>Trenutno nema proizvoda u korpi.</h2>
              <a href="index.php?page=proizvodi">Dodajte proizvode u korpu!</a>`;
 document.getElementById("korpa").innerHTML = html;
function ispisGresaka(errors, divZaIspis) {
 divZaIspis = document.getElementById("registracijaPoruke");
 divZaIspis.className = "";
 divZaIspis.classList.add("alert-danger", "alert", "p-3", "rounded");
 let html = "";
  for (let e of errors) {
   html += e + " \n";
```

```
divZaIspis.innerHTML = html;
function ajaxCallback(url, method, data, withFile, result) {
 data = data == 0 ? "" : data;
  var ajax0bj = {
   url: "models/" + url,
   method: method,
    data: data,
    dataType: "json",
    success: result,
    error: function (xhr) {
     if (xhr.status == 422) {
        let errors = xhr.responseJSON.poruka;
        ispisGresaka(errors, "registracijaPoruke");
        for (let error of errors) {
          console.log(error);
```

```
if (xhr.status == 500) {
       console.log(xhr.responseJSON.poruka);
     if (xhr.status == 404) {
       console.log("Stranica nije pronadjena.");
   },
 if (withFile != "0") {
   ajaxObj.contentType = false;
   ajaxObj.processData = false;
 $.ajax(ajaxObj);
function printAlert(message, element) {
 if ($(element).next().length) {
   $(element).next().remove();
 $(element)
   .append(`${message}`);
```

```
function removeAlert(element) {
 if ($(element).next().length) {
   $(element).next().remove();
function brisanjeProizvoda() {
 let idProizvod = $(this).data("id");
 let data;
 if (confirm("Da li ste sigurni da želite da obrišete proizvod?")) {
   data = {
     id: idProizvod,
   ajaxCallback("brisanje-proizvoda.php", "POST", data, "0", function (reset) {
```

```
function prikazProizvoda() {
 ajaxCallback("dohvati-proizvode.php", "GET", 0, "0", function (result) {
   ispisProizvoda(result);
function ispisProizvoda(data) {
 let html = `
   <table class="table table-striped align-center d-block d-lg-table border
overflow-x-auto" id="tabelaProizvodi">
      <thead class="table-header text-light bg-dark">
         id
         Naziv proizvoda
         Proizvođač
         Cena
         Grafička kartica
         Procesor
         Storage
         Dijagonala
         Foto
         Izmeni
         Obriši
```

```
</thead>
    `;
data.forEach((d) => {
 html += `
   ${d.proizvodId}
      ${d.nazivProizvod}
      ${d.nazivProizvodjac}
      ${d.trenutnaCena} RSD
      ${d.nazivGraficke}
      ${d.nazivProcesora}
```

```
>
              ${d.ssd} GB
           ${d.dijagonala} "
           <img width="150px" src=`;</pre>
   if (d.lokacija.includes("uploads")) {
     let nova = d.lokacija;
     nova = nova.substring(d.lokacija.lastIndexOf("/"));
     html += `uploads/${nova}`;
   } else {
     html += `${d.lokacija}`;
   html += ` alt="${d.nazivSlika}" />
           >
               <button class='btn btn-warning btn-edit' data-</pre>
id="${d.proizvodId}"'>Edit</button>
```

```
>
               <button class='btn btn-danger btn-delete'data-</pre>
id="${d.proizvodId}">Delete</button>
           `;
 html += ``;
 document.getElementById("tabelaProizvoda").innerHTML = html;
function unosProizvoda() {
 let proizvodjacId,
   cenaProizvoda,
   grafickaId,
   storageVrednost,
   dijagonalaVrednost,
   slika,
   errors = 0,
```

```
data;
nazivProizvoda = $("#tbNaziv").val();
proizvodjacId = $("#ddlProizvodjaci").val();
cenaProizvoda = $("#tbCena").val();
slika = $("#slika")[0].files[0];
grafickaId = $("#ddlNazivGraficke").val();
procesorId = $("#ddlNazivProcesora").val();
storageVrednost = $("#tbStorage").val();
dijagonalaVrednost = $("#tbDijagonala").val();
if (nazivProizvoda == "") {
  errors++;
 printAlert("Unesite naziv proizvoda.", $("#tbNaziv"));
} else {
 removeAlert($("#tbNaziv"));
```

```
if (proizvodjacId == "0") {
  errors++;
  printAlert("Izaberite proizvođača.", $("#ddlProizvodjaci"));
} else {
```

```
removeAlert($("#ddlProizvodjaci"));
if (cenaProizvoda == "") {
 errors++;
 printAlert("Unesite cenu proizvoda.", $("#tbCena"));
} else {
 removeAlert($("#tbCena"));
if (slika == undefined) {
 errors++;
 printAlert("Unesite sliku proizvoda.", $("#slika"));
} else {
 removeAlert($("#slika"));
if (grafickaId == "0") {
 errors++;
 printAlert("Izaberite grafičku.", $("#ddlNazivGraficke"));
} else {
  removeAlert($("#ddlNazivGraficke"));
```

```
if (procesorId == "0") {
 errors++;
 printAlert("Izaberite procesor.", $("#ddlNazivProcesora"));
} else {
 removeAlert($("#ddlNazivProcesora"));
if (dijagonalaVrednost == "") {
 errors++;
 printAlert("Unesite dijagonalu.", $("#tbDijagonala"));
} else {
 removeAlert($("#tbDijagonala"));
if (storageVrednost == "") {
  errors++;
 printAlert("Unesite storage.", $("#tbStorage"));
} else {
 removeAlert($("#tbStorage"));
```

```
if (errors == 0) {
  data = new FormData();
  data.append("nazivProizvoda", nazivProizvoda);
  data.append("proizvodjacId", proizvodjacId);
  data.append("cenaProizvoda", cenaProizvoda);
  data.append("grafickaId", grafickaId);
  data.append("procesorId", procesorId);
  data.append("dijagonala", dijagonalaVrednost);
  data.append("storage", storageVrednost);
  data.append("slika", slika);
    "obrada-unos-proizvoda.php",
    "POST",
    data,
    "1",
    function (result) {
      $("#unosProizvodaPoruka").html("Uspešno unet proizvod.");
      $("#unosProizvodaPoruka").addClass("alert alert-info my-2");
      document.getElementById("formaUnosProizvoda").reset();
```

```
function editProizvod() {
 let proizvodId,
   proizvodjacId,
    cenaProizvoda,
    procesorId,
    grafickaId,
    storageVrednost,
    dijagonalaVrednost,
    slika,
    errors = 0,
    data;
  proizvodId = $("#idPrizvod").val();
  nazivProizvoda = $("#nazivProizvodaEdit").val();
  proizvodjacId = $("#ddlProizvodjacEdit").val();
  cenaProizvoda = $("#cenaProizvodaEdit").val();
  slika = $("#slikaProizvodaEdit")[0].files[0];
```

```
grafickaId = $("#ddlGrafickeEdit").val();
procesorId = $("#ddlProcesoriEdit").val();
storageVrednost = $("#storageEdit").val();
dijagonalaVrednost = $("#dijagonalaEdit").val();
if (nazivProizvoda == "") {
  errors++;
  printAlert("Unesite naziv proizvoda.", $("#nazivProizvodaEdit"));
} else {
 removeAlert($("#nazivProizvodaEdit"));
if (proizvodjacId == "0") {
 errors++;
  printAlert("Izaberite proizvođača.", $("#ddlProizvodjacEdit"));
} else {
 removeAlert($("#ddlProizvodjacEdit"));
if (cenaProizvoda == "") {
  errors++;
  printAlert("Unesite cenu proizvoda.", $("#cenaProizvodaEdit"));
```

```
} else {
 removeAlert($("#cenaProizvodaEdit"));
if (grafickaId == "0") {
 errors++;
 printAlert("Izaberite grafičku.", $("#ddlGrafickeEdit"));
} else {
  removeAlert($("#ddlGrafickeEdit"));
if (procesorId == "0") {
 errors++;
 printAlert("Izaberite procesor.", $("#ddlProcesoriEdit"));
} else {
 removeAlert($("#ddlProcesoriEdit"));
if (dijagonalaVrednost == "") {
 errors++;
 printAlert("Unesite dijagonalu.", $("#dijagonalaEdit"));
} else {
```

```
removeAlert($("#dijagonalaEdit"));
if (storageVrednost == "") {
 errors++;
 printAlert("Unesite storage.", $("#storageEdit"));
} else {
 removeAlert($("#storageEdit"));
let slika1 = "0";
if (errors == 0) {
 if (slika != undefined) {
    data = new FormData();
    data.append("proizvodId", proizvodId);
    data.append("nazivProizvoda", nazivProizvoda);
    data.append("proizvodjacId", proizvodjacId);
    data.append("cenaProizvoda", cenaProizvoda);
    data.append("grafickaId", grafickaId);
    data.append("procesorId", procesorId);
    data.append("dijagonala", dijagonalaVrednost);
    data.append("storage", storageVrednost);
    data.append("slika", slika);
    slika1 = "1";
```

```
} else {
 data = {
   proizvodId: proizvodId,
   nazivProizvoda: nazivProizvoda,
    proizvodjacId: proizvodjacId,
    cenaProizvoda: cenaProizvoda,
    grafickaId: grafickaId,
   procesorId: procesorId,
   dijagonala: dijagonalaVrednost,
    storage: storageVrednost,
ajaxCallback("edit.php", "POST", data, slika1, function (result) {
 unosPodatakaUModal(result);
 document.getElementById("modalNotification").innerHTML = result.poruka;
 document
    .getElementById("modalNotification")
   .classList.add("alert", "alert-success", "p-2");
```

```
function prikazTiketa() {
 ajaxCallback("dohvati-tikete.php", "GET", 0, "0", function (result) {
   ispisTiketa(result);
function ispisTiketa(data) {
 let rb = 1;
 let html = `
       <table class="table table-striped align-center d-block d-lg-table border
overflow-x-auto">
          <thead class="table-header text-light bg-dark">
              rb
              Korisnik
              Opis problema
              Datum slanja
              Status
          </thead>
          `;
 data.forEach((d) => {
   html += `
```

```
>
         ${rb}
       ${d.username} (${d.email})
       ${d.opisProblema}
       >
          ${d.datumSlanjaTiketa}
       ${d.fazaResavanja}
       `;
rb++;
html += ``;
document.getElementById("tabelaTiketa").innerHTML = html;
```

```
function prikazModal() {
 var modal = document.querySelector(".modal");
 if (modal.style.display === "none" || modal.style.display === "") {
   modal.style.display = "block";
  } else {
   modal.style.display = "none";
 modal.classList.toggle("show");
 if (document.body.querySelector(".modal-backdrop")) {
   document.body.querySelector(".modal-backdrop").remove();
  } else {
    const node = document.createElement("div");
   node.setAttribute("class", "modal-backdrop fade show");
   document.body.appendChild(node);
```

```
document.querySelector(".close").addEventListener("click", prikazModal);
 document.querySelector(".closeButton").addEventListener("click", prikazModal);
function prikazModalaSaPodacima() {
 let idProizvod = $(this).data("id");
 let data = {
   id: idProizvod,
 ajaxCallback("dohvati-proizvode.php", "GET", data, "0", function (result) {
   unosPodatakaUModal(result);
function unosPodatakaUModal(data) {
 let proizvod = data.proizvod;
```

```
let graficke = data.graficke;
  let proizvodjaci = data.proizvodjaci;
 let procesori = data.procesori;
  let ddlProizvodjac = `
        <select class="form-select" id="ddlProizvodjacEdit">
            <option value="0">Izaberite</option>`;
  for (let p of proizvodjaci) {
    if (proizvod.proizvodjacId == p.proizvodjacId) {
      ddlProizvodjac += `<option value="${p.proizvodjacId}"</pre>
selected="selected">${p.nazivProizvodjac}</option>`;
    } else {
      ddlProizvodjac += `<option</pre>
value="${p.proizvodjacId}">${p.nazivProizvodjac}</option>`;
  ddlProizvodjac += `</select>`;
  let ddlProcesori = `
        <select class="form-select" id="ddlProcesoriEdit">
            <option value="0">Izaberite</option>`;
  for (let p of procesori) {
    if (p.procesoriSpecifikacijeId == proizvod.procesorId) {
```

```
ddlProcesori += `<option value="${p.procesoriSpecifikacijeId}"</pre>
selected="selected">${p.nazivProcesora}</option>`;
    } else {
      ddlProcesori += `<option</pre>
value="${p.procesoriSpecifikacijeId}">${p.nazivProcesora}</option>`;
 ddlProcesori += `</select>`;
 let ddlGraficke = `
        <select class="form-select" id="ddlGrafickeEdit">
            <option value="0">Izaberite</option>`;
  for (let p of graficke) {
    if (p.grafickeSpecifikacijaId == proizvod.grafickaId) {
      ddlGraficke += `<option value="${p.grafickeSpecifikacijaId}"</pre>
selected="selected">${p.nazivGraficke}</option>`;
    } else {
      ddlGraficke += `<option</pre>
value="${p.grafickeSpecifikacijaId}">${p.nazivGraficke}</option>`;
  ddlGraficke += `</select>`;
 let modalContent = ``;
```

```
modalContent += `
        <form>
            <div class="form-group">
                <label for="nazivProizvodaEdit">Naziv proizvoda</label>
                <input id="nazivProizvodaEdit" name="nazivProizvodaEdit"</pre>
type="text" class="form-control" value="${proizvod.nazivProizvod}" />
            </div>
            <div class="form-group">
                <label for="ddlProizvodjacEdit">Proizvodjač</label>
                ${ddlProizvodjac}
            </div>
            <div class="form-group">
                <label for="cenaProizvodaEdit">Cena</label>
                <input id="cenaProizvodaEdit" name="cenaProizvodaEdit"</pre>
type="number" class="form-control" value="${proizvod.trenutnaCena}" />
            </div>
            <div class="form-group">
                <label for="ddlProcesoriEdit">Procesor</label>
                ${ddlProcesori}
            </div>
            <div class="form-group">
                <label for="ddlGrafickeEdit">Grafička</label>
                ${ddlGraficke}
```

```
</div>
            <div class="form-group">
                <label for="storageEdit">Storage</label>
                <input id="storageEdit" name="storageEdit" type="number"</pre>
class="form-control" value="${proizvod.ssd}" />
            </div>
            <div class="form-group">
                <label for="dijagonalaEdit">Dijagonala proizvoda</label>
                <input id="dijagonalaEdit" name="dijagonalaEdit" type="number"</pre>
class="form-control" step ="0.1"value="${proizvod.dijagonala}" />
            </div>
            <div class="form-group w-100">
                <label>Promeni sliku</label><br/>
                <input id="slikaProizvodaEdit" type="file" />
                <img width="75px" src="`;</pre>
  if (proizvod.lokacija.includes("uploads")) {
    let nova = proizvod.lokacija;
    nova = nova.substring(proizvod.lokacija.lastIndexOf("/"));
    modalContent += `uploads/${nova}`;
  } else {
    modalContent += `${proizvod.lokacija}`;
```

```
modalContent += `" alt="${proizvod.nazivSlika}"/>
            </div>
            <input type="hidden" value="${proizvod.proizvodId}" id="idPrizvod"/>
        </form>
 document.querySelector(".modal .modal-body").innerHTML = modalContent;
function getParameterByName(name, url = window.location.href) {
 name = name.replace(/[\[\]]/g, "\\$&");
 var regex = new RegExp("[?&]" + name + "(=([^&#]*)|&|#|$)"),
   results = regex.exec(url);
 if (!results) return null;
 if (!results[2]) return "";
 return decodeURIComponent(results[2].replace(/\+/g, " "));
```

```
function prikazProfila() {
 let idGet = getParameterByName("id");
    "dohvati-profil.php?id=" + idGet,
    "GET",
    0,
    "0",
    function (result) {
     ispisProfila(result);
function ispisProfila(data) {
  let profil = data.profil;
  let html = `
            <div class='container'>
                <div class='row'>
                    <div class='col-lg-6 col-12'>
                        <img src='`;</pre>
```

```
if (profil.file_location.includes("../")) {
   html += "uploads/" + profil.file_location;
 } else {
   html += profil.file_location;
 html += `' data-id="${profil.profileImgId}" class='profile-img'
alt='${profil.file_name}' />
                    </div>
                    <div class='col-lg-6 col-12'>
                        <div class='mb-3'>
                            <label for='tbUsernameP'>Username:</label>
                            <input type='text' readonly="readonly"</pre>
name='tbUsernameP' id='tbUsernameP' class='form-control'
value='${profil.username}' />
                        </div>
                        <div class='mb-3'>
                            <label for='tbEmailP'>Email:</label>
                            <input type='text' readonly="readonly"</pre>
name='tbEmailP' id='tbEmailP' class='form-control' value='${profil.email}' />
                        </div>
                        <div class='border p-1 rounded'>
                            <div class='mb-3'>
                                 <label for='fajlProfil'>Promenite sliku:</label>
```

```
<input type='file' id='fajlProfil'</pre>
name='fajlProfil' />
                             </div>
                             <div class='mb-3 d-flex justify-content-center'>
                                 <button class='btn btn-secondary'</pre>
id='btnSaveProfil'>Sačuvaj</button>
                             </div>
                         </div>
                     <input type="hidden" id="userId" name="userId"</pre>
value="${profil.id}"/>
                     </div>
                </div>
            </div>
                , ,
  document.getElementById("prikazProfil").innerHTML = html;
function editProfil() {
  let slika = $("#fajlProfil")[0].files[0];
  let idSlike = $(".profile-img").data("id");
  let userId = $("#userId").val();
  if (slika == undefined) {
```

```
document.getElementById("alertsProfil").innerHTML = "Nema promena.";
   document
      .getElementById("alertsProfil")
      .classList.add("alert", "alert-secondary");
 } else {
   let data = new FormData();
   data.append("userId", userId);
   data.append("slika", slika);
   data.append("idSlike", idSlike);
    ajaxCallback("edit-profil.php", "POST", data, "1", function (result) {
      document.getElementById("alertsProfil").innerHTML = result.poruka;
      document
        .getElementById("alertsProfil")
        .classList.add("alert", "alert-success", "p-3", "rounded");
      prikazProfila(result);
function prikazProizvodaP(strana) {
```

```
"dohvati-proizvode.php?strana=" + strana,
    "GET",
    0,
    "0",
    function (result) {
      ispisProizvodaP(result);
function ispisProizvodaP(data) {
  let html = `<div class='row'>`;
  data.forEach((d) => {
    html += `
                <div class='col-12 col-md-6 col-lg-4 product my-3'>
                    <div class='card bg-light border rounded p-3 h-100'>
                        <img src='`;</pre>
    if (d.lokacija.includes("../uploads/")) {
      html += "uploads/" + d.lokacija;
    } else {
```

```
html += d.lokacija;
   html += `' alt='${d.nazivSlika}' class='card-img-top' />
                      <div class='card-body'>
                         <h5 class='card-title'>${d.nazivProizvod}</h5>
                         <hr />
                      </div>
                      <div class='cenaProizvoda'>
                         ${obradaCene(
                           d.trenutnaCena
                         )} RSD
                      </div>
                      <div class='d-flex justify-content-center align-items-</pre>
center'>
                         <button data-id='${</pre>
                           d.proizvodId
                         }' onclick='dodajuKorpu(${
     d.proizvodId
   })' class='btn btn-primary btn-addToCart'><i class='fa-solid fa-cart-</pre>
</div>
                  </div>
              </div>`;
```

```
html += `</div>`;
 document.getElementById("proizvodiP").innerHTML = html;
function pretragaProizvoda() {
 let queryString = document.getElementById("tbSearchProizvod").value,
   data;
 data = {
   nazivProizvod: queryString,
  ajaxCallback("dohvati-proizvode.php", "GET", data, "0", function (result) {
   if (queryString == "") {
      prikazProizvodaP(1);
    ispisProizvodaP(result);
```

```
function ispisGrupeFilterCheckboxovaProcesor(data) {
 html = `<div class='border rounded p-2 mb-3'>
                <h5>Proizvođač procesora:</h5>
                    <hr />`;
 for (let d of data) {
   html += `<div class='mb-2'>
                    <input class="form-check-input mt-0 filter-procesori"</pre>
type="checkbox" value='${d.proizvodjacProcesoraId}'
id='${d.proizvodjacProcesoraId}filterP'data-id='${d.proizvodjacProcesoraId}' />
                    <label
for='${d.proizvodjacProcesoraId}filterP'>${d.nazivProizvodjacaProcesora}</label>
                </div>`;
 html += "</div>";
 document.getElementById("filteriP").innerHTML += html;
```

```
function ispisGrupeFilterCheckboxovaGraficka(data) {
 html = `<div class='border rounded p-2 mb-3'>
                <h5>Proizvođač grafičke:</h5>
                    <hr />`;
  for (let d of data) {
   html += `<div class='mb-2'>
                    <input class="form-check-input mt-0 filter-graficke"</pre>
type="checkbox" value='${d.proizvodjacGrafickeId}'
id='${d.proizvodjacGrafickeId}filterG'data-id='${d.proizvodjacGrafickeId}' />
                    <label
for='${d.proizvodjacGrafickeId}filterG'>${d.nazivProizvodjacaGraficke}</label>
                </div>`:
 html += "</div>";
 document.getElementById("filteriP").innerHTML += html;
function ispisGrupeFIlterCheckboxova(data) {
 let html = `
    <div class='border rounded p-2 mb-3'>
      <h5>Proizvođač laptopa:</h5>
```

```
<hr />`;
  for (let d of data) {
   html += `<div class='mb-2'>
                      <input class="form-check-input mt-0 filter-proizvodjaci"</pre>
type="checkbox" value='${d.proizvodjacId}' id='${d.proizvodjacId}filterPr'data-
id='${d.proizvodjacId}' />
                      <label
for='${d.proizvodjacId}filterPr'>${d.nazivProizvodjac}</label>
                  </div>`;
 html += "</div>";
 document.getElementById("filteriP").innerHTML += html;
function ispisFiltera(data) {
 let proizvodjaciGraficke = data.proizvodjaciGraficke;
 let proizvodjaciProcesora = data.proizvodjaciProcesori;
 let proizvodjaciLaptopova = data.proizvodjaci;
  ispisGrupeFIlterCheckboxova(proizvodjaciLaptopova);
```

```
ispisGrupeFilterCheckboxovaGraficka(proizvodjaciGraficke);
  ispisGrupeFilterCheckboxovaProcesor(proizvodjaciProcesora);
function obradaCene(x) {
 var parts = x.toString().split(".");
 parts[0] = parts[0].replace(/\B(?=(\d{3})+(?!\d))/g, ".");
 return parts.join(",") + " RSD";
function filtriranjeProizvoda() {
 let arrIdGraficke = document.querySelectorAll(".filter-graficke");
 let arrIdProcesori = document.querySelectorAll(".filter-procesori");
 let arrIdProizvodjaci = document.querySelectorAll(".filter-proizvodjaci");
 let arrValueGraficke = [];
 let arrValueProcesori = [];
  let arrValueProizvodjaci = [];
```

```
arrIdGraficke.forEach((p) => {
 if (p.checked) {
    arrValueGraficke.push(p.value);
arrIdProcesori.forEach((p) => {
 if (p.checked) {
    arrValueProcesori.push(p.value);
arrIdProizvodjaci.forEach((p) => {
 if (p.checked) {
    arrValueProizvodjaci.push(p.value);
let data = {};
data = {
```

```
filteri: {
    arrValueGraficke: arrValueGraficke,
    arrValueProcesori: arrValueProcesori,
    arrValueProizvodjaci: arrValueProizvodjaci,
    },
};

ajaxCallback("dohvati-proizvode.php", "GET", data, "0", function (result) {
    ispisProizvodaP(result);
});
}
```