


```
%Cargar y mostrar la imagen original
a = imread ('../Test_Images/Image_1.jpg');
imshow(a)
```




```
%Rotacion de la imagen, valor hallado experimentalmente para las imagenes de landsat 8
he = imrotate(a,12, 'crop');
```

```
%Cambio a espacio de color lab y filtrado de capa l
lab_he = rgb2lab(he);
ab = lab_he(:,:,2:3);
ab = im2single(ab);
```

```
%Numero de clusters
nColors = 3;
```


```
%Funcion para aplicar segmentacion mediante kmeans
% repeat the clustering 3 times to avoid local minima
pixel_labels = imsegkmeans(ab,nColors,'NumAttempts',3);
```

```
imshow(pixel_labels,[])  
title('Image Labeled by Cluster Index');
```




```
%Cluster 1  
mask1 = pixel_labels==1;  
cluster1 = he .* uint8(mask1);  
% figure(1);  
imshow(cluster1)  
title('Objects in Cluster 1');
```

Objects in Cluster 1



```
%Cluster 2
mask2 = pixel_labels==2;
cluster2 = he .* uint8(mask2);
% figure(2);
imshow(cluster2)
title('Objects in Cluster 2');
```

Objects in Cluster 2



```
%Cluster 3
mask3 = pixel_labels==3;
cluster3 = he .* uint8(mask3);
% figure(3);
imshow(cluster3)
title('Objects in Cluster 3');
```


Objects in Cluster 3

