

[Request appointment](#)[Log in](#)[Diseases & Conditions](#)

High blood pressure (hypertension)

[Request an appointment](#)[Symptoms & causes](#)[Diagnosis & treatment](#)[Doctors & departments](#)

On this page

[Overview ↓](#)[Symptoms ↓](#)[When to see a doctor ↓](#)[Causes ↓](#)[Risk factors ↓](#)[Complications ↓](#)

Overview



4:15 [Close](#)

Advertisement

[▼ Show Transcript](#)

High blood pressure is a common condition that affects the body's arteries. It's also called hypertension. If you have high blood pressure, the force of the blood pushing against the artery walls is consistently too high. The heart has to work harder to pump blood.

Blood pressure is measured in millimeters of mercury (mm Hg). In general, hypertension is a blood pressure reading of 130/80 mm Hg or higher.

The American College of Cardiology and the American Heart Association divide blood pressure into four general categories. Ideal blood pressure is categorized as normal.

- **Normal blood pressure.** Blood pressure is lower than 120/80 mm Hg.
- **Elevated blood pressure.** The top number ranges from 120 to 129 mm Hg and the bottom number is below, not above, 80 mm Hg.
- **Stage 1 hypertension.** The top number ranges from 130 to 139 mm Hg or the bottom number is between 80 and 89 mm Hg.
- **Stage 2 hypertension.** The top number is 140 mm Hg or higher or the bottom number is 90 mm Hg or higher.

Blood pressure higher than 180/120 mm Hg is considered a hypertensive emergency or crisis. Seek emergency medical help for anyone with these blood pressure numbers.

Untreated, high blood pressure increases the risk of heart attack, stroke and other serious health problems. It's important to have your blood pressure checked at least every two years starting at age 18. Some people need more-frequent checks.

Healthy lifestyle habits —such as not smoking, exercising and eating well — can help prevent and treat high blood pressure. Some people need medicine to treat high blood pressure.

[Close](#)

Advertisement

[A Book: Mayo Clinic on High Blood Pressure](#)

[Blood Pressure Monitors at Mayo Clinic Store](#)

[The Mayo Clinic Diet Online](#)

Advertisement

Mayo Clinic does not endorse companies or products. Advertising revenue supports our not-for-profit mission.

Advertising & Sponsorship

[Policy](#) | [Opportunities](#) | [Ad Choices](#)

Symptoms

Most people with high blood pressure have no symptoms, even if blood pressure readings reach dangerously high levels. You can have high blood pressure for years without any symptoms.

A few people with high blood pressure may have:

- Headaches
- Shortness of breath
- Nosebleeds

However, these symptoms aren't specific. They usually don't occur until high blood pressure has reached a severe or life-threatening stage.

More Information

[Pulse pressure: An indicator of heart health?](#)

Close

Advertisement

Blood pressure screening is an important part of general health care. How often you should get your blood pressure checked depends on your age and overall health.

Ask your provider for a blood pressure reading at least every two years starting at age 18. If you're age 40 or older, or you're 18 to 39 with a high risk of high blood pressure, ask for a blood pressure check every year.

Your care provider will likely recommend more-frequent readings if have high blood pressure or other risk factors for heart disease.

Children age 3 and older may have blood pressure measured as a part of their yearly checkups.

If you don't regularly see a care provider, you may be able to get a free blood pressure screening at a health resource fair or other locations in your community. Free blood pressure machines are also available in some stores and pharmacies. The accuracy of these machines depends on several things, such as a correct cuff size and proper use of the machines. Ask your health care provider for advice on using public blood pressure machines.

[Request an appointment](#)

From Mayo Clinic to your inbox

Sign up for free and stay up to date on research advancements, health tips, current health topics, and expertise on managing health. [Click here for an email preview.](#)

Email *

Subscribe!

Close

Advertisement

Causes

Blood pressure is determined by two things: the amount of blood the heart pumps and how hard it is for the blood to move through the arteries. The more blood the heart pumps and the narrower the arteries, the higher the blood pressure.

There are two main types of high blood pressure.

Primary hypertension, also called essential hypertension

For most adults, there's no identifiable cause of high blood pressure. This type of high blood pressure is called primary hypertension or essential hypertension. It tends to develop gradually over many years. Plaque buildup in the arteries, called atherosclerosis, increases the risk of high blood pressure.

Secondary hypertension

This type of high blood pressure is caused by an underlying condition. It tends to appear suddenly and cause higher blood pressure than does primary hypertension. Conditions and medicines that can lead to secondary hypertension include:

- Adrenal gland tumors
- Blood vessel problems present at birth, also called congenital heart defects
- Cough and cold medicines, some pain relievers, birth control pills, and other prescription drugs
- Illegal drugs, such as cocaine and amphetamines
- Kidney disease
- Obstructive sleep apnea
- Thyroid problems

[Close](#)

Advertisement

More Information

[Medications and supplements that can raise your blood pressure](#)

[Anxiety: A cause of high blood pressure?](#)

[Blood pressure readings: Why higher at home?](#)

[Blood pressure: Does it have a daily pattern?](#)

[Caffeine and hypertension](#)

▼ Show 2 more

Risk factors

High blood pressure has many risk factors, including:

- **Age.** The risk of high blood pressure increases with age. Until about age 64, high blood pressure is more common in men. Women are more likely to develop high blood pressure after age 65.
- **Race.** High blood pressure is particularly common among Black people. It develops at an earlier age in Black people than it does in white people.
- **Family history.** You're more likely to develop high blood pressure if you have a parent or sibling with the condition.
- **Obesity or being overweight.** Excess weight causes changes in the blood vessels, the kidneys and other parts of the body. These changes often increase blood pressure. Being overweight or having obesity also raises the risk of heart disease and its risk factors, such as high cholesterol.
- **Lack of exercise.** Not exercising can cause weight gain. Increased weight raises the risk of high blood pressure. People who are inactive also tend to have higher heart rates.

Close

Advertisement