

My Maya

Owl Code



Apt Logic

Logout



J-Path

Contact

Home / Owl ground / LCM of Two Given Numbers

Points: 20

Submissions: 2994



Light

Description

LCM of Two Given Numbers

Program Description

Write a C Program to find the LCM of two given numbers.

Input Format

A single line input contains two integers are M,N.

Output Format

Print the output according to the discription.

Constraints

$1 \leq M, N \leq 10^4$

Input-1

12 24

Output-1

24

Input-2

7 5

Output-2

35

C - GCC 11.1.0



Timer

0:08 sec



```
1  #include<stdio.h>
2  int lcm(int a,int b)
3  {
4      static int null=0;
5      null=null+b;
6      if(null%a==0&&null%b==0) return null;
7      else lcm(a,b);
8  }
9  int main()
10 {
11     int a,b,r;
12     scanf("%d %d",&a,&b);
13     if(a>b) r=lcm(b,a);
14     else r=lcm(a,b);
15     printf("%d",r);
16 }
```

Light



 Run Code

Compiler Response

#	Testcase	Input	Expected Output	Your Output	Memory	CPU time	Result
1	2 12	2 12	12	12	1408 KB	3.444 ms	Pass
2	3 15	3 15	15	15	1408 KB	2.565 ms	Pass

All hidden testcases passed



TECHNICAL HUB

Contact

Call: +91 83 43 81 81 81

Email: support@technicalhub.io

Our Social Media



Copyright 2025 [Technical Hub](https://technicalhub.io). All Rights Reserved

Light

