

# Cucumber Report

Jul 4, 2025, 1:09:36 AM

**Start : Jul 04, 1:09:29.919 AM**

**End : Jul 04, 1:09:36.376 AM**

**Duration : 6.457 s**

Features






PASSED - 1  
FAILED - 26  
SKIPPED - 0

Scenarios

PASSED - 1  
FAILED - 368  
SKIPPED - 0

Steps

PASSED - 3  
FAILED - 0  
SKIPPED - 1272



Feature		Scenario					Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>Dashboard page validation for Registered Free account user</u>	0.277 s	6	0	6	0	14	0	0	14	
<u>Dashboard page validation for Registered Free account user</u>	6.457 s	1	1	0	0	3	3	0	0	
<u>Validation on Account Information section for registered free user dashboard page</u>	0.197 s	8	0	8	0	32	0	0	32	
<u>Validation on Stress Management Technique Section for Registered Free user dashboard page</u>	0.230 s	12	0	12	0	45	0	0	45	
<u>Validation for home page - Registered user</u>	0.447 s	32	0	32	0	96	0	0	96	
<u>Home Page Navigation for Free Registered Users</u>	0.019 s	2	0	2	0	4	0	0	4	
<u>Functional and non-functional test validation for home page</u>	0.235 s	18	0	18	0	72	0	0	72	
<u>Home Page Validation for Registered Free Account User</u>	0.019 s	2	0	2	0	5	0	0	5	
<u>Meal and Exercise Section Validation for Registered Free Account User</u>	0.213 s	16	0	16	0	52	0	0	52	
<u>Upgrade to Premium Subscription</u>	0.050 s	4	0	4	0	19	0	0	19	
<u>Premium User Exercise Schedule Functionality</u>	0.863 s	50	0	50	0	200	0	0	200	
<u>Home Page Validation for Registered Premium Account User</u>	0.260 s	20	0	20	0	60	0	0	60	
<u>Premium User Logbook Functionality for Blood Glucose</u>	0.161 s	13	0	13	0	52	0	0	52	
<u>Premium User Logbook Functionality for Log Review</u>	0.233 s	13	0	13	0	52	0	0	52	
<u>Premium User Logbook Functionality for Log Review</u>	0.203 s	13	0	13	0	52	0	0	52	

<b>Feature</b>		<b>Scenario</b>					<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	
<u>Premium User Logbook Functionality for Medical Dosage</u>	0.228 s	13	0	13	0	52	0	0	52	
<u>Premium User Logbook Functionality for Physical Activity</u>	0.179 s	14	0	14	0	56	0	0	56	
<u>Physical Activity Validation and Food Intake</u>	0.221 s	19	0	19	0	39	0	0	39	
<u>Functional and Non-Functional Test Validation for Premium Account User</u>	0.575 s	35	0	35	0	143	0	0	143	
<u>Homepage Challenge Button Functionality verification on log status</u>	0.136 s	6	0	6	0	18	0	0	18	
<u>Validation for View Full Meal Plan</u>	0.180 s	12	0	12	0	28	0	0	28	
<u>Verification on button navigation in home page</u>	0.106 s	6	0	6	0	19	0	0	19	
<u>Subscription page validation</u>	0.365 s	21	0	21	0	63	0	0	63	
<u>Post-Onboarding Navigation and Upgrade Flow</u>	0.155 s	13	0	13	0	39	0	0	39	
<u>Login Page UI Verification</u>	0.090 s	11	0	11	0	33	0	0	33	
<u>Login page field and functional Validation</u>	0.067 s	8	0	8	0	24	0	0	24	

#	Feature Name	Scenario Name
1	<u>Dashboard page validation for Registered Free account user</u>	<u>Verify the Welcome Message is displayed with name</u>
2		<u>Verify the text is displayed below welcome message</u>
3		<u>Verify Upgrade to premium button is visible</u>
4		<u>Verify the header Account Information is present</u>
5		<u>Verify Save Changes button is visible</u>
6		<u>Verify all the fields under Account Information are Displayed</u>
7	<u>Validation on Account Information section for registered free user dashboard page</u>	<u>Verify age should accept only Numeric Value</u>
8		<u>Verify height should accept only Numeric Value</u>
9		<u>Verify Weight should accept only Numeric Value</u>
10		<u>Verify Exercise Routine Level dropdown is displayed with options</u>
11		<u>Verify Cuisine Preferences dropdown is displayed with options</u>
12		<u>Verify Food Allergies dropdown is displayed with options</u>

#	Feature Name	Scenario Name
13	<u>Validation on Account Information section for registered free user dashboard page</u>	<u>Verify account details cannot be updated with invalid data</u>
14		<u>Verify account details can be updated with valid data</u>
15	<u>Validation on Stress Management Technique Section for Registered Free user dashboard page</u>	<u>Verify the header Stress Management Techniques</u>
16		<u>Verify the navigation bar order</u>
17		<u>Verify tab navigation</u>
18		<u>Verify Guided Meditation section is visible</u>
19		<u>Verify audio playback functionality</u>
20		<u>Verify the Title displayed under Movement tab</u>
21		<u>Verify the title under Mindfulness tab</u>
22		<u>Verify heading and description is displayed under Breathing tab</u>
23		<u>Verify Start button is displayed under Breathing tab</u>
24		<u>Verify Cycle completed counter is displayed</u>

#	Feature Name	Scenario Name
25	<u>Validation on Stress Management Technique Section for Registered Free user dashboard page</u>	<u>Verify current phase counter is displayed</u>
26		<u>Verify stop button of breathing exercise</u>
27	<u>Validation for home page - Registered user</u>	<u>Verify App name after sign in</u>
28		<u>Verify user name in home page</u>
29		<u>Verify the presence of logout link</u>
30		<u>Verify the presence of top navigation bar</u>
31		<u>Verify the presence of Home text in navigation bar</u>
32		<u>Verify the presence of Dashboard text in navigation bar</u>
33		<u>Verify the presence of Education text in navigation bar</u>
34		<u>Verify the text "Current status" in home page</u>
35		<u>Verify the text "Last updated" in home page</u>
36		<u>Verify the time for last update in home page</u>

#	Feature Name	Scenario Name
37	<u>Validation for home page - Registered user</u>	<u>Verify the time format for last update</u>
38		<u>Verify 12-hour clock indicator is visible</u>
39		<u>Verify Latest HbA1C label is visible</u>
40		<u>Verify BMI label is visible</u>
41		<u>Verify Average Blood Sugar label is visible</u>
42		<u>Verify condition text for HbA1C value less than 5.7</u>
43		<u>Verify condition text for HbA1C between 5.7 and 6.4</u>
44		<u>Verify condition text for HbA1C greater than or equal 6.5</u>
45		<u>Verify BMI text for value less than 18.5</u>
46		<u>Verify BMI text for value between 18.5 and 24.9</u>
47		<u>Verify BMI text for value between 25.0 and 29.9</u>
48		<u>Verify BMI text for value 30.0 or above</u>
49		<u>Verify units for average blood sugar</u>

#	Feature Name	Scenario Name
50	<u>Validation for home page - Registered user</u>	<u>Verify title in flex container</u> <u>Verify "Today's Meal Plan" section is visible</u> <u>Verify Breakfast tab is selected by default</u> <u>Verify the presence of side tab in flex container</u> <u>Verify the text "Meal plan" in flex container</u> <u>Verify the text "Exercise" in flex container</u> <u>Verify the symbol utensil cross in "Meal plan"</u> <u>Verify the symbol dumbbell in "Exercise"</u> <u>Verify View Full Plan button is visible</u>
51		
52		
53		
54		
55		
56		
57		
58		
59	<u>Home Page Navigation for Free Registered Users</u>	<u>Verify order of text in navigation bar</u> <u>Verify the presence of collapse toggle</u>
60		
61	<u>Functional and non-functional test validation for home page</u>	<u>Verify meal section contains dish title</u> <u>Verify meal section contains dish description</u>
62		

#	Feature Name	Scenario Name
63	<u>Functional and non-functional test validation for home page</u>	<u>Verify pre-meal item is shown for each meal</u>
64		<u>Verify calories for pre-meal is shown for each meal</u>
65		<u>Validate the indicator for breakfast pre-meal</u>
66		<u>Validate the indicator for lunch pre-meal</u>
67		<u>Validate the indicator for dinner pre-meal</u>
68		<u>Verify the time format in each pre-meal</u>
69		<u>Verify the time in pre-breakfast</u>
70		<u>Verify the time in pre-lunch</u>
71		<u>Verify the time in pre-dinner</u>
72		<u>Verify Carbs bar color for each meal</u>
73		<u>Verify Fat bar color</u>
74		<u>Verify Protein bar color</u>
75		<u>Verify unit of measurement for Carbs is in grams</u>

#	Feature Name	Scenario Name
76	<u>Functional and non-functional test validation for home page</u>	<u>Verify unit of measurement for Protein is in grams</u>
77		<u>Verify unit of measurement for Fat is in grams</u>
78		<u>Validate the text "calories" in pre-meal</u>
79	<u>Home Page Validation for Registered Free Account User</u>	<u>Verify order of text in navigation bar</u>
80		<u>Verify the presence of collapse toggle</u>
81	<u>Meal and Exercise Section Validation for Registered Free Account User</u>	<u>Verify the presence of "Nutrition Insights" heading</u>
82		<u>Verify the presence of Carbs value for nutrition</u>
83		<u>Verify the presence of Protein value for nutrition</u>
84		<u>Verify the presence of Fat value for nutrition</u>
85		<u>Verify the time format in pre-meal snack</u>
86		<u>Verify the time in pre-snack</u>
87		<u>Verify the navigation of "View Full Plan" button</u>

#	Feature Name	Scenario Name
88	<u>Meal and Exercise Section Validation for Registered Free Account User</u>	<u>Verify the title in Exercise section</u>
89		<u>Verify the presence of exercise list</u>
90		<u>Verify the presence of time in each exercise</u>
91		<u>Verify the time for morning exercise</u>
92		<u>Verify the time for evening exercise</u>
93		<u>Verify the title for each exercise plan</u>
94		<u>Verify the presence of duration in each exercise plan</u>
95		<u>Verify the presence of "View Full Schedule" button</u>
96		<u>Verify the navigation of "View Full Schedule" button</u>
97	<u>Upgrade to Premium Subscription</u>	<u>Verify user is unable to proceed with empty payment fields</u>
98		<u>Verify user is unable to proceed with invalid card number</u>
99		<u>Verify user is unable to proceed with expired card</u>

#	Feature Name	Scenario Name
10-0	<u>Upgrade to Premium Subscription</u>	<u>Verify user can successfully upgrade with valid payment details</u>
10-1	<u>Premium User Exercise Schedule Functionality</u>	<u>Verify "View Full Schedule" button is displayed</u>
10-2		<u>Verify navigation to "Today's Exercise Schedule" page</u>
10-3		<u>Verify "Warm Up" tab is displayed</u>
10-4		<u>Verify "Main Workout" tab is displayed</u>
10-5		<u>Verify "Cool Down" tab is displayed</u>
10-6		<u>Verify Exercise name is displayed under "Warm Up" tab</u>
10-7		<u>Verify Exercise name is displayed under "Main Workout" tab</u>
10-8		<u>Verify Exercise name is displayed under "Cool Down" tab</u>
10-9		<u>Verify Exercise description is displayed under "Warm Up" tab</u>
11-0		<u>Verify Exercise description is displayed under "Main Workout" tab</u>
11-1		<u>Verify Exercise description is displayed under "Cool Down" tab</u>
11-2		<u>Verify duration is displayed under "Warm Up" tab</u>

#	Feature Name	Scenario Name
11-3	<u>Premium User Exercise Schedule Functionality</u>	<u>Verify calories are displayed under "Warm Up" tab</u>
11-4		<u>Verify intensity level is displayed under "Warm Up" tab</u>
11-5		<u>Verify duration is displayed under "Main Workout" tab</u>
11-6		<u>Verify calories are displayed under "Main Workout" tab</u>
11-7		<u>Verify intensity level is displayed under "Main Workout" tab</u>
11-8		<u>Verify duration is displayed under "Cool Down" tab</u>
11-9		<u>Verify calories are displayed under "Cool Down" tab</u>
12-0		<u>Verify intensity level is displayed under "Cool Down" tab</u>
12-1		<u>Verify "Mark As Completed" button is displayed</u>
12-2		<u>Verify success dialog is shown after marking as completed</u>
12-3		<u>Verify button status changes to "Completed"</u>
12-4		<u>Verify undo option is displayed after marking completed</u>
12-5		<u>Verify button reverts back after undo</u>

#	Feature Name	Scenario Name
12-6	<u>Premium User Exercise Schedule Functionality</u>	<u>Verify navigation to "View full schedule"</u>
12-7		<u>Verify page title is displayed</u>
12-8		<u>Verify "Back to Home" button is visible</u>
12-9		<u>Verify "Warm Up" section is displayed</u>
13-0		<u>Verify warm-up exercise name</u>
13-1		<u>Verify warm-up exercise description</u>
13-2		<u>Verify warm-up duration</u>
13-3		<u>Verify warm-up calories</u>
13-4		<u>Verify warm-up intensity</u>
13-5		<u>Verify "Main Workout" section is displayed</u>
13-6		<u>Verify Main Workout exercise name</u>
13-7		<u>Verify Main Workout exercise description</u>
13-8		<u>Verify Main Workout duration</u>

#	<b>Feature Name</b>	<b>Scenario Name</b>
13-9	<u>Premium User Exercise Schedule Functionality</u>	<u>Verify Main Workout calories</u>
14-0		<u>Verify Main Workout intensity</u>
14-1		<u>Verify "Cool Down" section is displayed</u>
14-2		<u>Verify Cool Down exercise name</u>
14-3		<u>Verify Cool Down exercise description</u>
14-4		<u>Verify Cool Down duration</u>
14-5		<u>Verify Cool Down calories</u>
14-6		<u>Verify Cool Down intensity</u>
14-7		<u>Verify the intensity value</u>
14-8		<u>Verify total duration is displayed</u>
14-9		<u>Verify total duration matches the sum of individual workout durations</u>
15-0		<u>Verify total calories matches the sum of individual workout calories</u>
15-1	<u>Home Page Validation for Registered Premium Account User</u>	<u>Verify order of text in navigation bar</u>

#	Feature Name	Scenario Name
15-2	<u>Home Page Validation for Registered Premium Account User</u>	<u>Verify the presence of animation in challenge yourself button</u>
15-3		<u>Verify the duration of animation</u>
15-4		<u>Verify the presence of Challenge yourself today button</u>
15-5		<u>Verify the presence of gender image in the grid</u>
15-6		<u>Verify the presence of emoji on top right of gender image</u>
15-7		<u>Verify the label for gender image</u>
15-8		<u>Verify the presence of log button</u>
15-9		<u>Verify display mood text based on emoji</u>
16-0		<u>Verify the presence of Weekly plan button</u>
16-1		<u>Verify the presence of "Record New Data" in the bottom</u>
16-2		<u>Verify the presence of 4 button option below Record New Data</u>
16-3		<u>Verify the first button text "Blood Glucose"</u>
16-4		<u>Verify the second button text "Physical Activity"</u>

#	Feature Name	Scenario Name
16-5	<u>Home Page Validation for Registered Premium Account User</u>	<u>Verify the third button text "Food Intake"</u>
16-6		<u>Verify the fourth button text "Medication"</u>
16-7		<u>Verify icon for Blood Glucose</u>
16-8		<u>Verify icon for Physical Activity</u>
16-9		<u>Verify icon for Food Intake</u>
17-0		<u>Verify icon for Medication</u>
17-1	<u>Premium User Logbook Functionality for Blood Glucose</u>	<u>Verify presence of Blood Glucose Tracker section</u>
17-2		<u>Verify title of Blood Glucose tracker section</u>
17-3		<u>Verify colour codes for Fasting</u>
17-4		<u>Verify Fasting glucose type range displayed</u>
17-5		<u>Verify colour codes for Pre-Meal</u>
17-6		<u>Verify pre-meal glucose type range displayed</u>
17-7		<u>Verify colour codes for Post-Meal</u>

#	<b>Feature Name</b>	<b>Scenario Name</b>
17-8	<u>Premium User Logbook Functionality for Blood Glucose</u>	<u>Verify Post-meal glucose type range displayed</u>
17-9		<u>Verify colour codes for Bedtime</u>
18-0		<u>Verify bedtime glucose type range displayed</u>
18-1		<u>Verify last 7 days are displayed on X-axis</u>
18-2		<u>Verify Y-axis starts at 70 in glucose chart</u>
18-3		<u>Verify Y-axis ends at 180 in glucose chart</u>
18-4	<u>Premium User Logbook Functionality for Log Review</u>	<u>Verify the Title of Log review section</u>
18-5		<u>Verify table header in log review section</u>
18-6		<u>Verify log review displays last 7 days of date entries including today</u>
18-7		<u>Verify the display of date format</u>
18-8		<u>Verify the order of date</u>
18-9		<u>Verify the blood glucose value in log review section if there is no log</u>
19-0		<u>Verify the nutrient value in log review section if there is no log</u>

#	Feature Name	Scenario Name
19-1	<u>Premium User Logbook Functionality for Log Review</u>	<u>Verify the physical activity value in log review section if there is no log</u>
19-2		<u>Verify the entries of Medication in log review section if there is no value</u>
19-3		<u>Verify the blood glucose entries in log review section if there is log</u>
19-4		<u>Verify the nutrient value entries in log review section if there is log</u>
19-5		<u>Verify the physical activity entries in log review section if there is log</u>
19-6		<u>Verify the medication value in log review section if there is log</u>
19-7		<u>Verify the Title of Log review section</u>
19-8		<u>Verify table header in log review section</u>
19-9		<u>Verify log review displays last 7 days of date entries including today</u>
20-0		<u>Verify the display of date format</u>
20-1		<u>Verify the order of date</u>
20-2		<u>Verify the blood glucose value in log review section if there is no log</u>
20-3		<u>Verify the nutrient value in log review section if there is no log</u>

#	Feature Name	Scenario Name
20-4	<u>Premium User Logbook Functionality for Log Review</u>	<u>Verify the physical activity value in log review section if there is no log</u>
20-5		<u>Verify the entries of Medication in log review section if there is no value</u>
20-6		<u>Verify the blood glucose entries in log review section if there is log</u>
20-7		<u>Verify the nutrient value entries in log review section if there is log</u>
20-8		<u>Verify the physical activity entries in log review section if there is log</u>
20-9		<u>Verify the medication value in log review section if there is log</u>
21-0	<u>Premium User Logbook Functionality for Medical Dosage</u>	<u>Verify the presence of Medical Dosage section</u>
21-1		<u>Verify the title "Medical dosage"</u>
21-2		<u>Verify the icon beside medical dosage</u>
21-3		<u>Verify the Y-axis has text "Number of Doses"</u>
21-4		<u>Verify display empty chart when no medication is scheduled</u>
21-5		<u>Verify Total scheduled will display 0 doses, if no medication is scheduled</u>
21-6		<u>Verify Doses Taken will display 0 doses , if no medication is displayed</u>

#	<b>Feature Name</b>	<b>Scenario Name</b>
21-7	<u>Premium User Logbook Functionality for Medical Dosage</u>	<u>Verify Doses Missed will display 0 doses, if no Medication is displayed</u>
21-8		<u>Verify the colour of Total Scheduled text</u>
21-9		<u>Verify the colour of Doses Taken text</u>
22-0		<u>Verify the colour of Doses Missed text</u>
22-1		<u>verify green colour bar is displayed for doses taken on one week schedule</u>
22-2		<u>Verify red colour bard is displayed for doses missed on one week schedule</u>
22-3	<u>Premium User Logbook Functionality for Physical Activity</u>	<u>Verify the presence of Physical activity section</u>
22-4		<u>Verify the title of physical activity section</u>
22-5		<u>Verify the presence of icons beside title physical activity</u>
22-6		<u>Verify last 7 days are displayed on X-axis</u>
22-7		<u>Verify the alignment of statistic card "Total calories","Daily Average","Peak day"</u>
22-8		<u>Verify the text colour of total calories</u>

#	<b>Feature Name</b>	<b>Scenario Name</b>
22-9	<u>Premium User Logbook Functionality for Physical Activity</u>	<u>Verify the text colour of daily average</u>
23-0		<u>verify the text colour of peak day</u>
23-1		<u>Verify Y-axis has text calories</u>
23-2		<u>Verify display of empty chart for no activity log</u>
23-3		<u>verify the total calories value for no activity log</u>
23-4		<u>Verify the daily average value for no activity log</u>
23-5		<u>Verify the peak day value for no activity log</u>
23-6		<u>Verify the display of bars if there is activity log in home page</u>
23-7	<u>Physical Activity Validation and Food Intake</u>	<u>Verify title in Food Intake form</u>
23-8		<u>Verify subtext in form</u>
23-9		<u>Verify presence of 4 tabs</u>
24-0		<u>Verify fields in Food Intake form</u>
24-1		<u>Verify default meal tab</u>

#	Feature Name	Scenario Name
24-2	<u>Physical Activity Validation and Food Intake</u>	<u>Verify input field for food name</u>
24-3		<u>Verify placeholder in food name field</u>
24-4		<u>Verify dropdown for Serving Size</u>
24-5		<u>Verify default value in Serving Size</u>
24-6		<u>Verify options in Serving Size</u>
24-7		<u>Verify calculator icon in calorie field</u>
24-8		<u>Verify input field for calorie</u>
24-9		<u>Verify placeholder in calorie field</u>
25-0		<u>Verify helper text under calorie field</u>
25-1		<u>Verify date picker after popup</u>
25-2		<u>Verify default value in Date field</u>
25-3		<u>Verify input for notes</u>
25-4		<u>Verify placeholder in notes</u>

#	<b>Feature Name</b>	<b>Scenario Name</b>
25-5	<u>Physical Activity Validation and Food Intake</u>	<u>Verify save food entry button</u>
25-6	<u>Functional and Non-Functional Test Validation for Premium Account User</u>	<u>Verify the presence of "Pre-meal" title in each meal section</u>
25-7		<u>Verify the presence of icon for Pre-meal</u>
25-8		<u>Verify pre-meal title is shown before main meal</u>
25-9		<u>Verify "None" is displayed for Pre-Meal Snack by default</u>
26-0		<u>Verify calorie in pre-meal snack</u>
26-1		<u>Verify the presence of meal title for main meal in snack</u>
26-2		<u>Verify meal section contains dish description in snack</u>
26-3		<u>Verify the presence of Sub title "Main-Meal"</u>
26-4		<u>Verify the presence of icon for main-meal</u>
26-5		<u>Verify the time format in each main-meal</u>
26-6		<u>Validate the indicator for breakfast main-meal</u>

#	Feature Name	Scenario Name
26-7	<u>Functional and Non-Functional Test Validation for Premium Account User</u>	<u>Validate the indicator for lunch main-meal</u>
26-8		<u>Validate the indicator for dinner main-meal</u>
26-9		<u>Validate the indicator for snack main-meal</u>
27-0		<u>Verify the time in main-breakfast</u>
27-1		<u>Verify the time in main-lunch</u>
27-2		<u>Verify the time in main-dinner</u>
27-3		<u>Verify the time in main-snack</u>
27-4		<u>Verify calories for main-meal is shown for each meal</u>
27-5		<u>Validate the text "Calories" in main-meal</u>
27-6		<u>Verify the presence of ? Completed button</u>
27-7		<u>Verify the presence of ?? Partially Completed button</u>
27-8		<u>Verify the presence of ? Not Completed button</u>

#	Feature Name	Scenario Name
27-9	<u>Functional and Non-Functional Test Validation for Premium Account User</u>	<u>Verify color change of completed button</u>
28-0		<u>Verify color change of partially completed button</u>
28-1		<u>Verify color change of not completed button</u>
28-2		<u>Verify presence of nutrition insight summary card in each meal section</u>
28-3		<u>Verify title in nutrition flex card</u>
28-4		<u>Verify sub-title in nutrition flex card</u>
28-5		<u>Verify total calorie count from pre-meal and meal</u>
28-6		<u>Verify each meal calorie detail on the right side</u>
28-7		<u>Verify navigation to View Full Meal Plan</u>
28-8		<u>Verify title in View Meal Plan page</u>
28-9		<u>Verify presence of Back to Plan button</u>
29-0		<u>Verify meal section button in View Plan page</u>

#	<b>Feature Name</b>	<b>Scenario Name</b>
29-1	<u><a href="#">Homepage Challenge Button Functionality</a></u>	<u><a href="#">Verify the navigation of the Challenge button</a></u>
29-2		<u><a href="#">Verify the title of the popup</a></u>
29-3		<u><a href="#">Verify the subtext in the popup</a></u>
29-4		<u><a href="#">Verify the presence of two option buttons</a></u>
29-5		<u><a href="#">Verify the first option text</a></u>
29-6		<u><a href="#">Verify the second option text</a></u>
29-7	<u><a href="#">verification on log status</a></u>	<u><a href="#">Verify user able to change the log</a></u>
29-8	<u><a href="#">Validation for View Full Meal Plan</a></u>	<u><a href="#">Verify each meal section has Pre meal title</a></u>
29-9		<u><a href="#">Verify pre-meal includes description under the item name</a></u>
30-0		<u><a href="#">Verify Pre meal calorie in view full plan</a></u>
30-1		<u><a href="#">Verify pre meal preparation in view full plan</a></u>
30-2		<u><a href="#">Verify Nutrients (Pre-meal portion)</a></u>
30-3		<u><a href="#">Verify nutrients list (Pre-meal portion)</a></u>

#	<b>Feature Name</b>	<b>Scenario Name</b>
30-4	<u>Validation for View Full Meal Plan</u>	<u>Verify meal includes description under the item name</u>
30-5		<u>Verify meal preparation</u>
30-6		<u>Verify Nutrients information</u>
30-7		<u>Verify nutrients list (meal portion)</u>
30-8		<u>Verify Diabetes Management Tips heading</u>
30-9		<u>Validate back to plan button</u>
31-0	<u>Verification on button navigation in home page</u>	<u>Verify user able to download weekly plan</u>
31-1		<u>Verify the navigation of Blood Glucose button</u>
31-2		<u>Verify the navigation of Physical Activity button</u>
31-3		<u>Verify the navigation of Food Intake button</u>
31-4		<u>Verify the navigation of Medication button</u>
31-5		<u>Verify the navigation of log button</u>
31-6	<u>Subscription page validation</u>	<u>Verify Daily Meal Plan availability</u>


#	Feature Name	Scenario Name
31-7	<u>Subscription page validation</u>	<u>Verify Weekly Meal Plan availability</u>
31-8		<u>Verify Personalized Exercise Plan availability</u>
31-9		<u>Verify 10-Day Quick Reversal Plan availability</u>
32-0		<u>Verify 30-Day Blood Sugar Reduction Plan</u>
32-1		<u>Verify Glucose Level Graph availability</u>
32-2		<u>Verify BMI Calculation availability</u>
32-3		<u>Verify Downloadable Meal Plan PDF availability</u>
32-4		<u>Verify Reminders availability</u>
32-5		<u>Verify Continue free button is visible</u>
32-6		<u>Verify Upgrade to Premium button is visible</u>
32-7		<u>Verify Free Account label</u>
32-8		<u>Verify Premium Account label</u>
32-9		<u>Verify unavailable features are marked with gray X</u>

#	Feature Name	Scenario Name
33-0	<u>Subscription page validation</u>	<u>Verify available features are marked with purple tick</u>
33-1		<u>Verify total number of features listed</u>
33-2		<u>Verify position of Continue free button</u>
33-3		<u>Verify position of Upgrade to Premium button</u>
33-4		<u>Verify terms and conditions text is visible</u>
33-5		<u>Verify upgrade message header is displayed</u>
33-6		<u>Verify visual separation between Free and Premium plans</u>
33-7	<u>Post-Onboarding Navigation and Upgrade Flow</u>	<u>Verify user able to go to subscription payment screen</u>
33-8		<u>Verify title of Upgrade screen</u>
33-9		<u>Verify sub text</u>
34-0		<u>Verify the presence of "premium features"</u>
34-1		<u>verify the description for premium feature</u>
34-2		<u>verify the presence of subscription price</u>


#	Feature Name	Scenario Name
34-3	<u>Post-Onboarding Navigation and Upgrade Flow</u>	<u>verify the presence of cancel anytime text</u>
34-4		<u>Verify the presence of "Card Number"</u>
34-5		<u>Verify the presence of fields in payment</u>
34-6		<u>Verify presence of payment button</u>
34-7		<u>Verify terms and renewal message</u>
34-8		<u>Verify the presence of terms and auto-renewal note</u>
34-9		<u>Verify user able to go to home page</u>
35-0	<u>Login Page UI Verification</u>	<u>Verify login form header is played</u>
35-1		<u>Verify sub text of the header</u>
35-2		<u>Verify the presence of close button</u>
35-3		<u>Verify the presence of close button</u>
35-4		<u>Verify email input field is displayed</u>
35-5		<u>Validate placeholder text in email field</u>

#	Feature Name	Scenario Name
35-6	<u>Login Page UI Verification</u>	<u>Verify Continue with Email button is displayed</u>
35-7		<u>Verify Continue with Email button is enabled</u>
35-8		<u>Verify Continue with Google button is displayed</u>
35-9		<u>Verify OR separator is visible</u>
36-0		<u>Verify Terms and Privacy message is displayed</u>
36-1	<u>Login page field and functional Validation</u>	<u>Verify email input accepts valid existing email</u>
36-2		<u>Verify email input rejects invalid email</u>
36-3		<u>Verify password field in login page</u>
36-4		<u>Verify sub text</u>
36-5		<u>Verify presence of forgot password link</u>
36-6		<u>Verify presence of placeholder in password field</u>
36-7		<u>Verify password input accepts valid existing user</u>
36-8		<u>Verify email input accepts valid new email</u>


<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@PremiumUser_Exercise		50	0	50	0	1	0	1	0
@PremiumUser_LogbookBloodGlucoseTracker		13	0	13	0	1	0	1	0
@PremiumUser_LogbookLogReview		26	0	26	0	2	0	2	0
@PremiumUser_LogbookMedicalDosage		13	0	13	0	1	0	1	0
@PremiumUser_LogbookPhysicalActivity		14	0	14	0	1	0	1	0
@physicalActity		19	0	19	0	1	0	1	0
@FoodIntake		1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Dashboard page validation for Registered Free account user</u>	6	0	6	0	0.277 s
2	<u>Dashboard page validation for Registered Free account user</u>	1	1	0	0	6.457 s
3	<u>Validation on Account Information section for registered free user dashboard page</u>	8	0	8	0	0.197 s
4	<u>Validation on Stress Management Technique Section for Registered Free user dashboard page</u>	12	0	12	0	0.230 s
5	<u>Validation for home page - Registered user</u>	32	0	32	0	0.447 s
6	<u>Home Page Navigation for Free Registered Users</u>	2	0	2	0	0.019 s
7	<u>Functional and non-functional test validation for home page</u>	18	0	18	0	0.235 s
8	<u>Home Page Validation for Registered Free Account User</u>	2	0	2	0	0.019 s
9	<u>Meal and Exercise Section Validation for Registered Free Account User</u>	16	0	16	0	0.213 s
10	<u>Upgrade to Premium Subscription</u>	4	0	4	0	0.050 s



#	Feature Name	T	P	F	S	Duration
11	<u>Premium User Exercise Schedule Functionality</u>	50	0	50	0	0.863 s
12	<u>Home Page Validation for Registered Premium Account User</u>	20	0	20	0	0.260 s
13	<u>Premium User Logbook Functionality for Blood Glucose</u>	13	0	13	0	0.161 s
14	<u>Premium User Logbook Functionality for Log Review</u>	13	0	13	0	0.233 s
15	<u>Premium User Logbook Functionality for Log Review</u>	13	0	13	0	0.203 s
16	<u>Premium User Logbook Functionality for Medical Dosage</u>	13	0	13	0	0.228 s
17	<u>Premium User Logbook Functionality for Physical Activity</u>	14	0	14	0	0.179 s
18	<u>Physical Activity Validation and Food Intake</u>	19	0	19	0	0.221 s
19	<u>Functional and Non-Functional Test Validation for Premium Account User</u>	35	0	35	0	0.575 s
20	<u>Homepage Challenge Button Functionality</u>	6	0	6	0	0.136 s




#	Feature Name	T	P	F	S	Duration
21	<u>verification on log status</u>	1	0	1	0	0.009 s
22	<u>Validation for View Full Meal Plan</u>	12	0	12	0	0.180 s
23	<u>Verification on button navigation in home page</u>	6	0	6	0	0.106 s
24	<u>Subscription page validation</u>	21	0	21	0	0.365 s
25	<u>Post-Onboarding Navigation and Upgrade Flow</u>	13	0	13	0	0.155 s
26	<u>Login Page UI Verification</u>	11	0	11	0	0.090 s
27	<u>Login page field and functional Validation</u>	8	0	8	0	0.067 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Dashboard page validation for Registered Free account user</u>	<u>Verify the Welcome Message is displayed with name</u>	4	0	0	4	0.128 s
2		<u>Verify the text is displayed below welcome message</u>	2	0	0	2	0.018 s
3		<u>Verify Upgrade to premium button is visible</u>	2	0	0	2	0.010 s
4		<u>Verify the header Account Information is present</u>	2	0	0	2	0.017 s
5		<u>Verify Save Changes button is visible</u>	2	0	0	2	0.015 s
6		<u>Verify all the fields under Account Information are Displayed</u>	2	0	0	2	0.017 s
7		<u>Verify the Welcome Message is displayed with name</u>	3	3	0	0	6.454 s
8	<u>Validation on Account Information section for registered free user *</u>	<u>Verify age should accept only Numeric Value</u>	4	0	0	4	0.017 s
9		<u>Verify height should accept only Numeric Value</u>	4	0	0	4	0.018 s
10		<u>Verify Weight should accept only Numeric Value</u>	4	0	0	4	0.023 s


\* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Validation on Account Information section for registered free user *</u>	<u>Verify Exercise Routine Level dropdown is displayed with options</u>	4	0	0	4	0.013 s
12		<u>Verify Cuisine Preferences dropdown is displayed with options</u>	4	0	0	4	0.018 s
13		<u>Verify Food Allergies dropdown is displayed with options</u>	4	0	0	4	0.014 s
14		<u>Verify account details cannot be updated with invalid data</u>	4	0	0	4	0.010 s
15		<u>Verify account details can be updated with valid data</u>	4	0	0	4	0.011 s
16	<u>Validation on Stress Management Technique Section for Registered Free *</u>	<u>Verify the header Stress Management Techniques</u>	4	0	0	4	0.011 s
17		<u>Verify the navigation bar order</u>	3	0	0	3	0.011 s
18		<u>Verify tab navigation</u>	4	0	0	4	0.012 s
19		<u>Verify Guided Meditation section is visible</u>	4	0	0	4	0.010 s

\* The feature name and/or scenario name has been cropped to fit in the available space.


#	<b>Feature Name</b>	<b>Scenario Name</b>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<b>Duration</b>
20		<u>Verify audio playback functionality</u>	4	0	0	4	0.016 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Validation on Stress Management Technique Section for Registered Free *</u>	<u>Verify the Title displayed under Movement tab</u>	4	0	0	4	0.011 s
22		<u>Verify the title under Mindfulness tab</u>	4	0	0	4	0.012 s
23		<u>Verify heading and description is displayed under Breathing tab</u>	5	0	0	5	0.013 s
24		<u>Verify Start button is displayed under Breathing tab</u>	3	0	0	3	0.012 s
25		<u>Verify Cycle completed counter is displayed</u>	3	0	0	3	0.013 s
26		<u>Verify current phase counter is displayed</u>	3	0	0	3	0.009 s
27		<u>Verify stop button of breathing exercise</u>	4	0	0	4	0.015 s
28		<u>Verify App name after sign in</u>	3	0	0	3	0.009 s
29		<u>Verify user name in home page</u>	3	0	0	3	0.011 s

\* The feature name and/or scenario name has been cropped to fit in the available space.


#	Feature Name	Scenario Name	T	P	F	S	Duration
30		<u>Verify the presence of logout link</u>	3	0	0	3	0.009 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
31	<u>Validation for home page - Registered user</u>	<u>Verify the presence of top navigation bar</u>	3	0	0	3	0.010 s
32		<u>Verify the presence of Home text in navigation bar</u>	3	0	0	3	0.009 s
33		<u>Verify the presence of Dashboard text in navigation bar</u>	3	0	0	3	0.011 s
34		<u>Verify the presence of Education text in navigation bar</u>	3	0	0	3	0.013 s
35		<u>Verify the text "Current status" in home page</u>	3	0	0	3	0.010 s
36		<u>Verify the text "Last updated" in home page</u>	3	0	0	3	0.007 s
37		<u>Verify the time for last update in home page</u>	3	0	0	3	0.008 s
38		<u>Verify the time format for last update</u>	3	0	0	3	0.007 s
39		<u>Verify 12-hour clock indicator is visible</u>	3	0	0	3	0.008 s
40		<u>Verify Latest HbA1C label is visible</u>	3	0	0	3	0.010 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Validation for home page - Registered user</u>	<u>Verify BMI label is visible</u>	3	0	0	3	0.007 s
42		<u>Verify Average Blood Sugar label is visible</u>	3	0	0	3	0.006 s
43		<u>Verify condition text for HbA1C value less than 5.7</u>	3	0	0	3	0.009 s
44		<u>Verify condition text for HbA1C between 5.7 and 6.4</u>	3	0	0	3	0.008 s
45		<u>Verify condition text for HbA1C greater than or equal 6.5</u>	3	0	0	3	0.007 s
46		<u>Verify BMI text for value less than 18.5</u>	3	0	0	3	0.008 s
47		<u>Verify BMI text for value between 18.5 and 24.9</u>	3	0	0	3	0.012 s
48		<u>Verify BMI text for value between 25.0 and 29.9</u>	3	0	0	3	0.009 s
49		<u>Verify BMI text for value 30.0 or above</u>	3	0	0	3	0.007 s
50		<u>Verify units for average blood sugar</u>	3	0	0	3	0.009 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
51	<u>Validation for home page - Registered user</u>	<u>Verify title in flex container</u>	3	0	0	3	0.010 s
52		<u>Verify "Today's Meal Plan" section is visible</u>	3	0	0	3	0.010 s
53		<u>Verify Breakfast tab is selected by default</u>	3	0	0	3	0.009 s
54		<u>Verify the presence of side tab in flex container</u>	3	0	0	3	0.007 s
55		<u>Verify the text "Meal plan" in flex container</u>	3	0	0	3	0.007 s
56		<u>Verify the text "Exercise" in flex container</u>	3	0	0	3	0.010 s
57		<u>Verify the symbol utensil cross in "Meal plan"</u>	3	0	0	3	0.005 s
58		<u>Verify the symbol dumbbell in "Exercise"</u>	3	0	0	3	0.009 s
59		<u>Verify View Full Plan button is visible</u>	3	0	0	3	0.010 s
60	<u>Home Page Navigation for Free Registered Users</u>	<u>Verify order of text in navigation bar</u>	3	0	0	3	0.009 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
61	<u>Home Page Navigation for Free Registered Users</u>	<u>Verify the presence of collapse toggle</u>	1	0	0	1	0.007 s
62	<u>Functional and non-functional test validation for home page</u>	<u>Verify meal section contains dish title</u>	4	0	0	4	0.009 s
63		<u>Verify meal section contains dish description</u>	4	0	0	4	0.008 s
64		<u>Verify pre-meal item is shown for each meal</u>	4	0	0	4	0.008 s
65		<u>Verify calories for pre-meal is shown for each meal</u>	4	0	0	4	0.009 s
66		<u>Validate the indicator for breakfast pre-meal</u>	4	0	0	4	0.008 s
67		<u>Validate the indicator for lunch pre-meal</u>	4	0	0	4	0.006 s
68		<u>Validate the indicator for dinner pre-meal</u>	4	0	0	4	0.007 s
69		<u>Verify the time format in each pre-meal</u>	4	0	0	4	0.008 s
70		<u>Verify the time in pre-breakfast</u>	4	0	0	4	0.008 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
71	<u>Functional and non-functional test validation for home page</u>	<u>Verify the time in pre-lunch</u>	4	0	0	4	0.009 s
72		<u>Verify the time in pre-dinner</u>	4	0	0	4	0.010 s
73		<u>Verify Carbs bar color for each meal</u>	4	0	0	4	0.009 s
74		<u>Verify Fat bar color</u>	4	0	0	4	0.012 s
75		<u>Verify Protein bar color</u>	4	0	0	4	0.005 s
76		<u>Verify unit of measurement for Carbs is in grams</u>	4	0	0	4	0.011 s
77		<u>Verify unit of measurement for Protein is in grams</u>	4	0	0	4	0.007 s
78		<u>Verify unit of measurement for Fat is in grams</u>	4	0	0	4	0.010 s
79		<u>Validate the text "calories" in pre-meal</u>	4	0	0	4	0.006 s
80	<u>Home Page Validation for Registered Free Account User</u>	<u>Verify order of text in navigation bar</u>	3	0	0	3	0.008 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
81	<u>Home Page Validation for Registered Free Account User</u>	<u>Verify the presence of collapse toggle</u>	2	0	0	2	0.008 s
82	<u>Meal and Exercise Section Validation for Registered Free Account User</u>	<u>Verify the presence of "Nutrition Insights" heading</u>	4	0	0	4	0.008 s
83		<u>Verify the presence of Carbs value for nutrition</u>	3	0	0	3	0.008 s
84		<u>Verify the presence of Protein value for nutrition</u>	3	0	0	3	0.009 s
85		<u>Verify the presence of Fat value for nutrition</u>	3	0	0	3	0.008 s
86		<u>Verify the time format in pre-meal snack</u>	3	0	0	3	0.013 s
87		<u>Verify the time in pre-snack</u>	3	0	0	3	0.009 s
88		<u>Verify the navigation of "View Full Plan" button</u>	4	0	0	4	0.006 s
89		<u>Verify the title in Exercise section</u>	4	0	0	4	0.006 s
90		<u>Verify the presence of exercise list</u>	3	0	0	3	0.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
91	<u>Meal and Exercise Section Validation for Registered Free Account User</u>	<u>Verify the presence of time in each exercise</u>	3	0	0	3	0.009 s
92		<u>Verify the time for morning exercise</u>	3	0	0	3	0.008 s
93		<u>Verify the time for evening exercise</u>	3	0	0	3	0.010 s
94		<u>Verify the title for each exercise plan</u>	3	0	0	3	0.009 s
95		<u>Verify the presence of duration in each exercise plan</u>	3	0	0	3	0.010 s
96		<u>Verify the presence of "View Full Schedule" button</u>	3	0	0	3	0.009 s
97		<u>Verify the navigation of "View Full Schedule" button</u>	4	0	0	4	0.007 s
98		<u>Upgrade to Premium Subscription</u>	4	0	0	4	0.009 s
99		<u>Verify user is unable to proceed with empty payment fields</u>	5	0	0	5	0.009 s
10-0		<u>Verify user is unable to proceed with invalid card number</u>	5	0	0	5	0.010 s
		<u>Verify user is unable to proceed with expired card</u>					




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-1	<u>Upgrade to Premium Subscription</u>	<u>Verify user can successfully upgrade with valid payment details</u>	5	0	0	5	0.006 s
10-2	<u>Premium User Exercise Schedule Functionality</u>	<u>Verify "View Full Schedule" button is displayed</u>	4	0	0	4	0.010 s
10-3		<u>Verify navigation to "Today's Exercise Schedule" page</u>	4	0	0	4	0.009 s
10-4		<u>Verify "Warm Up" tab is displayed</u>	4	0	0	4	0.010 s
10-5		<u>Verify "Main Workout" tab is displayed</u>	4	0	0	4	0.008 s
10-6		<u>Verify "Cool Down" tab is displayed</u>	4	0	0	4	0.009 s
10-7		<u>Verify Exercise name is displayed under "Warm Up" tab</u>	4	0	0	4	0.006 s
10-8		<u>Verify Exercise name is displayed under "Main Workout" tab</u>	4	0	0	4	0.008 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
10-9		<u>Verify Exercise name is displayed under "Cool Down" tab</u>	4	0	0	4	0.030 s
11-0		<u>Verify Exercise description is displayed under "Warm Up" tab</u>	4	0	0	4	0.013 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-1	<u>Premium User Exercise Schedule Functionality</u>	<u>Verify Exercise description is displayed under "Main Workout" tab</u>	4	0	0	4	0.010 s
11-2		<u>Verify Exercise description is displayed under "Cool Down" tab</u>	4	0	0	4	0.009 s
11-3		<u>Verify duration is displayed under "Warm Up" tab</u>	4	0	0	4	0.038 s
11-4		<u>Verify calories are displayed under "Warm Up" tab</u>	4	0	0	4	0.010 s
11-5		<u>Verify intensity level is displayed under "Warm Up" tab</u>	4	0	0	4	0.010 s
11-6		<u>Verify duration is displayed under "Main Workout" tab</u>	4	0	0	4	0.009 s
11-7		<u>Verify calories are displayed under "Main Workout" tab</u>	4	0	0	4	0.009 s
11-8		<u>Verify intensity level is displayed under "Main Workout" tab</u>	4	0	0	4	0.011 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11-9		<i>Verify duration is displayed under "Cool Down" tab</i>	4	0	0	4	0.008 s
12-0		<i>Verify calories are displayed under "Cool Down" tab</i>	4	0	0	4	0.009 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-1	<u>Premium User Exercise Schedule Functionality</u>	<u>Verify intensity level is displayed under "Cool Down" tab</u>	4	0	0	4	0.010 s
12-2		<u>Verify "Mark As Completed" button is displayed</u>	4	0	0	4	0.011 s
12-3		<u>Verify success dialog is shown after marking as completed</u>	4	0	0	4	0.009 s
12-4		<u>Verify button status changes to "Completed"</u>	4	0	0	4	0.008 s
12-5		<u>Verify undo option is displayed after marking completed</u>	4	0	0	4	0.015 s
12-6		<u>Verify button reverts back after undo</u>	4	0	0	4	0.007 s
12-7		<u>Verify navigation to "View full schedule"</u>	4	0	0	4	0.006 s
12-8		<u>Verify page title is displayed</u>	4	0	0	4	0.007 s
12-9		<u>Verify "Back to Home" button is visible</u>	4	0	0	4	0.016 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
13-0		<u>Verify "Warm Up" section is displayed</u>	4	0	0	4	0.025 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
13-1	<u>Premium User Exercise Schedule Functionality</u>	<u>Verify warm-up exercise name</u>	4	0	0	4	0.011 s
13-2		<u>Verify warm-up exercise description</u>	4	0	0	4	0.010 s
13-3		<u>Verify warm-up duration</u>	4	0	0	4	0.007 s
13-4		<u>Verify warm-up calories</u>	4	0	0	4	0.009 s
13-5		<u>Verify warm-up intensity</u>	4	0	0	4	0.024 s
13-6		<u>Verify "Main Workout" section is displayed</u>	4	0	0	4	0.017 s
13-7		<u>Verify Main Workout exercise name</u>	4	0	0	4	0.009 s
13-8		<u>Verify Main Workout exercise description</u>	4	0	0	4	0.014 s
13-9		<u>Verify Main Workout duration</u>	4	0	0	4	0.015 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
14-0		<u>Verify Main Workout calories</u>	4	0	0	4	0.016 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
14-1	<u>Premium User Exercise Schedule Functionality</u>	<u>Verify Main Workout intensity</u>	4	0	0	4	0.011 s
14-2		<u>Verify "Cool Down" section is displayed</u>	4	0	0	4	0.008 s
14-3		<u>Verify Cool Down exercise name</u>	4	0	0	4	0.017 s
14-4		<u>Verify Cool Down exercise description</u>	4	0	0	4	0.009 s
14-5		<u>Verify Cool Down duration</u>	4	0	0	4	0.009 s
14-6		<u>Verify Cool Down calories</u>	4	0	0	4	0.008 s
14-7		<u>Verify Cool Down intensity</u>	4	0	0	4	0.008 s
14-8		<u>Verify the intensity value</u>	4	0	0	4	0.005 s
14-9		<u>Verify total duration is displayed</u>	4	0	0	4	0.007 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
15-0		<i>Verify total duration matches the sum of individual workout durations</i>	4	0	0	4	0.009 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15-1	<u>Premium User Exercise Schedule Functionality</u>	<u>Verify total calories matches the sum of individual workout calories</u>	4	0	0	4	0.009 s
15-2	<u>Home Page Validation for Registered Premium Account User</u>	<u>Verify order of text in navigation bar</u>	3	0	0	3	0.013 s
15-3		<u>Verify the presence of animation in challenge yourself button</u>	3	0	0	3	0.011 s
15-4		<u>Verify the duration of animation</u>	3	0	0	3	0.008 s
15-5		<u>Verify the presence of Challenge yourself today button</u>	3	0	0	3	0.009 s
15-6		<u>Verify the presence of gender image in the grid</u>	3	0	0	3	0.010 s
15-7		<u>Verify the presence of emoji on top right of gender image</u>	3	0	0	3	0.014 s
15-8		<u>Verify the label for gender image</u>	3	0	0	3	0.011 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
15-9		<i>Verify the presence of log button</i>	3	0	0	3	0.009 s
16-0		<i>Verify display mood text based on emoji</i>	3	0	0	3	0.012 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
16-1	<u>Home Page Validation for Registered Premium Account User</u>	<u>Verify the presence of Weekly plan button</u>	3	0	0	3	0.008 s
16-2		<u>Verify the presence of "Record New Data" in the bottom</u>	3	0	0	3	0.006 s
16-3		<u>Verify the presence of 4 button option below Record New Data</u>	3	0	0	3	0.005 s
16-4		<u>Verify the first button text "Blood Glucose"</u>	3	0	0	3	0.007 s
16-5		<u>Verify the second button text "Physical Activity"</u>	3	0	0	3	0.006 s
16-6		<u>Verify the third button text "Food Intake"</u>	3	0	0	3	0.006 s
16-7		<u>Verify the fourth button text "Medication"</u>	3	0	0	3	0.006 s
16-8		<u>Verify icon for Blood Glucose</u>	3	0	0	3	0.005 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
16-9		<u>Verify icon for Physical Activity</u>	3	0	0	3	0.009 s
17-0		<u>Verify icon for Food Intake</u>	3	0	0	3	0.005 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17-1	<u>Home Page Validation for Registered Premium Account User</u>	<u>Verify icon for Medication</u>	3	0	0	3	0.009 s
17-2	<u>Premium User Logbook Functionality for Blood Glucose</u>	<u>Verify presence of Blood Glucose Tracker section</u>	4	0	0	4	0.011 s
17-3		<u>Verify title of Blood Glucose tracker section</u>	4	0	0	4	0.009 s
17-4		<u>Verify colour codes for Fasting</u>	4	0	0	4	0.007 s
17-5		<u>Verify Fasting glucose type range displayed</u>	4	0	0	4	0.009 s
17-6		<u>Verify colour codes for Pre-Meal</u>	4	0	0	4	0.007 s
17-7		<u>Verify pre-meal glucose type range displayed</u>	4	0	0	4	0.006 s
17-8		<u>Verify colour codes for Post-Meal</u>	4	0	0	4	0.006 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
17-9		<u>Verify Post-meal glucose type range displayed</u>	4	0	0	4	0.007 s
18-0		<u>Verify colour codes for Bedtime</u>	4	0	0	4	0.008 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18-1	<u>Premium User Logbook Functionality for Blood Glucose</u>	<u>Verify bedtime glucose type range displayed</u>	4	0	0	4	0.007 s
18-2		<u>Verify last 7 days are displayed on X-axis</u>	4	0	0	4	0.007 s
18-3		<u>Verify Y-axis starts at 70 in glucose chart</u>	4	0	0	4	0.006 s
18-4		<u>Verify Y-axis ends at 180 in glucose chart</u>	4	0	0	4	0.017 s
18-5	<u>Premium User Logbook Functionality for Log Review</u>	<u>Verify the Title of Log review section</u>	4	0	0	4	0.023 s
18-6		<u>Verify table header in log review section</u>	4	0	0	4	0.010 s
18-7		<u>Verify log review displays last 7 days of date entries including today</u>	4	0	0	4	0.010 s
18-8		<u>Verify the display of date format</u>	4	0	0	4	0.011 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
18-9		<u>Verify the order of date</u>	4	0	0	4	0.026 s
19-0		<u>Verify the blood glucose value in log review section if there is no log</u>	4	0	0	4	0.013 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19-1	<u>Premium User Logbook Functionality for Log Review</u>	<u>Verify the nutrient value in log review section if there is no log</u>	4	0	0	4	0.013 s
19-2		<u>Verify the physical activity value in log review section if there is no log</u>	4	0	0	4	0.014 s
19-3		<u>Verify the entries of Medication in log review section if there is no value</u>	4	0	0	4	0.012 s
19-4		<u>Verify the blood glucose entries in log review section if there is log</u>	4	0	0	4	0.007 s
19-5		<u>Verify the nutrient value entries in log review section if there is log</u>	4	0	0	4	0.007 s
19-6		<u>Verify the physical activity entries in log review section if there is log</u>	4	0	0	4	0.006 s
19-7		<u>Verify the medication value in log review section if there is log</u>	4	0	0	4	0.006 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
19-8		<u>Verify the Title of Log review section</u>	4	0	0	4	0.005 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19-9	<u>Premium User Logbook Functionality for Log Review</u>	<u>Verify table header in log review section</u>	4	0	0	4	0.005 s
20-0		<u>Verify log review displays last 7 days of date entries including today</u>	4	0	0	4	0.007 s
20-1		<u>Verify the display of date format</u>	4	0	0	4	0.006 s
20-2		<u>Verify the order of date</u>	4	0	0	4	0.007 s
20-3		<u>Verify the blood glucose value in log review section if there is no log</u>	4	0	0	4	0.011 s
20-4		<u>Verify the nutrient value in log review section if there is no log</u>	4	0	0	4	0.006 s
20-5		<u>Verify the physical activity value in log review section if there is no log</u>	4	0	0	4	0.010 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
20-6		<u>Verify the entries of Medication in log review section if there is no value</u>	4	0	0	4	0.013 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20-7	<u>Premium User Logbook Functionality for Log Review</u>	<u>Verify the blood glucose entries in log review section if there is log</u>	4	0	0	4	0.017 s
20-8		<u>Verify the nutrient value entries in log review section if there is log</u>	4	0	0	4	0.014 s
20-9		<u>Verify the physical activity entries in log review section if there is log</u>	4	0	0	4	0.018 s
21-0		<u>Verify the medication value in log review section if there is log</u>	4	0	0	4	0.014 s
21-1	<u>Premium User Logbook Functionality for Medical Dosage</u>	<u>Verify the presence of Medical Dosage section</u>	4	0	0	4	0.017 s
21-2		<u>Verify the title "Medical dosage"</u>	4	0	0	4	0.023 s
21-3		<u>Verify the icon beside medical dosage</u>	4	0	0	4	0.010 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
21-4		<u>Verify the Y-axis has text "Number of Doses"</u>	4	0	0	4	0.009 s
21-5		<u>Verify display empty chart when no medication is scheduled</u>	4	0	0	4	0.016 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21-6	<u>Premium User Logbook Functionality for Medical Dosage</u>	<u>Verify Total scheduled will display 0 doses, if no medication is scheduled</u>	4	0	0	4	0.013 s
21-7		<u>Verify Doses Taken will display 0 doses , if no medication is displayed</u>	4	0	0	4	0.017 s
21-8		<u>Verify Doses Missed will display 0 doses, if no Medication is displayed</u>	4	0	0	4	0.010 s
21-9		<u>Verify the colour of Total Scheduled text</u>	4	0	0	4	0.009 s
22-0		<u>Verify the colour of Doses Taken text</u>	4	0	0	4	0.009 s
22-1		<u>Verify the colour of Doses Missed text</u>	4	0	0	4	0.008 s
22-2		<u>verify green colour bar is displayed for doses taken on one week schedule</u>	4	0	0	4	0.007 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
22-3		<u>Verify red colour bard is displayed for doses missed on one week schedule</u>	4	0	0	4	0.008 s
22-4	<u>Premium User Logbook Functionality for Physical Activity</u>	<u>Verify the presence of Physical activity section</u>	4	0	0	4	0.010 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
22-5	<u>Premium User Logbook Functionality for Physical Activity</u>	<u>Verify the title of physical activity section</u>	4	0	0	4	0.007 s
22-6		<u>Verify the presence of icons beside title physical activity</u>	4	0	0	4	0.008 s
22-7		<u>Verify last 7 days are displayed on X-axis</u>	4	0	0	4	0.011 s
22-8		<u>Verify the alignment of statistic card "Total calories", "Daily Average", "Peak day"</u>	4	0	0	4	0.009 s
22-9		<u>Verify the text colour of total calories</u>	4	0	0	4	0.008 s
23-0		<u>Verify the text colour of daily average</u>	4	0	0	4	0.006 s
23-1		<u>verify the text colour of peak day</u>	4	0	0	4	0.008 s
23-2		<u>Verify Y-axis has text calories</u>	4	0	0	4	0.012 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
23-3		<u>Verify display of empty chart for no activity log</u>	4	0	0	4	0.010 s
23-4		<u>verify the total calories value for no activity log</u>	4	0	0	4	0.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
23-5	<u>Premium User Logbook Functionality for Physical Activity</u>	<u>Verify the daily average value for no activity log</u>	4	0	0	4	0.008 s
23-6		<u>Verify the peak day value for no activity log</u>	4	0	0	4	0.008 s
23-7		<u>Verify the display of bars if there is activity log in home page</u>	4	0	0	4	0.008 s
23-8	<u>Physical Activity Validation and Food Intake</u>	<u>Verify title in Food Intake form</u>	3	0	0	3	0.014 s
23-9		<u>Verify subtext in form</u>	2	0	0	2	0.008 s
24-0		<u>Verify presence of 4 tabs</u>	2	0	0	2	0.006 s
24-1		<u>Verify fields in Food Intake form</u>	2	0	0	2	0.006 s
24-2		<u>Verify default meal tab</u>	2	0	0	2	0.007 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
24-3		<u>Verify input field for food name</u>	2	0	0	2	0.007 s
24-4		<u>Verify placeholder in food name field</u>	2	0	0	2	0.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
24-5	<u>Physical Activity Validation and Food Intake</u>	<u>Verify dropdown for Serving Size</u>	2	0	0	2	0.005 s
24-6		<u>Verify default value in Serving Size</u>	2	0	0	2	0.006 s
24-7		<u>Verify options in Serving Size</u>	2	0	0	2	0.007 s
24-8		<u>Verify calculator icon in calorie field</u>	2	0	0	2	0.008 s
24-9		<u>Verify input field for calorie</u>	2	0	0	2	0.009 s
25-0		<u>Verify placeholder in calorie field</u>	2	0	0	2	0.006 s
25-1		<u>Verify helper text under calorie field</u>	2	0	0	2	0.009 s
25-2		<u>Verify date picker after popup</u>	2	0	0	2	0.008 s
25-3		<u>Verify default value in Date field</u>	2	0	0	2	0.007 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
25-4		<u>Verify input for notes</u>	2	0	0	2	0.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25-5	<u>Physical Activity Validation and Food Intake</u>	<u>Verify placeholder in notes</u>	2	0	0	2	0.007 s
25-6		<u>Verify save food entry button</u>	2	0	0	2	0.008 s
25-7	<u>Functional and Non-Functional Test Validation for Premium Account User</u>	<u>Verify the presence of "Pre-meal" title in each meal section</u>	4	0	0	4	0.007 s
25-8		<u>Verify the presence of icon for Pre-meal</u>	4	0	0	4	0.007 s
25-9		<u>Verify pre-meal title is shown before main meal</u>	4	0	0	4	0.007 s
26-0		<u>Verify "None" is displayed for Pre-Meal Snack by default</u>	4	0	0	4	0.008 s
26-1		<u>Verify calorie in pre-meal snack</u>	4	0	0	4	0.007 s
26-2		<u>Verify the presence of meal title for main meal in snack</u>	4	0	0	4	0.005 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
26-3		<i>Verify meal section contains dish description in snack</i>	4	0	0	4	0.009 s
26-4		<i>Verify the presence of Sub title "Main-Meal"</i>	4	0	0	4	0.009 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
26-5	<u>Functional and Non-Functional Test</u> <u>Validation for Premium Account User</u>	<u>Verify the presence of icon for main-meal</u>	4	0	0	4	0.009 s
26-6		<u>Verify the time format in each main-meal</u>	4	0	0	4	0.006 s
26-7		<u>Validate the indicator for breakfast main-meal</u>	4	0	0	4	0.008 s
26-8		<u>Validate the indicator for lunch main-meal</u>	4	0	0	4	0.008 s
26-9		<u>Validate the indicator for dinner main-meal</u>	4	0	0	4	0.007 s
27-0		<u>Validate the indicator for snack main-meal</u>	4	0	0	4	0.007 s
27-1		<u>Verify the time in main-breakfast</u>	4	0	0	4	0.007 s
27-2		<u>Verify the time in main-lunch</u>	4	0	0	4	0.008 s
27-3		<u>Verify the time in main-dinner</u>	4	0	0	4	0.010 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
27-4		<u>Verify the time in main-snack</u>	4	0	0	4	0.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
27-5	<u>Functional and Non-Functional Test</u> <u>Validation for Premium Account User</u>	<u>Verify calories for main-meal is shown for each meal</u>	4	0	0	4	0.012 s
27-6		<u>Validate the text "Calories" in main-meal</u>	4	0	0	4	0.009 s
27-7		<u>Verify the presence of ? Completed button</u>	4	0	0	4	0.008 s
27-8		<u>Verify the presence of ?? Partially Completed button</u>	4	0	0	4	0.006 s
27-9		<u>Verify the presence of ? Not Completed button</u>	4	0	0	4	0.081 s
28-0		<u>Verify color change of completed button</u>	4	0	0	4	0.008 s
28-1		<u>Verify color change of partially completed button</u>	4	0	0	4	0.006 s
28-2		<u>Verify color change of not completed button</u>	4	0	0	4	0.013 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
28-3		<u>Verify presence of nutrition insight summary card in each meal section</u>	4	0	0	4	0.019 s
28-4		<u>Verify title in nutrition flex card</u>	4	0	0	4	0.009 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
28-5	<u>Functional and Non-Functional Test Validation for Premium Account User</u>	<u>Verify sub-title in nutrition flex card</u>	4	0	0	4	0.012 s
28-6		<u>Verify total calorie count from pre-meal and meal</u>	4	0	0	4	0.009 s
28-7		<u>Verify each meal calorie detail on the right side</u>	4	0	0	4	0.021 s
28-8		<u>Verify navigation to View Full Meal Plan</u>	4	0	0	4	0.012 s
28-9		<u>Verify title in View Meal Plan page</u>	5	0	0	5	0.016 s
29-0		<u>Verify presence of Back to Plan button</u>	5	0	0	5	0.011 s
29-1		<u>Verify meal section button in View Plan page</u>	5	0	0	5	0.018 s
29-2	<u>Homepage Challenge Button Functionality</u>	<u>Verify the navigation of the Challenge button</u>	3	0	0	3	0.015 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
29-3		<u>Verify the title of the popup</u>	3	0	0	3	0.013 s
29-4		<u>Verify the subtext in the popup</u>	3	0	0	3	0.013 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
29-5	<u>Homepage Challenge Button Functionality</u>	<u>Verify the presence of two option buttons</u>	3	0	0	3	0.011 s
29-6		<u>Verify the first option text</u>	3	0	0	3	0.021 s
29-7		<u>Verify the second option text</u>	3	0	0	3	0.020 s
29-8		<u>Verify user able to change the log</u>	3	0	0	3	0.009 s
29-9	<u>Validation for View Full Meal Plan</u>	<u>Verify each meal section has Pre meal title</u>	4	0	0	4	0.005 s
30-0		<u>Verify pre-meal includes description under the item name</u>	2	0	0	2	0.013 s
30-1		<u>Verify Pre meal calorie in view full plan</u>	2	0	0	2	0.009 s
30-2		<u>Verify pre meal preparation in view full plan</u>	2	0	0	2	0.007 s
30-3		<u>Verify Nutrients (Pre-meal portion)</u>	2	0	0	2	0.006 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
30-4		<u>Verify nutrients list (Pre-meal portion)</u>	2	0	0	2	0.008 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
30-5	<u>Validation for View Full Meal Plan</u>	<u>Verify meal includes description under the item name</u>	2	0	0	2	0.008 s
30-6		<u>Verify meal preparation</u>	2	0	0	2	0.010 s
30-7		<u>Verify Nutrients information</u>	2	0	0	2	0.022 s
30-8		<u>Verify nutrients list (meal portion)</u>	2	0	0	2	0.013 s
30-9		<u>Verify Diabetes Management Tips heading</u>	2	0	0	2	0.013 s
31-0		<u>Validate back to plan button</u>	4	0	0	4	0.017 s
31-1	<u>Verification on button navigation in home page</u>	<u>Verify user able to download weekly plan</u>	4	0	0	4	0.013 s
31-2		<u>Verify the navigation of Blood Glucose button</u>	3	0	0	3	0.011 s
31-3		<u>Verify the navigation of Physical Activity button</u>	3	0	0	3	0.013 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
31-4		<u>Verify the navigation of Food Intake button</u>	3	0	0	3	0.012 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
31-5	<u>Verification on button navigation in home page</u>	<u>Verify the navigation of Medication button</u>	3	0	0	3	0.014 s
31-6		<u>Verify the navigation of log button</u>	3	0	0	3	0.016 s
31-7	<u>Subscription page validation</u>	<u>Verify Daily Meal Plan availability</u>	3	0	0	3	0.014 s
31-8		<u>Verify Weekly Meal Plan availability</u>	3	0	0	3	0.017 s
31-9		<u>Verify Personalized Exercise Plan availability</u>	3	0	0	3	0.017 s
32-0		<u>Verify 10-Day Quick Reversal Plan availability</u>	3	0	0	3	0.018 s
32-1		<u>Verify 30-Day Blood Sugar Reduction Plan</u>	3	0	0	3	0.012 s
32-2		<u>Verify Glucose Level Graph availability</u>	3	0	0	3	0.008 s
32-3		<u>Verify BMI Calculation availability</u>	3	0	0	3	0.013 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32-4		<u>Verify Downloadable Meal Plan PDF availability</u>	3	0	0	3	0.010 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
32-5	<u>Subscription page validation</u>	<u>Verify Reminders availability</u>	3	0	0	3	0.014 s
32-6		<u>Verify Continue free button is visible</u>	3	0	0	3	0.012 s
32-7		<u>Verify Upgrade to Premium button is visible</u>	3	0	0	3	0.010 s
32-8		<u>Verify Free Account label</u>	3	0	0	3	0.008 s
32-9		<u>Verify Premium Account label</u>	3	0	0	3	0.009 s
33-0		<u>Verify unavailable features are marked with gray X</u>	3	0	0	3	0.006 s
33-1		<u>Verify available features are marked with purple tick</u>	3	0	0	3	0.009 s
33-2		<u>Verify total number of features listed</u>	3	0	0	3	0.008 s
33-3		<u>Verify position of Continue free button</u>	3	0	0	3	0.011 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
33-4		<u>Verify position of Upgrade to Premium button</u>	3	0	0	3	0.012 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
33-5	<u>Subscription page validation</u>	<u>Verify terms and conditions text is visible</u>	3	0	0	3	0.012 s
33-6		<u>Verify upgrade message header is displayed</u>	3	0	0	3	0.014 s
33-7		<u>Verify visual separation between Free and Premium plans</u>	3	0	0	3	0.015 s
33-8	<u>Post-Onboarding Navigation and Upgrade Flow</u>	<u>Verify user able to go to subscription payment screen</u>	3	0	0	3	0.012 s
33-9		<u>Verify title of Upgrade screen</u>	3	0	0	3	0.011 s
34-0		<u>Verify sub text</u>	3	0	0	3	0.011 s
34-1		<u>Verify the presence of "premium features"</u>	3	0	0	3	0.010 s
34-2		<u>verify the description for premium feature</u>	3	0	0	3	0.007 s
34-3		<u>verify the presence of subscription price</u>	3	0	0	3	0.008 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
34-4		<u>verify the presence of cancel anytime text</u>	3	0	0	3	0.009 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
34-5	<u>Post-Onboarding Navigation and Upgrade Flow</u>	<u>Verify the presence of "Card Number"</u>	3	0	0	3	0.005 s
34-6		<u>Verify the presence of fields in payment</u>	3	0	0	3	0.006 s
34-7		<u>Verify presence of payment button</u>	3	0	0	3	0.005 s
34-8		<u>Verify terms and renewal message</u>	3	0	0	3	0.007 s
34-9		<u>Verify the presence of terms and auto-renewal note</u>	3	0	0	3	0.007 s
35-0		<u>Verify user able to go to home page</u>	3	0	0	3	0.006 s
35-1	<u>Login Page UI Verification</u>	<u>Verify login form header is played</u>	3	0	0	3	0.007 s
35-2		<u>Verify sub text of the header</u>	3	0	0	3	0.004 s
35-3		<u>Verify the presence of close button</u>	3	0	0	3	0.005 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
35-4		<u>Verify the presence of close button</u>	3	0	0	3	0.008 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
35-5	<u>Login Page UI Verification</u>	<u>Verify email input field is displayed</u>	3	0	0	3	0.005 s
35-6		<u>Validate placeholder text in email field</u>	3	0	0	3	0.006 s
35-7		<u>Verify Continue with Email button is displayed</u>	3	0	0	3	0.005 s
35-8		<u>Verify Continue with Email button is enabled</u>	3	0	0	3	0.005 s
35-9		<u>Verify Continue with Google button is displayed</u>	3	0	0	3	0.005 s
36-0		<u>Verify OR separator is visible</u>	3	0	0	3	0.007 s
36-1		<u>Verify Terms and Privacy message is displayed</u>	3	0	0	3	0.006 s
36-2	<u>Login page field and functional Validation</u>	<u>Verify email input accepts valid existing email</u>	3	0	0	3	0.006 s
36-3		<u>Verify email input rejects invalid email</u>	3	0	0	3	0.006 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
36-4		<u>Verify password field in login page</u>	3	0	0	3	0.005 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
36-5	<u>Login page field and functional Validation</u>	<u>Verify sub text</u>	3	0	0	3	0.006 s
36-6		<u>Verify presence of forgot password link</u>	3	0	0	3	0.006 s
36-7		<u>Verify presence of placeholder in password field</u>	3	0	0	3	0.006 s
36-8		<u>Verify password input accepts valid existing user</u>	3	0	0	3	0.005 s
36-9		<u>Verify email input accepts valid new email</u>	3	0	0	3	0.006 s

## Dashboard page validation for Registered Free account user




### Verify the Welcome Message is displayed with name




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.045 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logged into the app	SKIPPED	0.002 s
2	Given User is in Home Page	SKIPPED	0.001 s
3	When User clicks the Dashboard on the navigation bar	SKIPPED	0.000 s
4	Then User should see the "Welcome Back,full name" message	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.005 s

## Verify the text is displayed below welcome message




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User logged into the app	SKIPPED	0.000 s
2	Then User should see the text "Track your metrics, manage your diet, and stay healthy with our comprehensive tools."	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s

## Verify Upgrade to premium button is visible



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logged into the app	SKIPPED	0.000 s
2	Then User should see "Upgrade to Premium" button	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


## Verify the header Account Information is present



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User logged into the app	SKIPPED	0.001 s
2	Then User should see the header "Account Information" with correct spelling	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify Save Changes button is visible



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User logged into the app	SKIPPED	0.000 s
2	Then User should see "Save Changes" button	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify all the fields under Account Information are Displayed




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.003 s
1	Given User logged into the app	SKIPPED	0.001 s
2	Then User should see all the fields under Account Information section	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s

## Dashboard page validation for Registered Free account user



Verify the Welcome Message is displayed with name




#	Step / Hook Details	Status	Duration
1	Given User logged into the app	PASSED	1.861 s
2	Given User is in Home Page	PASSED	0.000 s
3	When User clicks the Dashboard on the navigation bar	PASSED	0.000 s

### Validation on Account Information section for registered free user dashboard page




### Verify age should accept only Numeric Value



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in Home Page after logged in	SKIPPED	0.001 s
2	And User is in Dashboard page	SKIPPED	0.000 s
3	When User edit age field with valid data	SKIPPED	0.000 s
4	Then User should see that entered age is displayed in that field	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.004 s


### Verify height should accept only Numeric Value



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.004 s
1	Given User is in Home Page after logged in	SKIPPED	0.001 s
2	And User is in Dashboard page	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
3	When User Edit height field with valid data	SKIPPED	0.000 s
4	Then User should see that entered height is displayed in Height field	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify Weight should accept only Numeric Value




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in Home Page after logged in	SKIPPED	0.001 s
2	And User is in Dashboard page	SKIPPED	0.000 s
3	When User Edit Weight field with valid data	SKIPPED	0.000 s
4	Then User should see that entered weight is displayed in Weight field	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s

## Verify Exercise Routine Level dropdown is displayed with options




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is in Home Page after logged in	SKIPPED	0.001 s
2	And User is in Dashboard page	SKIPPED	0.001 s
3	When User clicks the dropdown of Exercise Routine Level	SKIPPED	0.000 s
4	Then User should see the dropdown with options "Easy","Medium","Hard"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify Cuisine Preferences dropdown is displayed with options




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is in Home Page after logged in	SKIPPED	0.001 s
2	And User is in Dashboard page	SKIPPED	0.001 s
3	When User clicks the dropdown of Cuisine Preferences	SKIPPED	0.000 s
4	Then User should see the dropdown with list of cuisine types "Indian","American","Continental","Mediterranean","Asian","Middle Eastern","Mexican"	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

Verify Food Allergies dropdown is displayed with options




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is in Home Page after logged in	SKIPPED	0.001 s
2	And User is in Dashboard page	SKIPPED	0.000 s
3	When User clicks the dropdown of Food Allergies	SKIPPED	0.001 s
4	Then User should see the dropdown list of common allergy options "None", "Dairy", "Gluten", "Shellfish", "Soy", "Eggs", "Nuts", "Other"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

Verify account details cannot be updated with invalid data



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is in Home Page after logged in	SKIPPED	0.000 s
2	And User is in Dashboard page	SKIPPED	0.000 s
3	When User edit with invalid data and click save changes	SKIPPED	0.000 s
4	Then User should see Error message	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify account details can be updated with valid data




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in Home Page after logged in	SKIPPED	0.000 s
2	And User is in Dashboard page	SKIPPED	0.001 s
3	When User edit all fields and click Save Changes	SKIPPED	0.000 s
4	Then User should see messages "Changes Saved Your profile has been updated successfully!"	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Validation on Stress Management Technique Section for Registered Free user dashboard page




### Verify the header Stress Management Techniques



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in Home Page after logged in	SKIPPED	0.000 s
2	And User is in the Dashboard Page	SKIPPED	0.000 s
3	When User scrolls to the Stress Management section	SKIPPED	0.000 s
4	Then User should see the Title "Stress Management Techniques"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify the navigation bar order



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
1	Given User is in Home Page after logged in	SKIPPED	0.000 s
2	And User is in the Dashboard Page	SKIPPED	0.000 s
3	Then User should see tabs "Meditation", "Breathing", "Movement" and "Mindfulness"	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify tab navigation




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in Home Page after logged in	SKIPPED	0.000 s
2	And User is in the Dashboard Page	SKIPPED	0.001 s
3	When User clicks on each tab	SKIPPED	0.000 s
4	Then User should see corresponding display section	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify Guided Meditation section is visible




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is in Home Page after logged in	SKIPPED	0.001 s
2	And User is in the Dashboard Page	SKIPPED	0.000 s
3	When User clicks Meditation tab	SKIPPED	0.000 s
4	Then User should see the content with title "Guided Meditation"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify audio playback functionality




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is in Home Page after logged in	SKIPPED	0.000 s
2	And User is in the Dashboard Page	SKIPPED	0.000 s
3	When User clicks audio play button	SKIPPED	0.000 s
4	Then User Should see meditation audio should start playing and the progress bar should update accordingly	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the Title displayed under Movement tab



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in Home Page after logged in	SKIPPED	0.001 s
2	And User is in the Dashboard Page	SKIPPED	0.001 s
3	When User clicks Movement Tab	SKIPPED	0.000 s
4	Then User should see title "Gentle Movement"	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify the title under Mindfulness tab



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is in Home Page after logged in	SKIPPED	0.000 s
2	And User is in the Dashboard Page	SKIPPED	0.001 s
3	When User clicks Mindfulness tab	SKIPPED	0.000 s
4	Then User should see title "Present Moment Awareness"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify heading and description is displayed under Breathing tab



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in Home Page after logged in	SKIPPED	0.001 s
2	And User is in the Dashboard Page	SKIPPED	0.000 s
3	When User clicks breathing tab under stress management techniques	SKIPPED	0.000 s
4	Then User should see the heading "4-7-8 Breathing Technique"	SKIPPED	0.000 s
5	And User should see the description "A natural tranquilizer for the nervous system"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify Start button is displayed under Breathing tab




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.002 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.002 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
3	Given User is in Home Page after logged in	SKIPPED	0.000 s
4	And User is in the Dashboard Page	SKIPPED	0.001 s
5	Then User should see the "Start Breathing Exercise" button	SKIPPED	0.000 s
6	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify Cycle completed counter is displayed




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in Home Page after logged in	SKIPPED	0.001 s
2	And User is in the Dashboard Page	SKIPPED	0.000 s
3	Then User should see the "Cycles completed" counter text and value starting at 0	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify current phase counter is displayed



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in Home Page after logged in	SKIPPED	0.000 s
2	And User is in the Dashboard Page	SKIPPED	0.000 s
3	Then User should see the label 'Current phase' with a hyphen (-) as its current value	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify stop button of breathing exercise




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.005 s
1	Given User is in Home Page after logged in	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
2	And User is in the Dashboard Page	SKIPPED	0.000 s
3	When User clicks the "Stop" button during the breathing exercise	SKIPPED	0.000 s
4	Then User should see breathing exercise stops	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s

## Validation for home page - Registered user




## Verify App name after sign in



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.001 s
3	Then User should see SweetBalance text on the left side of the page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify user name in home page




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see name displayed at the top-right corner of the home page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify the presence of logout link




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.001 s
3	Then User should see Logout link in the top-right corner	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify the presence of top navigation bar



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see top navigation bar on the page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify the presence of Home text in navigation bar



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see "Home" tab in the top navigation bar	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the presence of Dashboard text in navigation bar




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see "Dashboard" tab in the top navigation bar	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the presence of Education text in navigation bar




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.001 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see "Education" tab in the top navigation bar	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the text "Current status" in home page



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see "Current Status" section heading on the home page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify the text "Last updated" in home page



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see "Last updated" label below Current Status	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the time for last update in home page




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in password auth page	SKIPPED	0.001 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see timestamp displayed next to the "Last updated" label	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the time format for last update




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see last updated timestamp in 12-hour format as hh:mm:ss or relative format like "3 min ago" or "2 hr ago"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify 12-hour clock indicator is visible



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.001 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see 12-hour clock indicator with AM/PM	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify Latest HbA1C label is visible



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in password auth page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When User clicks sign in after entering password	SKIPPED	0.001 s
3	Then User should see "Latest HbA1C" label	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify BMI label is visible




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see "BMI" label	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify Average Blood Sugar label is visible




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.001 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see "Average Blood Sugar" label	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify condition text for HbA1C value less than 5.7



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see "Normal" as the condition text	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify condition text for HbA1C between 5.7 and 6.4



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see "Pre-diabetic" as the condition text	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify condition text for HbA1C greater than or equal 6.5




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.001 s
3	Then User should see "Diabetic" as the condition text	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify BMI text for value less than 18.5




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.001 s
3	Then User should see "Underweight" as the BMI category	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify BMI text for value between 18.5 and 24.9



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.001 s
3	Then User should see "Normal" as the BMI category	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify BMI text for value between 25.0 and 29.9



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see "Overweight" as the BMI category	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify BMI text for value 30.0 or above




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.001 s
3	Then User should see "Obese" as the BMI category	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify units for average blood sugar




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.001 s
3	Then User should see mg/dL unit below Average Blood Sugar	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify title in flex container



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see "Today's Meal Plan" title	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify "Today's Meal Plan" section is visible



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see tabs: Breakfast, Lunch, Dinner, Snacks	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify Breakfast tab is selected by default




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then "Breakfast" tab should be selected by default	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the presence of side tab in flex container




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.002 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.001 s
3	Then User should see sidebar tab container within the flex layout	SKIPPED	0.000 s
4	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the text "Meal plan" in flex container



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see "Meal Plan" label in the sidebar section	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify the text "Exercise" in flex container



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see "Exercise" label in the sidebar section	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the symbol utensil cross in "Meal plan"




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see utensil icon (crossed fork and knife) in the Meal Plan tab	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the symbol dumbbell in "Exercise"



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.001 s
3	Then User should see dumbbell icon in the Exercise tab	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify View Full Plan button is visible




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in password auth page	SKIPPED	0.001 s
2	When User clicks sign in after entering password	SKIPPED	0.000 s
3	Then User should see "View Full Plan" button in the Meal Plan section	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Home Page Navigation for Free Registered Users




## Verify order of text in navigation bar



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.001 s
3	Then User should see the navigation bar displaying items in the order: Home, Dashboard, Education	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the presence of collapse toggle




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Then User should see a caret toggle icon next to the "Today's Meal Plan" title	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Functional and non-functional test validation for home page




## Verify meal section contains dish title



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is logged into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.001 s
3	When User clicks meal section	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
4	Then User should see dish title  AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	SKIPPED	0.000 s
		FAILED	0.002 s

### Verify meal section contains dish description




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is logged into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks meal section	SKIPPED	0.000 s
4	Then User should see description for the dish	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify pre-meal item is shown for each meal




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
3	Given User is logged into the app	SKIPPED	0.001 s
4	Given User is in home page	SKIPPED	0.000 s
5	When User clicks meal section	SKIPPED	0.000 s
6	Then User should see the pre-meal item name	SKIPPED	0.001 s
7	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify calories for pre-meal is shown for each meal



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is logged into the app	SKIPPED	0.001 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks meal section	SKIPPED	0.000 s
4	Then User should see the pre-meal calorie value	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Validate the indicator for breakfast pre-meal



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is logged into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks meal section	SKIPPED	0.000 s
4	Then User should see indicator "AM" for breakfast pre-meal	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Validate the indicator for lunch pre-meal



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.000 s
1	Given User is logged into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks meal section	SKIPPED	0.000 s
4	Then User should see indicator "PM" for lunch pre-meal	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Validate the indicator for dinner pre-meal




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
3	Given User is logged into the app	SKIPPED	0.000 s
4	Given User is in home page	SKIPPED	0.000 s
5	When User clicks meal section	SKIPPED	0.000 s
6	Then User should see indicator "PM" for dinner pre-meal	SKIPPED	0.001 s
7	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the time format in each pre-meal




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is logged into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks meal section	SKIPPED	0.000 s
4	Then User should see "hh:mm" based time in pre-meal (eg : 1:00)	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the time in pre-breakfast



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is logged into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks meal section	SKIPPED	0.000 s
4	Then User should see 7'o clock	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify the time in pre-lunch



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is logged into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks meal section	SKIPPED	0.000 s
4	Then User should see the 12 o'clock	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


## Verify the time in pre-dinner



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is logged into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks meal section	SKIPPED	0.000 s
4	Then User should see 7'o clock	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify Carbs bar color for each meal




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is logged into the app	SKIPPED	0.001 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks meal section	SKIPPED	0.000 s
4	Then User should see green color for Carbs	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify Fat bar color




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.003 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is logged into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.001 s
3	When User clicks meal section	SKIPPED	0.000 s
4	Then User should see purple color for Fat	SKIPPED	0.000 s
3	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify Protein bar color



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is logged into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks meal section	SKIPPED	0.000 s
4	Then User should see pink color for Protein	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.000 s


### Verify unit of measurement for Carbs is in grams



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is logged into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks meal section	SKIPPED	0.000 s
4	Then It should display the unit as "g"	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify unit of measurement for Protein is in grams



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is logged into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks meal section	SKIPPED	0.000 s
4	Then It should display the unit as "g"	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify unit of measurement for Fat is in grams



#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.002 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.002 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
3	Given User is logged into the app	SKIPPED	0.000 s
4	Given User is in home page	SKIPPED	0.000 s
5	When User clicks meal section	SKIPPED	0.000 s
6	Then It should display the unit as "g"	SKIPPED	0.000 s
7	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Validate the text "calories" in pre-meal




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is logged into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks meal section	SKIPPED	0.000 s
4	Then User should see text "calories" after the calorie value in pre meal	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Home Page Validation for Registered Free Account User




Verify order of text in navigation bar



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is in password auth page	SKIPPED	0.000 s
2	When User clicks sign in after entering password	SKIPPED	0.001 s
3	Then User should see the navigation bar displaying items in the order: Home, Dashboard, Education	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the presence of collapse toggle




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in password auth page	SKIPPED	0.000 s
2	Then User should see a caret toggle icon next to the "Today's Meal Plan" title	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Meal and Exercise Section Validation for Registered Free Account User




## Verify the presence of "Nutrition Insights" heading



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logs into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks meal section	SKIPPED	0.000 s
4	Then User should see "Nutrition Insights" heading for each of the meal section	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify the presence of Carbs value for nutrition



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
1	Given User logs into the app	SKIPPED	0.001 s
2	Given User is in home page	SKIPPED	0.000 s
3	Then User should see Carbs value for the main	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the presence of Protein value for nutrition




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logs into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	Then User should see Protein value for the main	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify the presence of Fat value for nutrition




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logs into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.001 s
3	Then User should see Fat value for the main meal	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify the time format in pre-meal snack



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User logs into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	Then User should see "hh:mm" based time in pre-meal snack (eg: 1:00)	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


## Verify the time in pre-snack



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logs into the app	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	Given User is in home page	SKIPPED	0.000 s
3	Then User should see 3 o'clock	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the navigation of "View Full Plan" button




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logs into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks "View Full Plan" button	SKIPPED	0.000 s
4	Then User should be redirected to subscription page	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify the title in Exercise section




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  <code>java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)</code>	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  <code>java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)</code>		
1	Given User logs into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks exercise section	SKIPPED	0.000 s
4	Then User should see title "Today's Exercise Plan"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  <code>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)</code>	FAILED	0.001 s

## Verify the presence of exercise list




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logs into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.001 s
3	Then User should see exercises list for the day	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the presence of time in each exercise



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logs into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	Then User should see scheduled time of each exercise	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify the time for morning exercise



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logs into the app	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	Given User is in home page	SKIPPED	0.000 s
3	Then Morning exercise should be scheduled for 7 o'clock	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the time for evening exercise




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logs into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	Then Evening exercise should be scheduled for 5 o'clock	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s

### Verify the title for each exercise plan




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logs into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	Then User should see plan title for each exercise	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the presence of duration in each exercise plan



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User logs into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	Then User should see a duration in each exercise item	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify the presence of "View Full Schedule" button



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logs into the app	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
2	Given User is in home page	SKIPPED	0.000 s
3	Then User should see button with text "View Full Schedule"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the navigation of "View Full Schedule" button




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logs into the app	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks view full schedule button after reaching exercise section	SKIPPED	0.000 s
4	Then User should be redirected to subscription page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Upgrade to Premium Subscription




### Verify user is unable to proceed with empty payment fields




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on the subscription page	SKIPPED	0.000 s
2	And User clicks the "Upgrade to Premium" button	SKIPPED	0.000 s
3	When User clicks the "Pay \$9.99 USD" button without entering any card details	SKIPPED	0.000 s
4	Then User should see validation messages for all required fields	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify user is unable to proceed with invalid card number




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on the subscription page	SKIPPED	0.000 s
2	And User clicks the "Upgrade to Premium" button	SKIPPED	0.000 s
3	When User enters an invalid card number	SKIPPED	0.001 s
4	And User clicks the "Pay \$9.99 USD" button	SKIPPED	0.000 s
5	Then Error message should be displayed for invalid card number	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify user is unable to proceed with expired card



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is on the subscription page	SKIPPED	0.001 s
2	And User clicks the "Upgrade to Premium" button	SKIPPED	0.000 s
3	When User enters an expired card	SKIPPED	0.000 s
4	And User clicks the "Pay \$9.99 USD" button	SKIPPED	0.000 s
5	Then Error message should be displayed for expired card	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

Verify user can successfully upgrade with valid payment details




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on the subscription page	SKIPPED	0.001 s
2	And User clicks the "Upgrade to Premium" button	SKIPPED	0.000 s
3	When User enters valid payment details	SKIPPED	0.000 s
4	And User clicks the "Pay \$9.99 USD" button	SKIPPED	0.000 s
5	Then User should be redirected to the confirmation or home page with premium access enabled	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Premium User Exercise Schedule Functionality




## Verify "View Full Schedule" button is displayed




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then "View Full Schedule" button is displayed on the right	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify navigation to "Today's Exercise Schedule" page




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "View Full Schedule" button	SKIPPED	0.000 s
4	Then User is redirected to "Today's Exercise Schedule" page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify "Warm Up" tab is displayed



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.001 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then "Warm Up" tab is visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify "Main Workout" tab is displayed



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then "Main Workout" tab is visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify "Cool Down" tab is displayed



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.001 s
4	Then "Cool Down" tab is visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify Exercise name is displayed under "Warm Up" tab




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then Exercise name is displayed under "Warm Up" tab	SKIPPED	0.000 s
5	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify Exercise name is displayed under "Main Workout" tab




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then Exercise name is displayed under "Main Workout" tab	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify Exercise name is displayed under "Cool Down" tab



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then Exercise name is displayed under "Cool Down" tab	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.018 s


### Verify Exercise description is displayed under "Warm Up" tab



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then Description is shown below the Exercise name under "Warm Up"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify Exercise description is displayed under "Main Workout" tab



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then Description is shown below the Exercise name under "Main Workout"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify Exercise description is displayed under "Cool Down" tab




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.002 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then Description is shown below the Exercise name under "Cool Down"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify duration is displayed under "Warm Up" tab




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then Duration is displayed under "Warm Up" tab	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.030 s

### Verify calories are displayed under "Warm Up" tab



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then Calories are displayed under "Warm Up" tab	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify intensity level is displayed under "Warm Up" tab



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.001 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then Intensity level is displayed under "Warm Up" tab	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify duration is displayed under "Main Workout" tab



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then Duration is displayed under "Main Workout" tab	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify calories are displayed under "Main Workout" tab




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then Calories are displayed under "Main Workout" tab	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify intensity level is displayed under "Main Workout" tab




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.001 s
4	Then Intensity level is displayed under "Main Workout" tab	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify duration is displayed under "Cool Down" tab



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then Duration is displayed under "Cool Down" tab	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify calories are displayed under "Cool Down" tab



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.001 s
4	Then Calories are displayed under "Cool Down" tab	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify intensity level is displayed under "Cool Down" tab



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
4	Then Intensity level is displayed under "Cool Down" tab	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify "Mark As Completed" button is displayed




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.002 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
3	Given User is Logged into the app	SKIPPED	0.000 s
4	Given User is on the homepage	SKIPPED	0.001 s
5	When User clicks the "Exercise" option from the side panel	SKIPPED	0.000 s
6	Then "Mark As Completed" button is displayed for all three sections	SKIPPED	0.001 s
7	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify success dialog is shown after marking as completed




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Mark As Completed" button	SKIPPED	0.000 s
4	Then Success dialog is shown	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify button status changes to "Completed"



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Mark As Completed" button	SKIPPED	0.000 s
4	Then Button changes to "Completed"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify undo option is displayed after marking completed



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User clicks the "Mark As Completed" button	SKIPPED	0.000 s
4	Then Undo option is visible	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify button reverts back after undo



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks Undo after marking Exercise as completed	SKIPPED	0.000 s
4	Then Button changes back to "Mark As Completed"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify navigation to "View full schedule"




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then User should redirect to Exercise schedule	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify page title is displayed




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then User should see title "Today's Exercise Schedule"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify "Back to Home" button is visible



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.004 s
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is in the Exercise section	SKIPPED	0.001 s
3	When User clicks "view full schedule"	SKIPPED	0.001 s
4	Then User should see "Back to Home" button in Today's Exercise schedule page	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify "Warm Up" section is displayed



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.001 s
3	When User clicks "view full schedule"	SKIPPED	0.001 s
4	Then "Warm Up" section should be visible	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.007 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		


### Verify warm-up exercise name



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.002 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.002 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.001 s
4	Then Exercise name should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null		


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify warm-up exercise description




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.002 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then "Warm Up" Exercise description should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify warm-up duration




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then "Warm Up" Exercise durations should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify warm-up calories



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then "Warm Up" Exercise calories should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify warm-up intensity



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.001 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then "Warm Up" Exercise intensity should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


## Verify "Main Workout" section is displayed



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.004 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then "Main Workout" section should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify Main Workout exercise name




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.002 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then "Main Workout" Exercise name should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify Main Workout exercise description




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.005 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.003 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then "Main Workout" Exercise description should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify Main Workout duration



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.008 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then "Main Workout" Exercise durations should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify Main Workout calories



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.001 s
4	Then "Main Workout" Exercise calories should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s


## Verify Main Workout intensity



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.001 s
4	Then "Main Workout" Exercise intensity should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.003 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify "Cool Down" section is displayed




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.002 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
3	Given User is Logged into the app	SKIPPED	0.000 s
4	Given User is in the Exercise section	SKIPPED	0.000 s
5	When User clicks "view full schedule"	SKIPPED	0.000 s
6	Then "Cool Down" section should be visible	SKIPPED	0.000 s
7	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify Cool Down exercise name




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.004 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.001 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then "Cool Down" Exercise name should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify Cool Down exercise description



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then "Cool Down" Exercise description should be visible	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


## Verify Cool Down duration



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.001 s
4	Then "Cool Down" Exercise durations should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


## Verify Cool Down calories



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then "Cool Down" Exercise calories should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify Cool Down intensity




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then "Cool Down" Exercise intensity should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify the intensity value




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then Exercise intensity should low/medium/hard	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify total duration is displayed



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then total duration should be displayed	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify total duration matches the sum of individual workout durations



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then total duration should equal the sum of all individual durations	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify total calories matches the sum of individual workout calories




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is in the Exercise section	SKIPPED	0.000 s
3	When User clicks "view full schedule"	SKIPPED	0.000 s
4	Then total calories should equal the sum of all individual calories	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

## Home Page Validation for Registered Premium Account User




### Verify order of text in navigation bar



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.003 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see the navigation bar displaying items in the order: Home, Logbook, Dashboard, Education	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify the presence of animation in challenge yourself button




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.002 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.002 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see flashing challenge yourself button	SKIPPED	0.000 s
	AFTER - hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify the duration of animation




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.001 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the button should flash in 0.2 seconds	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the presence of Challenge yourself today button



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see a "Challenge yourself today!" button	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify the presence of gender image in the grid



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given the user is in password auth page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see a gender-specific image based on the gender selected during onboarding	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the presence of emoji on top right of gender image




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given the user is in password auth page	SKIPPED	0.001 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see an emoji displayed on the top-right corner of the gender image	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.004 s

### Verify the label for gender image




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see label "Mood:" below the gender image	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the presence of log button



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see log button under gender image	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify display mood text based on emoji



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see mood text based on the emoji	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the presence of Weekly plan button




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see Week plan button	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the presence of "Record New Data" in the bottom




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.000 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see "Record New Data" text	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the presence of 4 button option below Record New Data



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.000 s
1	Given the user is in password auth page	SKIPPED	0.001 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see 4 button options	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify the first button text "Blood Glucose"



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see text Blood Glucose	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the second button text "Physical Activity"




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see text Physical Activity	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the third button text "Food Intake"




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see text Food Intake	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the fourth button text "Medication"



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see text Medication	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


## Verify icon for Blood Glucose



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see Activity icon in Blood Glucose	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify icon for Physical Activity




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.001 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see Running icon in Physical Activity	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify icon for Food Intake




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see Pizza icon in Food Intake	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify icon for Medication




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Then the user should see Pill icon in Medication	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Premium User Logbook Functionality for Blood Glucose




## Verify presence of Blood Glucose Tracker section



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see Blood Glucose Tracker	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify title of Blood Glucose tracker section



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see title "Blood Glucose Tracker"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


## Verify colour codes for Fasting



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see "Fasting" displayed in purple	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify Fasting glucose type range displayed




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
3	Given User is Logged into the app	SKIPPED	0.001 s
4	Given User is on the homepage	SKIPPED	0.000 s
5	When User navigate to logbook page	SKIPPED	0.000 s
6	Then User should see the range for "Fasting" be "70-100 mg/dL"	SKIPPED	0.000 s
7	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify colour codes for Pre-Meal




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see "Pre-Meal" displayed in green	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify pre-meal glucose type range displayed



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see the range for "pre meal" be "70-130 mg/dL"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify colour codes for Post-Meal



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see "Post-Meal" displayed in yellow	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


## Verify Post-meal glucose type range displayed



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see the range for "post meal" be "<180 mg/dL"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify colour codes for Bedtime




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.002 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see "Bedtime" displayed in red	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify bedtime glucose type range displayed




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see the range for "Bedtime" be "100-140 mg/dL"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify last 7 days are displayed on X-axis



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see the X-axis display the last 7 days ending today	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify Y-axis starts at 70 in glucose chart



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.001 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see Y-axis minimum value 70	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify Y-axis ends at 180 in glucose chart




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.003 s
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see X-axis Maximum value 180	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

## Premium User Logbook Functionality for Log Review




### Verify the Title of Log review section



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see the title "Log Review"	SKIPPED	0.001 s
	AFTER - hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.011 s


#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify table header in log review section




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.002 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.001 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see table header "Date", "Blood Glucose", "Nutrition", "Activity", "Medication"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify log review displays last 7 days of date entries including today




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.001 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see date of last seven days including today	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the display of date format



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.001 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see the date format as "MMM dd, yyyy"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify the order of date



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.007 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.001 s
4	Then User should see the date ordered in descending order for last 7 days including today	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.004 s


### Verify the blood glucose value in log review section if there is no log



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User have not log any blood glucose value in home page	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.001 s
4	Then User should see hyphen "-" for all the days under blood glucose	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the nutrient value in log review section if there is no log




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.002 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
3	Given User is Logged into the app	SKIPPED	0.001 s
4	Given User have not log any nutrition value in home page	SKIPPED	0.000 s
5	When User navigate to logbook page	SKIPPED	0.000 s
6	Then User should see hyphen "-" for all the days under Nutrition value	SKIPPED	0.001 s
7	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the physical activity value in log review section if there is no log




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User have not log any Physical activity in home page	SKIPPED	0.001 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see hyphen "-" for all the days under Activity	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the entries of Medication in log review section if there is no value



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User have not log any Medication dosage in home page	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see hyphen "-" for all the days under Medication	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify the blood glucose entries in log review section if there is log



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User log blood glucose value in Home page	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see logged value for those days under Blood glucose	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify the nutrient value entries in log review section if there is log



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User log Nutrient value in Home page	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see logged value for those days under Nutrient value	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the physical activity entries in log review section if there is log



#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.000 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
3	Given User is Logged into the app	SKIPPED	0.000 s
4	Given User log Physical Activity in home page	SKIPPED	0.000 s
5	When User navigate to logbook page	SKIPPED	0.000 s
6	Then User should see logged value for those days under physical activity	SKIPPED	0.000 s
7	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the medication value in log review section if there is log




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User log Medication dosage in Home page	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see logged value for those under Medication Dosage	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Premium User Logbook Functionality for Log Review




Verify the Title of Log review section




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see the title "Log Review"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify table header in log review section



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see table header "Date", "Blood Glucose", "Nutrition", "Activity", Medication"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.000 s


### Verify log review displays last 7 days of date entries including today



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.001 s
4	Then User should see date of last seven days including today	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


## Verify the display of date format



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see the date format as "MMM dd, yyyy"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the order of date




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.001 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see the date ordered in descending order for last 7 days including today	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the blood glucose value in log review section if there is no log




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User have not log any blood glucose value in home page	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see hyphen "-" for all the days under blood glucose	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the nutrient value in log review section if there is no log



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.000 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User have not log any nutrition value in home page	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see hyphen "-" for all the days under Nutrition value	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify the physical activity value in log review section if there is no log



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User have not log any Physical activity in home page	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see hyphen "-" for all the days under Activity	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify the entries of Medication in log review section if there is no value



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User have not log any Medication dosage in home page	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.001 s
4	Then User should see hyphen "-" for all the days under Medication	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the blood glucose entries in log review section if there is log




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.004 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User log blood glucose value in Home page	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see logged value for those days under Blood glucose	SKIPPED	0.000 s
5	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the nutrient value entries in log review section if there is log




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User log Nutrient value in Home page	SKIPPED	0.001 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see logged value for those days under Nutrient value	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s

### Verify the physical activity entries in log review section if there is log



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User log Physical Activity in home page	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.001 s
4	Then User should see logged value for those days under physical activity	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.004 s

### Verify the medication value in log review section if there is log




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User log Medication dosage in Home page	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.001 s
4	Then User should see logged value for those under Medication Dosage	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Premium User Logbook Functionality for Medical Dosage




## Verify the presence of Medical Dosage section



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.004 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory.	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see the section Medical Dosage	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify the title "Medical dosage"



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.004 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.001 s
4	Then User should see the title "Medical Dosage"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"	FAILED	0.004 s


#	Step / Hook Details	Status	Duration
	because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the icon beside medical dosage




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.002 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see the icon on left side of title	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the Y-axis has text "Number of Doses"




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.001 s
4	Then User should see the text "Number of Doses"on Y-axis	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify display empty chart when no medication is scheduled



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User has not scheduled any medication for the week	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see no bars in the chart	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify Total scheduled will display 0 doses, if no medication is scheduled



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User has not scheduled any medication for the week	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see "0 doses" value in the Total scheduled statistics	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify Doses Taken will display 0 doses , if no medication is displayed



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User has not scheduled any medication for the week	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see "0 doses" value in the Doses taken statistics	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify Doses Missed will display 0 doses, if no Medication is displayed




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.002 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
3	Given User is Logged into the app	SKIPPED	0.000 s
4	Given User has not scheduled any medication for the week	SKIPPED	0.000 s
5	When User navigate to logbook page	SKIPPED	0.000 s
6	Then User should see "0 doses" value in the Doses Missed statistics	SKIPPED	0.000 s
7	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the colour of Total Scheduled text




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User has not scheduled any medication for the week	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see purple colour text	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the colour of Doses Taken text



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User has not scheduled any medication for the week	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see green colour text	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify the colour of Doses Missed text



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User has not scheduled any medication for the week	SKIPPED	0.001 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see yellow colour text	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		


### verify green colour bar is displayed for doses taken on one week schedule



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User has taken the scheduled dose for a day	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see green colour bar for that day	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify red colour bard is displayed for doses missed on one week schedule




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
3	Given User is Logged into the app	SKIPPED	0.000 s
4	Given User has taken the scheduled dose for a day	SKIPPED	0.000 s
5	When User navigate to logbook page	SKIPPED	0.000 s
6	Then User should see red colour bar for that day	SKIPPED	0.000 s
7	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Premium User Logbook Functionality for Physical Activity




### Verify the presence of Physical activity section




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.001 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see "physical Activity" section	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the title of physical activity section




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.001 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see the title "Physical Activity"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the presence of icons beside title physical activity



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see the icons on left side of title	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify last 7 days are displayed on X-axis



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see the X-axis display the last 7 days ending today	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify the alignment of statistic card "Total calories","Daily Average","Peak day"



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see exactly 3 statistic cards displayed horizontally	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the text colour of total calories




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should the text in purple colour	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the text colour of daily average




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see text in Orange color	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### verify the text colour of peak day



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.001 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see text in Red color	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify Y-axis has text calories



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see y-axis clearly labeled with the text "Calories"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify display of empty chart for no activity log



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is Logged into the app	SKIPPED	0.001 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see no bars in the chart	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### verify the total calories value for no activity log




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see total calories has "0 cal" value	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the daily average value for no activity log




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see Daily average has "0 cal" value	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the peak day value for no activity log



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then User should see no value	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify the display of bars if there is activity log in home page




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given User is Logged into the app	SKIPPED	0.000 s
2	Given User is on the homepage	SKIPPED	0.000 s
3	When User navigate to logbook page	SKIPPED	0.000 s
4	Then user should see the bars displayed only for days with logged activities	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Physical Activity Validation and Food Intake




## Verify title in Food Intake form



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory.	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	When User clicks Food Intake	SKIPPED	0.000 s
3	Then User should see title "Food Intake Tracker" on food popup	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify subtext in form




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see subtext "Track what you eat to manage your diabetes better" in the food popup	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify presence of 4 tabs




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.000 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see "Breakfast, Lunch, Dinner, Snack" tabs	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.000 s

## Verify fields in Food Intake form



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.000 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see field for Food Name, Serving Size, Calories, Date, Notes	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify default meal tab



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see "Breakfast" tab selected by default	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify input field for food name




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see input field for food name	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify placeholder in food name field




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see text "e.g., Grilled Chicken Salad" as placeholder	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify dropdown for Serving Size



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see dropdown for serving size	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


## Verify default value in Serving Size



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.000 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see "Medium (1 cup)" as default	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify options in Serving Size




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in home page after logged into app	SKIPPED	0.001 s
2	Then User should see "Small (1/2 cup), Medium (1 cup), Large (2 cups), Custom" in foodIntake popup	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify calculator icon in calorie field




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see calculator icon in calorie	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify input field for calorie



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in home page after logged into app	SKIPPED	0.001 s
2	Then User should see input field for calorie	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify placeholder in calorie field



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.000 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.000 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see text "eg.250" as placeholder	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify helper text under calorie field




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see "Enter calories or click the calculator icon for automatic calculation." after popup	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify date picker after popup




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see date picker	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify default value in Date field



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see toadys date	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify input for notes



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see input block for notes	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify placeholder in notes



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see "Add any additional information..."after the foodintake popup	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify save food entry button




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in home page after logged into app	SKIPPED	0.000 s
2	Then User should see save food entry button	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Functional and Non-Functional Test Validation for Premium Account User




Verify the presence of "Pre-meal" title in each meal section




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.000 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.000 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see "Pre-Meal" title under the four tabs	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the presence of icon for Pre-meal



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.001 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see alarm clock icon	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify pre-meal title is shown before main meal



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see pre-meal in first place of each meal section	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify "None" is displayed for Pre-Meal Snack by default



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks snack section	SKIPPED	0.000 s
4	Then the user should see Pre-Meal entry displays as "None" by default	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify calorie in pre-meal snack




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks snack section	SKIPPED	0.000 s
4	Then the user should see 0 calorie in pre-meal snack	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify the presence of meal title for main meal in snack




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks snack section	SKIPPED	0.000 s
4	Then the user should see meal title for main-meal in snack	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify meal section contains dish description in snack



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks snack section	SKIPPED	0.000 s
4	Then the user should see description for the dish in snack	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify the presence of Sub title "Main-Meal"



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see "Main-meal" as sub title	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		


## Verify the presence of icon for main-meal



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see utensil icon for each main-meal	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null		


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify the time format in each main-meal




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see "hh:mm" based time in main-meal	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## Validate the indicator for breakfast main-meal




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given the user is in password auth page	SKIPPED	0.001 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see indicator "AM" for breakfast main-meal	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Validate the indicator for lunch main-meal



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see indicator "PM" for lunch main-meal	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Validate the indicator for dinner main-meal



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see indicator "PM" for dinner main-meal	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		


## Validate the indicator for snack main-meal



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given the user is in password auth page	SKIPPED	0.001 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see indicator "PM" for snack main-meal	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null		


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify the time in main-breakfast




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see 7:30 o'clock	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify the time in main-lunch




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see 12:30 o'clock	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the time in main-dinner



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.001 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see 7:30 o'clock	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify the time in main-snack



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.001 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see 3:30 o'clock	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		


### Verify calories for main-meal is shown for each meal



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.002 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.001 s
4	Then the user should see the main-meal calorie value	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null		


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Validate the text "Calories" in main-meal




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see text "Calories" after the calorie value in main meal	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify the presence of ? Completed button




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see "? Completed" button	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the presence of ?? Partially Completed button



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see "?? Partially Completed" button	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify the presence of ? Not Completed button



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.016 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.009 s
4	Then the user should see "? Not Completed" button	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.019 s


## Verify color change of completed button



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given the user is in password auth page	SKIPPED	0.001 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user marks meal as completed	SKIPPED	0.000 s
4	Then the button color should change to green	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify color change of partially completed button




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.001 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
3	Given the user is in password auth page	SKIPPED	0.000 s
4	When the user clicks sign in after entering password	SKIPPED	0.000 s
5	When the user marks meal as partially completed	SKIPPED	0.000 s
6	Then the button color should change to yellow	SKIPPED	0.000 s
7	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify color change of not completed button




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user marks meal as not completed	SKIPPED	0.000 s
4	Then the button color should change to red	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s

### Verify presence of nutrition insight summary card in each meal section



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user views a meal section	SKIPPED	0.000 s
4	Then the user should see Nutrition Insight summary card	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify title in nutrition flex card



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.001 s
3	When the user views a meal section	SKIPPED	0.000 s
4	Then the user should see title "Nutrition Insight"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		


### Verify sub-title in nutrition flex card



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then the user should see subtitle "Calories"	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify total calorie count from pre-meal and meal




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.000 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks meal section	SKIPPED	0.000 s
4	Then total calorie count should equal the sum of Pre-Meal and Meal calories	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

Verify each meal calorie detail on the right side




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.003 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.003 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
3	Given the user is in password auth page	SKIPPED	0.001 s
4	When the user clicks sign in after entering password	SKIPPED	0.001 s
5	When the user clicks meal section	SKIPPED	0.000 s
6	Then the user should see calorie detail on the right side of its section	SKIPPED	0.000 s
7	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify navigation to View Full Meal Plan



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	When the user clicks View Meal Plan button	SKIPPED	0.000 s
4	Then the user should be redirected to Full Meal Plan page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s


### Verify title in View Meal Plan page



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Given the user is on Full Meal Plan page	SKIPPED	0.000 s
4	When the user views the page	SKIPPED	0.000 s
5	Then the user should see title "Full Meal Plan"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


## Verify presence of Back to Plan button



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Given the user is on Full Meal Plan page	SKIPPED	0.000 s
4	When the user views navigation controls	SKIPPED	0.000 s
5	Then the user should see "Back to plan" button on view full Meal Plan	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## Verify meal section button in View Plan page




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.002 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.004 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given the user is in password auth page	SKIPPED	0.000 s
2	When the user clicks sign in after entering password	SKIPPED	0.000 s
3	Given the user is on Full Meal Plan page	SKIPPED	0.000 s
4	When the user views the meal sections	SKIPPED	0.001 s
5	Then the user should see each meal section button	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## Homepage Challenge Button Functionality




## Verify the navigation of the Challenge button




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is logged into app	SKIPPED	0.000 s
2	When User clicks Challenge button	SKIPPED	0.001 s
3	Then User should get pop window	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify the title of the popup




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is logged into app	SKIPPED	0.000 s
2	When User clicks Challenge button	SKIPPED	0.000 s
3	Then User should see title "Choose Your Challenge"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s

### Verify the subtext in the popup



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.003 s
1	Given User is logged into app	SKIPPED	0.000 s
2	When User clicks Challenge button	SKIPPED	0.000 s
3	Then User should see sub text on challenge popup "Select a program that best fits your health goals"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify the presence of two option buttons



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is logged into app	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When User clicks Challenge button	SKIPPED	0.000 s
3	Then User should see two options for challenge option	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the first option text




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.008 s
1	Given User is logged into app	SKIPPED	0.001 s
2	When User clicks Challenge button	SKIPPED	0.000 s
3	Then User should see "10-Day Challenge Postprandial Blood Glucose Reduction" as first option	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s

### Verify the second option text




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.002 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.004 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is logged into app	SKIPPED	0.001 s
2	When User clicks Challenge button	SKIPPED	0.001 s
3	Then User should see "4-Week Program Blood Sugar Reduction Plan" as first option	SKIPPED	0.000 s
4	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

## verification on log status



Verify user able to change the log




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in dashboard page	SKIPPED	0.001 s
2	When User clicks home tab after logging emotional state in dashboard	SKIPPED	0.000 s
3	Then User should see emoji and mood text is changed	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Validation for View Full Meal Plan




Verify each meal section has Pre meal title




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User clicks view meal plan after reaching home page	SKIPPED	0.000 s
2	Given User is in View Meal plan	SKIPPED	0.000 s
3	When User clicks Meal sections	SKIPPED	0.000 s
4	Then Each meal section should display a pre-meal item with the format "Pre-meal: <followed item by name>"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify pre-meal includes description under the item name



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User clicks view meal plan after reaching home page	SKIPPED	0.000 s
2	Then Item description should be displayed below the item name	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify Pre meal calorie in view full plan



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User clicks view meal plan after reaching home page	SKIPPED	0.000 s
2	Then Calories value should be displayed	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify pre meal preparation in view full plan




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User clicks view meal plan after reaching home page	SKIPPED	0.000 s
2	Then Preparation instructions displayed if available, if not then "N/A"	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify Nutrients (Pre-meal portion)




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User clicks view meal plan after reaching home page	SKIPPED	0.000 s
2	Then User should see "Nutrients (Pre-meal portion)" heading in full plan	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify nutrients list (Pre-meal portion)



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User clicks view meal plan after reaching home page	SKIPPED	0.000 s
2	Then User should see list "carb, protein, fat, fibre"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify meal includes description under the item name



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User clicks view meal plan after reaching home page	SKIPPED	0.001 s
2	Then Item description should be displayed below the item name	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify meal preparation




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User clicks view meal plan after reaching home page	SKIPPED	0.000 s
2	Then Preparation instructions displayed if available, if not then "N/A"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify Nutrients information




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.011 s
1	Given User clicks view meal plan after reaching home page	SKIPPED	0.001 s
2	Then User should see "Nutrients information" heading in full plan	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.004 s

### Verify nutrients list (meal portion)



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User clicks view meal plan after reaching home page	SKIPPED	0.000 s
2	Then User should see "carb, protein, fat, fibre"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


## Verify Diabetes Management Tips heading



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.003 s
1	Given User clicks view meal plan after reaching home page	SKIPPED	0.000 s
2	Then User should see heading "Diabetes Management Tips"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Validate back to plan button




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.003 s
1	Given User clicks view meal plan after reaching home page	SKIPPED	0.001 s
2	Given User is in view full plan page	SKIPPED	0.000 s
3	When User clicks back to plan button	SKIPPED	0.000 s
4	Then User should redirected to Home page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verification on button navigation in home page




### Verify user able to download weekly plan




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User logged onto the application	SKIPPED	0.000 s
2	Given User is in home page	SKIPPED	0.000 s
3	When User clicks Weekly plan	SKIPPED	0.000 s
4	Then User should get pdf download of weekly plan	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the navigation of Blood Glucose button




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logged onto the application	SKIPPED	0.000 s
2	When User clicks on Blood glucose button	SKIPPED	0.000 s
3	Then User should redirect to Blood Glucose popup window	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s

### Verify the navigation of Physical Activity button



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User logged onto the application	SKIPPED	0.001 s
2	When User clicks on physical activity button	SKIPPED	0.000 s
3	Then User should redirect to physical activity popup window	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify the navigation of Food Intake button



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User logged onto the application	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When User clicks on food intake button	SKIPPED	0.000 s
3	Then User should redirect to food intake popup window	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the navigation of Medication button



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User logged onto the application	SKIPPED	0.001 s
2	When User clicks on medication button	SKIPPED	0.001 s
3	Then User should redirect to medication popup window	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the navigation of log button




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.004 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User logged onto the application	SKIPPED	0.000 s
2	When User clicks log button	SKIPPED	0.000 s
3	Then User should redirected to dashboard page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Subscription page validation




## Verify Daily Meal Plan availability




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in the homepage	SKIPPED	0.000 s
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then Both Free and Premium should show Daily Meal Plan as available	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s

### Verify Weekly Meal Plan availability



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.003 s
1	Given User is in the homepage	SKIPPED	0.000 s
2	When User clicks view full plan button in homepage	SKIPPED	0.001 s
3	Then Weekly Meal Plan should be available only in Premium	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s


### Verify Personalized Exercise Plan availability



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in the homepage	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then Personalized Exercise Plan should be available only in Premium	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s

## Verify 10-Day Quick Reversal Plan availability




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in the homepage	SKIPPED	0.001 s
2	When User clicks view full plan button in homepage	SKIPPED	0.001 s
3	Then 10-Day Quick Reversal Plan should be available only in Premium	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.003 s

## Verify 30-Day Blood Sugar Reduction Plan




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in the homepage	SKIPPED	0.000 s
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then 30-Day Blood Sugar Reduction Plan should be available only in Premium	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.004 s

### Verify Glucose Level Graph availability



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in the homepage	SKIPPED	0.000 s
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then Both Free and Premium should show Glucose Level Graph as available	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


## Verify BMI Calculation availability



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in the homepage	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then Both Free and Premium should show BMI Calculation as available	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.004 s

## Verify Downloadable Meal Plan PDF availability




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in the homepage	SKIPPED	0.000 s
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then Downloadable Meal Plan PDF should be available only in Premium	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify Reminders availability




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.003 s
1	Given User is in the homepage	SKIPPED	0.000 s
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then Reminders should be available only in Premium	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify Continue free button is visible



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.003 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in the homepage	SKIPPED	0.000 s
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then The "Continue free" button should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s


### Verify Upgrade to Premium button is visible



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.003 s
1	Given User is in the homepage	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then The "Upgrade to Premium" button should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify Free Account label




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in the homepage	SKIPPED	0.000 s
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then It should display "Free Account"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify Premium Account label




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.002 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
3	Given User is in the homepage	SKIPPED	0.001 s
4	When User clicks view full plan button in homepage	SKIPPED	0.000 s
5	Then It should display "Premium Account"	SKIPPED	0.000 s
6	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify unavailable features are marked with gray X



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.000 s
1	Given User is in the homepage	SKIPPED	0.000 s
2	When User clicks view full plan button in homepage	SKIPPED	0.001 s
3	Then Features not included should have gray X icons	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify available features are marked with purple tick



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in the homepage	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then All included features should have purple checkmarks	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify total number of features listed




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in the homepage	SKIPPED	0.000 s
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then It should list exactly 9 features	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify position of Continue free button




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in the homepage	SKIPPED	0.000 s
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then "Continue free" button should appear	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify position of Upgrade to Premium button



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in the homepage	SKIPPED	0.000 s
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then "Upgrade to Premium" button should appear	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify terms and conditions text is visible



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in the homepage	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then Terms & Conditions and Privacy Policy text should be visible	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify upgrade message header is displayed




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in the homepage	SKIPPED	0.000 s
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then It should show the text "Upgrade to premium for complete diabetes management"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify visual separation between Free and Premium plans




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.003 s
1	Given User is in the homepage	SKIPPED	0.000 s
2	When User clicks view full plan button in homepage	SKIPPED	0.000 s
3	Then The Free and Premium plans should be displayed side-by-side in clearly separated columns	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Post-Onboarding Navigation and Upgrade Flow




Verify user able to go to subscription payment screen




#	Step / Hook Details	Status	Duration
1	BEFORE - hooks.Hooks.launchbrowser()	FAILED	0.002 s
	java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)		
2	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()	FAILED	0.001 s
	java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is in upgrade page	SKIPPED	0.000 s
2	When User clicks the "Upgrade to Premium" button	SKIPPED	0.001 s
3	Then User should be redirected to the subscription payment screen	SKIPPED	0.000 s
4	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)		

### Verify title of Upgrade screen



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in upgrade page	SKIPPED	0.001 s
2	When User clicks the "Upgrade to Premium" button	SKIPPED	0.000 s
3	Then Page title should be "Upgrade to Premium"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify sub text



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in upgrade page	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
2	When User clicks the "Upgrade to Premium" button	SKIPPED	0.000 s
3	Then User should see "Get personalized insights and advanced features to better manage your diabetes."	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify the presence of "premium features"




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in upgrade page	SKIPPED	0.000 s
2	When User clicks the "Upgrade to Premium" button	SKIPPED	0.000 s
3	Then User should see text "premium features"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### verify the description for premium feature




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is in upgrade page	SKIPPED	0.001 s
2	When User clicks the "Upgrade to Premium" button	SKIPPED	0.000 s
3	Then User should see text "?Personalized meal plans,?Advanced analytics,?Priority support"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### verify the presence of subscription price



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.002 s
1	Given User is in upgrade page	SKIPPED	0.000 s
2	When User clicks the "Upgrade to Premium" button	SKIPPED	0.000 s
3	Then User should see "\$9.99/month"	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### verify the presence of cancel anytime text



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in upgrade page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When User clicks the "Upgrade to Premium" button	SKIPPED	0.000 s
3	Then User should see cancel anytime text below the pricing details	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the presence of "Card Number"




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.000 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.000 s
1	Given User is in upgrade page	SKIPPED	0.000 s
2	When User clicks the "Upgrade to Premium" button	SKIPPED	0.000 s
3	Then User should see heading "Card Number"	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.000 s

### Verify the presence of fields in payment




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.000 s
1	Given User is in upgrade page	SKIPPED	0.000 s
2	When User clicks the "Upgrade to Premium" button	SKIPPED	0.000 s
3	Then User should see card number, expiration , cvv field	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify presence of payment button



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in upgrade page	SKIPPED	0.000 s
2	When User clicks the "Upgrade to Premium" button	SKIPPED	0.000 s
3	Then User should see "Pay \$9.99 USD" button	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify terms and renewal message



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in upgrade page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When User clicks the "Upgrade to Premium" button	SKIPPED	0.000 s
3	Then User should see terms of service and auto-renewal notice	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the presence of terms and auto-renewal note




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is in upgrade page	SKIPPED	0.000 s
2	When User clicks the "Upgrade to Premium" button	SKIPPED	0.000 s
3	Then User should see "By completing this purchase, you agree to our Terms of Service and Privacy Policy. Your subscription will automatically renew each month until cancelled."	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify user able to go to home page




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)		
1	Given User is in upgrade page	SKIPPED	0.000 s
2	When user clicks the "Continue free" button	SKIPPED	0.001 s
3	Then User should be redirected to the home page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Login Page UI Verification




## Verify login form header is played




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on SweetBalance homepage	SKIPPED	0.000 s
2	When User clicks on Login link	SKIPPED	0.000 s
3	Then User should see Welcome back heading	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify sub text of the header



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.000 s
1	Given User is on SweetBalance homepage	SKIPPED	0.000 s
2	When User clicks on Login link	SKIPPED	0.000 s
3	Then User should see Sign in to your account or create a new one	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify the presence of close button



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.000 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.000 s
1	Given User is on SweetBalance homepage	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
2	When User clicks on Login link	SKIPPED	0.000 s
3	Then User should see close button at the right corner	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify the presence of close button




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.002 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on SweetBalance homepage	SKIPPED	0.000 s
2	When User clicks on Login link	SKIPPED	0.000 s
3	Then User should see an input field to enter email	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

### Verify email input field is displayed




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on SweetBalance homepage	SKIPPED	0.000 s
2	When User clicks on Login link	SKIPPED	0.000 s
3	Then User should see an input field to enter email	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Validate placeholder text in email field



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on SweetBalance homepage	SKIPPED	0.000 s
2	When User clicks on Login link	SKIPPED	0.000 s
3	Then User should see text Enter Email in email field placeholder	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify Continue with Email button is displayed



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on SweetBalance homepage	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When User clicks on Login link	SKIPPED	0.000 s
3	Then User should see a Continue with email button	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify Continue with Email button is enabled




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on SweetBalance homepage	SKIPPED	0.000 s
2	When User clicks on Login link	SKIPPED	0.000 s
3	Then User should see Continue with email button to be enabled	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify Continue with Google button is displayed




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.000 s
1	Given User is on SweetBalance homepage	SKIPPED	0.000 s
2	When User clicks on Login link	SKIPPED	0.000 s
3	Then User should see a Continue with Google button	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify OR separator is visible



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on SweetBalance homepage	SKIPPED	0.000 s
2	When User clicks on Login link	SKIPPED	0.000 s
3	Then User should see an OR separator	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify Terms and Privacy message is displayed




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.000 s
1	Given User is on SweetBalance homepage	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
2	When User clicks on Login link	SKIPPED	0.000 s
3	Then User should see By continuing you agree to our T&C and Privacy	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Login page field and functional Validation




## Verify email input accepts valid existing email



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on the login page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When Registered user clicks continue with email button after entering a valid existing email	SKIPPED	0.000 s
3	Then User should get password field	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

## Verify email input rejects invalid email




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.000 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on the login page	SKIPPED	0.000 s
2	When User enters an invalid email	SKIPPED	0.000 s
3	Then Email field should show validation error	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.002 s

## Verify password field in login page




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on the login page	SKIPPED	0.000 s
2	When Registered user clicks continue with email button after entering a valid existing email	SKIPPED	0.000 s
3	Then User should see Sign in button	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify sub text



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on the login page	SKIPPED	0.001 s
2	When Registered user clicks continue with email button after entering a valid existing email	SKIPPED	0.000 s
3	Then User should see email id in sub text	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s


### Verify presence of forgot password link



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on the login page	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
2	When Registered user clicks continue with email button after entering a valid existing email	SKIPPED	0.000 s
3	Then User should see Forgot password? link	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify presence of placeholder in password field




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.000 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on the login page	SKIPPED	0.000 s
2	When Registered user clicks continue with email button after entering a valid existing email	SKIPPED	0.000 s
3	Then User should see text Enter your password as placeholder in password field	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify password input accepts valid existing user



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on the login page	SKIPPED	0.000 s
2	When Registered user clicks sign in after entering email and password	SKIPPED	0.000 s
3	Then User should be navigated to home page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s

### Verify email input accepts valid new email



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchbrowser()  java.lang.IllegalArgumentException: Browser not supported: firefox at webdriver.DriverFactory.init_driver(DriverFactory.java:26) at hooks.Hooks.launchbrowser(Hooks.java:42)	FAILED	0.001 s
	BEFORE - stepdefinition.PremiumUser_HomePageSD.init()  java.lang.RuntimeException: WebDriver is not initialized. Check your Hooks or DriverFactory. at stepdefinition.PremiumUser_HomePageSD.init(PremiumUser_HomePageSD.java:31)	FAILED	0.001 s
1	Given User is on the login page	SKIPPED	0.000 s
2	When Unregistered user clicks continue with email button after entering a valid new email	SKIPPED	0.000 s
3	Then User should get Complete your profile form	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "webdriver.DriverFactory.getDriver()" is null at hooks.Hooks.tearDown(Hooks.java:52)	FAILED	0.001 s